

# Geert Dom

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/713807/publications.pdf>

Version: 2024-02-01

110  
papers

4,657  
citations

94269

37  
h-index

114278

63  
g-index

114  
all docs

114  
docs citations

114  
times ranked

5893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019, 56, 14-34.	0.1	330
2	Impulsivity as a vulnerability factor for poor addiction treatment outcomes: A review of neurocognitive findings among individuals with substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2014, 47, 58-72.	1.5	265
3	Substance use disorders and the orbitofrontal cortex. <i>British Journal of Psychiatry</i> , 2005, 187, 209-220.	1.7	201
4	Impulsivity in abstinent early- and late-onset alcoholics: differences in self-report measures and a discounting task. <i>Addiction</i> , 2006, 101, 50-59.	1.7	195
5	United Nations convention on the rights of persons with disabilities needs to be interpreted on the basis of scientific evidence regarding psychiatry. <i>European Psychiatry</i> , 2018, 51, 87-89.	0.1	166
6	A transdiagnostic dimensional approach towards a neuropsychological assessment for addiction: an international Delphi consensus study. <i>Addiction</i> , 2019, 114, 1095-1109.	1.7	160
7	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014, 134, 158-166.	1.6	150
8	Transient alcohol craving suppression by rTMS of dorsal anterior cingulate: An fMRI and LORETA EEG study. <i>Neuroscience Letters</i> , 2011, 496, 5-10.	1.0	143
9	Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. <i>Drug and Alcohol Dependence</i> , 2013, 132, 587-596.	1.6	135
10	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014, 109, 262-272.	1.7	129
11	Differences in impulsivity and sensation seeking between early- and late-onset alcoholics. <i>Addictive Behaviors</i> , 2006, 31, 298-308.	1.7	124
12	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: A review of the current state of the art. <i>Drug and Alcohol Dependence</i> , 2014, 134, 1-11.	1.6	120
13	Relationship between P-glycoprotein and second-generation antipsychotics. <i>Pharmacogenomics</i> , 2011, 12, 1193-1211.	0.6	104
14	Decision-Making Deficits in Alcohol-Dependent Patients With and Without Comorbid Personality Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 1670-1677.	1.4	93
15	EPA guidance on mental health and economic crises in Europe. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 89-124.	1.8	90
16	The Impact of the 2008 Economic Crisis on Substance Use Patterns in the Countries of the European Union. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 122.	1.2	74
17	COVID-19 and Substance Use Disorders as Brain Diseases: Recommendations to a Comprehensive Healthcare Response. An International Society of Addiction Medicine (ISAM) Practice and Policy Interest Group Position Paper. <i>Basic and Clinical Neuroscience</i> , 2020, 11, 133-150.	0.3	74
18	Cognition and addiction. <i>Dialogues in Clinical Neuroscience</i> , 2019, 21, 281-290.	1.8	73

#	ARTICLE	IF	CITATIONS
19	BEHAVIOURAL ASPECTS OF IMPULSIVITY IN ALCOHOLICS WITH AND WITHOUT A CLUSTER-B PERSONALITY DISORDER. <i>Alcohol and Alcoholism</i> , 2006, 41, 412-420.	0.9	72
20	A systematic review on the relationship between mental health, radicalization and mass violence. <i>European Psychiatry</i> , 2019, 56, 51-59.	0.1	69
21	Dimensions of impulsive behaviour in abstinent alcoholics. <i>Personality and Individual Differences</i> , 2007, 42, 465-476.	1.6	60
22	Modafinil Modulates Resting-State Functional Network Connectivity and Cognitive Control in Alcohol-Dependent Patients. <i>Biological Psychiatry</i> , 2013, 73, 789-795.	0.7	60
23	Impulsive choice predicts short-term relapse in substance-dependent individuals attending an in-patient detoxification programme. <i>Psychological Medicine</i> , 2015, 45, 2083-2093.	2.7	57
24	European* clinical practice recommendations on opioids for chronic noncancer pain – Part 1: Role of opioids in the management of chronic noncancer pain. <i>European Journal of Pain</i> , 2021, 25, 949-968.	1.4	55
25	The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 232-244.	1.1	53
26	Affective Decision-Making Is Predictive of Three-Month Relapse in Polysubstance-Dependent Alcoholics. <i>European Addiction Research</i> , 2013, 19, 21-28.	1.3	51
27	Addiction, Anhedonia, and Comorbid Mood Disorder. A Narrative Review. <i>Frontiers in Psychiatry</i> , 2019, 10, 311.	1.3	49
28	Neural substrates of impulsive decision making modulated by modafinil in alcohol-dependent patients. <i>Psychological Medicine</i> , 2014, 44, 2787-2798.	2.7	48
29	Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: A randomized placebo-controlled cross-over study using pharmacological fMRI. <i>Addictive Behaviors</i> , 2013, 38, 1509-1517.	1.7	47
30	The relationship between impulsivity and craving in alcohol dependent patients. <i>Psychopharmacology</i> , 2013, 226, 273-283.	1.5	46
31	Effect of modafinil on impulsivity and relapse in alcohol dependent patients: A randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2013, 23, 948-955.	0.3	45
32	“The post-COVID era” challenges in the treatment of substance use disorder (SUD) after the pandemic. <i>BMC Medicine</i> , 2020, 18, 241.	2.3	44
33	Disadvantageous Decision-Making as a Predictor of Drop-Out among Cocaine-Dependent Individuals in Long-Term Residential Treatment. <i>Frontiers in Psychiatry</i> , 2013, 4, 149.	1.3	42
34	Traumatic experiences and posttraumatic stress disorders: differences between treatment-seeking early- and late-onset alcoholic patients. <i>Comprehensive Psychiatry</i> , 2007, 48, 178-185.	1.5	41
35	Treatment for Outpatients with Comorbid Schizophrenia and Substance Use Disorders: A Review. <i>European Addiction Research</i> , 2014, 20, 105-114.	1.3	41
36	Assessing and Treating Alcohol Relapse Risk in Liver Transplantation Candidates. <i>Alcohol and Alcoholism</i> , 2015, 50, 164-172.	0.9	40

#	ARTICLE	IF	CITATIONS
37	Hair ethyl glucuronide as a biomarker of alcohol consumption in alcohol-dependent patients: Role of gender differences. <i>Drug and Alcohol Dependence</i> , 2014, 141, 163-166.	1.6	38
38	The pharmacological management of agitated and aggressive behaviour: A systematic review and meta-analysis. <i>European Psychiatry</i> , 2019, 57, 78-100.	0.1	38
39	Alcohol Use and Hazardous Drinking among Medical Specialists. <i>European Addiction Research</i> , 2013, 19, 89-97.	1.3	36
40	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019, 23, 1438-1453.	1.5	34
41	Effortful Control "A Transdiagnostic Dimension Underlying Internalizing and Externalizing Psychopathology. <i>Neuropsychobiology</i> , 2020, 79, 255-269.	0.9	32
42	Treatment Outcomes of an Integrated Residential Programme for Patients with Schizophrenia and Substance Use Disorder. <i>European Addiction Research</i> , 2011, 17, 154-163.	1.3	31
43	Influence of repeated permanent coloring and bleaching on ethyl glucuronide concentrations in hair from alcohol-dependent patients. <i>Forensic Science International</i> , 2015, 247, 18-22.	1.3	31
44	Is attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow-up? A longitudinal study involving young Swiss men. <i>Addiction</i> , 2016, 111, 1867-1878.	1.7	31
45	Reduced striatal brain volumes in non-medicated adult ADHD patients with comorbid cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2013, 131, 198-203.	1.6	30
46	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021, 64, e41.	0.1	30
47	Relapse in pathological gamblers: A pilot study on the predictive value of different impulsivity measures. <i>Journal of Behavioral Addictions</i> , 2013, 2, 23-30.	1.9	28
48	International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. <i>European Addiction Research</i> , 2020, 26, 223-232.	1.3	28
49	Age of Onset and Neuropsychological Functioning in Alcohol Dependent Inpatients. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 407-416.	1.4	26
50	European Psychiatric Association (EPA) Guidance on Post-graduate Psychiatric Training in Europe. <i>European Psychiatry</i> , 2014, 29, 101-106.	0.1	26
51	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017, 65, 118-124.	1.7	26
52	Ethyl glucuronide in keratinous matrices as biomarker of alcohol use: A correlation study between hair and nails. <i>Forensic Science International</i> , 2017, 279, 187-191.	1.3	25
53	The Association Between Impulsivity and Relapse in Patients With Alcohol Use Disorder: A Literature Review. <i>Alcohol and Alcoholism</i> , 2021, 56, 637-650.	0.9	24
54	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. <i>Analytica Chimica Acta</i> , 2017, 960, 101-109.	2.6	23

#	ARTICLE	IF	CITATIONS
55	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020, 63, e82.	0.1	23
56	Keratinous matrices for the assessment of drugs of abuse consumption: A correlation study between hair and nails. <i>Drug Testing and Analysis</i> , 2018, 10, 1110-1118.	1.6	22
57	Determination of Common Antipsychotics in Quantisal-Collected Oral Fluid by UHPLC-MS/MS. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 87-97.	1.0	20
58	Microbiome and substances of abuse. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110113.	2.5	20
59	Low dopamine transporter occupancy by methylphenidate as a possible reason for reduced treatment effectiveness in ADHD patients with cocaine dependence. <i>European Neuropsychopharmacology</i> , 2013, 23, 1714-1723.	0.3	19
60	Effectiveness of two web-based cognitive bias modification interventions targeting approach and attentional bias in gambling problems: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2017, 18, 452.	0.7	19
61	Mass violence, radicalization and terrorism: A role for psychiatric profession?. <i>European Psychiatry</i> , 2018, 49, 78-80.	0.1	19
62	A Survey on the Medical Use of Cannabis in Europe: A Position Paper. <i>European Addiction Research</i> , 2018, 24, 201-205.	1.3	19
63	The Interplay of Inflammatory Processes and Cognition in Alcohol Use Disorders – A Systematic Review. <i>Frontiers in Psychiatry</i> , 2019, 10, 632.	1.3	18
64	European clinical practice recommendations on opioids for chronic noncancer pain – Part 2: Special situations*. <i>European Journal of Pain</i> , 2021, 25, 969-985.	1.4	17
65	Ethyl glucuronide concentrations in hair: a controlled alcohol-dosing study in healthy volunteers. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 2019-2025.	1.9	16
66	Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. <i>Alcohol and Alcoholism</i> , 2017, 52, 19-23.	0.9	16
67	Motor Functioning and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1820-1825.	1.4	15
68	Evolution of First-generation and Second-generation Antipsychotic Prescribing Patterns in Belgium Between 1997 and 2012. <i>Journal of Psychiatric Practice</i> , 2015, 21, 248-258.	0.3	15
69	Impulsivity in Cocaine-Dependent Individuals with and without Attention-Deficit/Hyperactivity Disorder. <i>European Addiction Research</i> , 2015, 21, 131-143.	1.3	15
70	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. <i>European Addiction Research</i> , 2020, 26, 173-178.	1.3	15
71	Effect of modafinil on cognitive functions in alcohol dependent patients: A randomized, placebo-controlled trial. <i>Journal of Psychopharmacology</i> , 2013, 27, 998-1006.	2.0	14
72	Risky Decision-Making but Not Delay Discounting Improves during Inpatient Treatment of Polysubstance Dependent Alcoholics. <i>Frontiers in Psychiatry</i> , 2013, 4, 91.	1.3	14

#	ARTICLE	IF	CITATIONS
73	Behavioural addictions: Classification and consequences. <i>European Psychiatry</i> , 2017, 44, 187-188.	0.1	14
74	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. <i>Clinical Biochemistry</i> , 2016, 49, 554-559.	0.8	13
75	Unmet mental health needs in the general population: perspectives of Belgian health and social care professionals. <i>International Journal for Equity in Health</i> , 2020, 19, 169.	1.5	13
76	Diagnostic challenges in alcohol use disorder and alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014, 20, 8024.	1.4	12
77	Combining Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide to Provide Optimal Information on Alcohol Use. <i>Clinical Chemistry</i> , 2014, 60, 1347-1348.	1.5	12
78	Addiction specialist's role in liver transplantation procedures for alcoholic liver disease. <i>World Journal of Hepatology</i> , 2015, 7, 2091.	0.8	12
79	Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. <i>European Addiction Research</i> , 2015, 21, 188-194.	1.3	11
80	Alcohol-induced hypertension: an important healthcare target in Belgium. <i>Acta Clinica Belgica</i> , 2015, 70, 389-395.	0.5	11
81	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. <i>European Addiction Research</i> , 2020, 26, 201-210.	1.3	11
82	Validation of the AUDIT and AUDIT-C for Hazardous Drinking in Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9266.	1.2	11
83	Variety in Alcohol Use Disorder Relapse Definitions: Should the Term "Relapse" Be Abandoned?. <i>Journal of Studies on Alcohol and Drugs</i> , 2022, 83, 248-259.	0.6	11
84	Dopamine transporter occupancy by methylphenidate and impulsivity in adult ADHD. <i>British Journal of Psychiatry</i> , 2014, 204, 486-487.	1.7	10
85	Personality profiles in substance use disorders: Do they differ in clinical symptomatology, personality disorders and coping?. <i>Personality and Individual Differences</i> , 2018, 131, 61-66.	1.6	10
86	Organization of Community Mental Health Services for Persons with a Severe Mental Illness and Comorbid Somatic Conditions: A Systematic Review on Somatic Outcomes and Health Related Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 462.	1.2	10
87	The state of psychiatry in Belgium. <i>International Review of Psychiatry</i> , 2012, 24, 286-294.	1.4	9
88	Collaborative care regarding major depressed patients: A review of guidelines and current practices. <i>Journal of Affective Disorders</i> , 2016, 200, 189-203.	2.0	8
89	Family History of Alcohol Abuse Associated with Higher Impulsivity in Patients with Alcohol Use Disorder: A Multisite Study. <i>European Addiction Research</i> , 2020, 26, 85-95.	1.3	8
90	Innovative Treatment Approaches in Gambling Disorder. , 2019, , 195-233.		6

#	ARTICLE	IF	CITATIONS
91	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020, , .	1.0	6
92	The Role of Psychological Distress in the Relationship between Drinking Motives and Hazardous Drinking in Older Adults. <i>European Addiction Research</i> , 2021, 27, 33-41.	1.3	6
93	Meta-Analysis on the Effect of Contingency Management for Patients with Both Psychotic Disorders and Substance Use Disorders. <i>Journal of Clinical Medicine</i> , 2021, 10, 616.	1.0	6
94	Why Collaborative Care for Depressed Patients is so Difficult: A Belgian Qualitative Study. <i>International Journal of Integrated Care</i> , 2017, 17, 7.	0.1	6
95	Euthanasia and assisted suicide in the context of psychiatric disorders: sharing experiences from the Low Countries. <i>Psychiatria Polska</i> , 2020, 54, 661-672.	0.2	6
96	Substance Misuse Education for Physicians: Why Older People are Important. <i>Yale Journal of Biology and Medicine</i> , 2016, 89, 97-103.	0.2	5
97	Alcohol use disorder relapse factors: an exploratory investigation of craving, alcohol dependence severity, and meaning in life. <i>Addiction Research and Theory</i> , 2022, 30, 351-359.	1.2	5
98	Early developmental, temperamental and educational problems in "substance use disorder"™ patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015, 2, 13-18.	1.0	4
99	Knowledge and utilization of technology-based interventions for substance use disorders: an exploratory study among health professionals in the European Union. <i>Drugs: Education, Prevention and Policy</i> , 2019, 26, 437-446.	0.8	4
100	Comparison of European Clinical Guidelines on the Management of Alcohol Use Disorders. <i>European Addiction Research</i> , 2021, 27, 227-236.	1.3	4
101	Supporting Future Cannabis Policy " Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021, 12, 675033.	1.3	4
102	Confidentiality and the Role of the Addiction Specialist Team in Liver Transplantation Procedures. Commentary on Donnadieu-Rigole et Al., 2017, Follow-Up of Alcohol Consumption After Liver Transplantation: Interest of an Addiction Team?. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 504-506.	1.4	3
103	Toward a New Model of Care: Integrating Mental Health, Substance Use, and Somatic Care. , 2015, , 375-389.		3
104	Why Belgian alcohol patients are treated differently than their French counterparts. <i>Acta Clinica Belgica</i> , 2012, 67, 315-6.	0.5	2
105	Physical Healthcare, Health-Related Quality of Life and Global Functioning of Persons with a Severe Mental Illness in Belgian Long-Term Mental Health Assertive Outreach Teams: A Cross-Sectional Self-Reported Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5522.	1.2	1
106	DELAY DISCOUNTING AND EARLY ONSET ALCOHOLISM: REFLECTIONS ON THE COMMENTS BY BICKEL AND YI (2006) AND PETRY (2006). <i>Addiction</i> , 2006, 101, 293-294.	1.7	0
107	Work is Important. Commentary on Finn et Al. (2017) Decisions to Attend and Drink at Party Events: The Effects of Incentives and Disincentives and Lifetime Alcohol and Antisocial Problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 9-11.	1.4	0
108	Non-Substance-Related Disorders: Gambling Disorder and Internet Addiction. , 2015, , 221-236.		0

#	ARTICLE	IF	CITATIONS
109	The Pathogenesis of Dual Disorders: Neurobiological Perspectives. , 2015, , 61-71.		0
110	Reactive and Regulative Temperament in Relation to Clinical Symptomatology and Personality Disorders in Patients with a Substance Use Disorder. Journal of Clinical Medicine, 2022, 11, 591.	1.0	0