

Geert Dom

List of Publications by Citations

Source: <https://exaly.com/author-pdf/713807/geert-dom-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

3,408
citations

32
h-index

56
g-index

114
ext. papers

4,019
ext. citations

4.1
avg, IF

5.19
L-index

#	Paper	IF	Citations
105	Impulsivity as a vulnerability factor for poor addiction treatment outcomes: a review of neurocognitive findings among individuals with substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2014 , 47, 58-72	4.2	209
104	Impulsivity in abstinent early- and late-onset alcoholics: differences in self-report measures and a discounting task. <i>Addiction</i> , 2006 , 101, 50-9	4.6	177
103	Substance use disorders and the orbitofrontal cortex: systematic review of behavioural decision-making and neuroimaging studies. <i>British Journal of Psychiatry</i> , 2005 , 187, 209-20	5.4	176
102	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , 2019 , 56, 14-34	6	170
101	Transient alcohol craving suppression by rTMS of dorsal anterior cingulate: an fMRI and LORETA EEG study. <i>Neuroscience Letters</i> , 2011 , 496, 5-10	3.3	129
100	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 158-166	4.9	123
99	Differences in impulsivity and sensation seeking between early- and late-onset alcoholics. <i>Addictive Behaviors</i> , 2006 , 31, 298-308	4.2	110
98	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the IASP study. <i>Addiction</i> , 2014 , 109, 262-72	4.6	103
97	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: a review of the current state of the art. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 1-11	4.9	97
96	A transdiagnostic dimensional approach towards a neuropsychological assessment for addiction: an international Delphi consensus study. <i>Addiction</i> , 2019 , 114, 1095-1109	4.6	96
95	Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 587-96	4.9	96
94	Decision-making deficits in alcohol-dependent patients with and without comorbid personality disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1670-7	3.7	86
93	Relationship between P-glycoprotein and second-generation antipsychotics. <i>Pharmacogenomics</i> , 2011 , 12, 1193-211	2.6	83
92	EPA guidance on mental health and economic crises in Europe. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 89-124	5.1	70
91	Behavioural aspects of impulsivity in alcoholics with and without a cluster-B personality disorder. <i>Alcohol and Alcoholism</i> , 2006 , 41, 412-20	3.5	65
90	Dimensions of impulsive behaviour in abstinent alcoholics. <i>Personality and Individual Differences</i> , 2007 , 42, 465-476	3.3	55
89	Modafinil modulates resting-state functional network connectivity and cognitive control in alcohol-dependent patients. <i>Biological Psychiatry</i> , 2013 , 73, 789-95	7.9	52

88	The Impact of the 2008 Economic Crisis on Substance Use Patterns in the Countries of the European Union. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	50
87	Affective decision-making is predictive of three-month relapse in polysubstance-dependent alcoholics. <i>European Addiction Research</i> , 2013 , 19, 21-8	4.6	46
86	Impulsive choice predicts short-term relapse in substance-dependent individuals attending an in-patient detoxification programme. <i>Psychological Medicine</i> , 2015 , 45, 2083-93	6.9	44
85	The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 232-44	4.3	44
84	Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: a randomized placebo-controlled cross-over study using pharmacological fMRI. <i>Addictive Behaviors</i> , 2013 , 38, 1509-1517	4.2	43
83	COVID-19 and Substance Use Disorders: Recommendations to a Comprehensive Healthcare Response. An International Society of Addiction Medicine Practice and Policy Interest Group Position Paper. <i>Basic and Clinical Neuroscience</i> , 2020 , 11, 133-150	1.4	43
82	Effect of modafinil on impulsivity and relapse in alcohol dependent patients: a randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 948-55	1.2	40
81	A systematic review on the relationship between mental health, radicalization and mass violence. <i>European Psychiatry</i> , 2019 , 56, 51-59	6	40
80	Neural substrates of impulsive decision making modulated by modafinil in alcohol-dependent patients. <i>Psychological Medicine</i> , 2014 , 44, 2787-98	6.9	39
79	Assessing and treating alcohol relapse risk in liver transplantation candidates. <i>Alcohol and Alcoholism</i> , 2015 , 50, 164-72	3.5	38
78	Traumatic experiences and posttraumatic stress disorders: differences between treatment-seeking early- and late-onset alcoholic patients. <i>Comprehensive Psychiatry</i> , 2007 , 48, 178-85	7.3	36
77	The relationship between impulsivity and craving in alcohol dependent patients. <i>Psychopharmacology</i> , 2013 , 226, 273-83	4.7	35
76	Hair ethyl glucuronide as a biomarker of alcohol consumption in alcohol-dependent patients: role of gender differences. <i>Drug and Alcohol Dependence</i> , 2014 , 141, 163-6	4.9	32
75	Treatment for outpatients with comorbid schizophrenia and substance use disorders: a review. <i>European Addiction Research</i> , 2014 , 20, 105-14	4.6	32
74	Disadvantageous Decision-Making as a Predictor of Drop-Out among Cocaine-Dependent Individuals in Long-Term Residential Treatment. <i>Frontiers in Psychiatry</i> , 2013 , 4, 149	5	31
73	Cognition and addiction?. <i>Dialogues in Clinical Neuroscience</i> , 2019 , 21, 281-290	5.7	29
72	Treatment outcomes of an integrated residential programme for patients with schizophrenia and substance use disorder. <i>European Addiction Research</i> , 2011 , 17, 154-63	4.6	27
71	Alcohol use and hazardous drinking among medical specialists. <i>European Addiction Research</i> , 2013 , 19, 89-97	4.6	26

70	Influence of repeated permanent coloring and bleaching on ethyl glucuronide concentrations in hair from alcohol-dependent patients. <i>Forensic Science International</i> , 2015 , 247, 18-22	2.6	25
69	Reduced striatal brain volumes in non-medicated adult ADHD patients with comorbid cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2013 , 131, 198-203	4.9	25
68	Relapse in pathological gamblers: A pilot study on the predictive value of different impulsivity measures. <i>Journal of Behavioral Addictions</i> , 2013 , 2, 23-30	6.3	25
67	Is attention deficit/hyperactivity disorder among men associated with initiation or escalation of substance use at 15-month follow-up? A longitudinal study involving young Swiss men. <i>Addiction</i> , 2016 , 111, 1867-78	4.6	24
66	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019 , 23, 1438-1453	3.7	23
65	Addiction, Anhedonia, and Comorbid Mood Disorder. A Narrative Review. <i>Frontiers in Psychiatry</i> , 2019 , 10, 311	5	22
64	European Psychiatric Association (EPA) guidance on post-graduate psychiatric training in Europe. <i>European Psychiatry</i> , 2014 , 29, 101-6	6	22
63	Age of onset and neuropsychological functioning in alcohol dependent inpatients. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 407-16	3.7	22
62	The pharmacological management of agitated and aggressive behaviour: A systematic review and meta-analysis. <i>European Psychiatry</i> , 2019 , 57, 78-100	6	21
61	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017 , 65, 118-124	4.2	21
60	"The post-COVID era": challenges in the treatment of substance use disorder (SUD) after the pandemic. <i>BMC Medicine</i> , 2020 , 18, 241	11.4	21
59	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. <i>Analytica Chimica Acta</i> , 2017 , 960, 101-109	6.6	19
58	Ethyl glucuronide in keratinous matrices as biomarker of alcohol use: A correlation study between hair and nails. <i>Forensic Science International</i> , 2017 , 279, 187-191	2.6	19
57	Effortful Control - A Transdiagnostic Dimension Underlying Internalizing and Externalizing Psychopathology. <i>Neuropsychobiology</i> , 2020 , 79, 255-269	4	17
56	European* clinical practice recommendations on opioids for chronic noncancer pain - Part 1: Role of opioids in the management of chronic noncancer pain. <i>European Journal of Pain</i> , 2021 , 25, 949-968	3.7	17
55	Determination of Common Antipsychotics in Quantisal-Collected Oral Fluid by UHPLC-MS/MS: Method Validation and Applicability for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 87-97	3.2	15
54	Keratinous matrices for the assessment of drugs of abuse consumption: A correlation study between hair and nails. <i>Drug Testing and Analysis</i> , 2018 , 10, 1110	3.5	14
53	Effect of modafinil on cognitive functions in alcohol dependent patients: a randomized, placebo-controlled trial. <i>Journal of Psychopharmacology</i> , 2013 , 27, 998-1006	4.6	14

52	Impulsivity in cocaine-dependent individuals with and without attention-deficit/hyperactivity disorder. <i>European Addiction Research</i> , 2015 , 21, 131-43	4.6	13
51	Effectiveness of two web-based cognitive bias modification interventions targeting approach and attentional bias in gambling problems: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2017 , 18, 452	2.8	13
50	Motor functioning and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 1820-5	3.7	13
49	Ethyl glucuronide concentrations in hair: a controlled alcohol-dosing study in healthy volunteers. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2019-25	4.4	13
48	Low dopamine transporter occupancy by methylphenidate as a possible reason for reduced treatment effectiveness in ADHD patients with cocaine dependence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1714-23	1.2	12
47	International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. <i>European Addiction Research</i> , 2020 , 26, 223-232	4.6	12
46	The Interplay of Inflammatory Processes and Cognition in Alcohol Use Disorders-A Systematic Review. <i>Frontiers in Psychiatry</i> , 2019 , 10, 632	5	11
45	Combining serum carbohydrate-deficient transferrin and hair ethyl glucuronide to provide optimal information on alcohol use. <i>Clinical Chemistry</i> , 2014 , 60, 1347-8	5.5	11
44	Risky Decision-Making but Not Delay Discounting Improves during Inpatient Treatment of Polysubstance Dependent Alcoholics. <i>Frontiers in Psychiatry</i> , 2013 , 4, 91	5	11
43	A Survey on the Medical Use of Cannabis in Europe: A Position Paper. <i>European Addiction Research</i> , 2018 , 24, 201-205	4.6	10
42	Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. <i>Alcohol and Alcoholism</i> , 2017 , 52, 19-23	3.5	10
41	Evolution of First-generation and Second-generation Antipsychotic Prescribing Patterns in Belgium Between 1997 and 2012: A Population-based Study. <i>Journal of Psychiatric Practice</i> , 2015 , 21, 248-58	1.3	10
40	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021 , 64, e41	6	10
39	Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. <i>European Addiction Research</i> , 2015 , 21, 188-94	4.6	9
38	Alcohol-induced hypertension: an important healthcare target in Belgium. <i>Acta Clinica Belgica</i> , 2015 , 70, 389-95	1.8	9
37	Addiction specialist's role in liver transplantation procedures for alcoholic liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 2091-9	3.4	9
36	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. <i>Clinical Biochemistry</i> , 2016 , 49, 554-9	3.5	8
35	Dopamine transporter occupancy by methylphenidate and impulsivity in adult ADHD. <i>British Journal of Psychiatry</i> , 2014 , 204, 486-7	5.4	8

34	The state of psychiatry in Belgium. <i>International Review of Psychiatry</i> , 2012 , 24, 286-94	3.6	8
33	Diagnostic challenges in alcohol use disorder and alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8024-32	5.6	7
32	Personality profiles in substance use disorders: Do they differ in clinical symptomatology, personality disorders and coping?. <i>Personality and Individual Differences</i> , 2018 , 131, 61-66	3.3	6
31	The Association Between Impulsivity and Relapse in Patients With Alcohol Use Disorder: A Literature Review. <i>Alcohol and Alcoholism</i> , 2021 , 56, 637-650	3.5	6
30	Microbiome and substances of abuse. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 105, 110113	5.5	6
29	European clinical practice recommendations on opioids for chronic noncancer pain - Part 2: Special situations. <i>European Journal of Pain</i> , 2021 , 25, 969-985	3.7	5
28	Collaborative care regarding major depressed patients: A review of guidelines and current practices. <i>Journal of Affective Disorders</i> , 2016 , 200, 189-203	6.6	5
27	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. <i>European Addiction Research</i> , 2020 , 26, 201-210	4.6	4
26	Substance Misuse Education for Physicians: Why Older People are Important. <i>Yale Journal of Biology and Medicine</i> , 2016 , 89, 97-103	2.4	4
25	Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020 , 63, e82	6	4
24	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. <i>European Addiction Research</i> , 2020 , 26, 173-178	4.6	3
23	Family History of Alcohol Abuse Associated with Higher Impulsivity in Patients with Alcohol Use Disorder: A Multisite Study. <i>European Addiction Research</i> , 2020 , 26, 85-95	4.6	3
22	Why Collaborative Care for Depressed Patients is so Difficult: A Belgian Qualitative Study. <i>International Journal of Integrated Care</i> , 2017 , 17, 7	2	3
21	Unmet mental health needs in the general population: perspectives of Belgian health and social care professionals. <i>International Journal for Equity in Health</i> , 2020 , 19, 169	4.6	3
20	The Role of Psychological Distress in the Relationship between Drinking Motives and Hazardous Drinking in Older Adults. <i>European Addiction Research</i> , 2021 , 27, 33-41	4.6	3
19	Variety in Alcohol Use Disorder Relapse Definitions: Should the Term Relapse Be Abandoned?. <i>Journal of Studies on Alcohol and Drugs</i> , 2022 , 83, 248-259	1.9	3
18	Confidentiality and the Role of the Addiction Specialist Team in Liver Transplantation Procedures. Commentary on Donnadieu-Rigole et al., 2017, Follow-Up of Alcohol Consumption After Liver Transplantation: Interest of an Addiction Team?. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 504-506	3.7	2
17	Early developmental, temperamental and educational problems in 'substance use disorder' patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015 , 2, 13-18	3.7	2

16	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 ,	2.7	2
15	Supporting Future Cannabis Policy - Developing a Standard Joint Unit: A Brief Back-Casting Exercise. <i>Frontiers in Psychiatry</i> , 2021 , 12, 675033	5	2
14	Innovative Treatment Approaches in Gambling Disorder 2019 , 195-233		2
13	Comparison of European Clinical Guidelines on the Management of Alcohol Use Disorders. <i>European Addiction Research</i> , 2021 , 27, 227-236	4.6	2
12	Organization of Community Mental Health Services for Persons with a Severe Mental Illness and Comorbid Somatic Conditions: A Systematic Review on Somatic Outcomes and Health Related Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
11	Validation of the AUDIT and AUDIT-C for Hazardous Drinking in Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
10	Knowledge and utilization of technology-based interventions for substance use disorders: an exploratory study among health professionals in the European Union. <i>Drugs: Education, Prevention and Policy</i> , 2019 , 26, 437-446	1.2	1
9	Meta-Analysis on the Effect of Contingency Management for Patients with Both Psychotic Disorders and Substance Use Disorders. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
8	Alcohol use disorder relapse factors: an exploratory investigation of craving, alcohol dependence severity, and meaning in life. <i>Addiction Research and Theory</i> , 1-9	2.6	1
7	Euthanasia and assisted suicide in the context of psychiatric disorders: sharing experiences from the Low Countries. <i>Psychiatria Polska</i> , 2020 , 54, 661-672	1.3	0
6	Work is Important. Commentary on Finn et al. (2017) Decisions to Attend and Drink at Party Events: The Effects of Incentives and Disincentives and Lifetime Alcohol and Antisocial Problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 9-11	3.7	
5	Middelengebruik als adjunctief gedrag. <i>Verslaving</i> , 2016 , 12, 79-87		
4	DELAY DISCOUNTING AND EARLY ONSET ALCOHOLISM: REFLECTIONS ON THE COMMENTS BY BICKEL AND YI (2006) AND PETRY (2006). <i>Addiction</i> , 2006 , 101, 293-294	4.6	
3	Non-Substance-Related Disorders: Gambling Disorder and Internet Addiction 2015 , 221-236		
2	The Pathogenesis of Dual Disorders: Neurobiological Perspectives 2015 , 61-71		
1	Consensus International sur le dépistage, le diagnostic et le traitement des patients avec troubles de l'usage de substances en cas de comorbidité avec un trouble du déficit de l'attention avec ou sans hyperactivité <i>Toxicologie Analytique Et Clinique</i> , 2022 , 34, 55-67	0.4	