

Hung-Chin Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/713813/hung-chin-wu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

2,879
citations

33
h-index

51
g-index

75
ext. papers

3,699
ext. citations

11.4
avg, IF

5.16
L-index

#	Paper	IF	Citations
74	Quadruple H-Bonding Cross-Linked Supramolecular Polymeric Materials as Substrates for Stretchable, Antitearing, and Self-Healable Thin Film Electrodes. <i>Journal of the American Chemical Society</i> , 2018 , 140, 5280-5289	16.4	312
73	Multi-scale ordering in highly stretchable polymer semiconducting films. <i>Nature Materials</i> , 2019 , 18, 594-601	16.4	146
72	Stretchable self-healable semiconducting polymer film for active-matrix strain-sensing array. <i>Science Advances</i> , 2019 , 5, eaav3097	14.3	102
71	Fine-Tuning Semiconducting Polymer Self-Aggregation and Crystallinity Enables Optimal Morphology and High-Performance Printed All-Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2020 , 142, 392-406	16.4	98
70	A Rapid and Facile Soft Contact Lamination Method: Evaluation of Polymer Semiconductors for Stretchable Transistors. <i>Chemistry of Materials</i> , 2014 , 26, 4544-4551	9.6	82
69	A Highly Stretchable and Self-Healing Supramolecular Elastomer Based on Sliding Crosslinks and Hydrogen Bonds. <i>Advanced Functional Materials</i> , 2020 , 30, 1907139	15.6	81
68	Nonvolatile memory based on pentacene organic field-effect transistors with polystyrene-para-substituted oligofluorene pendent moieties as polymer electrets. <i>Journal of Materials Chemistry</i> , 2012 , 22, 5820		76
67	Effect of Nonconjugated Spacers on Mechanical Properties of Semiconducting Polymers for Stretchable Transistors. <i>Advanced Functional Materials</i> , 2018 , 28, 1804222	15.6	75
66	Effect of Spacer Length of Siloxane-Terminated Side Chains on Charge Transport in Isoindigo-Based Polymer Semiconductor Thin Films. <i>Advanced Functional Materials</i> , 2015 , 25, 3455-3462	15.6	74
65	A poly(fluorene-thiophene) donor with a tethered phenanthro[9,10-d]imidazole acceptor for flexible nonvolatile flash resistive memory devices. <i>Chemical Communications</i> , 2012 , 48, 9135-7	5.8	70
64	Soft Poly(butyl acrylate) Side Chains toward Intrinsically Stretchable Polymeric Semiconductors for Field-Effect Transistor Applications. <i>Macromolecules</i> , 2017 , 50, 4982-4992	5.5	69
63	Deformable Organic Nanowire Field-Effect Transistors. <i>Advanced Materials</i> , 2018 , 30, 1704401	24	64
62	Isoindigo-Based Semiconducting Polymers Using Carbosilane Side Chains for High Performance Stretchable Field-Effect Transistors. <i>Macromolecules</i> , 2016 , 49, 8540-8548	5.5	64
61	Stretchable Conjugated Rod-Coil Poly(3-hexylthiophene)-block-poly(butyl acrylate) Thin Films for Field Effect Transistor Applications. <i>Macromolecules</i> , 2017 , 50, 1442-1452	5.5	63
60	An Intrinsically Stretchable High-Performance Polymer Semiconductor with Low Crystallinity. <i>Advanced Functional Materials</i> , 2019 , 29, 1905340	15.6	63
59	A silole copolymer containing a ladder-type heptacyclic arene and naphthobisoxadiazole moieties for highly efficient polymer solar cells. <i>Energy and Environmental Science</i> , 2015 , 8, 552-557	35.4	60
58	Conjugated Carbon Cyclic Nanorings as Additives for Intrinsically Stretchable Semiconducting Polymers. <i>Advanced Materials</i> , 2019 , 31, e1903912	24	57

57	Conception of Stretchable Resistive Memory Devices Based on Nanostructure-Controlled Carbohydrate-block-Polyisoprene Block Copolymers. <i>Advanced Functional Materials</i> , 2017 , 27, 1606161	15.6	55
56	Significance of the double-layer capacitor effect in polar rubbery dielectrics and exceptionally stable low-voltage high transconductance organic transistors. <i>Scientific Reports</i> , 2015 , 5, 17849	4.9	53
55	Nonhalogenated Solvent Processable and Printable High-Performance Polymer Semiconductor Enabled by Isomeric Nonconjugated Flexible Linkers. <i>Macromolecules</i> , 2018 , 51, 4976-4985	5.5	49
54	n-Type Doped Conjugated Polymer for Nonvolatile Memory. <i>Advanced Materials</i> , 2017 , 29, 1605166	24	47
53	Donor-Acceptor Poly(3-hexylthiophene)-block-Pendent Poly(isoindigo) with Dual Roles of Charge Transporting and Storage Layer for High-Performance Transistor-Type Memory Applications. <i>Advanced Functional Materials</i> , 2016 , 26, 2695-2705	15.6	45
52	Tailoring Carbosilane Side Chains toward Intrinsically Stretchable Semiconducting Polymers. <i>Macromolecules</i> , 2019 , 52, 4396-4404	5.5	41
51	Stretchable and Fully Degradable Semiconductors for Transient Electronics. <i>ACS Central Science</i> , 2019 , 5, 1884-1891	16.8	41
50	Monolithic optical microlithography of high-density elastic circuits. <i>Science</i> , 2021 , 373, 88-94	33.3	41
49	Plasmon-Enhanced Polymer Photovoltaic Device Performance Using Different Patterned Ag/PVP Electrospun Nanofibers. <i>Advanced Energy Materials</i> , 2014 , 4, 1301665	21.8	40
48	Tuning the Cross-Linker Crystallinity of a Stretchable Polymer Semiconductor. <i>Chemistry of Materials</i> , 2019 , 31, 6465-6475	9.6	38
47	Tuning the Mechanical Properties of a Polymer Semiconductor by Modulating Hydrogen Bonding Interactions. <i>Chemistry of Materials</i> , 2020 , 32, 5700-5714	9.6	37
46	High-performance stretchable resistive memories using donor-acceptor block copolymers with fluorene rods and pendent isoindigo coils. <i>NPG Asia Materials</i> , 2016 , 8, e298-e298	10.3	36
45	Efficient and UV-stable perovskite solar cells enabled by side chain-engineered polymeric hole-transporting layers. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 12999-13004	13	36
44	Donor-Acceptor conjugated polymers of arylene vinylene with pendent phenanthro[9,10-d]imidazole for high-performance flexible resistor-type memory applications. <i>Polymer Chemistry</i> , 2013 , 4, 5261	4.9	36
43	Phthalocyanine-Cored Star-Shaped Polystyrene for Nano Floating Gate in Nonvolatile Organic Transistor Memory Device. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500300	6.4	36
42	High-frequency and intrinsically stretchable polymer diodes. <i>Nature</i> , 2021 , 600, 246-252	50.4	34
41	High-Transconductance Stretchable Transistors Achieved by Controlled Gold Microcrack Morphology. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900347	6.4	33
40	Synthesis of Thiophene-Based Conjugated Polymers Containing Oxadiazole or Thiadiazole Moieties and Their Application to Organic Photovoltaics. <i>Macromolecules</i> , 2012 , 45, 9046-9055	5.5	33

39	Biaxially extended quaterthiophene-thiophene and -selenophene conjugated polymers for optoelectronic device applications. <i>Polymer Chemistry</i> , 2012 , 3, 767	4.9	32
38	Characterization of Hydrogen Bonding Formation and Breaking in Semiconducting Polymers under Mechanical Strain. <i>Macromolecules</i> , 2019 , 52, 2476-2486	5.5	29
37	Topological supramolecular network enabled high-conductivity, stretchable organic bioelectronics.. <i>Science</i> , 2022 , 375, 1411-1417	33.3	29
36	A design strategy for high mobility stretchable polymer semiconductors. <i>Nature Communications</i> , 2021 , 12, 3572	17.4	27
35	Inducing Molecular Aggregation of Polymer Semiconductors in a Secondary Insulating Polymer Matrix to Enhance Charge Transport. <i>Chemistry of Materials</i> , 2020 , 32, 897-905	9.6	25
34	Electrospun Poly(3-hexylthiophene) Nanofibers with Highly Extended and Oriented Chains Through Secondary Electric Field for High-Performance Field-Effect Transistors. <i>Advanced Electronic Materials</i> , 2015 , 1, 1400028	6.4	24
33	High-brightness all-polymer stretchable LED with charge-trapping dilution.. <i>Nature</i> , 2022 , 603, 624-630	50.4	24
32	Well-defined star-shaped donor-acceptor conjugated molecules for organic resistive memory devices. <i>Chemical Communications</i> , 2015 , 51, 14179-82	5.8	23
31	Control over Molecular Architectures of Carbohydrate-Based Block Copolymers for Stretchable Electrical Memory Devices. <i>Macromolecules</i> , 2018 , 51, 4966-4975	5.5	23
30	Morphology and Field-Effect Transistor Characteristics of Electrospun Nanofibers Prepared From Crystalline Poly(3-hexylthiophene) and Polyacrylate Blends. <i>Macromolecular Chemistry and Physics</i> , 2013 , 214, 751-760	2.6	23
29	Enhancing Molecular Alignment and Charge Transport of Solution-Sheared Semiconducting Polymer Films by the Electrical-Blade Effect. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800110	6.4	21
28	Intrinsically Stretchable Temperature Sensor Based on Organic Thin-Film Transistors. <i>IEEE Electron Device Letters</i> , 2019 , 40, 1630-1633	4.4	20
27	Transparent deoxyribonucleic acid substrate with high mechanical strength for flexible and biocompatible organic resistive memory devices. <i>Chemical Communications</i> , 2016 , 52, 13463-13466	5.8	20
26	Synthesis of monodispersed polystyrene-silver core-shell particles and their application in the fabrication of stretchable large-scale anisotropic conductive films. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3318-3328	7.1	19
25	Morphology and field-effect transistor characteristics of semicrystalline poly(3-hexylthiophene) and poly(stearyl acrylate) blend nanowires. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14682		19
24	Enhancing the Mechanical Durability of an Organic Field Effect Transistor through a Fluoroelastomer Substrate with a Crosslinking-Induced Self-Wrinkled Structure. <i>Advanced Electronic Materials</i> , 2017 , 3, 1600477	6.4	18
23	F4-TCNQ as an Additive to Impart Stretchable Semiconductors with High Mobility and Stability. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000251	6.4	18
22	Highly Reliable and Sensitive Tactile Transistor Memory. <i>Advanced Electronic Materials</i> , 2017 , 3, 16005486.4		15

21	Effects of the acceptor conjugation length and composition on the electrical memory characteristics of random copolyimides. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 1348-1358	2.5	15
20	High-performance ternary polymer solar cells using wide-bandgap biaxially extended octithiophene-based conjugated polymers. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 6920-6928	7.1	15
19	Multivalent Assembly of Flexible Polymer Chains into Supramolecular Nanofibers. <i>Journal of the American Chemical Society</i> , 2020 , 142, 16814-16824	16.4	14
18	Synthesis and Properties of Soluble Fused Thiophene Diketopyrrolopyrrole-Based Polymers with Tunable Molecular Weight. <i>Macromolecules</i> , 2018 , 51, 9422-9429	5.5	14
17	A Carbon Flower Based Flexible Pressure Sensor Made from Large-Area Coating. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000875	4.6	12
16	Biaxially Extended Conjugated Polymers with Thieno[3,2-b]thiophene Building Block for High Performance Field-Effect Transistor Applications. <i>Macromolecules</i> , 2015 , 48, 5596-5604	5.5	11
15	Biaxially extended thiophene-indigo donor-acceptor conjugated polymers for high-performance flexible field-effect transistors. <i>Polymer Chemistry</i> , 2016 , 7, 4378-4392	4.9	10
14	Highly air stable branched octithiophene oligomer for organic field effect transistor and pH sensor applications. <i>Materials Chemistry and Physics</i> , 2013 , 138, 542-552	4.4	10
13	High Performance Nonvolatile Transistor Memories Utilizing Functional Polyimide-Based Supramolecular Electrets. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1631-40	4.5	10
12	Tuning Conjugated Polymer Chain Packing for Stretchable Semiconductors. <i>Advanced Materials</i> , 2021 , e2104747	24	10
11	Crosslinkable high dielectric constant polymer dielectrics for low voltage organic field-effect transistor memory devices. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 3224-3236	2.5	9
10	Enhanced Charge Transport and Stability Conferred by Iron(III)-Coordination in a Conjugated Polymer Thin-Film Transistors. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800239	6.4	9
9	Metal-Ligand Based Mechanophores Enhance Both Mechanical Robustness and Electronic Performance of Polymer Semiconductors. <i>Advanced Functional Materials</i> , 2021 , 31, 2009201	15.6	9
8	Synthesis and FET characterization of novel ambipolar and low-bandgap naphthalene-diimide-based semiconducting polymers. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 359-367	2.5	8
7	Ambipolar field-effect transistors using conjugated polymers with structures of bilayer, binary blends, and paralleled nanofibers. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7489-7493	7.1	8
6	Syntheses of Biaxially Extended Octithiophene-Based Conjugated Copolymers for High-Open-Circuit-Voltage Photovoltaic-Cell Applications. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 638-647	2.6	6
5	New poly(selenophene-thiophene) bearing π -conjugating spacers for polymer field-effect transistors and photovoltaic cells. <i>Polymer Chemistry</i> , 2015 , 6, 3660-3670	4.9	5
4	Conjugated fluorene-moiety-containing pendant polymers for the dispersion of single-wall carbon nanotubes: polymer wrapping abilities and electrical properties. <i>Polymer Journal</i> , 2016 , 48, 421-429	2.7	4

3	Engineering Supramolecular Polymer Conformation for Efficient Carbon Nanotube Sorting. <i>Small</i> , 2020 , 16, e2000923	11	2
2	Effect of Extensional Flow on the Evaporative Assembly of a Donor-Acceptor Semiconducting Polymer. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 2445-2454	4	1
1	Topological supramolecular network enabled highly conductive and stretchable organic bioelectronics		1