

# David Lominadze

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7138797/publications.pdf>

Version: 2024-02-01

87  
papers

2,225  
citations

201385

27  
h-index

243296

44  
g-index

87  
all docs

87  
docs citations

87  
times ranked

2556  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fibrinogen, Fibrinogen-like 1 and Fibrinogen-like 2 Proteins, and Their Effects. <i>Biomedicines</i> , 2022, 10, 1712.	1.4	5
2	Effects of fibrinogen synthesis inhibition on vascular cognitive impairment during traumatic brain injury in mice. <i>Brain Research</i> , 2021, 1751, 147208.	1.1	7
3	Fibrinogen Interaction with Astrocyte ICAM-1 and PrPC Results in the Generation of ROS and Neuronal Death. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2391.	1.8	10
4	Fibrinogen activates $\beta\gamma$ signaling in neurons via binding to its receptors, ICAM-1 and PrP <sup>C</sup> . <i>FASEB Journal</i> , 2021, 35, .	0.2	0
5	The Effects of Fibrinogen's Interactions with Its Neuronal Receptors, Intercellular Adhesion Molecule-1 and Cellular Prion Protein. <i>Biomolecules</i> , 2021, 11, 1381.	1.8	7
6	Fibrinogen and/or Fibrin as a Cause of Neuroinflammation. <i>Online Journal of Neurology and Brain Disorders</i> , 2021, 5, .	0.4	0
7	Fibrinogen and Neuroinflammation During Traumatic Brain Injury. <i>Molecular Neurobiology</i> , 2020, 57, 4692-4703.	1.9	24
8	Fibrinogen-cellular prion protein complex formation on astrocytes. <i>Journal of Neurophysiology</i> , 2020, 124, 536-543.	0.9	10
9	Vascular and non-vascular contributors to memory reduction during traumatic brain injury. <i>European Journal of Neuroscience</i> , 2019, 50, 2860-2876.	1.2	9
10	Remodeling of Retinal Architecture in Diabetic Retinopathy: Disruption of Ocular Physiology and Visual Functions by Inflammatory Gene Products and Pyroptosis. <i>Frontiers in Physiology</i> , 2018, 9, 1268.	1.3	45
11	Hyperfibrinogenemia-mediated astrocyte activation. <i>Brain Research</i> , 2018, 1699, 158-165.	1.1	12
12	Role of Fibrinogen in Vascular Cognitive Impairment in Traumatic Brain Injury. , 2018, , .		2
13	High methionine, low folate and low vitamin B6/B12 (HM-LF-LV) diet causes neurodegeneration and subsequent short-term memory loss. <i>Metabolic Brain Disease</i> , 2018, 33, 1923-1934.	1.4	33
14	Localization of Fibrinogen in the Vasculo-Astrocyte Interface after Cortical Contusion Injury in Mice. <i>Brain Sciences</i> , 2017, 7, 77.	1.1	24
15	Cerebrovascular disorders caused by hyperfibrinogenaemia. <i>Journal of Physiology</i> , 2016, 594, 5941-5957.	1.3	17
16	Hyperhomocysteinemia inhibits satellite cell regenerative capacity through p38 alpha/beta MAPK signaling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H325-H334.	1.5	28
17	Ablation of matrix metalloproteinase-9 gene decreases cerebrovascular permeability and fibrinogen deposition post traumatic brain injury in mice. <i>Metabolic Brain Disease</i> , 2015, 30, 411-426.	1.4	61
18	Epigenetic Silencing of Netrin is associated with Memory Loss by High Methionine, Low Folate and Vitamin B 6 / B 12 containing diet. <i>FASEB Journal</i> , 2015, 29, 996.6.	0.2	1

#	ARTICLE	IF	CITATIONS
19	Increased Cerebrovascular Protein Transcytosis and Amyloid $\beta$ Deposition during Hyperfibrinogenemia Alter Short-term Memory. <i>FASEB Journal</i> , 2015, 29, 673.1.	0.2	0
20	Ablation of <i>MMP9</i> Gene Ameliorates Paracellular Permeability and Fibrinogen-Amyloid Beta Complex Formation during Hyperhomocysteinemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1472-1482.	2.4	44
21	Sphingolipids affect fibrinogen-induced caveolar transcytosis and cerebrovascular permeability. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 307, C169-C179.	2.1	19
22	Elevated Level of Fibrinogen Increases Caveolae Formation; Role of Matrix Metalloproteinase-9. <i>Cell Biochemistry and Biophysics</i> , 2014, 69, 283-294.	0.9	21
23	Role of fibrinogen in cerebrovascular dysfunction after traumatic brain injury. <i>Brain Injury</i> , 2013, 27, 1508-1515.	0.6	44
24	Role of Fibrinogen in Traumatic Brain Injury. <i>FASEB Journal</i> , 2013, 27, 1121.5.	0.2	0
25	Ablation of <i>MMP9</i> gene ameliorates paracellular permeability and fibrinogen-amyloid beta plaque formation during hyperhomocysteinemia. <i>FASEB Journal</i> , 2013, 27, 709.4.	0.2	0
26	Role of sphingolipids in fibrinogen-induced cerebrovascular permeability. <i>FASEB Journal</i> , 2013, 27, 1131.9.	0.2	0
27	3-amino-4-(3-hexylphenylamino)-4-oxobutyl phosphonic acid (W146), a Selective Antagonist of Sphingosine-1-phosphate Receptor Subtype 1, Enhances AMD3100-stimulated Mobilization of Hematopoietic Stem Progenitor Cells in Animals. <i>Journal of Biochemical and Pharmacological Research</i> , 2013, 1, 197-203.	1.7	4
28	Fibrinogen-Induced Increased Pial Venular Permeability in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 150-163.	2.4	33
29	A Dual-Tracer Method for Differentiating Transendothelial Transport from Paracellular Leakage in Vivo and in Vitro. <i>Frontiers in Physiology</i> , 2012, 3, 166.	1.3	36
30	Autophagy mechanism of right ventricular remodeling in murine model of pulmonary artery constriction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H688-H696.	1.5	52
31	Homocysteine alters cerebral microvascular integrity and causes remodeling by antagonizing GABA-A receptor. <i>Molecular and Cellular Biochemistry</i> , 2012, 371, 89-96.	1.4	25
32	Hydrogen Sulfide Mitigates Cardiac Remodeling During Myocardial Infarction via Improvement of Angiogenesis. <i>International Journal of Biological Sciences</i> , 2012, 8, 430-441.	2.6	92
33	Matrix metalloproteinase-9 in homocysteine-induced intestinal microvascular endothelial paracellular and transcellular permeability. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 1159-1169.	1.2	28
34	Matrix Metalloproteinase-9 in Homocysteine-Induced Intestinal Microvascular Endothelial Paracellular and Transcellular Permeability. <i>FASEB Journal</i> , 2012, 26, 862.4.	0.2	0
35	NF $\kappa$ B signaling and inducible nitric oxide synthase activity during pulmonary ischemia-reperfusion increase co-localization of fibrinogen/fibrin and platelets at sites of vascular leakage in rabbit lung. <i>FASEB Journal</i> , 2012, 26, 1130.14.	0.2	0
36	Increased formation of functional caveolae due to increased content of fibrinogen. <i>FASEB Journal</i> , 2012, 26, 862.3.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Fibrinogen alters mouse brain endothelial cell layer integrity affecting vascular endothelial cadherin. <i>Biochemical and Biophysical Research Communications</i> , 2011, 413, 509-514.	1.0	29
38	Folic acid improves acetylcholine-induced vasoconstriction of coronary vessels isolated from hyperhomocysteinemic mice: An implication to coronary vasospasm. <i>Journal of Cellular Physiology</i> , 2011, 226, 2712-2720.	2.0	28
39	Hydrogen sulfide improves angiogenesis and regulates cardiac function and structure during myocardial infarction in mice. <i>FASEB Journal</i> , 2011, 25, .	0.2	0
40	The siRNA targeting MMP-9 mitigates Homocysteine induced disruption of barrier integrity in Human intestinal microvascular cells. <i>FASEB Journal</i> , 2011, 25, 1066.7.	0.2	0
41	Mechanisms of fibrinogen-induced microvascular dysfunction during cardiovascular disease. <i>Acta Physiologica</i> , 2010, 198, 1-13.	1.8	107
42	Folic acid mitigated cardiac dysfunction by normalizing the levels of tissue inhibitor of metalloproteinase and homocysteine-metabolizing enzymes postmyocardial infarction in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H1484-H1493.	1.5	23
43	Folic Acid Mitigated Cardiac Dysfunction by Normalizing the Levels of Tissue Inhibitor of Metalloproteinase and homocysteine-metabolizing enzymes Post myocardial Infarction in Mice.. <i>FASEB Journal</i> , 2010, 24, 600.5.	0.2	0
44	Balance of S1P <sub>1</sub> and S1P <sub>2</sub> signaling regulates peripheral microvascular permeability in rat cremaster muscle vasculature. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H33-H42.	1.5	75
45	Fibrinogen-induced endothelin-1 production from endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2009, 296, C840-C847.	2.1	48
46	Nitrotyrosinylation, remodeling and endothelial-endothelial cell uncoupling in iNOS, cystathionine beta synthase (CBS) knockouts and iNOS/CBS double knockout mice. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 119-126.	1.2	26
47	Activation of GABA <sub>A</sub> receptor ameliorates homocysteine-induced MMP-9 activation by ERK pathway. <i>Journal of Cellular Physiology</i> , 2009, 220, 257-266.	2.0	60
48	Fibrinogen induces alterations of endothelial cell tight junction proteins. <i>Journal of Cellular Physiology</i> , 2009, 221, 195-203.	2.0	66
49	Hypothermia and Surgery. <i>Annals of Surgery</i> , 2009, 250, 134-140.	2.1	81
50	An Elevated Fibrinogen Increases Matrix Metalloproteinases Activity in Cardiac Microvascular Endothelial Cells. <i>FASEB Journal</i> , 2009, 23, 592.10.	0.2	2
51	Inducible nitric oxide synthase inhibition attenuates lung injury and decreases NADPH oxidase expression and activation during ischemia-reperfusion in the ventilated rabbit lung. <i>FASEB Journal</i> , 2009, 23, 620.2.	0.2	0
52	Activation of GABA <sub>A</sub> receptor Protects Mitochondria and Reduces Cerebral ischemia.. <i>FASEB Journal</i> , 2009, 23, 614.8.	0.2	2
53	GABA <sub>A</sub> receptor agonist mitigates homocysteine-induced cerebrovascular remodeling in knockout mice. <i>Brain Research</i> , 2008, 1221, 147-153.	1.1	25
54	Endothelial cell-derived nitric oxide mobilization is attenuated in copper-deficient rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 1073-1078.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Homocysteine attenuates blood brain barrier function by inducing oxidative stress and the junctional proteins. <i>FASEB Journal</i> , 2008, 22, 734.7.	0.2	5
56	Mechanism of homocysteine-induced dementia/spasm. <i>FASEB Journal</i> , 2008, 22, 734.9.	0.2	0
57	Inhibition of inducible nitric oxide synthase attenuates platelet activation and fibrinogen/fibrin deposition in pulmonary microvessels caused by lung ischemia-reperfusion in rabbits. <i>FASEB Journal</i> , 2008, 22, 1150.14.	0.2	0
58	Cardiac Dys-Synchronization and Arrhythmia in Hyperhomocysteinemia. <i>Current Neurovascular Research</i> , 2007, 4, 289-294.	0.4	11
59	$\gamma$ -Aminobutyric Acid A Receptor Mitigates Homocysteine-Induced Endothelial Cell Permeability. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2007, 14, 315-323.	1.7	28
60	Differential expression of $\gamma$ -aminobutyric acid receptor A (GABA <sub>A</sub> ) and effects of homocysteine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1777-84.	1.4	32
61	Lung ischemia-reperfusion injury: implications of oxidative stress and platelet-arteriolar wall interactions. <i>Archives of Physiology and Biochemistry</i> , 2007, 113, 1-12.	1.0	115
62	Fibrinogen induces endothelial cell permeability. <i>Molecular and Cellular Biochemistry</i> , 2007, 307, 13-22.	1.4	83
63	Differential Expression of the GABA <sub>A</sub> receptor subunits in the Kidney and Cardiovascular system. <i>FASEB Journal</i> , 2007, 21, A497.	0.2	1
64	HOMOCYSTEINE-INDUCED ENDOTHELIAL CELL PERMEABILITY, ROLE OF $\gamma$ -AMINO BUTYRIC ACID A (GABA A) RECEPTOR. <i>FASEB Journal</i> , 2007, 21, A489.	0.2	0
65	Activation of GABA A receptor ameliorate homocysteine-induced MMP by ERK pathway. <i>FASEB Journal</i> , 2007, 21, A497.	0.2	0
66	GABA Receptors Ameliorate Hcy-Mediated Integrin Shedding and Constrictive Collagen Remodeling in Microvascular Endothelial Cells. <i>Cell Biochemistry and Biophysics</i> , 2006, 45, 157-166.	0.9	22
67	Mitochondrial mechanism of microvascular endothelial cells apoptosis in hyperhomocysteinemia. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 1150-1162.	1.2	82
68	Arrhythmia and neuronal/endothelial myocyte uncoupling in hyperhomocysteinemia. <i>Archives of Physiology and Biochemistry</i> , 2006, 112, 219-227.	1.0	18
69	Homocysteine causes cerebrovascular leakage in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1206-H1213.	1.5	92
70	3-Deazaadenosine mitigates arterial remodeling and hypertension in hyperhomocysteinemic mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2006, 291, L905-L911.	1.3	49
71	Mitochondrial Mechanism of Microvascular Endothelial Cell Apoptosis Induced by Homocysteine. <i>FASEB Journal</i> , 2006, 20, A1461.	0.2	0
72	Inhibition of inducible nitric oxide synthase attenuates platelet adhesion in subpleural arterioles caused by lung ischemia-reperfusion in rabbits. <i>Journal of Applied Physiology</i> , 2005, 99, 2423-2432.	1.2	31

#	ARTICLE	IF	CITATIONS
73	Homocysteine in Microvascular Endothelial Cell Barrier Permeability. Cell Biochemistry and Biophysics, 2005, 43, 037-044.	0.9	47
74	Impaired Deformability of Copper-Deficient Neutrophils. Experimental Biology and Medicine, 2005, 230, 543-548.	1.1	11
75	Homocysteine-dependent cardiac remodeling and endothelial-myocyte coupling in a 2 kidney, 1 clip Goldblatt hypertension mouse model. Canadian Journal of Physiology and Pharmacology, 2005, 83, 583-594.	0.7	19
76	Fibrinogen and fragment D-induced vascular constriction. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H1257-H1264.	1.5	30
77	Proinflammatory effects of copper deficiency on neutrophils and lung endothelial cells. Immunology and Cell Biology, 2004, 82, 231-238.	1.0	32
78	Effects of pulmonary ischemia-reperfusion on platelet adhesion in subpleural arterioles in rabbits. Microvascular Research, 2004, 67, 29-37.	1.1	24
79	INCREASED ABILITY OF ERYTHROCYTES TO AGGREGATE IN SPONTANEOUSLY HYPERTENSIVE RATS. Clinical and Experimental Hypertension, 2002, 24, 397-406.	0.5	33
80	Involvement of fibrinogen specific binding in erythrocyte aggregation. FEBS Letters, 2002, 517, 41-44.	1.3	87
81	Tissue-specific ICAM-1 expression and neutrophil transmigration in the copper-deficient rat. Inflammation, 2002, 26, 297-303.	1.7	9
82	BLOOD FLOW SHEAR RATES IN ARTERIOLES OF SPONTANEOUSLY HYPERTENSIVE RATS AT EARLY AND ESTABLISHED STAGES OF HYPERTENSION. Clinical and Experimental Hypertension, 2001, 23, 317-328.	0.5	15
83	In vitro platelet adhesion to endothelial cells at low shear rates during copper deficiency in rats. Journal of Trace Elements in Experimental Medicine, 1999, 12, 25-36.	0.8	9
84	Red Blood Cell Behavior at Low Flow Rate in Microvessels. Microvascular Research, 1999, 58, 187-189.	1.1	27
85	Platelet Thrombus Formation in Microvessels of Young Spontaneously Hypertensive Rats. Clinical and Experimental Hypertension, 1998, 20, 917-937.	0.5	9
86	In Vivo Platelet Thrombus Formation in Microvessels of Spontaneously Hypertensive Rats. American Journal of Hypertension, 1997, 10, 1140-1146.	1.0	21
87	Von Willebrand Factor Restores Impaired Platelet Thrombogenesis in Copper-Deficient Rats. Journal of Nutrition, 1997, 127, 1320-1327.	1.3	13