

Mark Farrant

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7141981/mark-farrant-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

7,581
citations

32
h-index

55
g-index

55
ext. papers

8,311
ext. citations

13.7
avg, IF

5.96
L-index

#	Paper	IF	Citations
48	Transient developmental imbalance of cortical interneuron subtypes presages long-term changes in behavior. <i>Cell Reports</i> , 2021 , 35, 109249	10.6	4
47	Ca ²⁺ -permeable AMPA receptors and their auxiliary subunits in synaptic plasticity and disease. <i>Journal of Physiology</i> , 2021 , 599, 2655-2671	3.9	4
46	Homomeric GluA2(R) AMPA receptors can conduct when desensitized. <i>Nature Communications</i> , 2019 , 10, 4312	17.4	8
45	Altered Cerebellar Short-Term Plasticity but No Change in Postsynaptic AMPA-Type Glutamate Receptors in a Mouse Model of Juvenile Batten Disease. <i>ENeuro</i> , 2018 , 5,	3.9	3
44	Synapse Type-Dependent Expression of Calcium-Permeable AMPA Receptors. <i>Frontiers in Synaptic Neuroscience</i> , 2018 , 10, 34	3.5	13
43	TARP β Is Required for Inflammation-Associated AMPA Receptor Plasticity within Lamina II of the Spinal Cord Dorsal Horn. <i>Journal of Neuroscience</i> , 2017 , 37, 6007-6020	6.6	16
42	An Essential Role for the Tetraspanin LHFPL4 in the Cell-Type-Specific Targeting and Clustering of Synaptic GABA Receptors. <i>Cell Reports</i> , 2017 , 21, 70-83	10.6	48
41	Dual Effects of TARP β on Glutamate Efficacy Can Account for AMPA Receptor Autoinactivation. <i>Cell Reports</i> , 2017 , 20, 1123-1135	10.6	17
40	Synapse-specific expression of calcium-permeable AMPA receptors in neocortical layer 5. <i>Journal of Physiology</i> , 2016 , 594, 837-61	3.9	23
39	GABAergic regulation of cerebellar NG2 cell development is altered in perinatal white matter injury. <i>Nature Neuroscience</i> , 2015 , 18, 674-82	25.5	123
38	Transmembrane AMPAR regulatory protein β is required for the modulation of GABA release by presynaptic AMPARs. <i>Journal of Neuroscience</i> , 2015 , 35, 4203-14	6.6	13
37	Auxiliary Subunit GSG1L Acts to Suppress Calcium-Permeable AMPA Receptor Function. <i>Journal of Neuroscience</i> , 2015 , 35, 16171-9	6.6	39
36	Mapping the interaction sites between AMPA receptors and TARPs reveals a role for the receptor N-terminal domain in channel gating. <i>Cell Reports</i> , 2014 , 9, 728-40	10.6	47
35	Molecular mechanisms contributing to TARP regulation of channel conductance and polyamine block of calcium-permeable AMPA receptors. <i>Journal of Neuroscience</i> , 2014 , 34, 11673-83	6.6	35
34	A role of TARPs in the expression and plasticity of calcium-permeable AMPARs: evidence from cerebellar neurons and glia. <i>Neuropharmacology</i> , 2013 , 74, 76-85	5.5	20
33	TARP β selectively enhances synaptic expression of calcium-permeable AMPARs. <i>Nature Neuroscience</i> , 2013 , 16, 1266-74	25.5	39
32	Channel properties reveal differential expression of TARPed and TARPless AMPARs in stargazer neurons. <i>Nature Neuroscience</i> , 2012 , 15, 853-61	25.5	46

31	TARP-associated AMPA receptors display an increased maximum channel conductance and multiple kinetically distinct open states. <i>Journal of Physiology</i> , 2012 , 590, 5723-38	3.9	32
30	Setting the time course of inhibitory synaptic currents by mixing multiple GABA(A) receptor α subunit isoforms. <i>Journal of Neuroscience</i> , 2012 , 32, 5853-67	6.6	72
29	Cornichons modify channel properties of recombinant and glial AMPA receptors. <i>Journal of Neuroscience</i> , 2012 , 32, 9796-804	6.6	64
28	Bidirectional plasticity of calcium-permeable AMPA receptors in oligodendrocyte lineage cells. <i>Nature Neuroscience</i> , 2011 , 14, 1430-8	25.5	84
27	Probing TARP modulation of AMPA receptor conductance with polyamine toxins. <i>Journal of Neuroscience</i> , 2011 , 31, 7511-20	6.6	51
26	Profound desensitization by ambient GABA limits activation of α -containing GABAA receptors during spillover. <i>Journal of Neuroscience</i> , 2011 , 31, 753-63	6.6	80
25	Neuroscience. AMPA receptors--another twist?. <i>Science</i> , 2010 , 327, 1463-5	33.3	10
24	Selective regulation of long-form calcium-permeable AMPA receptors by an atypical TARP, gamma-5. <i>Nature Neuroscience</i> , 2009 , 12, 277-85	25.5	87
23	Synaptic mGluR activation drives plasticity of calcium-permeable AMPA receptors. <i>Nature Neuroscience</i> , 2009 , 12, 593-601	25.5	66
22	Synaptic inhibition of Purkinje cells mediates consolidation of vestibulo-cerebellar motor learning. <i>Nature Neuroscience</i> , 2009 , 12, 1042-9	25.5	228
21	Climbing-fibre activation of NMDA receptors in Purkinje cells of adult mice. <i>Journal of Physiology</i> , 2007 , 585, 91-101	3.9	69
20	From synapse to behavior: rapid modulation of defined neuronal types with engineered GABAA receptors. <i>Nature Neuroscience</i> , 2007 , 10, 923-9	25.5	106
19	Stargazin attenuates intracellular polyamine block of calcium-permeable AMPA receptors. <i>Nature Neuroscience</i> , 2007 , 10, 1260-7	25.5	151
18	The cellular, molecular and ionic basis of GABA(A) receptor signalling. <i>Progress in Brain Research</i> , 2007 , 160, 59-87	2.9	282
17	Differential Activation of GABAA-Receptor Subtypes 2007 , 87-110		
16	Regulation of Ca ²⁺ -permeable AMPA receptors: synaptic plasticity and beyond. <i>Current Opinion in Neurobiology</i> , 2006 , 16, 288-97	7.6	353
15	Variations on an inhibitory theme: phasic and tonic activation of GABA(A) receptors. <i>Nature Reviews Neuroscience</i> , 2005 , 6, 215-29	13.5	1590
14	Neuroactive steroids reduce neuronal excitability by selectively enhancing tonic inhibition mediated by delta subunit-containing GABAA receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 14439-44	11.5	646

13	Maturation of EPSCs and intrinsic membrane properties enhances precision at a cerebellar synapse. <i>Journal of Neuroscience</i> , 2003 , 23, 6074-85	6.6	120
12	Properties of GABA(A) receptor-mediated transmission at newly formed Golgi-granule cell synapses in the cerebellum. <i>Neuropharmacology</i> , 2003 , 44, 181-9	5.5	20
11	Adaptive regulation of neuronal excitability by a voltage-independent potassium conductance. <i>Nature</i> , 2001 , 409, 88-92	50.4	480
10	NMDA receptor subunits: diversity, development and disease. <i>Current Opinion in Neurobiology</i> , 2001 , 11, 327-35	7.6	1354
9	Insights into GABAA receptors receptor complexity from the study of cerebellar granule cells. <i>Pharmaceutical Science Series</i> , 2001 , 189-201		1
8	Identification of subunits contributing to synaptic and extrasynaptic NMDA receptors in Golgi cells of the rat cerebellum. <i>Journal of Physiology</i> , 2000 , 524 Pt 1, 147-62	3.9	81
7	Single-channel properties of synaptic and extrasynaptic GABAA receptors suggest differential targeting of receptor subtypes. <i>Journal of Neuroscience</i> , 1999 , 19, 2960-73	6.6	211
6	NMDA receptor diversity in the cerebellum: identification of subunits contributing to functional receptors. <i>Neuropharmacology</i> , 1998 , 37, 1369-80	5.5	72
5	Differences in synaptic GABA(A) receptor number underlie variation in GABA mini amplitude. <i>Neuron</i> , 1997 , 19, 697-709	13.9	379
4	A direct comparison of the single-channel properties of synaptic and extrasynaptic NMDA receptors. <i>Journal of Neuroscience</i> , 1997 , 17, 107-16	6.6	88
3	NMDA-receptor channel diversity in the developing cerebellum. <i>Nature</i> , 1994 , 368, 335-9	50.4	277
2	Amino Acids: Inhibitory 225-250		6
1	Intracellular NASPM allows an unambiguous functional measure of GluA2-lacking calcium-permeable AMPA receptor prevalence		2