

Jean-Baptiste Sibarita

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7143309/jean-baptiste-sibarita-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

4,706
citations

31
h-index

68
g-index

83
ext. papers

5,940
ext. citations

10.1
avg. IF

5.43
L-index

#	Paper	IF	Citations
69	Receptor tyrosine kinase MET ligand-interaction classified via machine learning from single-particle tracking data.. <i>Molecular Biology of the Cell</i> , 2022 , mbcE21100496	3.5	
68	Advanced imaging and labelling methods to decipher brain cell organization and function. <i>Nature Reviews Neuroscience</i> , 2021 , 22, 237-255	13.5	28
67	CaMKII activation persistently segregates postsynaptic proteins via liquid phase separation. <i>Nature Neuroscience</i> , 2021 , 24, 777-785	25.5	12
66	NMDAR-dependent long-term depression is associated with increased short term plasticity through autophagy mediated loss of PSD-95. <i>Nature Communications</i> , 2021 , 12, 2849	17.4	17
65	Molecular motion and tridimensional nanoscale localization of kindlin control integrin activation in focal adhesions. <i>Nature Communications</i> , 2021 , 12, 3104	17.4	10
64	The adaptor protein APS modulates BCR signalling in mature B cells. <i>Cellular Signalling</i> , 2020 , 73, 109673	4.9	
63	Nanoscale co-organization and coactivation of AMPAR, NMDAR, and mGluR at excitatory synapses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14503-14511	11.5	38
62	Real-time nanoscale organization of amyloid precursor protein. <i>Nanoscale</i> , 2020 , 12, 8200-8215	7.7	10
61	SpineJ: A software tool for quantitative analysis of nanoscale spine morphology. <i>Methods</i> , 2020 , 174, 49-55	4.6	10
60	A Discrete Presynaptic Vesicle Cycle for Neuromodulator Receptors. <i>Neuron</i> , 2020 , 105, 663-677.e8	13.9	19
59	Amoeboid Swimming Is Propelled by Molecular Paddling in Lymphocytes. <i>Biophysical Journal</i> , 2020 , 119, 1157-1177	2.9	9
58	Distance-dependent regulation of NMDAR nanoscale organization along hippocampal neuron dendrites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 24526-24533	11.5	8
57	Transient Activations of Rac1 at the Lamellipodium Tip Trigger Membrane Protrusion. <i>Current Biology</i> , 2019 , 29, 2852-2866.e5	6.3	18
56	A tessellation-based colocalization analysis approach for single-molecule localization microscopy. <i>Nature Communications</i> , 2019 , 10, 2379	17.4	31
55	Super-resolution fight club: assessment of 2D and 3D single-molecule localization microscopy software. <i>Nature Methods</i> , 2019 , 16, 387-395	21.6	123
54	Exchange Dynamics of Dynamin Measured in Living Cells During Endocytic Vesicle Formation. <i>Microscopy and Microanalysis</i> , 2019 , 25, 1240-1241	0.5	
53	A super-resolution platform for correlative live single-molecule imaging and STED microscopy. <i>Nature Methods</i> , 2019 , 16, 1263-1268	21.6	27

52	Catalytic activation of Arrestin by GPCRs. <i>Nature</i> , 2018 , 557, 381-386	50.4	101
51	Phosphatidylserine and GTPase activation control Cdc42 nanoclustering to counter dissipative diffusion. <i>Molecular Biology of the Cell</i> , 2018 , 29, 1299-1310	3.5	25
50	Single molecule localisation microscopy reveals how HIV-1 Gag proteins sense membrane virus assembly sites in living host CD4 T cells. <i>Scientific Reports</i> , 2018 , 8, 16283	4.9	20
49	Differential Nanoscale Topography and Functional Role of GluN2-NMDA Receptor Subtypes at Glutamatergic Synapses. <i>Neuron</i> , 2018 , 100, 106-119.e7	13.9	44
48	Bacterial cell wall nanoimaging by autoblinking microscopy. <i>Scientific Reports</i> , 2018 , 8, 14038	4.9	6
47	3D Protein Dynamics in the Cell Nucleus. <i>Biophysical Journal</i> , 2017 , 112, 133-142	2.9	18
46	Localization-based super-resolution imaging meets high-content screening. <i>Nature Methods</i> , 2017 , 14, 1184-1190	21.6	61
45	Nanoscale organization of synaptic adhesion proteins revealed by single-molecule localization microscopy. <i>Neurophotonics</i> , 2016 , 3, 041810	3.9	22
44	Mapping the dynamics and nanoscale organization of synaptic adhesion proteins using monomeric streptavidin. <i>Nature Communications</i> , 2016 , 7, 10773	17.4	102
43	Single-particle tracking uncovers dynamics of glutamate-induced retrograde transport of NF- κ B p65 in living neurons. <i>Neurophotonics</i> , 2016 , 3, 041804	3.9	8
42	Special Section Guest Editorial: Super-resolution microscopy of neural structure and function. <i>Neurophotonics</i> , 2016 , 3, 041801	3.9	2
41	Hunting Down HIV-1 Gag Proteins at the Plasma Membrane of Human T Lymphocytes. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 658-9	1.6	1
40	A quantitative imaging-based screen reveals the exocyst as a network hub connecting endocytosis and exocytosis. <i>Molecular Biology of the Cell</i> , 2015 , 26, 2519-34	3.5	28
39	Control of autophagosome axonal retrograde flux by presynaptic activity unveiled using botulinum neurotoxin type a. <i>Journal of Neuroscience</i> , 2015 , 35, 6179-94	6.6	91
38	3D high- and super-resolution imaging using single-objective SPIM. <i>Nature Methods</i> , 2015 , 12, 641-4	21.6	126
37	SR-Tesseler: a method to segment and quantify localization-based super-resolution microscopy data. <i>Nature Methods</i> , 2015 , 12, 1065-71	21.6	220
36	Two-tiered coupling between flowing actin and immobilized N-cadherin/catenin complexes in neuronal growth cones. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 6997-7002	11.5	24
35	High-density single-particle tracking: quantifying molecule organization and dynamics at the nanoscale. <i>Histochemistry and Cell Biology</i> , 2014 , 141, 587-95	2.4	22

34	Organization and dynamics of AMPA receptors inside synapses-nano-organization of AMPA receptors and main synaptic scaffolding proteins revealed by super-resolution imaging. <i>Current Opinion in Chemical Biology</i> , 2014 , 20, 120-6	9.7	11
33	Nanoscale segregation of actin nucleation and elongation factors determines dendritic spine protrusion. <i>EMBO Journal</i> , 2014 , 33, 2745-64	13	89
32	Synaptic control of secretory trafficking in dendrites. <i>Cell Reports</i> , 2014 , 7, 1771-8	10.6	43
31	Synaptic recruitment of gephyrin regulates surface GABAA receptor dynamics for the expression of inhibitory LTP. <i>Nature Communications</i> , 2014 , 5, 3921	17.4	115
30	Super-resolution imaging reveals that AMPA receptors inside synapses are dynamically organized in nanodomains regulated by PSD95. <i>Journal of Neuroscience</i> , 2013 , 33, 13204-24	6.6	367
29	High-content super-resolution imaging of live cell by uPAINT. <i>Methods in Molecular Biology</i> , 2013 , 950, 95-110	1.4	29
28	mSYD1A, a mammalian synapse-defective-1 protein, regulates synaptogenic signaling and vesicle docking. <i>Neuron</i> , 2013 , 78, 1012-23	13.9	39
27	Robust polarity establishment occurs via an endocytosis-based cortical corralling mechanism. <i>Journal of Cell Biology</i> , 2013 , 200, 407-18	7.3	58
26	Identification and super-resolution imaging of ligand-activated receptor dimers in live cells. <i>Scientific Reports</i> , 2013 , 3, 2387	4.9	54
25	Real-time analysis and visualization for single-molecule based super-resolution microscopy. <i>PLoS ONE</i> , 2013 , 8, e62918	3.7	86
24	C11ORF24 is a novel type I membrane protein that cycles between the Golgi apparatus and the plasma membrane in Rab6-positive vesicles. <i>PLoS ONE</i> , 2013 , 8, e82223	3.7	3
23	Robust polarity establishment occurs via an endocytosis-based cortical corralling mechanism. <i>Journal of General Physiology</i> , 2013 , 141, i6-i6	3.4	
22	Integrins α and β exhibit distinct dynamic nanoscale organizations inside focal adhesions. <i>Nature Cell Biology</i> , 2012 , 14, 1057-67	23.4	275
21	TNF- α influences the lateral dynamics of TNF receptor I in living cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012 , 1823, 1984-9	4.9	21
20	Unified quantitative model of AMPA receptor trafficking at synapses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3522-7	11.5	74
19	Heterogeneity of AMPA receptor trafficking and molecular interactions revealed by superresolution analysis of live cell imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 17052-7	11.5	109
18	Wavelet analysis for single molecule localization microscopy. <i>Optics Express</i> , 2012 , 20, 2081-95	3.3	121
17	Fast live simultaneous multiwavelength four-dimensional optical microscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 16016-22	11.5	146

16	Patch-based nonlocal functional for denoising fluorescence microscopy image sequences. <i>IEEE Transactions on Medical Imaging</i> , 2010 , 29, 442-54	11.7	169
15	The gene responsible for Dyggve-Melchior-Clausen syndrome encodes a novel peripheral membrane protein dynamically associated with the Golgi apparatus. <i>Human Molecular Genetics</i> , 2009 , 18, 440-53	5.6	28
14	Activity-dependent tuning of inhibitory neurotransmission based on GABAAR diffusion dynamics. <i>Neuron</i> , 2009 , 62, 670-82	13.9	213
13	Visualization and quantification of vesicle trafficking on a three-dimensional cytoskeleton network in living cells. <i>Journal of Microscopy</i> , 2007 , 225, 214-28	1.9	93
12	Surface trafficking of neurotransmitter receptor: comparison between single-molecule/quantum dot strategies. <i>Journal of Neuroscience</i> , 2007 , 27, 12433-7	6.6	171
11	A role for the Rab6AVGTPase in the inactivation of the Mad2-spindle checkpoint. <i>EMBO Journal</i> , 2006 , 25, 278-89	13	66
10	Deconvolution microscopy. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2005 , 95, 201-43	1.7	126
9	Drosophila exocyst components Sec5, Sec6, and Sec15 regulate DE-Cadherin trafficking from recycling endosomes to the plasma membrane. <i>Developmental Cell</i> , 2005 , 9, 365-76	10.2	226
8	The extracellular matrix guides the orientation of the cell division axis. <i>Nature Cell Biology</i> , 2005 , 7, 947-53.4	53.4	642
7	Image restoration in X-ray microscopy: PSF determination and biological applications. <i>IEEE Transactions on Image Processing</i> , 1998 , 7, 258-63	8.7	21
6	Molecular motion and tridimensional nanoscale localization of kindlin control integrin activation in focal adhesions		1
5	Super-resolution fight club: A broad assessment of 2D & 3D single-molecule localization microscopy software		4
4	Mammalian Amoeboid Swimming is propelled by molecular and not protrusion-based paddling in Lymphocytes ₂		
3	Specific nanoscale synaptic reshuffling and control of short-term plasticity following NMDAR- and P2XR-dependent Long-Term Depression		1
2	SpineJ : A software tool for quantitative analysis of nanoscale spine morphology		3
1	High content 3D imaging method for quantitative characterization of organoid development and phenotype		2