

Lara A. Kimmel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7143783/publications.pdf>

Version: 2024-02-01

31
papers

617
citations

840585

11
h-index

610775

24
g-index

31
all docs

31
docs citations

31
times ranked

830
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the quality of documentation between electronic and paper medical records in orthopaedic trauma patients. <i>Australian Health Review</i> , 2022, 46, 204-209.	0.5	2
2	Outcomes after application of halothoracic orthosis for cervical spine trauma. <i>Prosthetics and Orthotics International</i> , 2022, 46, 505-509.	0.5	1
3	Can a new ward environment and intensive allied health staffing model enhance therapeutic opportunities in trauma care? A behavioural mapping study of patients' activities and interactions. <i>Clinical Rehabilitation</i> , 2022, 36, 1314-1323.	1.0	3
4	Reliability, Validity, Clinical Utility, and Responsiveness of Measures for Assessing Mobility and Physical Function in Patients With Traumatic Injury in the Acute Care Hospital Setting: A Prospective Study. <i>Physical Therapy</i> , 2021, 101, .	1.1	3
5	Discharge destination and patient-reported outcomes after inpatient treatment for isolated lower limb fractures. <i>Medical Journal of Australia</i> , 2021, 214, 388.	0.8	1
6	Outcomes of severe lower limb injury with Mangled Extremity Severity Score ≥ 7 . <i>Bone and Joint Journal</i> , 2021, 103-B, 769-774.	1.9	8
7	Levels of Physical Activity and Sedentary Behavior During and After Hospitalization: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1368-1378.	0.5	13
8	Rocktape provides no benefit over sham taping in people with knee osteoarthritis who are completing an exercise program: a randomised trial. <i>Physiotherapy</i> , 2021, 113, 29-36.	0.2	3
9	Incidence of lower limb amputation in Central Australia. <i>Australian Health Review</i> , 2021, 45, 361-367.	0.5	3
10	Measurement of mobility and physical function in hospitalised trauma patients: A systematic review of instruments and their measurement properties. <i>Trauma</i> , 2020, 22, 7-17.	0.2	4
11	Patients from residential aged care with hip fractures—Does discharge destination from acute care affect outcomes?. <i>Australasian Journal on Ageing</i> , 2020, 39, e522-e528.	0.4	0
12	Substituting inpatient rehabilitation beds for home-based multidisciplinary rehabilitation: A qualitative study of patient perceptions. <i>Australasian Journal on Ageing</i> , 2020, 40, 275-282.	0.4	2
13	Predictors of clavicle fixation in multiply injured patients. <i>Journal of Orthopaedics</i> , 2020, 21, 35-39.	0.6	0
14	Discharge destination and patient-reported outcomes after inpatient treatment for isolated lower limb fractures. <i>Medical Journal of Australia</i> , 2020, 212, 263-270.	0.8	5
15	Osteoarthritis is associated with increased failure of proximal femoral fracture fixation. <i>International Orthopaedics</i> , 2019, 43, 1223-1230.	0.9	14
16	Outcomes of total hip arthroplasty surgery in heart and lung transplant recipients. <i>ANZ Journal of Surgery</i> , 2019, 89, 729-732.	0.3	2
17	The validity, reliability, and responsiveness of the modified Iowa Level of Assistance scale in hospitalized older adults in subacute care. <i>Disability and Rehabilitation</i> , 2018, 40, 2931-2937.	0.9	8
18	Clinicians' perceptions of decision making regarding discharge from public hospitals to in-patient rehabilitation following trauma. <i>Australian Health Review</i> , 2017, 41, 192.	0.5	7

#	ARTICLE	IF	CITATIONS
19	HIP4Hips (High Intensity Physiotherapy for Hip fractures in the acute hospital setting): a randomised controlled trial. <i>Medical Journal of Australia</i> , 2016, 205, 73-78.	0.8	44
20	Natural history of medial clavicle fractures. <i>Injury</i> , 2016, 47, 2235-2239.	0.7	40
21	Discharge from the acute hospital: trauma patients' perceptions of care. <i>Australian Health Review</i> , 2016, 40, 625.	0.5	16
22	Trampoline related injuries in adults. <i>Injury</i> , 2016, 47, 192-196.	0.7	10
23	Assessing the Reliability and Validity of a Physical Therapy Functional Measurement Tool—the Modified IOWA Level of Assistance Scale—in Acute Hospital Inpatients. <i>Physical Therapy</i> , 2016, 96, 176-182.	1.1	27
24	An intensive physiotherapy program improves mobility for trauma patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 101-106.	1.1	19
25	Validating a Simple Discharge Planning Tool Following Hospital Admission for an Isolated Lower Limb Fracture. <i>Physical Therapy</i> , 2014, 94, 1005-1013.	1.1	7
26	Incidence of acute kidney injury following total joint arthroplasty: a retrospective review by RIFLE criteria. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 546-551.	1.4	57
27	Rest easy? Is bed rest really necessary after surgical repair of an ankle fracture?. <i>Injury</i> , 2012, 43, 766-771.	0.7	14
28	Discharge destination following lower limb fracture: Development of a prediction model to assist with decision making. <i>Injury</i> , 2012, 43, 829-834.	0.7	20
29	A designated three day elective orthopaedic surgery unit: First year's results for hip and knee replacement patients. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2011, 15, 29-34.	0.4	4
30	NO REST FOR THE WOUNDED: EARLY AMBULATION AFTER HIP SURGERY ACCELERATES RECOVERY. <i>ANZ Journal of Surgery</i> , 2006, 76, 607-611.	0.3	197
31	Targeted postoperative care improves discharge outcome after hip or knee arthroplasty ^{1,21} No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated. ²² Reprints are not available from the authors.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1424-1427.	0.5	83