

Karl H MÃ¼hling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7144216/publications.pdf>

Version: 2024-02-01

132
papers

3,925
citations

101496

36
h-index

155592

55
g-index

137
all docs

137
docs citations

137
times ranked

4131
citing authors

#	ARTICLE	IF	CITATIONS
1	Is the infiltration-centrifugation technique appropriate for the isolation of apoplastic fluid? A critical evaluation with different plant species. <i>Physiologia Plantarum</i> , 2001, 111, 457-465.	2.6	227
2	Proteomic changes in maize roots after short-term adjustment to saline growth conditions. <i>Proteomics</i> , 2010, 10, 4441-4449.	1.3	127
3	Silicon decreases cadmium concentrations by modulating root endodermal suberin development in wheat plants. <i>Journal of Hazardous Materials</i> , 2019, 364, 581-590.	6.5	112
4	Contribution of nitrification and denitrification to nitrous oxide emissions from soils after application of biogas waste and other fertilizers. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 2489-2498.	0.7	111
5	The influence of salt stress on ABA and auxin concentrations in two maize cultivars differing in salt resistance. <i>Journal of Plant Physiology</i> , 2013, 170, 220-224.	1.6	105
6	The interaction between salinity and boron toxicity affects the subcellular distribution of ions and proteins in wheat leaves. <i>Plant, Cell and Environment</i> , 2003, 26, 1267-1274.	2.8	99
7	Membrane-Associated, Boron-Interacting Proteins Isolated by Boronate Affinity Chromatography. <i>Plant and Cell Physiology</i> , 2009, 50, 1292-1304.	1.5	93
8	Photosynthetic capacity, nutrient status, and growth of maize (<i>Zea mays</i> L.) upon MgSO ₄ leaf-application. <i>Frontiers in Plant Science</i> , 2014, 5, 781.	1.7	88
9	Apoplastic pH of intact leaves of <i>Vicia faba</i> as influenced by light. <i>Journal of Experimental Botany</i> , 1995, 46, 377-382.	2.4	84
10	Apoplastic Ion Concentration of Intact Leaves of Field Bean (<i>Vicia faba</i>) as Influenced by Ammonium and Nitrate Nutrition. <i>Journal of Plant Physiology</i> , 1995, 147, 81-86.	1.6	79
11	Effect of salt stress on growth and cation compartmentation in leaves of two plant species differing in salt tolerance. <i>Journal of Plant Physiology</i> , 2002, 159, 137-146.	1.6	79
12	Split Nitrogen Application Improves Wheat Baking Quality by Influencing Protein Composition Rather Than Concentration. <i>Frontiers in Plant Science</i> , 2016, 7, 738.	1.7	78
13	Chloride-inducible transient apoplastic alkalinizations induce stomata closure by controlling abscisic acid distribution between leaf apoplast and guard cells in salt-stressed <i>Vicia faba</i> . <i>New Phytologist</i> , 2015, 208, 803-816.	3.5	77
14	Salt stress differentially affects growth-mediating β -expansins in resistant and sensitive maize (<i>Zea</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.8	72
15	Comparative evaluation of extraction methods for apoplastic proteins from maize leaves. <i>Plant Methods</i> , 2011, 7, 48.	1.9	68
16	Interaction of NaCl and Cd stress on compartmentation pattern of cations, antioxidant enzymes and proteins in leaves of two wheat genotypes differing in salt tolerance. <i>Plant and Soil</i> , 2003, 253, 219-231.	1.8	67
17	Decline in leaf growth under salt stress is due to an inhibition of H ⁺ -pumping activity and increase in apoplastic pH of maize leaves. <i>Journal of Plant Nutrition and Soil Science</i> , 2009, 172, 535-543.	1.1	64
18	Apoplastic Na ⁺ in <i>Vicia faba</i> Leaves Rises After Short-Term Salt Stress and Is Remedied by Silicon. <i>Journal of Agronomy and Crop Science</i> , 2013, 199, 161-170.	1.7	64

#	ARTICLE	IF	CITATIONS
19	Rapid shift from denitrification to nitrification in soil after biogas residue application as indicated by nitrous oxide isotopomers. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1671-1677.	4.2	62
20	Silicon-enhanced oxalate exudation contributes to alleviation of cadmium toxicity in wheat. <i>Environmental and Experimental Botany</i> , 2016, 131, 10-18.	2.0	62
21	Salinity Stiffens the Epidermal Cell Walls of Salt-Stressed Maize Leaves: Is the Epidermis Growth-Restricting?. <i>PLoS ONE</i> , 2015, 10, e0118406.	1.1	57
22	Real-Time Imaging of Leaf Apoplastic pH Dynamics in Response to NaCl Stress. <i>Frontiers in Plant Science</i> , 2011, 2, 13.	1.7	52
23	Salinity Stress in Roots of Contrasting Barley Genotypes Reveals Time-Distinct and Genotype-Specific Patterns for Defined Proteins. <i>Molecular Plant</i> , 2014, 7, 336-355.	3.9	51
24	Light-induced pH and K ⁺ changes in the apoplast of intact leaves. <i>Planta</i> , 2000, 212, 9-15.	1.6	50
25	Apoplastic and membrane-associated Ca ²⁺ in leaves and roots as affected by boron deficiency. <i>Physiologia Plantarum</i> , 1998, 102, 179-184.	2.6	49
26	Quantitative Protein Composition and Baking Quality of Winter Wheat as Affected by Late Sulfur Fertilization. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3877-3885.	2.4	48
27	Soil denitrification potential and its influence on N ₂ O reduction and N ₂ O isotopomer ratios. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 2363-2373.	0.7	46
28	Waterlogging events during stem elongation or flowering affect yield of oilseed rape (<i>Brassica napus</i>). <i>Journal of Agricultural Science</i> , 2010, 144, 107-114.	1.7	46
29	Growth-Related Changes in Subcellular Ion Patterns in Maize Leaves (<i>Zea mays</i> L.) under Salt Stress. <i>Journal of Agronomy and Crop Science</i> , 2012, 198, 46-56.	1.7	45
30	Determination of apoplastic K ⁺ in intact leaves by ratio imaging of PBFI fluorescence. <i>Journal of Experimental Botany</i> , 1997, 48, 1609-1614.	2.4	41
31	The apoplast – its significance for the nutrition of higher plants. <i>Zeitschrift Für Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science</i> , 1998, 161, 485-498.	0.4	41
32	Quantitative proteome analysis of wheat gluten as influenced by N and S nutrition. <i>Plant and Soil</i> , 2010, 327, 225-234.	1.8	41
33	Determination of oxidative stress in wheat leaves as influenced by boron toxicity and NaCl stress. <i>Plant Physiology and Biochemistry</i> , 2012, 56, 56-61.	2.8	40
34	Does H ⁺ pumping by plasmalemma ATPase limit leaf growth of maize (<i>Zea mays</i>) during the first phase of salt stress?. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 550-557.	1.1	39
35	Leaf ion homeostasis and plasma membrane H ⁺ -ATPase activity in <i>Vicia faba</i> change after extra calcium and potassium supply under salinity. <i>Plant Physiology and Biochemistry</i> , 2014, 82, 244-253.	2.8	39
36	The apoplastic pH and its significance in adaptation to salinity in maize (<i>Zea mays</i> L.): Comparison of fluorescence microscopy and pH-sensitive microelectrodes. <i>Plant Science</i> , 2009, 176, 497-504.	1.7	38

#	ARTICLE	IF	CITATIONS
37	Ratiometric monitoring of transient apoplastic alkalinizations in the leaf apoplast of living <i>Vicia faba</i> plants: chloride primes and PM ^H -ATPase shapes N _a ⁺ -induced systemic alkalinizations. <i>New Phytologist</i> , 2013, 197, 1117-1129.	3.5	37
38	Increasing root and leaf growth and yield in Mg-deficient faba beans (<i>Vicia faba</i>) by MgSO ₄ foliar fertilization. <i>Journal of Plant Nutrition and Soil Science</i> , 2014, 177, 741-747.	1.1	36
39	Zinc seed priming improves salt resistance in maize. <i>Journal of Agronomy and Crop Science</i> , 2018, 204, 390-399.	1.7	36
40	Protein Composition and Baking Quality of Wheat Flour as Affected by Split Nitrogen Application. <i>Frontiers in Plant Science</i> , 2019, 10, 642.	1.7	36
41	Foliar N application at anthesis alters grain protein composition and enhances baking quality in winter wheat only under a low N fertiliser regimen. <i>European Journal of Agronomy</i> , 2019, 109, 125909.	1.9	36
42	Emission of N ₂ O from Biogas Crop Production Systems in Northern Germany. <i>Bioenergy Research</i> , 2014, 7, 1223-1236.	2.2	34
43	High apoplastic solute concentrations in leaves alter water relations of the halophytic shrub, <i>Sarcobatus vermiculatus</i> . <i>Journal of Experimental Botany</i> , 2006, 57, 139-147.	2.4	33
44	Differential Transcript Expression of Wall-loosening Candidates in Leaves of Maize Cultivars Differing in Salt Resistance. <i>Journal of Plant Growth Regulation</i> , 2011, 30, 387-395.	2.8	32
45	Determination of apoplastic Na ⁺ in intact leaves of cotton by in vivo fluorescence ratio-imaging. <i>Functional Plant Biology</i> , 2002, 29, 1491.	1.1	30
46	Zinc distribution and localization in primed maize seeds and its translocation during early seedling development. <i>Environmental and Experimental Botany</i> , 2017, 143, 91-98.	2.0	30
47	Late nitrogen application increased protein concentration but not baking quality of wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2016, 179, 591-601.	1.1	29
48	Transient alkalization in the leaf apoplast of <i>Vicia faba</i> L. depends on NaCl stress intensity: an <i>in situ</i> ratio imaging study. <i>Plant, Cell and Environment</i> , 2012, 35, 578-587.	2.8	28
49	Interactive Effects of High Boron and NaCl Stresses on Subcellular Localization of Chloride and Boron in Wheat Leaves. <i>Journal of Agronomy and Crop Science</i> , 2012, 198, 227-235.	1.7	28
50	Isothiocyanate Concentration in Kohlrabi (<i>Brassica oleracea</i> L. Var. <i>gongylodes</i>) Plants As Influenced by Sulfur and Nitrogen Supply. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8334-8342.	2.4	27
51	Interactive Effects of Sulfur and Nitrogen Supply on the Concentration of Sinigrin and Allyl Isothiocyanate in Indian Mustard (<i>Brassica juncea</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3837-3844.	2.4	27
52	Proteome analysis of <i>Fusarium</i> infection in emmer grains (<i>Triticum dicoccum</i>). <i>Plant Pathology</i> , 2011, 60, 918-928.	1.2	27
53	Glutamine synthetase activity in leaves of <i>Zea mays</i> L. as influenced by magnesium status. <i>Planta</i> , 2015, 242, 1309-1319.	1.6	27
54	Down-Regulation of ZmEXPB6 (Zea mays β -Expansin 6) Protein Is Correlated with Salt-mediated Growth Reduction in the Leaves of <i>Z. mays</i> L.. <i>Journal of Biological Chemistry</i> , 2015, 290, 11235-11245.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Transcript expression of Mg-chelatase and H ⁺ -ATPase isogenes in <i>Vicia faba</i> leaves as influenced by root and foliar magnesium supply. <i>Plant and Soil</i> , 2013, 368, 41-50.	1.8	26
56	INFLUENCE OF CHEMICAL FORM AND CONCENTRATION OF NITROGEN ON APOPLASTIC pH OF LEAVES. <i>Journal of Plant Nutrition</i> , 2001, 24, 399-411.	0.9	24
57	Influence of Nitrogen Nutrition on Tuber Quality of Potato with Special Reference to the Pathway of Nitrate Transport into Tubers. <i>Journal of Plant Nutrition</i> , 2004, 27, 341-350.	0.9	24
58	Iodine biofortification of field-grown strawberries – Approaches and their limitations. <i>Scientia Horticulturae</i> , 2020, 269, 109317.	1.7	24
59	Early changes of the pH of the apoplast are different in leaves, stem and roots of <i>Vicia faba</i> L. under declining water availability. <i>Plant Science</i> , 2017, 255, 51-58.	1.7	23
60	Silencing of the sulfur rich ω -gliadin storage protein family in wheat grains (<i>Triticum aestivum</i> L.) causes no unintended side-effects on other metabolites. <i>Frontiers in Plant Science</i> , 2013, 4, 369.	1.7	22
61	Bacterially produced Pt-GFP as ratiometric dual-excitation sensor for in planta mapping of leaf apoplastic pH in intact <i>Avena sativa</i> and <i>Vicia faba</i> . <i>Plant Methods</i> , 2014, 10, 31.	1.9	22
62	Regulation of Selenium/Sulfur Interactions to Enhance Chemopreventive Effects: Lessons to Learn from Brassicaceae. <i>Molecules</i> , 2020, 25, 5846.	1.7	21
63	Utilization of soil organic phosphorus as a strategic approach for sustainable agriculture. <i>Journal of Plant Nutrition and Soil Science</i> , 2021, 184, 311-319.	1.1	21
64	Comparative Metabolite Profile, Biological Activity and Overall Quality of Three Lettuce (<i>Lactuca</i>) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 3	2.0	21
65	Apoplastic pH and growth in expanding leaves of <i>Vicia faba</i> under salinity. <i>Environmental and Experimental Botany</i> , 2011, 74, 31-36.	2.0	19
66	Time-dependent distribution of sulphur, sulphate and glutathione in wheat tissues and grain as affected by three sulphur fertilization levels and late S fertilization. <i>Journal of Plant Physiology</i> , 2012, 169, 72-77.	1.6	19
67	Fast responses of metabolites in <i>Vicia faba</i> L. to moderate NaCl stress. <i>Plant Physiology and Biochemistry</i> , 2015, 92, 19-29.	2.8	19
68	Role of Plasmalemma H ⁺ ATPase in Sugar Retention by Roots of Intact Maize and Field Bean Plants. <i>Zeitschrift Fur Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science</i> , 1993, 156, 155-161.	0.4	18
69	Sulfate facilitates cadmium accumulation in leaves of <i>Vicia faba</i> L. at flowering stage. <i>Ecotoxicology and Environmental Safety</i> , 2018, 156, 375-382.	2.9	18
70	Divergent metabolic adjustments in nodules are indispensable for efficient N ₂ fixation of soybean under phosphate stress. <i>Plant Science</i> , 2019, 289, 110249.	1.7	18
71	One-time abscisic acid priming induces long-term salinity resistance in <i>Vicia faba</i> : Changes in key transcripts, metabolites, and ionic relations. <i>Physiologia Plantarum</i> , 2021, 172, 146-161.	2.6	18
72	Comparative proteome analysis of maize (<i>Zea mays</i> L.) expansins under salinity. <i>Journal of Plant Nutrition and Soil Science</i> , 2009, 172, 75-77.	1.1	17

#	ARTICLE	IF	CITATIONS
73	Effects of a late N fertiliser dose on storage protein composition and bread volume of two wheat varieties differing in quality. <i>Journal of Cereal Science</i> , 2020, 93, 102944.	1.8	17
74	Lithium: Perspectives of nutritional beneficence, dietary intake, biogeochemistry, and biofortification of vegetables and mushrooms. <i>Science of the Total Environment</i> , 2021, 798, 149249.	3.9	16
75	Microscopic and macroscopic monitoring of adaxial–abaxial pH gradients in the leaf apoplast of <i>Vicia faba</i> L. as primed by NaCl stress at the roots. <i>Plant Science</i> , 2014, 223, 109-115.	1.7	15
76	Iodine Biofortification of Apples and Pears in an Orchard Using Foliar Sprays of Different Composition. <i>Frontiers in Plant Science</i> , 2021, 12, 638671.	1.7	15
77	Metabolite profiling of wheat flag leaf and grains during grain filling phase as affected by sulfur fertilisation. <i>Functional Plant Biology</i> , 2012, 39, 156.	1.1	14
78	Calcium supply effects on wheat cultivars differing in salt resistance with special reference to leaf cytosol ion homeostasis. <i>Physiologia Plantarum</i> , 2013, 149, 321-328.	2.6	14
79	Nitrogen efficiency and leaf nitrogen remobilisation of oilseed rape lines and hybrids. <i>Annals of Applied Biology</i> , 2016, 169, 125-133.	1.3	14
80	Iodine uptake and translocation in apple trees grown under protected cultivation. <i>Journal of Plant Nutrition and Soil Science</i> , 2020, 183, 468-481.	1.1	14
81	Mechanism of sugar retention by roots of intact maize and field bean plants. <i>Plant and Soil</i> , 1993, 155-156, 99-102.	1.8	13
82	Sulfate supply enhances cadmium tolerance in <i>Vicia faba</i> L. plants. <i>Environmental Science and Pollution Research</i> , 2018, 25, 33794-33805.	2.7	13
83	Grain storage protein concentration and composition of winter wheat (<i>Triticum aestivum</i> L.) as affected by waterlogging events during stem elongation or ear emergence. <i>Journal of Cereal Science</i> , 2018, 83, 9-15.	1.8	13
84	Boron uptake and distribution by oilseed rape (<i>Brassica napus</i> L.) as affected by different nitrogen forms under low and high boron supply. <i>Plant Physiology and Biochemistry</i> , 2021, 161, 156-165.	2.8	13
85	Early growth reduction in <i>Vicia faba</i> L. under alkali salt stress is mainly caused by excess bicarbonate and related to citrate and malate over accumulation. <i>Environmental and Experimental Botany</i> , 2021, 192, 104636.	2.0	13
86	Comparative Effectiveness of Four Nitrification Inhibitors for Mitigating Carbon Dioxide and Nitrous Oxide Emissions from Three Different Textured Soils. <i>Nitrogen</i> , 2021, 2, 155-166.	0.6	12
87	Uptake, subcellular distribution, and translocation of foliar-applied phosphorus: Short-term effects on ion relations in deficient young maize plants. <i>Plant Physiology and Biochemistry</i> , 2021, 166, 677-688.	2.8	12
88	Effect of K ⁺ nutrition, leaf age and light intensity on apoplastic K ⁺ in leaves of <i>Vicia faba</i> . <i>Journal of Plant Nutrition and Soil Science</i> , 1999, 162, 571-576.	1.1	11
89	Efficacy of four nitrification inhibitors for the mitigation of nitrous oxide emissions under different soil temperature and moisture [#] . <i>Journal of Plant Nutrition and Soil Science</i> , 2022, 185, 60-68.	1.1	11
90	Phosphate foliar application increases biomass and P concentration in P deficient maize. <i>Journal of Plant Nutrition and Soil Science</i> , 2021, 184, 360-370.	1.1	10

#	ARTICLE	IF	CITATIONS
91	Crosstalk between Selenium and Sulfur Is Associated with Changes in Primary Metabolism in Lettuce Plants Grown under Se and S Enrichment. <i>Plants</i> , 2022, 11, 927.	1.6	10
92	Influence of minerals on cytoplasmic streaming in root hairs of intact wheat seedlings (<i>Triticum</i>) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 7	1.8	9
93	Assessing How the Aluminum-Resistance Traits in Wheat and Rye Transfer to Hexaploid and Octoploid Triticale. <i>Frontiers in Plant Science</i> , 2018, 9, 1334.	1.7	9
94	Nutrient deficiencies do not contribute to yield loss after waterlogging events in winter wheat (<i>Triticum aestivum</i>). <i>Annals of Applied Biology</i> , 2018, 173, 141-153.	1.3	9
95	Selenium foliar application alters patterns of glucosinolate hydrolysis products of pak choi <i>Brassica rapa</i> L. var. <i>chinensis</i> . <i>Scientia Horticulturae</i> , 2020, 273, 109614.	1.7	9
96	Î ² -expansins are divergently abundant in maize cultivars that contrast in their degree of salt resistance. <i>Plant Signaling and Behavior</i> , 2011, 6, 1279-1281.	1.2	8
97	Metabolomic responses in grain, ear, and straw of winter wheat under increasing sulfur treatment. <i>Journal of Plant Nutrition and Soil Science</i> , 2013, 176, 964-970.	1.1	8
98	Cold season ammonia emissions from land spreading with anaerobic digestates from biogas production. <i>Atmospheric Environment</i> , 2014, 84, 35-38.	1.9	8
99	Timing of Waterlogging Is Crucial for the Development of Micronutrient Deficiencies or Toxicities in Winter Wheat and Rapeseed. <i>Journal of Plant Growth Regulation</i> , 2019, 38, 824-830.	2.8	8
100	Selenium Enrichment of Green and Red Lettuce and the Induction of Radical Scavenging Potential. <i>Horticulturae</i> , 2021, 7, 488.	1.2	8
101	Comparison of baking tests using wholemeal and white wheat flour. <i>European Food Research and Technology</i> , 2012, 234, 845-851.	1.6	7
102	Splitting nitrogen applications improves wheat storage protein composition under low N supply. <i>Journal of Plant Nutrition and Soil Science</i> , 2019, 182, 347-355.	1.1	7
103	Influence of sulfur and nitrogen supply on growth, nutrient status and concentration of benzylisothiocyanate in cress (<i>Lepidium sativum</i> L.). <i>Journal of the Science of Food and Agriculture</i> , 2008, 88, 2576-2580.	1.7	6
104	A methodical approach for improving the reliability of quantifiable two-dimensional Western blots. <i>Journal of Immunological Methods</i> , 2010, 362, 89-94.	0.6	6
105	Calcium improves apoplastic cytosolic ion homeostasis in salt-stressed <i>Vicia faba</i> leaves. <i>Functional Plant Biology</i> , 2017, 44, 515.	1.1	6
106	Impact of different chloride salts and their concentrations on nitrification and trace gas emissions from a sandy soil under a controlled environment. <i>Soil Use and Management</i> , 2022, 38, 861-872.	2.6	6
107	Phytoremediation Capability and Copper Uptake of Maize (<i>Zea mays</i> L.) in Copper Contaminated Soils. <i>Pollutants</i> , 2022, 2, 53-65.	1.0	6
108	Evaluation of Maize Growth Following Early Season Foliar P Supply of Various Fertilizer Formulations and in Relation to Nutritional Status. <i>Agronomy</i> , 2021, 11, 727.	1.3	5

#	ARTICLE	IF	CITATIONS
109	Leaching from the leaf surface and its significance for apoplastic ion balance. , 1997, , 87-88.		5
110	Proximate analysis of nutrients and in vitro radical scavenging efficacy in selected medicinal plant powders with potential for use as poultry feed additives. South African Journal of Botany, 2022, 146, 103-110.	1.2	5
111	Alkali salt stress causes fast leaf apoplastic alkalization together with shifts in ion and metabolite composition and transcription of key genes during the early adaptive response of <i>Vicia faba</i> L. Plant Science, 2022, 319, 111253.	1.7	5
112	Sulfur uptake and remobilization are differentially affected by N deficiency in winter oilseed rape cultivars. Journal of Plant Nutrition, 2017, 40, 524-531.	0.9	4
113	Salinity resistance as a function of NH ₄ ⁺ :NO ₃ ⁻ ratio and its impact on yield and quality of tomato () Tj ETQq1 1 0.784314 rgBT /Overload	1.1	4
114	Comparative Effectiveness of Biogas Residue Acidification and Nitrification Inhibitors in Mitigating CO ₂ and N ₂ O Emissions from Biogas Residue-Amended Soils. Water, Air, and Soil Pollution, 2021, 232, 1.	1.1	4
115	Mechanism of sugar retention by roots of intact maize and field bean plants. , 1993, , 103-106.		4
116	Determination of phytotoxic soil aluminium by electroultrafiltration. Zeitschrift Fur Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science, 1988, 151, 267-271.	0.4	3
117	Soil nitrogen fractions as influenced by sample preparation and extraction. Communications in Soil Science and Plant Analysis, 1997, 28, 551-559.	0.6	3
118	Emission klimarelevanter Spurengase in der intensiven Pflanzenproduktion. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2009, 4, 207-211.	0.5	3
119	Foliar N Application at Anthesis Stimulates Gene Expression of Grain Protein Fractions and Alters Protein Body Distribution in Winter Wheat (<i>Triticum aestivum</i> L.). Journal of Agricultural and Food Chemistry, 2019, 67, 12709-12719.	2.4	3
120	Ammonium-driven nitrification plays a key role in increasing Mn availability in calcareous soils. Journal of Plant Nutrition and Soil Science, 2020, 183, 389-396.	1.1	3
121	One-Time Foliar Application and Continuous Resupply via Roots Equally Improved the Growth and Physiological Response of B-Deficient Oilseed Rape. Plants, 2021, 10, 866.	1.6	3
122	Alterations of Content and Composition of Individual Sulfolipids, and Change of Fatty Acids Profile of Galactolipids in Lettuce Plants (<i>Lactuca sativa</i> L.) Grown under Sulfur Nutrition. Plants, 2022, 11, 1342.	1.6	3
123	Is N-feedback involved in the regulation of nitrogenase activity in <i>Medicago truncatula</i> ?. Journal of Plant Nutrition and Soil Science, 2020, 183, 42-45.	1.1	2
124	Acidified Biogas Residues Improve Nutrient Uptake and Growth of Young Maize. Agronomy, 2021, 11, 344.	1.3	2
125	A method to experimentally clamp leaf water content to defined values to assess its effects on apoplastic pH. Plant Methods, 2022, 18, .	1.9	2
126	Detection of putative selenoproteins in Chinese cabbage (<i>Brassica pekinensis</i> L.). Journal of Plant Nutrition and Soil Science, 2007, 170, 657-658.	1.1	1

#	ARTICLE	IF	CITATIONS
127	Salzstress bei Kulturpflanzen: Bedeutung für die weltweite Pflanzenproduktion. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2009, 4, 202-206.	0.5	1
128	Ammonium-driven nitrification plays a key role in increasing Mn availability in calcareous soils. Journal of Plant Nutrition and Soil Science, 2020, 183, 550-550.	1.1	1
129	Obituary. Journal of Plant Physiology, 2015, 179, 133.	1.6	0
130	Classification of oilseed rape accessions according to sulfur-related plant traits in short-term experiments reflects agronomic performance in field experiments. Industrial Crops and Products, 2017, 107, 73-80.	2.5	0
131	Einfluss einer Schwefel-Biofortifizierung auf den Sulfolipidgehalt von zwei ausgewählte Salatsorten. Lebensmittelchemie, 2021, 75, S100.	0.0	0
132	The Effect of Sulfur Nutrition on Glucosinolate Patterns and Their Breakdown Products in Vegetable Crops. Proceedings of the International Plant Sulfur Workshop, 2017, , 61-73.	0.1	0