

# Nam-Kyoung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7144760/publications.pdf>

Version: 2024-02-01

70  
papers

689  
citations

643344

15  
h-index

620720

26  
g-index

71  
all docs

71  
docs citations

71  
times ranked

284  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase developments in Pb(Zn[Ta,Nb,W])O <sub>3</sub> -PbTiO <sub>3</sub> ternary ceramic compositions. Journal of Electroceramics, 2020, 45, 111-118.	0.8	0
2	Effects of Fe doping on perovskite development and dielectric properties of Pb([Zn,Mg] <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> ceramics. Journal of Electroceramics, 2019, 43, 20-25.	0.8	0
3	Structure development and dielectric properties of Zn-doped Pb([Mg,Fe],W)O <sub>3</sub> perovskite ceramics. Journal of the American Ceramic Society, 2019, 102, 3980-3989.	1.9	0
4	Perovskite structure development in (Ba)Ti-substituted Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> and dielectric properties. Materials Research Bulletin, 2018, 98, 89-93.	2.7	3
5	Perovskite stabilization in Fe- and Mg-doped Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> and their dielectric characteristics. Journal of the European Ceramic Society, 2018, 38, 4232-4236.	2.8	1
6	Phase development and dielectric characteristics of Pb[(Mg <sub>1/3</sub> Ta <sub>2/3</sub> ),Ti]O <sub>3</sub> ceramics with BaTiO <sub>3</sub> addition. Materials Letters, 2017, 200, 94-96.	1.3	1
7	Development of structural ordering in (Ba <sub>0.8</sub> Pb <sub>0.2</sub> )(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> perovskite. Ceramics International, 2016, 42, 2051-2053.	2.3	0
8	Phase formation studies in ZnB <sup>ε</sup> 2O <sub>6</sub> and Pb(Zn <sub>1/3</sub> B <sup>ε</sup> 2/3)O <sub>3</sub> (B <sup>ε</sup> =Nb,Ta). Ceramics International, 2011, 37, 549-553.	2.3	1
9	Phase formation and dielectric properties of (Pb,Ba)[(Zn <sub>1/2</sub> W <sub>1/2</sub> ),Ti]O <sub>3</sub> ceramics. Ceramics International, 2009, 35, 1611-1616.	2.3	2
10	Phase developments in Pb(Mg <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> and Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> via B-site precursor route. Journal of Materials Science, 2008, 43, 3608-3611.	1.7	12
11	Phase development in Ba(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> via conventional and B-site precursor routes. Ceramics International, 2008, 34, 1955-1958.	2.3	4
12	Crystallographic and dielectric properties of barium-substituted Pb(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> ceramics. Materials Research Bulletin, 2008, 43, 730-734.	2.7	1
13	Phase developments in the Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> â€“Pb(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> â€“Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> pseudo-ternary system. Materials Letters, 2008, 62, 137-139.	1.3	4
14	Processing and dielectric properties of (Pb,Bi)(Mg,Nb,Ti)O <sub>3</sub> ceramics. Ceramics International, 2007, 33, 1083-1086.	2.3	3
15	Effects of Mg/Fe substitution on perovskite stabilization and dielectric properties of Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> . Journal of the European Ceramic Society, 2007, 27, 4473-4478.	2.8	4
16	Effect of Pb(Zn <sub>1/2</sub> W <sub>1/2</sub> )O <sub>3</sub> introduction on perovskite development and dielectric properties of (Ba,Pb)TiO <sub>3</sub> . Materials Letters, 2007, 61, 256-258.	1.3	0
17	Dielectric properties of Zn- and/or Nb-substituted Pb[(Mg <sub>1/3</sub> Ta <sub>2/3</sub> ),Ti]O <sub>3</sub> ceramics. Journal of Electroceramics, 2007, 18, 25-31.	0.8	0
18	Dielectric responses in Mg <sub>1/3</sub> Ta <sub>2/3</sub> -replaced Pb[(Zn <sub>1/3</sub> Nb <sub>2/3</sub> ),Ti]O <sub>3</sub> ceramics. Journal of Materials Science, 2007, 42, 812-816.	1.7	0

#	ARTICLE	IF	CITATIONS
19	Dielectric properties of Pb(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> -introduced (Ba,Pb)TiO <sub>3</sub> ceramic system. Journal of Materials Science, 2007, 42, 298-301.	1.7	0
20	Perovskite stabilization and dielectric properties of Mg <sub>1/3</sub> Nb <sub>2/3</sub> -substituted Pb[(Zn <sub>1/3</sub> Ta <sub>2/3</sub> ),Ti]O <sub>3</sub> . Ceramics International, 2006, 32, 539-543.	2.3	0
21	Dielectric properties of Pb[(Mg <sub>1/3</sub> Nb <sub>2/3</sub> ),Ti]O <sub>3</sub> with Bi modification. Journal of Electroceramics, 2006, 17, 161-164.	0.8	0
22	Effect of Bi substitution level on dielectric characteristics of Pb[(Mg <sub>1/3</sub> Nb <sub>2/3</sub> ),Ti]O <sub>3</sub> ceramics. Materials Research Bulletin, 2006, 41, 2251-2259.	2.7	0
23	Dielectric Characteristics of Bi- and Ti-Substituted Pb(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> . Journal of the American Ceramic Society, 2005, 88, 3525-3527.	1.9	2
24	Development of perovskite in Fe-substituted Pb(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> and dielectric characteristics. Materials Research Bulletin, 2005, 40, 1839-1846.	2.7	4
25	Perovskite formation and dielectric properties of Pb[(Zn <sub>1/3</sub> Ta <sub>2/3</sub> ),(Fe <sub>1/2</sub> Nb <sub>1/2</sub> )]O <sub>3</sub> . Materials Letters, 2005, 59, 32-35.	1.3	4
26	Phase formation stages of MgTa <sub>2</sub> O <sub>6</sub> and Pb(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> . Materials Letters, 2005, 59, 588-590.	1.3	6
27	Dielectric characteristics of Pb(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> -BaTiO <sub>3</sub> ceramics with/without PbTiO <sub>3</sub> modification. Journal of Materials Science, 2005, 40, 6151-6156.	1.7	2
28	Dielectric properties of Pb(Zn <sup>1/3</sup> Ta <sup>2/3</sup> )O <sub>3</sub> -modified Pb(Mg <sup>1/3</sup> Nb <sup>2/3</sup> )O <sub>3</sub> -PbTiO <sub>3</sub> perovskite ceramics. Journal of Applied Physics, 2004, 96, 7450-7454.	1.1	1
29	Dielectric Properties of 0.8Pb[(Mg <sub>1/3</sub> Ta <sub>2/3</sub> ), (Ba <sub>1/3</sub> Bi <sub>2/3</sub> )]O <sub>3</sub> and PbTiO <sub>3</sub> Ceramics (Ba, ZnTa, MgNb, and ZnNb). Journal of the American Ceramic Society, 2004, 87, 1250-1253.		
30	Dielectric characteristics of bismuth-modified lead magnesium niobate ceramics. Materials Research Bulletin, 2004, 39, 1177-1183.	2.7	7
31	Synthesis and dielectric/ferroelectric characteristics of Ta-modified PMN <sub>0.6</sub> PZN <sub>0.2</sub> PT <sub>0.2</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2004, 15, 307-311.	1.1	2
32	Dielectric properties of multiple-octahedral ceramic system Pb[(Mg <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>0.8</sub> Ti <sub>0.2</sub> ]O <sub>3</sub> with Ta substitutions for Nb. Ceramics International, 2004, 30, 751-755.	2.3	0
33	Preparation and dielectric properties of Pb[(Zn <sub>1/3</sub> Ta <sub>2/3</sub> ) <sub>0.8</sub> (Mg <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>x</sub> Ti <sub>0.2</sub> ]O <sub>3</sub> ceramics. Materials Letters, 2004, 58, 1358-1362.	1.3	2
34	Dielectric characteristics of Mg-replaced Pb[(Zn <sub>1/3</sub> Ta <sub>2/3</sub> ) <sub>0.2</sub> (Zn <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>0.6</sub> Ti <sub>0.2</sub> ]O <sub>3</sub> ceramics. Materials Research Bulletin, 2003, 38, 1957-1964.	2.7	1
35	Dielectric properties of ceramics (z=0.4,0.6). Ceramics International, 2003, 29, 815-819.	2.3	2
36	Perovskite Formation and Dielectric Characteristics of Pb(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> with PbTiO <sub>3</sub> Substitution. Journal of the American Ceramic Society, 2003, 86, 929-933.	1.9	17

#	ARTICLE	IF	CITATIONS
37	Mg substitutions for Zn in $0.8\text{Pb}[\text{Zn}_{1/3}(\text{Ta},\text{Nb})_{2/3}]\text{O}_3$ and $0.2\text{PbTiO}_3$ ceramics and dielectric properties. <i>Materials Letters</i> , 2003, 57, 4525-4530.	1.3	1
38	Crystallographic and dielectric aspects of $\text{Pb}[(\text{Mg},\text{Zn})_{1/3}\text{Ta}_{2/3}]\text{O}_3$ system with 40 at.% Nb substitution. <i>Materials Research Bulletin</i> , 2002, 37, 59-67.	2.7	1
39	Phase developments and dielectric/ferroelectric responses in the PMN-PT system. <i>Journal of the European Ceramic Society</i> , 2002, 22, 219-223.	2.8	68
40	Effect of Zn substitution on dielectric responses of $0.2\text{Pb}(\text{Mg},\text{Zn})_{1/3}\text{Ta}_{2/3}\text{O}_3$ ceramics. <i>Journal of the European Ceramic Society</i> , 2002, 22, 1857-1861.	2.8	8
41	Phase development and dielectric characteristics of the $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ -modified $\text{Pb}[(\text{Zn}_{1/3}\text{Ta}_{2/3}),(\text{Mg}_{1/3}\text{Nb}_{2/3})]\text{O}_3$ system. <i>Ceramics International</i> , 2002, 28, 419-423.	2.3	1
42	Preparation of Mg-modified $\text{Pb}[\text{Zn}_{1/3}(\text{Ta},\text{Nb})_{2/3}]\text{O}_3$ ceramics and dielectric characteristics. <i>Journal of Materials Science: Materials in Electronics</i> , 2002, 13, 105-109.	1.1	1
43	Title is missing!. <i>Journal of Materials Science</i> , 2002, 37, 4697-4701.	1.7	12
44	Phase developments in $\text{Pb}[(\text{Mg},\text{Zn})_{1/3}(\text{Ta},\text{Nb})_{2/3}]\text{O}_3$ and dielectric properties. <i>Materials Letters</i> , 2001, 49, 86-90.	1.3	1
45	Crystallographic and dielectric studies on $\text{Pb}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ -substituted $\text{Pb}[(\text{Zn}_{1/3}\text{Nb}_{2/3}),\text{Ti}]\text{O}_3$ system. <i>Materials Letters</i> , 2001, 50, 6-11.	1.3	5
46	Perovskite formation and dielectric properties of $\text{Pb}[(\text{Mg}_{1/3}\text{Ta}_{2/3})_{0.8}(\text{Zn}_{1/3}\text{Ta}_{2/3})_{0.2}]\text{O}_3$ ceramics with Nb substitution for Ta. <i>Materials Research Bulletin</i> , 2001, 36, 2443-2451.	2.7	1
47	Dielectric Properties of the Perovskite System $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Modified by $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ and $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ . <i>Journal of the American Ceramic Society</i> , 2001, 84, 1281-1285.	1.9	5
48	Stabilization of perovskite phase and enhancement in dielectric properties by substitution of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ to $\text{Pb}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ . <i>Ferroelectrics</i> , 2000, 242, 25-35.	0.3	38
49	Perovskite phase developments and dielectric characteristics in barium-substituted lead zinc tantalate system. <i>Materials Research Bulletin</i> , 2000, 35, 1677-1687.	2.7	27
50	Dielectric properties of a multiple octahedral-cation system $\text{Pb}[(\text{Mg}_{1/3}\text{Ta}_{2/3}),(\text{Zn}_{1/3}\text{Nb}_{2/3})]\text{O}_3$ modified by $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ . <i>Materials Research Bulletin</i> , 2000, 35, 1763-1773.	2.7	0
51	Lead magnesium tantalate-lead titanate perovskite ceramic system: preparation and characterization. <i>Materials Research Bulletin</i> , 2000, 35, 2479-2489.	2.7	27
52	Syntheses and dielectric properties of perovskite ceramic system $\text{Pb}_{0.8}\text{Pb}_{0.2}\text{Pb}_{1-x}\text{Ti}_x\text{O}_3$ . <i>Journal of Materials Science</i> , 2000, 35, 1459-1463.	1.7	2
53	Title is missing!. <i>Journal of Materials Science</i> , 2000, 35, 4995-4999.	1.7	6
54	Perovskite phase developments in $\text{Pb}[(\text{Mg},\text{Zn})_{1/3}\text{Ta}_{2/3}]\text{O}_3$ system and dielectric characteristics. <i>Journal of Materials Science</i> , 2000, 35, 4373-4378.	1.7	40

#	ARTICLE	IF	CITATIONS
55	Perovskite developments and dielectric responses of PbTiO <sub>3</sub> -modified Pb[Zn <sub>1/3</sub> (Ta,Nb) <sub>2/3</sub> ]O <sub>3</sub> system. <i>Ferroelectrics</i> , 2000, 248, 123-133.	0.3	1
56	Effect of Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> substitution on dielectric properties of Pb[(Zn <sub>1/3</sub> Ta <sub>2/3</sub> ), (Mg <sub>1/3</sub> Nb <sub>2/3</sub> )]O <sub>3</sub> multiple-octahedral system ceramics. <i>Ferroelectrics</i> , 2000, 247, 355-365.	0.3	0
57	Preparation and dielectric characteristics of perovskite ceramic system 0.8Pb[(Mg,Zn) <sub>1/3</sub> Nb <sub>2/3</sub> ]O <sub>3</sub> -0.2PbTiO <sub>3</sub> . <i>Ferroelectrics</i> , 2000, 248, 5-13.	0.3	4
58	Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics. <i>Journal of the American Ceramic Society</i> , 2000, 83, 1720-1726.	1.9	47
59	Perovskite formation and dielectric characteristics of PFW <sub>0.2</sub> PFT <sub>0.8-x</sub> PFN <sub>x</sub> system ceramics. <i>Ferroelectrics</i> , 1999, 227, 87-96.	0.3	24
60	Perovskite phase developments and dielectric properties of pmn-substituted pzn-pt system. <i>Materials Research Bulletin</i> , 1999, 34, 2185-2191.	2.7	4
61	Syntheses of ceramic system (0.8 <sup>x</sup> )PFW-xPFT-0.2PFN and dielectric behaviors. <i>Ferroelectrics</i> , 1999, 234, 189-197.	0.3	0
62	Formation sequences of FeTaO <sub>4</sub> and Pb(Fe <sub>1/2</sub> Ta <sub>1/2</sub> )O <sub>3</sub> . <i>Materials Letters</i> , 1999, 40, 246-249.	1.3	5
63	Preparation of Pb(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ∧Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics by the B-site precursor method and dielectric characteristics. <i>Journal of Materials Science</i> , 1998, 33, 1343-1348.	1.7	28
64	Crystallographic, dielectric, and diffuseness characteristics of PZN∧PT ceramics. <i>Materials Letters</i> , 1998, 34, 299-304.	1.3	39
65	Synthesis of perovskite ceramics PMN∧PFN via B-site precursors and their dielectric properties. <i>Materials Letters</i> , 1998, 34, 336-340.	1.3	20
66	Perovskite formation sequence by B-site precursor method and dielectric properties of PFW-PFN ceramics. <i>Ferroelectrics</i> , 1998, 211, 233-247.	0.3	69
67	Perovskite formation by B-site precursor method and dielectric characteristics of Pb[Mg <sub>1/3</sub> (Ta,Nb) <sub>2/3</sub> ]O <sub>3</sub> ceramic system. <i>Ferroelectrics</i> , 1998, 209, 603-613.	0.3	27
68	Preparation and dielectric properties of Pb[(Mg <sub>1/3</sub> Ta <sub>2/3</sub> ), (Zn <sub>1/3</sub> Nb <sub>2/3</sub> )]O <sub>3</sub> relaxor ceramics. <i>Ferroelectrics</i> , 1998, 211, 25-39.	0.3	56
69	Synthesis chemistry of MgNb <sub>2</sub> O <sub>6</sub> and Pb(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> . <i>Materials Letters</i> , 1997, 32, 127-130.	1.3	33
70	Crystallization kinetics of amorphous Pb (Fe <sub>2/3</sub> W <sub>1/3</sub> )O <sub>3</sub> . <i>Journal of Materials Science</i> , 1996, 31, 2951-2956.	1.7	1