
Colin Bernet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7144783/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	1.6	497
4	FCC-ee: The Lepton Collider. European Physical Journal: Special Topics, 2019, 228, 261-623.	1.2	424
5	The COMPASS experiment at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 577, 455-518.	0.7	388
6	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	369
7	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
8	FCC Physics Opportunities. European Physical Journal C, 2019, 79, 1.	1.4	346
9	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
10	Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
11	Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
12	First Measurement of the Transverse Spin Asymmetries of the Deuteron in Semi-inclusive Deep Inelastic Scattering. Physical Review Letters, 2005, 94, 202002.	2.9	275
13	First look at the physics case of TLEP. Journal of High Energy Physics, 2014, 2014, 1. The deuteron spin-dependent structure function <mml:math <="" altimg="si1.gif" overflow="scroll" td=""><td>1.6</td><td>269</td></mml:math>	1.6	269
14	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	1.5	258
15	xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.Physics Letters, Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
16	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at \$sqrt{s} = 0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	1.6	230
17	Collins and Sivers asymmetries for pions and kaons in muon–deuteron DIS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 673, 127-135.	1.5	207
18	A new measurement of the Collins and Sivers asymmetries on a transversely polarised deuteron target. Nuclear Physics B, 2007, 765, 31-70.	0.9	203

#	Article	IF	CITATIONS
19	Suppression of non-prompt J/iˆ, prompt J/iˆ, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
20	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
21	Measurement of the differential cross section for top quark pair production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
22	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	181
23	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179

#	Article	IF	CITATIONS
37	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
38	Measurements of inclusive W and Z cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
39	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192 Guon polarization in the nucleon from quasi-real photoproduction of high- <mml:math< td=""><td>1.4</td><td>120</td></mml:math<>	1.4	120
40	aitimg= si1.gif_overnow= scroii_xmins:xocs= http://www.eisevier.com/xmi/xocs/dtd xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"	1.5	118
41	xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://v/ww.elsevier.com/xml/co Searches for long-lived charged particles in pp collisions at \$ sqrt{s} \$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
42	Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
43	Measurement of the spin structure of the deuteron in the DIS region. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 612, 154-164.	1.5	111
44	Charged particle multiplicities in pp interactions at \$ sqrt {s} = 0.9 \$, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
45	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
46	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
47	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
48	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	99
49	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
50	Measurement of the underlying event activity at the LHC with \$ sqrt {s} = 7 \$ TeV and comparison with \$ sqrt {s} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
51	Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
52	Searches for invisible decays of the Higgs boson in pp collisions at s \$\$ sqrt{s} \$\$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
53	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
54	Measurements of differential and double-differential Drell–Yan cross sections in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88

#	Article	IF	CITATIONS
55	Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
56	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
57	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. Science, 2012, 338, 1569-1575.	6.0	85
58	Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
59	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
60	Study of the production of charged pions, kaons, and protons in pPb collisions at \$\$sqrt{s_{NN}} =; \$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85
61	Performance of the CMS Level-1 trigger in proton-proton collisions at â^š <i>s</i> = 13 TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
62	Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
63	Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm {p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	1.4	83
64	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	1.4	83
65	Suppression and azimuthal anisotropy of prompt and nonprompt \$\${mathrm{J}}/psi \$\$ J / Ï` production in PbPb collisions at \$\$sqrt{{s_{_{ext {NN}}}} =2.76\$\$ s NN = 2.76 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 252.	1.4	82
66	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	1.6	82
67	J/ï^ and ï^(2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	81
68	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
69	Search for a charged Higgs boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
70	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
71	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
72	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$ sqrt{{{s_{NN }}} \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77

#	Article	IF	CITATIONS
73	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
74	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75
75	Measurement of the \$\${{mathrm{W} }^{+} }mathrm{W}^{-} \$\$ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
76	Measurement of the X(3872) production cross section via decays to J/Ĩ´Ĩ€ + Ï€ â´' in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
77	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
78	Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
79	The polarised valence quark distribution from semi-inclusive DIS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 660, 458-465.	1.5	72
80	Measurement of the t-channel single-top-quark production cross section and of the V tb CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
81	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	1.4	70
82	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
83	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
84	Search for anomalous production of multilepton events in pp collisions at \$ sqrt {s} = 7,TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
85	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
86	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	68
87	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
88	Measurement of the \$\${mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
89	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
90	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65

#	Article	IF	CITATIONS
91	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.	1.4	64
92	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
93	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
94	Measurement of the W+Wâ^' cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWγ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	1.4	62
95	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
96	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
97	Measurement of the inelastic proton-proton cross section at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
98	Measurement of prompt J/iˆ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
99	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	1.4	60
100	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	59
101	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
102	Jet production rates in association with W and Z bosons in pp collisions at \$ sqrt {s} = 7 {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
103	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
104	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
105	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58

106

#	Article	IF	CITATIONS
109	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
110	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
111	Charged particle transverse momentum spectra in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	56
112	Exclusive γγ → μ + μ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	56
113	Event activity dependence of \$ Y \$ (nS) production in \$ sqrt{{{s_{NN }}} \$ = 5.02 TeV pPb and \$ sqrt{s} \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
114	Measurement of masses in the \$mathrm{t}overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2494.	1.4	55
115	Measurement of associated W + charm production in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
116	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
117	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
118	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
119	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
120	Measurement of the \$ {{m t}ar{m t}} \$ production cross section and the top quark mass in the dilepton channel in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	53
121	Measurement of prompt and nonprompt \$\$mathrm{J}/{psi }\$\$ J / Ï^ production in \$\$mathrm {p}mathrm {p}\$\$ p p and \$\$mathrm {p}mathrm {Pb}\$\$ p Pb collisions at \$\$sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
122	Measurement of the \$ toverline{t} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
123	Measurement of double-differential cross sections for top quark pair production in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
124	Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z → 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
125	Search for exclusive or semi-exclusive γγ production and observation of exclusive and semi-exclusive e+eâ^' production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
126	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51

#	Article	IF	CITATIONS
127	Micromegas as a large microstrip detector for the COMPASS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 469, 133-146.	0.7	50
128	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	1.4	50
129	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
130	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	1.4	50
131	Search for new physics with jets and missing transverse momentum in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	49
132	Search for leptonic decays of W′ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
133	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÅTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
134	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	1.5	48
135	xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x Search for new physics in events with same-sign dileptons and jets in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
136	Observation of Y(1S) pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
137	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
138	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	47
139	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	46
140	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	46
141	Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
142	Search for third-generation scalar leptoquarks decaying to a top quark and a \$\$au \$\$ Ï,, lepton at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
143	Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
144	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44

#	Article	IF	CITATIONS
145	Search for a light charged Higgs boson decaying to c s Â ⁻ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
146	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
147	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
148	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
149	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
150	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43
151	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
152	Measurement of the top-quark mass in \$mathrm{t}overline{mathrm{t}}\$ events with dilepton final states in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	42
153	Evidence for exclusive γγ → W + W â^' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
154	Search for vector-like T and B quark pairs in final states with leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
155	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
156	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
157	Measurement of the t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
158	Measurement of the \$\$mathrm{t}overline{{mathrm{t}}}\$\$ t t Â ⁻ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
159	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
160	Search for same-sign top-quark pair production at \$ sqrt {s} = 7 \$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	40
161	Measurement of the \$\$mathrm{t}overline{mathrm{t}} \$\$ t t Â ⁻ production cross section using events in the \$\$mathrm {e}mu \$\$ e μ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
162	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40

#	Article	IF	CITATIONS
163	Measurement of the top quark mass in the all-jets final state at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
164	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 378.	1.4	40
165	Search for resonances in the dilepton mass distribution in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	39
166	Inclusive b-jet production in pp collisions at \$sqrt {s} = 7TeV\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
167	Measurement of the Z/Ĵ³* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
168	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
169	Measurement of the ZZ production cross section and search for anomalous couplings in 2ℓ2ℓ′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
170	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
171	Measurement of differential cross sections for \$\${ext {Z}}\$\$ Z boson production in association with jets in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
172	Search for heavy stable charged particles in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	38
173	Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
174	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at \$\$sqrt{s}= 13,ext{TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
175	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
176	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying Ï,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
177	Measurement of the \$mathrm{{tar{t}}} production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
178	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
179	Measurement of the WZ production cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 \$\$,ext{TeV}\$\$ TeV and search for anomalous triple gauge couplings at \$\$sqrt{s} = 8,ext{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
180	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37

#	Article	IF	CITATIONS
181	Measurement of the Drell-Yan cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
182	Search for resonant and nonresonant Higgs boson pair production in the b b Â ⁻ â,,"νâ,,"ν \$\$ mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	36
183	Measurement of the top-quark mass in all-jets $\theta \in \{t\}$ ar $\{t\}$ at $\{t\}$ t t \hat{A}^- events in pp collisions at $\$$ of the top-quark mass in all-jets θ of the top collisions at $\$$ of the top-quark mass in all-jets θ of the top collisions at $\$$ of the top-quark mass in all-jets θ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets $\$$ of the top collisions at $\$$ of the top-quark mass in all-jets at a spectra top collision at a spectra top collis	1.4	35
184	Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
185	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
186	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	35
187	Measurement of exclusive \$\$mathrm {Upsilon }\$\$ photoproduction from protons in \$\$mathrm {p}\$\$Pb collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}} = 5.02,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 277.	1.4	35
188	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
189	The gaseous microstrip detector Micromegas for the high-luminosity COMPASS experiment at CERN. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 536, 61-69.	0.7	34
190	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
191	Search for microscopic black holes in pp collisions at \$\$ sqrt {s} = {ext{7TeV}} \$\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
192	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or ≥3 b-quark jets in 7 TeV pp collisions using the variable α T. Journal of High Energy Physics, 2013, 2013, 1.	1.6	34
193	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
194	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
195	Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â ⁻ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
196	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two Ï,, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
197	Measurement of the top quark mass with lepton+jets final states using \$\$mathrm {p}\$\$\$\$mathrm {p}\$\$ collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.	1.4	34
198	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34

#	Article	IF	CITATIONS
199	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	1.4	34
200	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
201	Search for new physics in events with same-sign dileptons and b jets in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
202	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
203	Measurement of exclusive \$\${{{uprho _{}^{} _{}}{{left({770}ight) }{}_{}^{}} ^{0}\$\$Aphotoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm}}}} {NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	1.4	33
204	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
205	Search for top squark pair production using dilepton final states in \$\${ext {p}}{ext {p}}\$\$ collision data collected at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 3.	1.4	33
206	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}} \$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
207	Measurement of \$ {ext{B}}overline {ext{B}} \$ angular correlations based on secondary vertex reconstruction at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
208	Search for supersymmetry in pp collisions at \$ sqrt {s} = 7 \$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
209	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
210	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
211	Measurements of the \$\$mathrm{Z}\$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{I} 2u \$\$ 2 2 ν channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	1.4	32
212	Searches for pair production of third-generation squarks in \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
213	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	31
214	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
215	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
216	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31

#	Article	IF	CITATIONS
217	Search for top squark pair production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
218	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
219	A multi-dimensional search for new heavy resonances decaying to boosted \$\$ext{ W }{}\$\$ \$\$ext{ W }{}}\$\$ \$\$ext{ W }{}}\$\$ \$\$ext{ Z }{}\$\$ \$\$ext{ Z }{}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	1.4	31
220	Measurement of Bose-Einstein correlations in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	30
221	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
222	Search for a Higgs boson in the decay channel H → ZZ(*) → q\$ overline {ext{q}} \$ â"" â~' â"" + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
223	Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
224	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
225	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ ℓ ν b b Â⁻ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
226	Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
227	The CMS barrel calorimeter response to particle beams fromÂ2ÂtoÂ350 GeV/c. European Physical Journal C, 2009, 60, 359-373.	1.4	29
228	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	1.6	29
229	Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
230	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
231	A search for new phenomena in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the \$\$alpha _{mathrm {T}}\$ α T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
232	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
233	Search for lepton flavour violating decays of the Higgs boson to μI,, and eÏ,, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
234	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29

#	Article	IF	CITATIONS
235	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
236	Study of Z production in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
237	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
238	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
239	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
240	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at â´š <i>s</i> = 13 TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
241	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
242	Intercalibration of the barrel electromagnetic calorimeter of the CMS experiment at start-up. Journal of Instrumentation, 2008, 3, P10007-P10007.	0.5	26
243	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	26
244	Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
245	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
246	Search for the standard model Higgs boson in the H → ZZ → 2ℓ2ν channel in pp collision = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	s at \$ sqrt 1.6	{ext{s}}
247	Measurement of the production cross section for pairs of isolated photons in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
248	Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
249	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
250	Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
251	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	26
252	Measurement of energy flow at large pseudorapidities in pp collisions at \$ sqrt {s} = 0.{9} \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25

#	Article	IF	CITATIONS
253	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
254	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
255	Measurement of the \$mathrm{t}ar{mathrm{t}\$ production cross section in the Ï,,+jets channel in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	1.4	24
256	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
257	Search for third-generation scalar leptoquarks in the tÏ,, channel in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
258	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
259	Measurements of \$\${mathrm{p}} {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} \$\$ production cross sections and constraints on anomalous triple gauge couplings at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 200.	1.4	24
260	Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	1.6	23
261	Measurement of WZ and ZZ production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
262	Observation of top quark pairs produced in association with a vector boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
263	Measurement of the jet mass in highly boosted \$\${mathrm{t}}overline{mathrm{t}}\$\$ events from pp collisions at \$\$sqrt{s}=8\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2017, 77, 467.	1.4	23
264	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
265	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
266	Measurement of the top quark mass using single top quark events in proton-proton collisions at \$\$sqrt{s}= 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	1.4	23
267	Measurement of the triple-differential dijet cross section in proton-proton collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
268	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
269	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
270	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	1.4	23

#	Article	IF	CITATIONS
271	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
272	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	1.6	22
273	Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
274	Search for t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
275	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
276	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
277	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying ï" leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
278	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22
279	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
280	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
281	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
282	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
283	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
284	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	20
285	Search for exotic resonances decaying into WZ/ZZ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
286	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
287	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
288	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20

#	Article	IF	CITATIONS
289	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
290	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
291	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
292	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / Ï^ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
293	Double spin asymmetry in exclusive Ï0 muoproduction at COMPASS. European Physical Journal C, 2007, 52, 255-265.	1.4	19
294	Radiation hardness qualification of PbWO ₄ scintillation crystals for the CMS Electromagnetic Calorimeter. Journal of Instrumentation, 2010, 5, P03010-P03010.	0.5	19
295	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
296	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into Ï,, leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
297	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19
298	Search for quark compositeness in dijet angular distributions from pp collisions at \$ sqrt {s} = 7{ } \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	18
299	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
300	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
301	Measurement of normalized differential \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
302	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
303	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
304	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
305	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
306	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18

#	Article	IF	CITATIONS
307	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
308	Search for stopped long-lived particles produced in pp collisions at \$ sqrt {s} = {ext{7TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
309	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
310	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
311	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901. Measurement of the ratio of the production cross sections times branching fractions of B c ±  → J/ï ïŧ	1.4 ≘ Â+	17
312	and B± → J/ľ`K ± and ℬ B c ± → J / ľ` ï€ Â± ï€ Â± ï€ â~" / â,¬ B c ± → J / ľ` ï€ Â± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm} {pi}^{pm} Tj ETQq0 0 0		rlock 10 Tf 50
313	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
314	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
315	Search for new physics in the monophoton final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
316	Measurement of electroweak-induced production of WÎ ³ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
317	Measurements of jet charge with dijet events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
318	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
319	Charged-particle nuclear modification factors in XeXe collisions at \$\$ sqrt{s_{mathrm{NN}}} = 5.44 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
320	Search for Z ^î 3 resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
321	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
322	Search for the decay of a Higgs boson in the ℓℓγ channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
323	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
324	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17

#	Article	IF	CITATIONS
325	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	16
326	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
327	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
328	Measurement of jet multiplicity distributions in \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production in pp collisions at \$\$sqrt{s} = 7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
329	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
330	Measurement of dijet azimuthal decorrelation in ppÂcollisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
331	Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
332	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
333	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at \$\$sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
334	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
335	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
336	Search for new physics in top quark production in dilepton final states in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 886.	1.4	16
337	Search for a fermiophobic Higgs boson in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
338	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
339	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
340	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
341	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
342	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15

#	Article	IF	CITATIONS
343	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
344	Search for new physics with dijet angular distributions in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
345	Search for a singly produced third-generation scalar leptoquark decaying to a Ï,, lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
346	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
347	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on ZZγ and ZγI³ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
348	Search for s channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
349	Search for supersymmetry in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
350	Search for associated production of dark matter with a Higgs boson decaying to b b Â ⁻ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or γγ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
351	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
352	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
353	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
354	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
355	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 â^— (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
361	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	13
362	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
363	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
364	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
365	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
366	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
367	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
368	Jet properties in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
369	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
370	The gaseous microstrip detector micromegas for the COMPASS experiment at CERN. Nuclear Physics A, 2003, 721, C1087-C1090.	0.6	12
371	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
372	Phenomenological MSSM interpretation of CMS searches in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
373	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
374	Measurement of the groomed jet mass in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{NN}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
375	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
376	Search for dark matter produced in association with a Higgs boson decaying to γγ or Ï" +Ï" â~' at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
377	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
378	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	1.4	12

#	Article	IF	CITATIONS
379	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
380	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
381	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
382	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at \$sqrt{s}= 7\$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	11
383	Search for the standard model Higgs boson in the H → ZZ → â""+â""â^'Ï"+Ï"â^' decay channel in pp collisions at {s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	\$ sqrt 1.6	11
384	Measurement of the Zl̂ ³ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
385	Search for electroweak production of charginos in final states with two Ï,, leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
386	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
387	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H → WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
388	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
389	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11
390	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
391	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
392	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	10
393	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at s = 2.76 \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
394	Measurements of the pp → Wγγ and pp → Zγγ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	^{gS} 1.6	10
395	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
396	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10

#	Article	IF	CITATIONS
397	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$sqrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
398	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / γ â^— → Ï" Ï" cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	1.4	10
399	Search for a heavy resonance decaying into a Z boson and a vector boson in the \$\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
400	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
401	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
402	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to eμ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
403	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at \$\$sqrt{s}= 13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	1.4	9
404	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
405	Search for a heavy vector resonance decaying to a \$\${mathrm{Z}}_{mathrm{}}^{mathrm{}}\$ Âboson and a Higgs boson in proton-proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 688.	1.4	9
406	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
407	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
408	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
409	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in \$\${ext {p}} {ext {p}} \$\$ collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 773.	1.4	8
410	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
411	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
412	Search for high-mass Zγ resonances in e+eâ~'γ and μ + μ â~'γ final states in proton-proton collisions at s = 8 \$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	\$ 1.6	7
413	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at \$\$sqrt{s} = 5.02\$\$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
414	Measurement of the cross section for production of \$ boverline b X \$ decaying to muons in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6

#	Article	lF	CITATIONS
415	Comparison of the Z/Î ³ â [^] — + jets to Î ³ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
416	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
417	Measurement of the mass of the top quark in decays with a J/iˆ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
418	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
419	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in \$\$mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	1.4	6
420	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
421	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
422	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
423	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
424	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
425	Search for a heavy resonance decaying to a top quark and a vector-like top quark at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
426	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
427	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
428	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt {s} = 0.{9}) and 7 TeV. , 2011, 2011, 1.		5
429	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
430	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
431	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
432	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5

#	Article	IF	CITATIONS
433	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
434	Search for dark matter particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
435	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
436	Measurement of differential cross sections in the kinematic angular variable Ï•* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
437	Search for ZZ resonances in the 2â,,"2ν final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
438	Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
439	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
440	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
441	Study of hadronic event-shape variables in multijet final states in pp collisions at s = 7 \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
442	Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
443	Search for top quark partners with charge 5/3 in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
444	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
445	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV. , 2014, 2014, 1.		3
446	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV}). , 2018, 78, 1.		3
447	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
448	Measurements of angular distance and momentum ratio distributions in three-jet and \$\${ext {Z}}\$\$ + two-jet final states in \$\${ext {p}}{ext {p}}\$\$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
449	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2
450	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2

#	Article	IF	CITATIONS
451	Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
452	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
453	Recent measurement of \hat{l} "G/G at COMPASS. AlP Conference Proceedings, 2005, , .	0.3	1
454	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
455	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
456	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm {s}\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}\$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
457	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0