

Nabil Hayeemasae

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7145128/publications.pdf>

Version: 2024-02-01

72
papers

846
citations

566801

15
h-index

580395

25
g-index

73
all docs

73
docs citations

73
times ranked

524
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of hybrid carbon black/lignin on rheological, mechanical and thermal stability properties of NR/BR composites. <i>Plastics, Rubber and Composites</i> , 2022, 51, 293-305.	0.9	4
2	Lignin as Green Filler in Polymer Composites: Development Methods, Characteristics, and Potential Applications. <i>Advances in Materials Science and Engineering</i> , 2022, 2022, 1-33.	1.0	43
3	Influence of Centrifugation Cycles of Natural Rubber Latex on Final Properties of Uncrosslinked Deproteinized Natural Rubber. <i>Polymers</i> , 2022, 14, 2713.	2.0	6
4	Detailed investigation of the reinforcing effect of halloysite nanotubes-filled epoxidized natural rubber. <i>Polymer Bulletin</i> , 2021, 78, 7147-7166.	1.7	14
5	The effect of mastication time on the physical properties and structure of natural rubber. <i>Journal of Elastomers and Plastics</i> , 2021, 53, 228-240.	0.7	4
6	Modified palm stearin compatibilized natural rubber/halloysite nanotubes composites: Reinforcement versus strain-induced crystallization. <i>Journal of Elastomers and Plastics</i> , 2021, 53, 210-227.	0.7	7
7	Potential of calcium carbonate as secondary filler in eggshell powder filled recycled polystyrene composites. <i>Polimeros</i> , 2021, 31, .	0.2	2
8	Tensile and structural properties of natural rubber vulcanizates with different mastication times. <i>Polimeros</i> , 2021, 31, .	0.2	3
9	Effect of Stretching Rate on Tensile Response and Crystallization Behavior of Crosslinked Natural Rubber. <i>Malaysian Journal of Fundamental and Applied Sciences</i> , 2021, 17, 217-225.	0.4	1
10	Potency of Urea-Treated Halloysite Nanotubes for the Simultaneous Boosting of Mechanical Properties and Crystallization of Epoxidized Natural Rubber Composites. <i>Polymers</i> , 2021, 13, 3068.	2.0	11
11	Silane-coupled kenaf fiber filled thermoplastic elastomer based on recycled high density polyethylene/natural rubber blends. <i>Polimeros</i> , 2021, 31, .	0.2	1
12	Selectively Etched Halloysite Nanotubes as Performance Booster of Epoxidized Natural Rubber Composites. <i>Polymers</i> , 2021, 13, 3536.	2.0	13
13	Influence of Preparation Method on Properties of Natural Rubber/Sepiolite Composites. <i>Journal of Physics: Conference Series</i> , 2021, 2129, 012075.	0.3	1
14	Lignin as Alternative Reinforcing Filler in the Rubber Industry: A Review. <i>Frontiers in Materials</i> , 2020, 6, .	1.2	60
15	BETTER BALANCE OF SILICA-REINFORCED NATURAL RUBBER TIRE TREAD COMPOUND PROPERTIES BY THE USE OF MONTMORILLONITE WITH OPTIMUM SURFACE MODIFIER CONTENT. <i>Rubber Chemistry and Technology</i> , 2020, , 000-000.	0.6	7
16	Effect of extraction methods on the molecular structure and thermal stability of kenaf (Hibiscus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1 Biological Macromolecules, 2020, 154, 1255-1264.	3.6	11
17	Maleated Natural Rubber/Halloysite Nanotubes Composites. <i>Processes</i> , 2020, 8, 286.	1.3	10
18	Acid-treated halloysite nanotubes filled natural rubber composites. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 801, 012087.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Properties of unmodified and modified natural rubber/halloysite nanotubes composites. AIP Conference Proceedings, 2020, , .	0.3	0
20	Mechanical and Dynamical Properties of Natural Rubberâ€Montmorillonite Nanocomposites by Using In Situ Organomodified and Latex Compounding Method. Macromolecular Symposia, 2020, 391, 1900130.	0.4	2
21	Application of polymer blend based on natural rubber latex and acrylic resin as a binder for wall paints. IOP Conference Series: Materials Science and Engineering, 2020, 773, 012032.	0.3	2
22	Promoting the strain-induced crystallization of NR/HNT composites through the use of modified palm stearin. AIP Conference Proceedings, 2020, , .	0.3	0
23	Synergistic Effect of Maleated Natural Rubber and Modified Palm Stearin as Dual Compatibilizers in Composites based on Natural Rubber and Halloysite Nanotubes. Polymers, 2020, 12, 766.	2.0	21
24	UTILIZATION OF TEA WASTE AS AN ALTERNATIVE FILLER FOR NATURAL RUBBER. Jurnal Teknologi (Sciences) Tj ETQg0.0 0 rgBT /Overlock	0.3	2
25	Application of silane-treated tea waste powder as a potential filler for natural rubber composites. BioResources, 2020, 16, 1230-1244.	0.5	3
26	Relationship between stress relaxation behavior and thermal stability of natural rubber vulcanizates. Polimeros, 2020, 30, .	0.2	7
27	Synergistic improvement of mechanical and magnetic properties of a new magnetorheological elastomer composites based on natural rubber and powdered waste natural rubber glove. Polimeros, 2020, 30, .	0.2	2
28	Influence of Sulfur/Accelerator Ratio on Tensile Properties and Structural Inhomogeneity of Natural Rubber. Pormime, 2020, 44, 519-526.	0.0	3
29	Possible Use of Sepiolite as Alternative Filler for Natural Rubber. Materials Research, 2020, 23, .	0.6	2
30	Maleated Natural Rubber Compatibilized Natural Rubber/Halloysite Nanotubes Composites. Pormime, 2020, 44, 596-602.	0.0	0
31	Dispersion and properties of natural rubberâ€montmorillonite nanocomposites fabricated by novel in situ organomodified and latex compounding method. Polymer Engineering and Science, 2019, 59, 1830-1839.	1.5	5
32	Utilization of chloroprene rubber waste as blending component with natural rubber: aspect on metal oxide contents. Journal of Material Cycles and Waste Management, 2019, 21, 1095-1105.	1.6	7
33	Sustainable Use of Chloroprene Rubber Waste as Blend Component with Natural Rubber, Epoxidized Natural Rubber and Styrene Butadiene Rubber. Journal of Polymers and the Environment, 2019, 27, 2119-2130.	2.4	11
34	Hydroxymethylation-Modified Lignin and Its Effectiveness as a Filler in Rubber Composites. Processes, 2019, 7, 315.	1.3	33
35	Using chloroprene rubber waste in rubber blends: optimizing performance by adding fillers. Green Materials, 2019, 7, 156-167.	1.1	1
36	Sustainable use of eggshell powder in the composite based on recycled polystyrene and virgin polystyrene mixture. International Journal of Polymer Analysis and Characterization, 2019, 24, 266-275.	0.9	8

#	ARTICLE	IF	CITATIONS
37	Curing and swelling kinetics of new magnetorheological elastomer based on natural rubber/waste natural rubber gloves composites. <i>Journal of Elastomers and Plastics</i> , 2019, 51, 583-602.	0.7	2
38	Kinetic of thermal degradation and thermal stability of natural rubber filled with titanium dioxide nanoparticles. <i>Polymer Composites</i> , 2019, 40, 3149-3155.	2.3	8
39	Enhancing the thermal stability of natural rubber/recycled ethylene propylene diene rubber blends through the use of bio-compatible compatibilizers. <i>Journal of Vinyl and Additive Technology</i> , 2019, 25, E155.	1.8	4
40	Reinforcement of epoxidized natural rubber through the addition of sepiolite. <i>Polymer Composites</i> , 2019, 40, 924-931.	2.3	21
41	Features of crystallization behavior of natural rubber/halloysite nanotubes composites using synchrotron wide-angle X-ray scattering. <i>International Journal of Polymer Analysis and Characterization</i> , 2018, 23, 260-270.	0.9	16
42	Studies on cure index, swelling behaviour, tensile and thermooxidative properties of natural rubber compounds in the presence of alkanolamide. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 309, 012060.	0.3	10
43	Cure characteristics, crosslink density and degree of filler dispersion of kaolin-filled natural rubber compounds in the presence of alkanolamide. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 343, 012009.	0.3	14
44	Effect of ZnO Nanoparticles on the Simultaneous Improvement in Curing and Mechanical Properties of NR/ Recycled EPDM Blends. <i>Progress in Rubber, Plastics and Recycling Technology</i> , 2018, 34, 1-18.	0.8	3
45	Morphology and thermal stability of nano titanium dioxide filled natural rubber prepared by latex mixing method. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 309, 012110.	0.3	1
46	Effects of alkanolamide addition on crosslink density, mechanical and morphological properties of chloroprene rubber compounds. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 343, 012028.	0.3	7
47	Durability of helmet material under longitudinal and lateral drop impact. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	1
48	Poly(Vinyl Chloride)/Epoxidized Natural Rubber/Kenaf Powder Composites. , 2018, , 283-312.		0
49	Nano-sized TiO ₂ -reinforced natural rubber composites prepared by latex compounding method. <i>Journal of Vinyl and Additive Technology</i> , 2017, 23, 200-209.	1.8	28
50	Effect of Carbon Black on the Properties of Polypropylene/ Recycled Natural Rubber Glove Blends. <i>Progress in Rubber, Plastics and Recycling Technology</i> , 2016, 32, 241-252.	0.8	4
51	Improving the Tensile Properties of Natural Rubber Compounds Containing Ground Ethylene Propylene Diene Rubber Waste by Two-stage Processing. <i>Procedia Chemistry</i> , 2016, 19, 810-815.	0.7	6
52	Compatibilized natural rubber/recycled ethylene-propylene-diene rubber blends by biocompatibilizer. <i>International Journal of Polymer Analysis and Characterization</i> , 2016, 21, 396-407.	0.9	12
53	Preparation and properties of recycled poly(ethylene terephthalate) powder/halloysite nanotubes hybrid-filled natural rubber composites. <i>Journal of Thermoplastic Composite Materials</i> , 2015, 28, 415-430.	2.6	7
54	Optimization of accelerators on curing characteristics, tensile, and dynamic mechanical properties of (natural rubber)/(recycled ethylene-propylene-diene monomer) blends. <i>Journal of Vinyl and Additive Technology</i> , 2015, 21, 79-88.	1.8	12

#	ARTICLE	IF	CITATIONS
55	Thermo-Mechanical Performance of Natural Rubber/Recycled Ethylene-Propylene-Diene Rubber Blends in the Presence of ZnO Nanoparticles. <i>International Journal of Polymer Analysis and Characterization</i> , 2015, 20, 514-528.	0.9	7
56	Effect of Oil Palm Ash on the Properties of Polypropylene/Recycled Natural Rubber Gloves/Oil Palm Ash Composites. <i>BioResources</i> , 2014, 10, .	0.5	12
57	Blending of Natural Rubber/Recycled Ethylene-Propylene-diene Rubber: Promoting the Interfacial Adhesion Between Phases by Natural Rubber Latex. <i>International Journal of Polymer Analysis and Characterization</i> , 2014, 19, 159-174.	0.9	7
58	Thermal stability and aging characteristics of (natural rubber)/(waste ethylene-propylene-diene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	7
59	Enhancing the thermal stability of natural rubber/recycled ethylene-propylene-diene rubber blends by means of introducing pre-vulcanised ethylene-propylene-diene rubber and electron beam irradiation. <i>Materials & Design</i> , 2014, 56, 1057-1067.	5.1	19
60	Properties of natural rubber/recycled ethylene-propylene-diene rubber blends prepared using various vulcanizing systems. <i>Iranian Polymer Journal (English Edition)</i> , 2014, 23, 37-45.	1.3	17
61	Optimisation of accelerators and vulcanising systems on thermal stability of natural rubber/recycled ethylene-propylene-diene-monomer blends. <i>Materials & Design</i> , 2014, 53, 651-661.	5.1	34
62	Simultaneous Enhancement of Mechanical and Dynamic Mechanical Properties of Natural Rubber/Recycled Ethylene-Propylene-Diene Rubber Blends by Electron Beam Irradiation. <i>International Journal of Polymer Analysis and Characterization</i> , 2014, 19, 272-285.	0.9	12
63	Effects of virgin Ethylene-Propylene-Diene-Monomer and its preheating time on the properties of natural rubber/recycled Ethylene-Propylene-Diene-Monomer blends. <i>Materials & Design</i> , 2013, 50, 27-37.	5.1	19
64	Compounding, mechanical and morphological properties of carbon-black-filled natural rubber/recycled ethylene-propylene-diene-monomer (NR/R-EPDM) blends. <i>Polymer Testing</i> , 2013, 32, 385-393.	2.3	97
65	Comparison of thermo-oxidative ageing and thermal analysis of carbon black-filled NR/Virgin EPDM and NR/Recycled EPDM blends. <i>Polymer Testing</i> , 2013, 32, 631-639.	2.3	60
66	Blending of Natural Rubber/Recycled Ethylene-Propylene-Diene Monomer: Cure Behaviors and Mechanical Properties. <i>Polymer-Plastics Technology and Engineering</i> , 2013, 52, 501-509.	1.9	27
67	Effects of partial replacement of commercial fillers by recycled poly(ethylene terephthalate) powder on the properties of natural rubber composites. <i>Journal of Vinyl and Additive Technology</i> , 2012, 18, 139-146.	1.8	27
68	Recycled Polyethylene Terephthalate Filled Natural Rubber Compounds: Effects of Filler Loading and Types of Matrix. <i>Journal of Elastomers and Plastics</i> , 2011, 43, 429-449.	0.7	30
69	The Partial Replacement of Halloysite Nanotubes (HNTs) and Precipitated Silica by Recycled Poly(ethylene Terephthalate) Powder on Cure Behavior, Tensile Properties and Morphology of Natural Rubber Composites. <i>Key Engineering Materials</i> , 0, 471-472, 622-627.	0.4	1
70	The Influence of Recycled Poly(ethylene Terephthalate) Powder on Fatigue Life, Thermal Stability, and Morphology of Halloysite Nanotubes (HNTs) and Precipitated Silica Filled Natural Rubber Composites. <i>Key Engineering Materials</i> , 0, 471-472, 628-633.	0.4	2
71	Comparison of Thermal Stability of Sulfur, Peroxide and EB Irradiation Cured NR Compounds Containing Ground EPDM Waste. <i>Advanced Materials Research</i> , 0, 844, 267-271.	0.3	0
72	Insight into Mechanical Properties and Strain-induced Crystallisation of Epoxidized Natural Rubber Filled with Various Silanized Halloysite Nanotubes. <i>Materials Research</i> , 0, 25, .	0.6	3