

Balázs Sztanó³

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7145553/publications.pdf>

Version: 2024-02-01

19
papers

219
citations

1163117

8
h-index

1058476

14
g-index

23
all docs

23
docs citations

23
times ranked

171
citing authors

#	ARTICLE	IF	CITATIONS
1	Endoscopic Arytenoid Lateropexy for Isolated Posterior Glottic Stenosis. <i>Laryngoscope</i> , 2008, 118, 1550-1555.	2.0	32
2	A new thread guide instrument for endoscopic arytenoid lateropexy. <i>Laryngoscope</i> , 2010, 120, 2002-2007.	2.0	30
3	A comparison between transoral glottic widening techniques for bilateral vocal fold immobility. <i>Laryngoscope</i> , 2015, 125, 2522-2529.	2.0	29
4	A new solution for neonatal bilateral vocal cord paralysis: Endoscopic arytenoid abduction lateropexy. <i>Laryngoscope</i> , 2017, 127, 1608-1614.	2.0	21
5	Functional outcomes of endoscopic arytenoid abduction lateropexy for unilateral vocal cord paralysis with dyspnea. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3703-3710.	1.6	19
6	Endoscopic arytenoid abduction lateropexy for the treatment of neonatal bilateral vocal cord paralysis – Long-term results. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019, 119, 147-150.	1.0	16
7	Comparison of endoscopic techniques designed for posterior glottic stenosis – A cadaver morphometric study. <i>Laryngoscope</i> , 2014, 124, 705-710.	2.0	11
8	Minimally invasive endoscopic treatment for pediatric combined high grade stenosis as a laryngeal manifestation of epidermolysis bullosa. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 92, 126-129.	1.0	11
9	Rotational thyrotracheopexy after cricoidectomy for low grade laryngeal chondrosarcoma. <i>Laryngoscope</i> , 2017, 127, 1109-1115.	2.0	9
10	Slide laryngotracheoplasty for congenital subglottic stenosis in newborns and infants. <i>Laryngoscope</i> , 2020, 130, E199-E205.	2.0	8
11	Vascular mapping of the retroauricular skin – proposal for a posterior superior surgical incision for transcutaneous bone-conduction hearing implants. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2017, 46, 6.	1.9	6
12	Six cases of <i>Solobacterium moorei</i> isolated alone or in mixed culture in Hungary and comparison with previously published cases. <i>Anaerobe</i> , 2020, 65, 102241.	2.1	5
13	Glottic configuration changes and outcomes of endoscopic arytenoid abduction lateropexy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 167-173.	1.6	4
14	Response to the letter to the Editor – “Biodegradable airway stents in infants - Potential life-threatening pitfalls”: <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 98, 175-176.	1.0	3
15	Isolated Recovery of Adductor Muscle Function Following Bilateral Recurrent Laryngeal Nerve Injuries. <i>Laryngoscope</i> , 2019, 129, 2334-2340.	2.0	3
16	Functional results of endoscopic arytenoid abduction lateropexy for bilateral vocal fold palsy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 1995-2002.	1.6	3
17	An unusual cause of infant’s stridor – congenital laryngocele. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020, 49, 34.	1.9	2
18	Diagnostic Difficulties in Evaluation of Neck Masses - Idiopathic Lymph Node Infarction. <i>Journal of Medicine and Life</i> , 2018, 11, 269-273.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Long-term results of slide laryngotracheoplasty for congenital subglottic stenosis in newborns and infants. International Journal of Pediatric Otorhinolaryngology, 2022, , 111192.	1.0	0