## Sandra O Gollnick

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/714732/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Photodynamic Therapyâ€Induced Cyclooxygenase 2 Expression in Tumorâ€Draining Lymph Nodes Regulates<br>Bâ€Cell Expression of Interleukin 17 and Neutrophil Infiltration. Photochemistry and Photobiology,<br>2022, 98, 1207-1214.                            | 2.5 | 3         |
| 2  | Enzalutamide, an Androgen Receptor Antagonist, Enhances Myeloid Cell–Mediated Immune<br>Suppression and Tumor Progression. Cancer Immunology Research, 2020, 8, 1215-1227.  | 3.4 | 26        |
| 3  | Androgen Receptor Signaling Positively Regulates Monocytic Development. Frontiers in Immunology, 2020, 11, 519383.  | 4.8 | 14        |
| 4  | Photodynamic Therapy and Immunity: An Update. Photochemistry and Photobiology, 2020, 96, 550-559.   | 2.5 | 107       |
| 5  | Low-dose photodynamic therapy promotes angiogenic potential and increases immunogenicity of<br>human mesenchymal stromal cells. Journal of Photochemistry and Photobiology B: Biology, 2019, 199,<br>111596.  | 3.8 | 24        |
| 6  | In situ thermal ablation augments antitumor efficacy of adoptive T cell therapy. International Journal of Hyperthermia, 2019, 36, 22-36.  | 2.5 | 14        |
| 7  | Tumor-associated myeloid cells promote tumorigenesis of non-tumorigenic human and murine prostatic epithelial cell lines. Cancer Immunology, Immunotherapy, 2018, 67, 873-883.  | 4.2 | 5         |
| 8  | p16(Ink4a) and senescence-associated β-galactosidase can be induced in macrophages as part of a<br>reversible response to physiological stimuli. Aging, 2017, 9, 1867-1884.   | 3.1 | 244       |
| 9  | miR-30e* is overexpressed in prostate cancer and promotes NF-κB-mediated proliferation and tumor growth. Oncotarget, 2017, 8, 67626-67638.  | 1.8 | 8         |
| 10 | Photodynamic Therapy of Non–Small Cell Lung Cancer. Narrative Review and Future Directions.<br>Annals of the American Thoracic Society, 2016, 13, 265-275.  | 3.2 | 103       |
| 11 | Toll-like receptor-5 agonist, entolimod, suppresses metastasis and induces immunity by stimulating an<br>NK-dendritic-CD8 <sup>+</sup> T-cell axis. Proceedings of the National Academy of Sciences of the<br>United States of America, 2016, 113, E874-83. | 7.1 | 86        |
| 12 | Immune Adjuvant Activity of Pre-Resectional Radiofrequency Ablation Protects against Local and Systemic Recurrence in Aggressive Murine Colorectal Cancer. PLoS ONE, 2015, 10, e0143370.  | 2.5 | 42        |
| 13 | Development of photodynamic therapy regimens that control primary tumor growth and inhibit secondary disease. Cancer Immunology, Immunotherapy, 2015, 64, 287-297.  | 4.2 | 89        |
| 14 | Enhanced sensitivity of colon tumour cells to natural killer cell cytotoxicity after mild thermal<br>stress is regulated through HSF1-mediated expression of MICA. International Journal of Hyperthermia,<br>2013, 29, 480-490.                             | 2.5 | 24        |
| 15 | IL-17 Promotes Neutrophil Entry into Tumor-Draining Lymph Nodes following Induction of Sterile<br>Inflammation. Journal of Immunology, 2013, 191, 4348-4357.  | 0.8 | 68        |
| 16 | Photodynamic Therapy and Antitumor Immunity. Journal of the National Comprehensive Cancer<br>Network: JNCCN, 2012, 10, S-40-S-43.   | 4.9 | 49        |
| 17 | Peroxiredoxin 1 Stimulates Endothelial Cell Expression of VEGF via TLR4 Dependent Activation of HIF-1α.<br>PLoS ONE, 2012, 7, e50394.   | 2.5 | 68        |
| 18 | The effect of photodynamic therapy on tumor cell expression of major histocompatibility complex<br>(MHC) class I and MHC class Iâ€related molecules. Lasers in Surgery and Medicine, 2012, 44, 60-68.   | 2.1 | 24        |

SANDRA O GOLLNICK

| #  | Article   | IF    | CITATIONS |
|----|---|-------|-----------|
| 19 | IL-6 trans-signaling licenses mouse and human tumor microvascular gateways for trafficking of cytotoxic T cells. Journal of Clinical Investigation, 2011, 121, 3846-3859.   | 8.2   | 187       |
| 20 | Photodynamic therapy of cancer: An update. Ca-A Cancer Journal for Clinicians, 2011, 61, 250-281.   | 329.8 | 3,902     |
| 21 | Photodynamic therapy enhancement of anti-tumor immunity. Photochemical and Photobiological Sciences, 2011, 10, 649-652.   | 2.9   | 86        |
| 22 | IL-6 potentiates tumor resistance to photodynamic therapy (PDT). Lasers in Surgery and Medicine, 2011, 43, 676-685.   | 2.1   | 21        |
| 23 | Peroxiredoxin 1 Controls Prostate Cancer Growth through Toll-Like Receptor 4–Dependent<br>Regulation of Tumor Vasculature. Cancer Research, 2011, 71, 1637-1646.  | 0.9   | 98        |
| 24 | Enhancement of anti-tumor immunity by photodynamic therapy. Immunologic Research, 2010, 46, 216-226.  | 2.9   | 139       |
| 25 | What is the role of alternate splicing in antigen presentation by major histocompatibility complex class I molecules?. Immunologic Research, 2010, 46, 32-44.   | 2.9   | 24        |
| 26 | Peroxiredoxin 1 Stimulates Secretion of Proinflammatory Cytokines by Binding to TLR4. Journal of Immunology, 2010, 184, 1022-1030.  | 0.8   | 191       |
| 27 | Identification of an alternate splice form of tapasin in human melanoma. Human Immunology, 2010, 71,<br>1018-1026.  | 2.4   | 18        |
| 28 | Enhanced Systemic Immune Reactivity to a Basal Cell Carcinoma Associated Antigen Following<br>Photodynamic Therapy. Clinical Cancer Research, 2009, 15, 4460-4466.  | 7.0   | 118       |
| 29 | Differential contribution of TAP and tapasin to HLA class I antigen expression. Immunology, 2008, 124, 112-120.   | 4.4   | 20        |
| 30 | Photopheresis in HIV-1 Infected Patients Utilizing Benzoporphyrin Derivative (BPD) Verteporfin and<br>Light. Current HIV Research, 2008, 6, 152-163.  | 0.5   | 8         |
| 31 | Photodynamic Therapy Enhancement of Antitumor Immunity Is Regulated by Neutrophils. Cancer<br>Research, 2007, 67, 10501-10510.  | 0.9   | 187       |
| 32 | Activation of the IL-10 Gene Promoter Following Photodynamic Therapy of Murine Keratinocytes¶.<br>Photochemistry and Photobiology, 2007, 73, 170-177.   | 2.5   | 1         |
| 33 | IL-10 Does not Play a Role in Cutaneous Photofrin® Photodynamic Therapy-induced Suppression of the<br>Contact Hypersensitivity Response¶. Photochemistry and Photobiology, 2007, 74, 811-816.   | 2.5   | 0         |
| 34 | Photopheresis in HIV-1 Infected Patients Utilizing (Benzoporphyrin Derivative Verteporfin/BPD-MA) and<br>Light Blood, 2007, 110, 2275-2275.   | 1.4   | 0         |
| 35 | Photodynamic therapy and anti-tumor immunity. Lasers in Surgery and Medicine, 2006, 38, 509-515.  | 2.1   | 108       |
| 36 | Photopheresis in HIV-1 Infected Patients (Pt) Using Benzoporphyrin Derivative (BPD-MA) Induces<br>Apoptosis in CD4 Cells, Increases Cytolytic T-Cell Activity, Intracellular Expression of Chemokines, and<br>Decreases HIV Infectivity and Viral Load Blood, 2006, 108, 1257-1257. | 1.4   | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Photopheresis in HIV-1 Infected Patients (pt) Using Benzoporphyrin Derivative (BPD-MA) Induces<br>Apoptosis in CD4 Cells, Increases Intracellular Expression of Chemokines and Decreases HIV Infectivity<br>and Viral Load Blood, 2005, 106, 1431-1431.    | 1.4 | 0         |
| 38 | Choice of Oxygen-Conserving Treatment Regimen Determines the Inflammatory Response and Outcome of Photodynamic Therapy of Tumors. Cancer Research, 2004, 64, 2120-2126.  | 0.9 | 240       |
| 39 | Stimulation of the host immune response by photodynamic therapy (PDT). , 2004, , .   |     | 9         |
| 40 | Photopheresis in HIV-1 Infected Patients (pt) using Benzoporphyrin Derivative (BPD-MA) Induces<br>Apoptosis in CD4 Cells, Increases Intracellular Expression of Chemokines and Decreases HIV Infectivity<br>and Viral Load Blood, 2004, 104, 3836-3836.    | 1.4 | 1         |
| 41 | Mechanistic Principles of Photodynamic Therapy. , 2003, , .  |     | 2         |
| 42 | Treatment with the tumor necrosis factor-alpha-inducing drug 5,6-dimethylxanthenone-4-acetic acid<br>enhances the antitumor activity of the photodynamic therapy of RIF-1 mouse tumors. Cancer Research,<br>2003, 63, 7584-90.                             | 0.9 | 23        |
| 43 | Granulocyte-macrophage colony-stimulating factor (GM-CSF) restores allostimulatory function to accessory cells in patients with AIDS. HIV Clinical Trials, 2002, 3, 219-224.   | 2.0 | 2         |
| 44 | In Vitro Photodynamic Properties of Chalcogenopyrylium Analogues of the Thiopyrylium Antitumor<br>Agent AA1. Journal of Medicinal Chemistry, 2002, 45, 5123-5135.  | 6.4 | 39        |
| 45 | Water-Soluble, Core-Modified Porphyrins as Novel, Longer-Wavelength-Absorbing Sensitizers for<br>Photodynamic Therapy. II. Effects of Core Heteroatoms and Meso-Substituents on Biological Activity.<br>Journal of Medicinal Chemistry, 2002, 45, 449-461. | 6.4 | 92        |
| 46 | Generation of effective antitumor vaccines using photodynamic therapy. Cancer Research, 2002, 62, 1604-8.  | 0.9 | 184       |
| 47 | Activation of the IL-10 Gene Promoter Following Photodynamic Therapy of Murine Keratinocytes¶.<br>Photochemistry and Photobiology, 2001, 73, 170.  | 2.5 | 28        |
| 48 | IL-10 Does not Play a Role in Cutaneous Photofrin® Photodynamic Therapy-induced Suppression of the Contact Hypersensitivity Response¶. Photochemistry and Photobiology, 2001, 74, 811.   | 2.5 | 27        |
| 49 | Water-Soluble, Core-Modified Porphyrins as Novel, Longer-Wavelength-Absorbing Sensitizers for Photodynamic Therapy. Journal of Medicinal Chemistry, 2000, 43, 2403-2410.   | 6.4 | 81        |
| 50 | A Selenopyrylium Photosensitizer for Photodynamic Therapy Related in Structure to the Antitumor<br>Agent AA1 with Potent in Vivo Activity and No Long-Term Skin Photosensitization. Journal of Medicinal<br>Chemistry, 2000, 43, 4488-4498.                | 6.4 | 61        |
| 51 | Synthesis and Evaluation of Chalcogenopyrylium Dyes as Potential Sensitizers for the Photodynamic<br>Therapy of Cancer. Journal of Medicinal Chemistry, 1999, 42, 3953-3964.   | 6.4 | 56        |
| 52 | Role of transforming growth factor-β1 in the suppressed allostimulatory function of AIDS patients.<br>Aids, 1998, 12, 481-487.   | 2.2 | 14        |
| 53 | Repression of MHC class II gene transcription in trophoblast cells by novel single-stranded DNA binding proteins. Molecular Reproduction and Development, 1997, 47, 390-403.   | 2.0 | 15        |
| 54 | Differential regulation of TGF-β2 by hormones in rat uterus and mammary gland. Journal of Reproductive Immunology, 1996, 32, 125-144.  | 1.9 | 18        |

SANDRA O GOLLNICK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Effects of Transforming Growth Factor-βone Marrow Macrophage la Expression Induced by Cytokines.<br>Journal of Interferon and Cytokine Research, 1995, 15, 485-491.                                       | 1.2 | 16        |
| 56 | Activation of Multiple Transcription Factors and fos and jun Gene Family Expression in Cells Exposed to a Single Electric Pulse. Experimental Cell Research, 1995, 221, 103-110.                          | 2.6 | 24        |
| 57 | TGF-β2 gene and protein expression in maternal and fetal tissues at various stages of murine development. Journal of Reproductive Immunology, 1993, 25, 133-148.  | 1.9 | 35        |
| 58 | Expression of H-2K Major Histocompatibility Antigens on Preimplantation Mouse Embryos1. Biology of Reproduction, 1993, 48, 1082-1087.   | 2.7 | 17        |
| 59 | Analysis of Qa-2 Antigen Expression by Preimplantation Mouse Embryos: Possible Relationship to the<br>Preimplantation-Embryo-Development (Ped) Gene Product1. Biology of Reproduction, 1987, 36, 611-616. | 2.7 | 100       |
| 60 | Linkage of the Preimplantation-Embryo-Development (Ped) Gene to the Mouse Major Histocompatibility<br>Complex (MHC)1. Biology of Reproduction, 1987, 36, 606-610.   | 2.7 | 66        |
| 61 | A highly sensitive method for the detection of cell surface antigens on preimplantation mouse embryos. Journal of Immunological Methods, 1984, 68, 137-146.   | 1.4 | 28        |