

Jin Gohda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7147683/publications.pdf>

Version: 2024-02-01

25
papers

1,277
citations

643344

15
h-index

759306

22
g-index

25
all docs

25
docs citations

25
times ranked

2978
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of chimeric receptor activator of nuclear factor- κ B with glutathione S-transferase in the extracellular domain: Artificial switch in a membrane receptor. <i>Chemical Biology and Drug Design</i> , 2022, 99, 573-584.	1.5	0
2	Metalloproteinase-Dependent and TMPRSS2-Independent Cell Surface Entry Pathway of SARS-CoV-2 Requires the Furin Cleavage Site and the S2 Domain of Spike Protein. <i>MBio</i> , 2022, 13, .	1.8	23
3	TNF receptor-associated factor 6 (TRAF6) plays crucial roles in multiple biological systems through polyubiquitination-mediated NF- κ B activation. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2021, 97, 145-160.	1.6	25
4	Discovery of New Fusion Inhibitor Peptides against SARS-CoV-2 by Targeting the Spike S2 Subunit. <i>Biomolecules and Therapeutics</i> , 2021, 29, 282-289.	1.1	30
5	Discovery of New Potent anti-MERS CoV Fusion Inhibitors. <i>Frontiers in Pharmacology</i> , 2021, 12, 685161.	1.6	10
6	Identification and characterization of Stathmin 1 as a host factor involved in HIV-1 latency. <i>Biochemical and Biophysical Research Communications</i> , 2021, 567, 106-111.	1.0	3
7	(4-Hydroxyphenyl) Retinamide Suppresses SARS-CoV-2 Spike Protein-Mediated Cell-Cell Fusion by a Dihydroceramide Δ^4 -Desaturase 1-Independent Mechanism. <i>Journal of Virology</i> , 2021, 95, e0080721.	1.5	6
8	Cell-based membrane fusion assays with viral fusion proteins for identification of entry inhibitors. <i>Translational and Regulatory Sciences</i> , 2021, , .	0.2	0
9	The Anticoagulant Nafamostat Potently Inhibits SARS-CoV-2 S Protein-Mediated Fusion in a Cell Fusion Assay System and Viral Infection In Vitro in a Cell-Type-Dependent Manner. <i>Viruses</i> , 2020, 12, 629.	1.5	232
10	Structural analysis of TIFA: Insight into TIFA-dependent signal transduction in innate immunity. <i>Scientific Reports</i> , 2020, 10, 5152.	1.6	7
11	Basal autophagy prevents autoactivation or enhancement of inflammatory signals by targeting monomeric MyD88. <i>Scientific Reports</i> , 2017, 7, 1009.	1.6	24
12	miR-146a \rightarrow Traf6 regulatory axis controls autoimmunity and myelopoiesis, but is dispensable for hematopoietic stem cell homeostasis and tumor suppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E7140-E7149.	3.3	58
13	HTLV-1 Tax Induces Formation of the Active Macromolecular IKK Complex by Generating Lys63- and Met1-Linked Hybrid Polyubiquitin Chains. <i>PLoS Pathogens</i> , 2017, 13, e1006162.	2.1	30
14	A RANKL mutant used as an inter-species vaccine for efficient immunotherapy of osteoporosis. <i>Scientific Reports</i> , 2015, 5, 14150.	1.6	14
15	Visualization of RelB expression and activation at the single-cell level during dendritic cell maturation in Relb-Venus knock-in mice. <i>Journal of Biochemistry</i> , 2015, 158, mvv064.	0.9	11
16	Loss of Tifab, a del(5q) MDS gene, alters hematopoiesis through derepression of Toll-like receptor \rightarrow TRAF6 signaling. <i>Journal of Experimental Medicine</i> , 2015, 212, 1967-1985.	4.2	93
17	Emergence of Lamivudine-Resistant HBV during Antiretroviral Therapy Including Lamivudine for Patients Coinfected with HIV and HBV in China. <i>PLoS ONE</i> , 2015, 10, e0134539.	1.1	18
18	p47 negatively regulates IKK activation by inducing the lysosomal degradation of polyubiquitinated NEMO. <i>Nature Communications</i> , 2012, 3, 1061.	5.8	50

#	ARTICLE	IF	CITATIONS
19	Activation of the I κ B kinase complex by HTLV-1 Tax requires cytosolic factors involved in Tax-induced polyubiquitination. <i>Journal of Biochemistry</i> , 2011, 150, 679-686.	0.9	20
20	Two Mechanistically and Temporally Distinct NF- κ B Activation Pathways in IL-1 Signaling. <i>Science Signaling</i> , 2009, 2, ra66.	1.6	116
21	HTLV-1 Tax-induced NF- κ B activation is independent of Lys-63-linked-type polyubiquitination. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 225-230.	1.0	22
22	RANK-mediated amplification of TRAF6 signaling leads to NFATc1 induction during osteoclastogenesis. <i>EMBO Journal</i> , 2005, 24, 790-799.	3.5	205
23	Cutting Edge: TNFR-Associated Factor (TRAF) 6 Is Essential for MyD88-Dependent Pathway but Not Toll/IL-1 Receptor Domain-Containing Adaptor-Inducing IFN- γ (TRIF)-Dependent Pathway in TLR Signaling. <i>Journal of Immunology</i> , 2004, 173, 2913-2917.	0.4	266
24	Elimination of the vertebrate <i>Escherichia coli</i> Ras-like protein homologue leads to cell cycle arrest at G1 phase and apoptosis. <i>Oncogene</i> , 2003, 22, 1340-1348.	2.6	14
25	Down-regulation of TNF-alpha receptors by conophylline in human T-cell leukemia cells. <i>International Journal of Oncology</i> , 2003, 23, 1373-9.	1.4	0