Juanita L Westbury

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7149107/publications.pdf

Version: 2024-02-01

840776 677142 28 518 11 22 citations g-index h-index papers 30 30 30 778 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Distributive health literacy and medication management: A longitudinal qualitative study with Bhutanese former refugees in Tasmania. Health Promotion Journal of Australia, 2022, 33, 403-411.	1.2	2
2	Clinical impact of antipsychotic and benzodiazepine reduction: findings from a multicomponent psychotropic reduction program within long-term aged care. International Psychogeriatrics, 2021, 33, 587-599.	1.0	3
3	Rapid realist review of the role of community pharmacy in the public health response to COVID-19. BMJ Open, 2021, 11, e050043.	1.9	41
4	Interdisciplinary Perspectives on Restraint Use in Aged Care. International Journal of Environmental Research and Public Health, 2021, 18, 11022.	2.6	3
5	Antipsychotic prescribing in people admitted to hospital with dementia or delirium. Australasian Journal on Ageing, 2021, , .	0.9	1
6	AÂmissed opportunity to improve practice around the use of restraints and consent in residential aged care: Limitations of the Quality of Care Amendment (Minimising the Use of Restraints) Principles 2019. Australasian Journal on Ageing, 2020, 39, 292-296.	0.9	8
7	More action needed: Psychotropic prescribing in Australian residential aged care. Australian and New Zealand Journal of Psychiatry, 2019, 53, 136-147.	2.3	44
8	Clinical and Economic Outcomes of Interventions to Reduce Antipsychotic and Benzodiazepine Use Within Nursing Homes: A Systematic Review. Drugs and Aging, 2018, 35, 123-134.	2.7	10
9	RedUSe: reducing antipsychotic and benzodiazepine prescribing in residential aged care facilities. Medical Journal of Australia, 2018, 208, 398-403.	1.7	82
10	Halting Antipsychotic Use in Long-Term care (HALT): a single-arm longitudinal study aiming to reduce inappropriate antipsychotic use in long-term care residents with behavioral and psychological symptoms of dementia. International Psychogeriatrics, 2017, 29, 1391-1403.	1.0	20
11	Antipsychotic Drug Prescribing in Nursing Homes. JAMA - Journal of the American Medical Association, 2017, 318, 1829.	7.4	5
12	An Internet-Based Method for Extracting Nursing Home Resident Sedative Medication Data From Pharmacy Packing Systems: Descriptive Evaluation. Journal of Medical Internet Research, 2017, 19, e283.	4.3	2
13	The effect of knowledge and expectations on adherence to and persistence with antidepressants. Patient Preference and Adherence, 2016, 10, 761.	1.8	18
14	Assessing Health Practitioner Knowledge of Appropriate Psychotropic Medication Use in Nursing Homes: Validation of the Older Age Psychotropic Quiz. Journal of Gerontological Nursing, 2016, 42, 21-27.	0.6	2
15	Sleep and agitation in nursing home residents with and without dementia. International Psychogeriatrics, 2015, 27, 1945-1955.	1.0	33
16	Expansion of the Reducing Use of Sedatives (RedUSe) Project to Australian Nursing Homes. American Journal of Geriatric Psychiatry, 2015, 23, S155.	1.2	0
17	A Computer Simulation of Community Pharmacy Practice for Educational Use. American Journal of Pharmaceutical Education, 2014, 78, 168.	2.1	39
18	Expansion of the reducing use of sedatives (RedUSe) project to Australian nursing homes. BMC Health Services Research, 2014, 14, .	2,2	3

#	Article	IF	Citations
19	Problems Detected by a Ripple-Down Rules Based Medication Review Decision Support System: Are They Relevant?. Lecture Notes in Computer Science, 2014, , 59-68.	1.3	O
20	A Comparison of Prescribing Criteria When Applied to Older Community-Based Patients. Drugs and Aging, 2013, 30, 935-943.	2.7	31
21	Effectiveness of a national approach to prescribing education for multiple disciplines. British Journal of Clinical Pharmacology, 2013, 75, 756-762.	2.4	11
22	An investigation into drug-related problems identifiable by commercial. Australasian Medical Journal, 2013, 6, 183-188.	0.1	8
23	Rethinking psychotropics in nursing homes. Medical Journal of Australia, 2013, 199, 98-98.	1.7	4
24	A 12-month follow-up study of "RedUSe― a trial aimed at reducing antipsychotic and benzodiazepine use in nursing homes. International Psychogeriatrics, 2011, 23, 1260-1269.	1.0	39
25	An effective approach to decrease antipsychotic and benzodiazepine use in nursing homes: the RedUSe project. International Psychogeriatrics, 2010, 22, 26-36.	1.0	78
26	Review of psychotropic medication in Tasmanian residential aged care facilities. Australasian Journal on Ageing, 2010, 29, 72-76.	0.9	9
27	Psycholeptic use in aged care homes in Tasmania, Australia. Journal of Clinical Pharmacy and Therapeutics, 2010, 35, 189-193.	1.5	21
28	Extending prescribing rights. Australian Prescriber, 2008, 31, 3-4.	1.0	0