

Norie Sawada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7150588/norie-sawada-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

327
papers

5,588
citations

39
h-index

57
g-index

362
ext. papers

7,794
ext. citations

5.5
avg, IF

5.69
L-index

#	Paper	IF	Citations
327	Association between C-reactive protein and risk of overall and 18 site-specific cancers in a Japanese case-cohort.. <i>British Journal of Cancer</i> , 2022 ,	8.7	1
326	Burden of cancer attributable to modifiable factors in Japan in 2015.. <i>Global Health & Medicine</i> , 2022 , 4, 26-36	2.4	1
325	Association Between Physical Activity and Risk of Disabling Dementia in Japan.. <i>JAMA Network Open</i> , 2022 , 5, e224590	10.4	1
324	Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study.. <i>BMC Public Health</i> , 2022 , 22, 466	4.1	0
323	The association between midlife living arrangement and psychiatrist-diagnosed depression in later life: who among your family members reduces the risk of depression?. <i>Translational Psychiatry</i> , 2022 , 12, 156	8.6	0
322	Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan Public Health Center-based Prospective Diabetes study.. <i>Metabolism Open</i> , 2022 , 14, 100185	2.8	
321	Burden of cancer attributable to excess bodyweight and physical inactivity in Japan in 2015. <i>GHM Open</i> , 2021 , 1, 56-62		1
320	Sugary drink consumption and risk of kidney and bladder cancer in Japanese adults. <i>Scientific Reports</i> , 2021 , 11, 21701	4.9	2
319	Low Carbohydrate Diet and Risk of Cancer Incidence: the Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2021 ,	6.9	3
318	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	1
317	Meat consumption and gastric cancer risk: The Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2021 ,	7	1
316	Burden of cancer attributable to consumption of alcohol in Japan in 2015. <i>GHM Open</i> , 2021 ,		2
315	Burden of cancer attributable to exogenous hormone use in Japan in 2015. <i>GHM Open</i> , 2021 ,		1
314	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2021 ,	6.9	1
313	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021 , 10, 757-771	4.8	5
312	Myopia, corneal endothelial cell density and morphology in a Japanese population-based cross-sectional study: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2021 , 11, 6366	4.9	2
311	Long-term antihypertensive drug use and risk of cancer: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2021 , 112, 1997-2005	6.9	1

310	Reproductive Factors and Lung Cancer Risk among Never-Smoking Japanese Women with 21 Years of Follow-Up: A Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1185-1192	4	1
309	Effects of Helicobacter pylori eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1158-1170	2.8	5
308	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021 , 13,	6.7	2
307	Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center-based Prospective Study. <i>Atherosclerosis</i> , 2021 , 322, 67-73	3.1	4
306	Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. <i>Frontiers in Nutrition</i> , 2021 , 8, 604296	6.2	5
305	Dairy foods, calcium, and risk of breast cancer overall and for subtypes defined by estrogen receptor status: a pooled analysis of 21 cohort studies. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 450-461	7	4
304	Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 483-490	4	2
303	Association of Choroidal Thickness with Intermediate Age-Related Macular Degeneration in a Japanese Population. <i>Ophthalmology Retina</i> , 2021 , 5, 528-535	3.8	4
302	Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. <i>European Journal of Nutrition</i> , 2021 , 60, 4607-4620	5.2	
301	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021 , 19, 131	11.4	2
300	Smoking cessation, weight gain and risk of cardiovascular disease. <i>Heart</i> , 2021 ,	5.1	2
299	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1708-1716	4.7	1
298	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021 , 11, 13450	4.9	1
297	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2021 , 112, 3682-3690	6.9	1
296	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021 , 21, 306-312	6.5	6
295	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-Based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021 , 47, 449-455	3.2	0
294	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021 , 60, 217-227	5.2	3
293	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021 , 30, 328-335	5.3	0

292	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021 , 31, 109-118	3.4	3
291	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021 , 60, 1389-1401	5.2	4
290	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021 , 60, 1327-1336	5.2	12
289	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021 , 40, 2016-2024	5.9	5
288	Dietary fiber intake and risk of gastric cancer: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2021 , 148, 2664-2673	7.5	2
287	Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 37-55	12.1	5
286	Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 954-968	5.2	7
285	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021 , 148, 654-664	7.5	7
284	Intake of Vegetables and Fruits and the Risk of Cataract Incidence in a Japanese Population: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2021 , 31, 21-29	3.4	2
283	Validity of a food frequency questionnaire for the estimation of total polyphenol intake estimates and its major food sources in the Japanese population: the JPHC FFQ Validation Study. <i>Journal of Nutritional Science</i> , 2021 , 10, e35	2.7	0
282	Effectiveness of screening using fecal occult blood test and colonoscopy on the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1
281	Consumption of flavonoid-rich fruits, flavonoids from fruits and stroke risk: a prospective cohort study. <i>British Journal of Nutrition</i> , 2021 , 126, 1717-1724	3.6	3
280	Working cancer survivors: Physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 912-921	5.1	1
279	Sugary Drink Consumption and Subsequent Colorectal Cancer Risk: The Japan Public Health Center-Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 782-788	4.8	3
278	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021 , 112, 1579-1588	6.9	5
277	Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
276	Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2736-2747	7.5	6
275	Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021 , 13,	6.7	4

274	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021 , 11, 5599	4.9	0
273	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021 , 10, 2153-2163	4.8	0
272	Non-alcoholic beverages intake and risk of CVD among Japanese men and women: the Japan Public Health Center study. <i>British Journal of Nutrition</i> , 2021 , 1-8	3.6	
271	Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. <i>BMC Neurology</i> , 2021 , 21, 274	3.1	2
270	Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021 , 148, 106561	4.3	2
269	Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. <i>Cytokine</i> , 2021 , 144, 155558	4	1
268	Reliability of self-reported questionnaire for epidemiological investigation of Helicobacter pylori eradication in a population-based cohort study. <i>Scientific Reports</i> , 2021 , 11, 15605	4.9	2
267	International strategy in cancer epidemiology: JapanQ involvement in global projects and future role. <i>Global Health & Medicine</i> , 2021 , 3, 187-195	2.4	0
266	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021 , 4, e2122837	10.4	6
265	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021 , 21, 982	4.8	1
264	Alcohol consumption, tobacco smoking, and subsequent risk of renal cell carcinoma: The JPHC study. <i>Cancer Science</i> , 2021 , 112, 5068-5077	6.9	3
263	Menstrual and reproductive factors and limitations in activities of daily living: A case-control study within the Japan Public Health Center-based Prospective Study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 3903-3912	1.9	0
262	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	7
261	Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021 , 52, 3543-3550	6.7	1
260	Having hobbies and the risk of cardiovascular disease incidence: A Japan public health center-based study. <i>Atherosclerosis</i> , 2021 , 335, 1-7	3.1	0
259	COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Neuro-Oncology Advances</i> , 2021 , 3, vi29-vi29	0.9	
258	Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Annals of Epidemiology</i> , 2020 , 51, 1-6	6.4	
257	Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1639-1646	4	3

256	Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020 , 13, e002670	5.2	9
255	Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. <i>Cancer Epidemiology</i> , 2020 , 67, 101766	2.8	1
254	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020 , 52, 669-679	36.3	85
253	Consumption of flavonoid-rich fruits and risk of CHD: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020 , 124, 952-959	3.6	3
252	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1214-1221	4	3
251	Relationships of diabetes and hyperglycaemia with intraocular pressure in a Japanese population: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020 , 10, 5355	4.9	5
250	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020 , 11, 3175	17.4	14
249	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020 , 111, 974-984	6.9	7
248	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020 , 133, 106026	4.3	1
247	Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020 , 19, 17	4.3	7
246	Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>PLoS ONE</i> , 2020 , 15, e0229005	3.7	4
245	Relationship between nerve fiber layer defect and the presence of epiretinal membrane in a Japanese population: The JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020 , 10, 779	4.9	1
244	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. <i>BMJ, The</i> , 2020 , 368, m34	5.9	28
243	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 1027-1035	7	13
242	Identification of a novel uterine leiomyoma GWAS locus in a Japanese population. <i>Scientific Reports</i> , 2020 , 10, 1197	4.9	6
241	Habitual tub bathing and risks of incident coronary heart disease and stroke. <i>Heart</i> , 2020 , 106, 732-737	5.1	9
240	Passive smoking and type2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 1352-1358	3.9	2
239	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020 , 15, e0244007	3.7	6

238	Urinary Stones and Risk of Coronary Heart Disease and Stroke: the Japan Public Health Center-Based Prospective Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 1208-1215	4	0
237	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020 , 73, 863-872	13.4	1
236	Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A case-cohort study in Japan. <i>International Journal of Cancer</i> , 2020 , 147, 686-691	7.5	9
235	Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 95-102	4	1
234	Measures of body fatness and height in early and mid-to-late adulthood and prostate cancer: risk and mortality in The Pooling Project of Prospective Studies of Diet and Cancer. <i>Annals of Oncology</i> , 2020 , 31, 103-114	10.3	17
233	Sustained Weight Loss and Risk of Breast Cancer in Women 50 Years and Older: A Pooled Analysis of Prospective Data. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 929-937	9.7	18
232	High-Negative Anti- IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 420-426	4	8
231	Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. <i>International Journal of Epidemiology</i> , 2020 , 49, 1553-1561	7.8	3
230	Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. <i>Cancer Science</i> , 2020 , 111, 4257-4265	6.9	2
229	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020 , 20, 101169	2.6	3
228	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020 , 52, 1169-1177	36.3	51
227	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020 , 150, 2442-2450	4.1	1
226	Dietary Acrylamide Intake and the Risk of Pancreatic Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
225	Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. <i>Nutrients</i> , 2020 , 12,	6.7	4
224	Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020 , 12,	6.7	4
223	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020 , 111, 3835-3844	6.9	3
222	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020 , 30, 46-54	3.4	14
221	Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. <i>Journal of Epidemiology</i> , 2020 , 30, 227-235	3.4	1

220	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020 , 30, 37-45	3.4	4
219	Diabetes and cancer risk: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2020 , 146, 712-719	7.5	14
218	Study Design and Baseline Profiles of Participants in the Uonuma CKD Cohort Study in Niigata, Japan. <i>Journal of Epidemiology</i> , 2020 , 30, 170-176	3.4	5
217	Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 54-66	5.2	9
216	Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 363-374	4	11
215	Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. <i>Nutrition</i> , 2020 , 69, 110569	4.8	20
214	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020 , 147, 331-337	7.5	2
213	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2020 , 18, 56-63	6.5	21
212	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020 , 30, 396-403	3.4	2
211	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020 , 30, 309-313	3.4	2
210	Quantitative Assessment of the Retina Using OCT and Associations with Cognitive Function. <i>Ophthalmology</i> , 2020 , 127, 107-118	7.3	18
209	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020 , 59, 2075-2087	5.2	4
208	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2020 , 148, 2457	7.5	5
207	Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2020 , 147, 3019-3028	7.5	4
206	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population 2020 , 15, e0244007		
205	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population 2020 , 15, e0244007		
204	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population 2020 , 15, e0244007		
203	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population 2020 , 15, e0244007		

202	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019 , 63, 101622	2.8	7
201	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019 , 110, 3603-3614	6.9	5
200	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019 , 179, 1509-1518	11.5	59
199	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1861-1867	4	4
198	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019 ,	4.1	3
197	Seaweed intake and risk of cardiovascular disease: the Japan Public Health Center-based Prospective (JPHC) Study. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1449-1455	7	21
196	Diet Quality Affects the Association between Census-Based Neighborhood Deprivation and All-Cause Mortality in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2019 , 11,	6.7	3
195	12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019 , 10, 4422	17.4	27
194	Characterizing rare and low-frequency height-associated variants in the Japanese population. <i>Nature Communications</i> , 2019 , 10, 4393	17.4	51
193	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019 , 9, 14329	4.9	1
192	The association between midlife serum high-density lipoprotein and mild cognitive impairment and dementia after 19 years of follow-up. <i>Translational Psychiatry</i> , 2019 , 9, 26	8.6	26
191	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019 , 17, 278-284	6.5	1
190	Association of estimated dietary acid load with albuminuria in Japanese adults: a cross-sectional study. <i>BMC Nephrology</i> , 2019 , 20, 194	2.7	3
189	Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 1263-1278	9.7	16
188	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019 , 145, 1238-1244	7.5	18
187	Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1461-1468	4.4	16
186	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. <i>Cancer Research</i> , 2019 , 79, 3973-3982	10.1	12
185	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1370-1378	4	8

184	Diet quality and depression risk in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2019 , 9, 7150	4.9	9
183	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia: A Pooled Analysis of More Than 1 Million Participants. <i>JAMA Network Open</i> , 2019 , 2, e192696	10.4	39
182	<i>Helicobacter pylori</i> infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. <i>Scientific Reports</i> , 2019 , 9, 6099	4.9	14
181	Working Hours and Risk of Acute Myocardial Infarction and Stroke Among Middle-Aged Japanese Men - The Japan Public Health Center-Based Prospective Study Cohort II. <i>Circulation Journal</i> , 2019 , 83, 1072-1079	2.9	17
180	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019 , 11,	6.7	4
179	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019 , 42,	1.1	8
178	Tobacco Smoking and Mortality in Asia: A Pooled Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e191474	10.4	42
177	Relationship between dietary non-enzymatic antioxidant capacity and type 2 diabetes risk in the Japan Public Health Center-based Prospective Study. <i>Nutrition</i> , 2019 , 66, 62-69	4.8	4
176	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2019 , 110, 1442-1452	6.9	4
175	Circulating Inflammation Markers and Risk of Gastric and Esophageal Cancers: A Case-Cohort Study Within the Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 829-832	4	7
174	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019 , 123, 270-277	4.3	8
173	Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Cancer</i> , 2019 , 120, 571-574	8.7	1
172	Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. <i>Journal of Epidemiology</i> , 2019 , 29, 11-17	3.4	5
171	Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. <i>Journal of Epidemiology</i> , 2019 , 29, 180-186	3.4	7
170	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019 , 38, 1678-1683	5.9	5
169	Menstrual and reproductive factors and type 2 diabetes risk: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 147-153	3.9	9
168	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019 , 34, 917-926	12.1	11
167	Reproductive history and risk of cognitive impairment in Japanese women. <i>Maturitas</i> , 2019 , 128, 22-28	5	13

166	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 972-984	2.8	8
165	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019 , 8, 6414-6425	4.8	6
164	Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019 , 28, 362-370	1	3
163	Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019 , 51, 379-386	36.3	83
162	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019 , 9, e026225	3	4
161	High Myopia and Its Associated Factors in JPHC-NEXT Eye Study: A Cross-Sectional Observational Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
160	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019 , 9, 17332	4.9	5
159	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 420-427	2	1
158	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019 , 144, 718-729	7.5	2
157	Body Mass Index and Risks of Incident Ischemic Stroke Subtypes: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Epidemiology</i> , 2019 , 29, 325-333	3.4	12
156	Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. <i>Liver International</i> , 2019 , 39, 1566-1576	7.9	6
155	Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 77-86	2.8	25
154	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
153	Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019 , 144, 1858-1866	7.5	4
152	Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 196-202	2	11
151	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019 , 38, 631-643	5.9	11
150	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018 , 39, 652-660	4.6	32
149	Development of a risk prediction model for lung cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018 , 109, 854-862	6.9	10

148	Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018 , 37, 1602-1608	5.9	13
147	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 831-842	9.7	37
146	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018 , 47, 771-779	7.8	25
145	Evidence-based cancer prevention recommendations for Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 576-586	2.8	18
144	Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018 , 7, 2200-2210	4.8	7
143	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018 , 143, 307-316	7.5	19
142	Dietary acrylamide intake and risk of breast cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018 , 109, 843-853	6.9	28
141	Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested case-control study. <i>Diabetic Medicine</i> , 2018 , 35, 602-611	3.5	7
140	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018 , 142, 2441-2460	7.5	17
139	Validity of self-reported tooth counts and masticatory status study of a Japanese adult population. <i>Journal of Oral Rehabilitation</i> , 2018 , 45, 393-398	3.4	16
138	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ, The</i> , 2018 , 360, k671	5.9	41
137	High serum total cholesterol is associated with suicide mortality in Japanese women independently of menopause. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 80-81	6.5	2
136	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018 , 109, 1672-1681	6.9	7
135	Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018 , 29, 589-600	2.8	11
134	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018 , 28, 140-148	3.4	27
133	Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 361-369 ²		6
132	Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018 , 37, 1019-1026	5.9	11
131	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018 , 36, 262-268	1.3	7

130	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 715-721	1.2	23
129	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018 , 142, 1130-1138	7.5	10
128	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018 , 74, 585-594	10.2	36
127	The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2018 , 28, 428-436	3.4	4
126	Circulating inflammatory markers and colorectal cancer risk: A prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2018 , 143, 2767-2776	7.5	15
125	Menstrual and reproductive factors and risk of vertebral fractures in Japanese women: the Japan Public Health Center-based prospective (JPHC) study. <i>Osteoporosis International</i> , 2018 , 29, 2791-2801	5.3	4
124	Plasma tea catechins and risk of cardiovascular disease in middle-aged Japanese subjects: The JPHC study. <i>Atherosclerosis</i> , 2018 , 277, 90-97	3.1	16
123	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018 , 28, 597-604.e6	6.4	9
122	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 171-179	2	9
121	The association between plasma C-peptide concentration and the risk of prostate cancer: a nested case-control study within a Japanese population-based prospective study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 461-467	2	1
120	Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018 , 28, 207-213	3.4	7
119	Genome-wide association study (GWAS) of ovarian cancer in Japanese predicted regulatory variants in 22q13.1. <i>PLoS ONE</i> , 2018 , 13, e0209096	3.7	5
118	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11-12 and 20q11.21. <i>Cancer Science</i> , 2018 , 109, 4015-4024	6.9	22
117	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018 , 28, 245-252	3.4	22
116	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018 , 155, 1474-1482.e133	13.3	33
115	Validity of a Self-administered Food Frequency Questionnaire for the Estimation of Acrylamide Intake in the Japanese Population: The JPHC FFQ Validation Study. <i>Journal of Epidemiology</i> , 2018 , 28, 482-487	3.4	16
114	Dietary acrylamide intake and the risk of endometrial or ovarian cancers in Japanese women. <i>Cancer Science</i> , 2018 , 109, 3316-3325	6.9	18
113	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018 , 13, e0197164	3.7	10

112	Comparison of land use regression models for NO based on routine and campaign monitoring data from an urban area of Japan. <i>Science of the Total Environment</i> , 2018 , 631-632, 1029-1037	10.2	14
111	Genome-wide association study identified new susceptible genetic variants in HLA class I region for hepatitis B virus-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2018 , 8, 7958	4.9	23
110	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , 2018 , 143, 2677-2686	7.5	13
109	Reproductive factors and gallbladder/bile duct cancer: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 292-300	2	8
108	Risk and preventive factors for prostate cancer in Japan: The Japan Public Health Center-based prospective (JPHC) study. <i>Journal of Epidemiology</i> , 2017 , 27, 2-7	3.4	18
107	Prediagnostic Calcium Intake and Lung Cancer Survival: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1060-1070	4	7
106	Chocolate consumption and risk of stroke among men and women: A large population-based, prospective cohort study. <i>Atherosclerosis</i> , 2017 , 260, 8-12	3.1	13
105	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017 , 60, 1022-1032	10.3	86
104	Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 841-849	4.1	23
103	Daily Total Physical Activity and Incident Cardiovascular Disease in Japanese Men and Women: Japan Public Health Center-Based Prospective Study. <i>Circulation</i> , 2017 , 135, 1471-1473	16.7	10
102	Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017 , 27, 305-310	3.4	10
101	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017 , 127, 254-264	7.4	11
100	A Pooled Analysis of 15 Prospective Cohort Studies on the Association between Fruit, Vegetable, and Mature Bean Consumption and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1276-1287	4	21
99	Daily Total Physical Activity and Incident Stroke: The Japan Public Health Center-Based Prospective Study. <i>Stroke</i> , 2017 , 48, 1730-1736	6.7	39
98	High serum total cholesterol is associated with suicide mortality in Japanese women. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 259-268	6.5	14
97	Dietary acid load and mortality among Japanese men and women: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 146-154	7	22
96	Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017 , 27, 331-337	3.4	4
95	Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017 , 28, 569-578	2.8	12

94	Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017 , 48, 1176-1182	6.7	19
93	Validity and reliability of a self-administered food frequency questionnaire for the JPHC study: The assessment of amino acid intake. <i>Journal of Epidemiology</i> , 2017 , 27, 242-247	3.4	2
92	Genetic Predisposition to Ischemic Stroke: A Polygenic Risk Score. <i>Stroke</i> , 2017 , 48, 253-258	6.7	45
91	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017 , 117, 1715-1722	8.7	11
90	Dietary fish, n-3 polyunsaturated fatty acid consumption, and depression risk in Japan: a population-based prospective cohort study. <i>Translational Psychiatry</i> , 2017 , 7, e1242	8.6	40
89	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017 , 7, 12964	4.9	23
88	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017 , 12, e0173117	3.7	17
87	Changes in the living arrangement and risk of stroke in Japan; does it matter who lives in the household? Who among the family matters?. <i>PLoS ONE</i> , 2017 , 12, e0173860	3.7	2
86	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017 , 12, e0187741	3.7	23
85	Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017 , 265, 147-154	3.1	26
84	Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017 , 49, 1458-1467	36.3	214
83	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017 , 141, 2480-2488	7.5	10
82	Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Haematology</i> , 2017 , 178, 747-755	4.5	11
81	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017 , 10, 535-541	3.2	17
80	Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017 , 27, 435-446	3.4	5
79	Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017 , 147, 1749-1756	4.1	33
78	Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1352-1356	4	3
77	Changing trends in the prevalence of H. pylori infection in Japan (1908-2003): a systematic review and meta-regression analysis of 170,752 individuals. <i>Scientific Reports</i> , 2017 , 7, 15491	4.9	39

76	Dietary intake of antioxidant vitamins and risk of stroke: the Japan Public Health Center-based Prospective Study. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 1179-1185	5.2	17
75	The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017 , 140, 1009-1019	7.5	12
74	Plasma 25-hydroxy vitamin D and subsequent prostate cancer risk in a nested Case-Control study in Japan: The JPHC study. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 132-136	5.2	13
73	Work-family conflict and self-rated health among Japanese workers: How household income modifies associations. <i>PLoS ONE</i> , 2017 , 12, e0169903	3.7	15
72	Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study. <i>PLoS ONE</i> , 2017 , 12, e0174848	3.7	71
71	Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. <i>International Journal of Cancer</i> , 2016 , 139, 2714-2721	7.5	19
70	Validity of Short and Long Self-Administered Food Frequency Questionnaires in Ranking Dietary Intake in Middle-Aged and Elderly Japanese in the Japan Public Health Center-Based Prospective Study for the Next Generation (JPHC-NEXT) Protocol Area. <i>Journal of Epidemiology</i> , 2016 , 26, 420-32	3.4	99
69	Smoking is a risk factor for development of adult T-cell leukemia/lymphoma in Japanese human T-cell leukemia virus type-1 carriers. <i>Cancer Causes and Control</i> , 2016 , 27, 1059-66	2.8	5
68	Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. <i>Scientific Reports</i> , 2016 , 6, 36607	4.9	12
67	Quality of diet and mortality among Japanese men and women: Japan Public Health Center based prospective study. <i>BMJ, The</i> , 2016 , 352, i1209	5.9	95
66	Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>British Journal of Nutrition</i> , 2016 , 115, 1769-79	3.6	26
65	History of diabetes and risk of suicide and accidental death in Japan: The Japan Public Health Centre-based Prospective Study, 1990-2012. <i>Diabetes and Metabolism</i> , 2016 , 42, 184-91	5.4	7
64	Marital Transition and Risk of Stroke: How Living Arrangement and Employment Status Modify Associations. <i>Stroke</i> , 2016 , 47, 991-8	6.7	12
63	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 273-83	2.8	24
62	Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). <i>Cancer Causes and Control</i> , 2016 , 27, 583-93	2.8	10
61	Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC Study Cohort II). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 555-7	4	25
60	Association of Breakfast Intake With Incident Stroke and Coronary Heart Disease: The Japan Public Health Center-Based Study. <i>Stroke</i> , 2016 , 47, 477-81	6.7	46
59	Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016 , 37, 890-899	9.5	28

58	Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0164648	3.7	17
57	Prediction of the 10-year probability of gastric cancer occurrence in the Japanese population: the JPHC study cohort II. <i>International Journal of Cancer</i> , 2016 , 138, 320-31	7.5	56
56	CYP1A1, GSTM1 and GSTT1 genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016 , 139, 759-68	7.5	15
55	Trends in the proportions of stroke subtypes and coronary heart disease in the Japanese men and women from 1995 to 2009. <i>Atherosclerosis</i> , 2016 , 248, 219-23	3.1	8
54	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 781-7	2.8	21
53	Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016 , 40, 126-33	2.8	12
52	High Dietary Acid Load Score Is Associated with Increased Risk of Type 2 Diabetes in Japanese Men: The Japan Public Health Center-based Prospective Study. <i>Journal of Nutrition</i> , 2016 , 146, 1076-83	4.1	35
51	Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. <i>International Journal of Cardiology</i> , 2016 , 222, 281-286	3.2	24
50	High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. <i>International Journal of Cancer</i> , 2016 , 138, 1741-53	7.5	25
49	Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. <i>Cancer Science</i> , 2016 , 107, 76-83	6.9	28
48	Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). <i>Cancer Epidemiology</i> , 2015 , 39, 562-6	2.8	26
47	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1029-37	7	50
46	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015 , 25, 512-518.e3	6.4	54
45	The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. <i>Tobacco Induced Diseases</i> , 2015 , 13, 19	3.2	6
44	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015 , 36, 223-31	4.6	46
43	Fiber intake and risk of subsequent prostate cancer in Japanese men. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 118-25	7	20
42	Neighborhood contextual factors for smoking among middle-aged Japanese: a multilevel analysis. <i>Health and Place</i> , 2015 , 31, 17-23	4.6	10
41	Fish, n - 3 polyunsaturated fatty acids and n - 6 polyunsaturated fatty acids intake and breast cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2015 , 137, 2915-26	7.5	40

40	Low-carbohydrate diet and type 2 diabetes risk in Japanese men and women: the Japan Public Health Center-Based Prospective Study. <i>PLoS ONE</i> , 2015 , 10, e0118377	3.7	50
39	The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. <i>European Journal of Public Health</i> , 2015 , 25, 424-30	2.1	9
38	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015 , 5, e007736	3	20
37	Fish, n-3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1490-7	7	33
36	Trends in cancer prognosis in a population-based cohort survey: can recent advances in cancer therapy affect the prognosis?. <i>Cancer Epidemiology</i> , 2015 , 39, 97-103	2.8	7
35	Plasma isoflavones and risk of primary liver cancer in Japanese women and men with hepatitis virus infection: a nested case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 532-7	4	16
34	Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 519-28	4.3	17
33	Soy intake and breast cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 282-95	2.8	65
32	The JPHC study: design and some findings on the typical Japanese diet. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 777-82	2.8	237
31	Meat consumption and colorectal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 641-50	2.8	52
30	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 199-207	7	30
29	Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. <i>Annals of Epidemiology</i> , 2014 , 24, 199-205	6.4	17
28	Neighborhood deprivation and risk of cancer incidence, mortality and survival: results from a population-based cohort study in Japan. <i>PLoS ONE</i> , 2014 , 9, e106729	3.7	12
27	Cholesterol and egg intakes and the risk of type 2 diabetes: the Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2014 , 112, 1636-43	3.6	33
26	Rice, bread, noodle and cereal intake and colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study (JPHC Study). <i>British Journal of Cancer</i> , 2014 , 110, 1316-21	8.7	6
25	Burden of total and cause-specific mortality related to tobacco smoking among adults aged ≥45 years in Asia: a pooled analysis of 21 cohorts. <i>PLoS Medicine</i> , 2014 , 11, e1001631	11.6	76
24	Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. <i>Annals of Oncology</i> , 2014 , 25, 1228-33	10.3	40
23	Socioeconomic status inconsistency and risk of stroke among Japanese middle-aged women. <i>Stroke</i> , 2014 , 45, 2592-8	6.7	17

22	Alcohol and smoking and subsequent risk of prostate cancer in Japanese men: the Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2014 , 134, 971-8	7.5	38
21	Associations of all-cause mortality with census-based neighbourhood deprivation and population density in Japan: a multilevel survival analysis. <i>PLoS ONE</i> , 2014 , 9, e97802	3.7	41
20	Dietary arsenic intake and subsequent risk of cancer: the Japan Public Health Center-based (JPHC) Prospective Study. <i>Cancer Causes and Control</i> , 2013 , 24, 1403-15	2.8	25
19	Consumption of n-3 fatty acids and fish reduces risk of hepatocellular carcinoma. <i>Gastroenterology</i> , 2012 , 142, 1468-75	13.3	134
18	Attributable causes of cancer in Japan in 2005--systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012 , 23, 1362-1369	18.3	117
17	Long-term dietary cadmium intake and cancer incidence. <i>Epidemiology</i> , 2012 , 23, 368-76	3.1	47
16	Isoflavone intake and risk of gastric cancer: a population-based prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 147-54	7	32
15	Cigarette smoking and esophageal cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 63-73	2.8	39
14	P1-348 Leisure-time physical activity and breast cancer risk defined by oestrogen and progesterone receptor status: the Japan public health center-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A163-A163	5.1	
13	Validity of a self-administered food frequency questionnaire for middle-aged urban cancer screenees: comparison with 4-day weighed dietary records. <i>Journal of Epidemiology</i> , 2011 , 21, 447-58	3.4	36
12	Body weight at age 20 years, subsequent weight change and breast cancer risk defined by estrogen and progesterone receptor status--the Japan public health center-based prospective study. <i>International Journal of Cancer</i> , 2011 , 129, 1214-24	7.5	58
11	Plasma testosterone and sex hormone-binding globulin concentrations and the risk of prostate cancer among Japanese men: a nested case-control study. <i>Cancer Science</i> , 2010 , 101, 2652-7	6.9	26
10	Association of alcohol intake with the risk of malignant lymphoma and plasma cell myeloma in Japanese: a population-based cohort study (Japan Public Health Center-based Prospective Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 429-34	4	24
9	Association of anthropometric characteristics with the risk of malignant lymphoma and plasma cell myeloma in a Japanese population: a population-based cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1623-31	4	16
8	Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 456-64	7	87
7	Isoflavone intake and risk of lung cancer: a prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 722-8	7	68
6	Plasma organochlorines and subsequent risk of prostate cancer in Japanese men: a nested case-control study. <i>Environmental Health Perspectives</i> , 2010 , 118, 659-65	8.4	33
5	Body mass index and subsequent risk of kidney cancer: a prospective cohort study in Japan. <i>Annals of Epidemiology</i> , 2010 , 20, 466-72	6.4	21

4	10-Year risk of colorectal cancer: development and validation of a prediction model in middle-aged Japanese men. <i>Cancer Epidemiology</i> , 2010 , 34, 534-41	2.8	45
3	Alcohol consumption-associated breast cancer incidence and potential effect modifiers: the Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2010 , 127, 685-95	7.5	37
2	Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. <i>Gut</i> , 2009 , 58, 1323-32	19.2	62
1	Genotype-stratified GWAS meta-analysis reveals novel loci associated with alcohol consumption		1