

# Salvatore My

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7151600/salvatore-my-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

782  
papers

37,271  
citations

83  
h-index

163  
g-index

809  
ext. papers

41,512  
ext. citations

4.8  
avg, IF

6.7  
L-index

#	Paper	IF	Citations
782	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 30-61	4.2	5161
781	The CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, S08004-S08004	1	1276
780	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191803	7.4	709
779	CMS Physics Technical Design Report, Volume II: Physics Performance. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2007</b> , 34, 995-1579	2.9	602
778	Determination of jet energy calibration and transverse momentum resolution in CMS. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, P11002-P11002	1	463
777	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 795-814	4.2	452
776	Combined results of searches for the standard model Higgs boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 26-48	4.2	437
775	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
774	Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7$ TeV. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, P10002-P10002	1	398
773	Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , <b>2011</b> , 84,	2.7	395
772	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	389
771	Identification of b-quark jets with the CMS experiment. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P04013-P04013		376
770	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at square root of $s = 7$ TeV. <i>Physical Review Letters</i> , <b>2010</b> , 105, 022002	7.4	353
769	Observation of the rare $B(s)(0) \rightarrow B^+ \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , <b>2015</b> , 522, 68-72	50.4	326
768	Study of high-p <sub>T</sub> charged particle suppression in PbPb compared to pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76\text{-}\mathrm{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	316
767	Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 724, 213-240	4.2	315
766	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P10009-P10009	1	279

765	Observation of a new boson with mass near 125 GeV in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	261
764	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , <b>2014</b> , 89,	4.9	260
763	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
762	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
761	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
760	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , <b>2013</b> , 110, 081803	7.4	235
759	Measurement of the $B_s(0) \rightarrow \mu^+ \mu^-$ branching fraction and search for $B(0) \rightarrow \mu^+ \mu^-$ with the CMS experiment. <i>Physical Review Letters</i> , <b>2013</b> , 111, 101804	7.4	220
758	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ( $\sqrt{s} = 0.9$ ) and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
757	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , <b>2011</b> , 107, 221804	7.4	188
756	Suppression of non-prompt $J/\psi$ and $(\Upsilon)(1S)$ in PbPb collisions at ( $\sqrt{s_{NN}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	184
755	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
754	Observation of sequential $\mu$ suppression in PbPb collisions. <i>Physical Review Letters</i> , <b>2012</b> , 109, 222301	7.4	172
753	Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 196-218	4.2	166
752	Search for top-squark pair production in the single-lepton final state in pp collisions at ( $\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
751	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ( $\sqrt{s_{NN}}= 2.76$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	158
750	Search for dark matter and large extra dimensions in monojet events in pp collisions at ( $\sqrt{s} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	155
749	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
748	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4.9	152

747	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149	4.2	149
746	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , <b>2013</b> , 87,	2.7	148
745	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , <b>2015</b> , 115, 012301	7.4	145
744	Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks. <i>Physical Review D</i> , <b>2014</b> , 89,	4.9	145
743	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 712, 176-197	4.2	144
742	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	144
741	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 403-425	4.2	138
740	Indications of suppression of excited $\bar{b}$ states in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 052302	7.4	137
739	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ( $\sqrt{s} = 0.9, 2.76, \sqrt{s}$ and $\sqrt{s} \sim 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	133
738	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131
737	Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 730, 243-263	4.2	124
736	Measurement of the inclusive W and Z production cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	121
735	Prompt and non-prompt $J/\psi$ production in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	118
734	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 736, 64-85	4.2	116
733	Search for dijet resonances in 7 TeV pp collisions at CMS. <i>Physical Review Letters</i> , <b>2010</b> , 105, 211801	7.4	116
732	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , <b>2012</b> , 108, 261803	7.4	116
731	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 256-277	4.2	111
730	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 713, 68-90	4.2	111

729	A search for a doubly-charged Higgs boson in pp collisions at ( $\sqrt{s} = 7$ mbox{TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	111
728	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P09009-P09009	1	111
727	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 704, 123-142	4.2	111
726	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 171803	7.4	111
725	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review C</i> , <b>2014</b> , 89,	2.7	109
724	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 773-794	4.2	109
723	Measurements of inclusive W and Z cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	104
722	Inclusive search for a vector-like T quark with charge . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 729, 149-171	4.2	103
721	Measurement of differential top-quark-pair production cross sections in pp collisions at ( $\sqrt{s} = 7$ mathrm{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
720	Evidence for the 125 GeV Higgs boson decaying to a pair of $\tau$ leptons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	101
719	Search for a light charged Higgs boson in top quark decays in pp collisions at ( $\sqrt{s} = 7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	101
718	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , <b>2010</b> , 70, 116541192 99		
717	CMS Physics Technical Design Report: Addendum on High Density QCD with Heavy Ions. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2007</b> , 34, 2307-2455	2.9	99
716	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
715	Searches for long-lived charged particles in pp collisions at ( $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	96
714	Azimuthal anisotropy of charged particles at high transverse momenta in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 022301	7.4	95
713	Missing transverse energy performance of the CMS detector. <i>Journal of Instrumentation</i> , <b>2011</b> , 6, P09001-P09001		
712	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 132001	7.4	94

711	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	92
710	Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , <b>2014</b> , 90,	2.7	89
709	Charged particle multiplicities in pp interactions at ( $\sqrt{s} = 0.9$ ), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	89
708	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( $\sqrt{s_{NN}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	87
707	Measurement of $W+W\bar{\nu}$ production and search for the Higgs boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 699, 25-47	4.2	86
706	Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the CMS detector. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	85
705	Search for the standard model Higgs boson in the decay channel $H\rightarrow Z\gamma$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111804	7.4	85
704	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s} = 8$ TeV. <i>Journal of Instrumentation</i> , <b>2015</b> , 10, P02006-P02006	1	84
703	Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4.9	83
702	Observation of a peaking structure in the $J/\psi$ mass spectrum from $B\rightarrow J/\psi K$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 734, 261-281	4.2	83
701	Search for the standard model Higgs boson decaying to $\tau\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 91-113	4.2	83
700	Measurement of the prompt $\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 727, 381-402	4.2	83
699	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $M_{T2}$ and b-quark multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4.2	82
698	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	81
697	Performance of $\tau$ -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , <b>2012</b> , 7, P01001-P01001	1	81
696	First measurement of the cross section for top-quark pair production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 695, 424-443	4.2	79
695	Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 63-82	4.2	78
694	Strange particle production in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	78

693	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	77
692	Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Physical Review D</i> , <b>2012</b> , 85,	4-9	77
691	Upsilon production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2011</b> , 83,	4-9	77
690	Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 715, 66-87	4-2	76
689	Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 111, 211804	7-4	76
688	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	74
687	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 5-27	4-2	74
686	Searches for invisible decays of the Higgs boson in pp collisions at ( $\sqrt{s}$ ) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	74
685	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s}=7$ TeV at the LHC. <i>Journal of Instrumentation</i> , <b>2013</b> , 8, P11002-P11002	1	74
684	Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 726, 587-609	4-2	73
683	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	73
682	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( $\sqrt{s_{\mathbb{N}\mathbb{N}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	73
681	Measurement of the $W+W$ and $ZZ$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 721, 190-211	4-2	72
680	Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847	4-2	71
679	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , <b>2012</b> , 338, 1569-75	33-3	71
678	Measurement of the $\mu S$ , $\mu\bar{S}$ , and $B S$ polarizations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 081802	7-4	71
677	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	70
676	Measurement of the single-top-quark t-channel cross section in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	70

675	Measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 7$ ) TeV and comparison with ( $\sqrt{s} = 0.9$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	70
674	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	69
673	$J/\psi$ and $\psi(2S)$ production in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	69
672	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ( $\sqrt{s_{\mathrm{NN}}} = 5.02$ ) TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4-2	67
671	Study of Z Boson Production in PbPb Collisions at $\sqrt{s_{\mathrm{NN}}}=2.76$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 212301	7-4	66
670	Search for anomalous production of multilepton events in pp collisions at ( $\sqrt{s} = 7$ , TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	65
669	Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 111806	7-4	65
668	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( $\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	64
667	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 742, 200-224	4-2	64
666	Search for anomalous production of events with three or more leptons in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4-9	64
665	Determination of the top-quark pole mass and strong coupling constant from the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 728, 496-517	4-2	64
664	Measurement of the ( $\overline{\mathrm{t}}\mathrm{t}$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	64
663	Measurement of the muon charge asymmetry in inclusive pp-W+X production at $s=7$ TeV and an improved determination of light parton distribution functions. <i>Physical Review D</i> , <b>2014</b> , 90,	4-9	63
662	Search for narrow resonances using the dijet mass spectrum in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4-9	63
661	Search for neutral minimal supersymmetric standard model Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 231801	7-4	63
660	Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 091802	7-4	63
659	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	63
658	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4-9	62



657	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , <b>2015</b> , 114, 051801	7.4	62
656	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 231802	7.4	62
655	Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	62
654	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 113, 132301	7.4	62
653	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
652	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61
651	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	61
650	Search for microscopic black hole signatures at the Large Hadron Collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 697, 434-453	4.2	61
649	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	60
648	Search for a standard model-like Higgs boson in the $\mu\mu$ and $e+e$ decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 744, 184-207	4.2	59
647	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	59
646	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 709, 28-49	4.2	59
645	Search for narrow resonances in dilepton mass spectra in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 158-179	4.2	59
644	Measurement of the B(+) production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 112001	7.4	59
643	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4.2	58
642	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , <b>2014</b> , 112, 171801	7.4	58
641	Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 736, 371-397	4.2	57
640	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 284-306	4.2	57

639	Search for anomalous ( $t$ ) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	57
638	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 129-130	4-2	57
637	Measurement of the isolated prompt photon production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 082001	7-4	57
636	Observation of a new $\Lambda_b$ baryon. <i>Physical Review Letters</i> , <b>2012</b> , 108, 252002	7-4	57
635	Study of exclusive two-photon production of $W+W$ in pp collisions at $(\sqrt{s}=7)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	56
634	Measurement of the $W+W$ cross section in pp collisions at $(\sqrt{s}=7)$ TeV and limits on anomalous $WW$ and $WWZ$ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4-2	56
633	Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 739, 229-249	4-2	56
632	Long-range and short-range dihadron angular correlations in central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	56
631	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251	4-2	55
630	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at $(\sqrt{s_{NN}})=2.76$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 152303	7-4	55
629	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4-2	54
628	Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 191802	7-4	54
627	Search for heavy long-lived charged particles in pp collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 713, 408-433	4-2	54
626	Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 022003	7-4	54
625	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , <b>2012</b> , 108, 111801	7-4	53
624	Search for a vectorlike quark with charge $2/3$ in $t+Z$ events from pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 271802	7-4	53
623	Search for $(B)_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	52
622	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , <b>2013</b> , 88,	4-9	52

621	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 121801	7.4	51
620	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147	4.2	50
619	Search for supersymmetry in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 733, 328-353	4.2	50
618	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
617	Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 725, 243-270	4.2	50
616	Search for narrow and broad dijet resonances in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	50
615	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2469	4.2	49
614	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 182001	7.4	49
613	Search for new physics with a monojet and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 201804	7.4	49
612	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4.2	48
611	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	48
610	Measurement of the ( $t\bar{t}$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	48
609	Measurement of the $B_0$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 252001	7.4	48
608	Dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 122003	7.4	48
607	Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 740, 83-104	4.2	47
606	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	46
605	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 112, 171802	7.4	46
604	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2251	4.2	46

603	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46
602	Search for new physics with jets and missing transverse momentum in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46
601	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy. <i>Physical Review Letters</i> , <b>2012</b> , 109, 071803	7-4	46
600	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	45
599	Exclusive $\bar{t}t$ production in proton-proton collisions at ( $\sqrt{s} = \{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
598	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	45
597	Search for exclusive or semi-exclusive $\bar{t}t$ production and observation of exclusive and semi-exclusive $e+e\bar{t}t$ production in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
596	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2283	4-2	45
595	Measurement of dijet angular distributions and search for quark compositeness in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 201804	7-4	45
594	Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV. <i>Physical Review D</i> , <b>2011</b> , 84,	4-9	45
593	Search for supersymmetry in pp collisions at $\sqrt{s}$ TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , <b>2011</b> , 106, 211802	7-4	45
592	Measurement of the X(3872) production cross section via decays to $J/\psi \pi^0$ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	44
591	Measurement of the $\sigma$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 727, 101-125	4-2	44
590	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	44
589	Charged particle transverse momentum spectra in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	44
588	First measurement of Bose-Einstein correlations in proton-proton collisions at $\sqrt{s}=0.9$ and 2.36 TeV at the LHC. <i>Physical Review Letters</i> , <b>2010</b> , 105, 032001	7-4	44
587	Measurement of the $t\bar{t}$ production cross section in pp collisions at 7 TeV in lepton+jets events using b-quark jet identification. <i>Physical Review D</i> , <b>2011</b> , 84,	4-9	44
586	Measurement of the differential dijet production cross section in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 700, 187-206	4-2	44

585	Search for $B(s)(0) \rightarrow \mu^+ \mu^-$ and $B(0) \rightarrow \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 191802	7.4	44
584	Measurement of the $(\tau)$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	43
583	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
582	Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t \rightarrow \tau h$ decay using multilepton and diphoton final states in pp collisions at 8 TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	43
581	Search for leptonic decays of $W^\pm$ bosons in pp collisions at $(\sqrt{s} = \{7\})$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
580	Event activity dependence of $(\Upsilon)(nS)$ production in $(\sqrt{s_{NN}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	42
579	Measurement of the $\alpha_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 83-104	4.2	42
578	Search for heavy neutrinos and $W(R)$ bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 261802	7.4	42
577	Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 103-121	4.2	42
576	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	42
575	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	42
574	Measurement of $J/\psi$ and $\psi(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191802	7.4	41
573	Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4.9	41
572	Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 736, 33-57	4.2	41
571	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4.2	41
570	Measurement of prompt $J/\psi$ pair production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	41
569	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	41
568	Search for heavy Majorana neutrinos in $\tau\tau$ +jets and $e\tau$ +jets events in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 109-128	4.2	41

567	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 111, 081802	7.4	4 <sup>1</sup>
566	Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 141802	7.4	4 <sup>1</sup>
565	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4 <sup>1</sup>
564	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4 <sup>0</sup>
563	Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 081801	7.4	4 <sup>0</sup>
562	Inclusive search for squarks and gluinos in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	4 <sup>0</sup>
561	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , <b>2015</b> , 114, 061801	7.4	39
560	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
559	Study of the underlying event at forward rapidity in pp collisions at ( $\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
558	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
557	Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 207-232	4.2	39
556	Search for same-sign top-quark pair production at ( $\sqrt{s} = 7$ ) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	39
555	Search for natural and split supersymmetry in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
554	Measurement of the pp- $\bar{Z}Z$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 740, 250-272	4.2	38
553	Search for new physics in events with same-sign dileptons and jets in pp collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
552	Search for microscopic black holes in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	38
551	Measurement of prompt $\langle 2S \rangle$ to $J/\psi$ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , <b>2014</b> , 113, 262301	7.4	38
550	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , <b>2014</b> , 112, 161802	7.4	38

549	Measurement of W and Z production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 535-555	4.2	38
548	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	38
547	Search for stopped Gluinos in pp collisions at square root $s=7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 011801	7.4	38
546	Measurement of the $[Formula: see text]$ cross section in pp collisions at $[Formula: see text]$ TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
545	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 741, 12-37	4.2	37
544	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $[Formula: see text]$ TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4.2	37
543	Measurement of the differential cross section and charge asymmetry for inclusive $[Formula: see text]$ production at $[Formula: see text]$ TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469	4.2	37
542	Measurement of associated W + charm production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
541	Jet production rates in association with W and Z bosons in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	37
540	Measurement of masses in the $[Formula: see text]$ system by kinematic endpoints in pp collisions at $[Formula: see text]$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4.2	37
539	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	37
538	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $(\sqrt{s} = 8)$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
537	Measurement of the polarization of W bosons with large transverse momenta in W + jets events at the LHC. <i>Physical Review Letters</i> , <b>2011</b> , 107, 021802	7.4	37
536	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	37
535	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4.2	37
534	Measurement of the ratio of inclusive jet cross sections using the anti-kT algorithm with radius parameters $R=0.5$ and $0.7$ in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	36
533	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with dilepton final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	36
532	First measurement of the underlying event activity at the LHC with $(\sqrt{s} = 0.9)$ TeV. <i>European Physical Journal C</i> , <b>2010</b> , 70, 555-572	4.2	36

531	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4.2	36
530	Search for disappearing tracks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
529	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35
528	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	35
527	Angular analysis and branching fraction measurement of the decay $B_0 \rightarrow K^* \mu^+ \mu^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 727, 77-100	4.2	35
526	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	35
525	Searches for light- and heavy-flavour three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 730, 193-214	4.2	35
524	Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets. <i>Physical Review Letters</i> , <b>2013</b> , 111, 221801	7.4	35
523	Measurement of the ( $\mathit{t}\bar{\mathit{t}}$ ) production cross section in pp collisions at ( $\sqrt{s}=7$ ) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	35
522	Search for quark compositeness with the dijet centrality ratio in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2010</b> , 105, 262001	7.4	35
521	First measurement of hadronic event shapes in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 699, 48-67	4.2	35
520	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03009-T03009	1	35
519	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	34
518	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4.2	34
517	Search for microscopic black holes in pp collisions at ( $\sqrt{s} = \text{7 TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
516	Measurement of associated production of vector bosons and top quark-antiquark pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 172002	7.4	34
515	Search for heavy stable charged particles in pp collisions at ( $\sqrt{s} = 7; \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	34
514	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03014-T03014	1	34



513	Search for three-jet resonances in pp collisions at square root(s)=7 TeV. <i>Physical Review Letters</i> , <b>2011</b> , 107, 101801	7.4	34
512	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151	4.2	33
511	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	33
510	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	33
509	Search for a light charged Higgs boson decaying to ( $\overline{c} s$ ) in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37	5.4	33
508	Search for pair produced fourth-generation up-type quarks in pp collisions at $s=7$ TeV with a lepton in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 307-328	4.2	33
507	Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 348-368	4.2	33
506	Search for $Z'$ resonances decaying to $t\bar{t}$ in dilepton+jets final states in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	33
505	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	32
504	Search for fractionally charged particles in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	32
503	Search for resonances in the dilepton mass distribution in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
502	Search for supersymmetry in pp collisions at ( $\sqrt{s} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
501	Measurement of the Drell-Yan cross section in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
500	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 692, 83-104	4.2	32
499	Search for a new bottomonium state decaying to $\gamma J/\psi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 727, 57-76	4.2	31
498	Search for a $\chi_{c0}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1229-1251	4.2	31
497	Measurement of the $t\bar{t}$ production cross section in pp collisions at $s=7$ TeV in dilepton final states containing a $b$ . <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	31
496	Measurement of the $B_s^0$ Production Cross Section with $B_s^0 \rightarrow \mu^+ \mu^-$ Decays in pp Collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2011</b> , 84,	4.9	31

495	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03010-T03010	1	31
494	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	30
493	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	30
492	Event shapes and azimuthal correlations in Z+jets events in pp collisions at $\sqrt{s}=7\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 238-261	4-2	30
491	Inclusive b-jet production in pp collisions at $(\sqrt{s} = 7\text{TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
490	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
489	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with lepton+jets final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
488	Measurement of the $\overline{\text{B}}$ cross section and the $\overline{\text{D}}^0$ to $\overline{\text{B}}$ ratio with $J/\psi$ decays in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 714, 136-137	4-2	30
487	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $(\sqrt{s} = 7\text{TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	30
486	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4-2	29
485	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\overline{\text{B}}$ b-quark jets in 7 TeV pp collisions using the variable $\Delta R$ . <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	29
484	Observation of $Y(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	29
483	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4-2	29
482	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129	4-2	29
481	Performance of CMS muon reconstruction in cosmic-ray events. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03022-T03022	1	31
480	Search for vector-like T and B quark pairs in final states with leptons at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	29
479	Search for heavy Majorana neutrinos in $e\bar{e}\mu\mu$ jets and $e\bar{e}\tau\tau$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	28
478	Search for long-lived particles in events with photons and missing energy in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 273-294	4-2	28

477	Measurement of the $W$ and $Z$ inclusive cross sections in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous triple gauge boson couplings. <i>Physical Review D</i> , <b>2014</b> , 89,	4.9	28
476	Search for physics beyond the standard model using multilepton signatures in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 704, 411-433	4.2	28
475	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	28
474	Search for a heavy bottom-like quark in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 204-223	4.2	28
473	Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	28
472	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
471	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
470	Evidence for exclusive $\overline{B}W + W\overline{B}$ production and constraints on anomalous quartic gauge couplings in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	27
469	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	27
468	Measurement of ( $\overline{B}B$ ) angular correlations based on secondary vertex reconstruction at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	27
467	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4.2	26
466	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ( $\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	26
465	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 726, 564-586	4.2	26
464	Search for anomalous $Wtb$ couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	26
463	Searches for supersymmetry using the $M_{T2}$ variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
462	Search for high-mass resonances decaying into dilepton pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 82-102	4.2	26
461	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	26
460	Search for a heavy gauge boson . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 21-39	4.2	26

459	Search for a $\tilde{g}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 701, 160-179	4.2	26
458	Search for a $W'$ or techni- $\tilde{H}$ decaying into WZ in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 141801	7.4	26
457	Search for monotop signatures in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , <b>2015</b> , 114, 101801	7.4	25
456	Measurement of the W-boson helicity in top-quark decays from $(\overline{\text{t}})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	25
455	Search for top squark pair production in pp collisions at $(\sqrt{s}=13)$ TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
454	Measurements of the $[\text{Formula: see text}][\text{Formula: see text}]$ production cross sections in the $[\text{Formula: see text}]$ channel in proton-proton collisions at $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511	4.2	25
453	Search for resonant $(\overline{\text{t}})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	25
452	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4.2	25
451	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4.2	25
450	Search for charged Higgs bosons in the $H\tilde{H} \rightarrow \tilde{H}\tilde{H}$ decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	24
449	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4.9	24
448	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $[\text{Formula: see text}]$ . <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4.2	24
447	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
446	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $[\text{Formula: see text}]$ . <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
445	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $[\text{Formula: see text}]$ . <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674	4.2	24
444	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , <b>2014</b> , 9, P06009-P06009	4.2	24
443	Search for $WW$ and $WZ$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	24
442	Measurement of the $Z/\tilde{H} + \text{b-jet}$ cross section in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24

441	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
440	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 718, 329-347	4.2	24
439	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell 2\ell$ channel in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
438	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	24
437	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
436	Search for $W \rightarrow b\bar{b}$ decays in the lepton + jets final state in pp collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	23
435	Measurement of four-jet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2014</b> , 89,	4.9	23
434	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 716, 260-284	4.2	23
433	Combined search for the quarks of a sequential fourth generation. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	23
432	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23
431	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tau$ leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
430	Measurement of the $[Formula: see text]$ production cross section using events in the $[Formula: see text]$ final state in pp collisions at $[Formula: see text]$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22
429	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
428	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4.2	22
427	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
426	Measurement of Bose-Einstein correlations in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	22
425	Measurement of the WZ production cross section in pp collisions at $[Formula: see text]$ and $8[Formula: see text]$ and search for anomalous triple gauge couplings at $[Formula: see text]$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 236	4.2	21
424	A search for new phenomena in pp collisions at $[Formula: see text]$ in final states with missing transverse momentum and at least one jet using the $[Formula: see text]$ variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21

4 <sup>23</sup>	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 746, 79-99	4.2	21
4 <sup>22</sup>	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
4 <sup>21</sup>	Correlations between jets and charged particles in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
4 <sup>20</sup>	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21
4 <sup>19</sup>	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	21
4 <sup>18</sup>	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4.2	21
4 <sup>17</sup>	Measurement of the ( $\bar{t}t$ ) production cross section in the $\bar{t}t$ jets channel in pp collisions at ( $\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	21
4 <sup>16</sup>	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4.2	21
4 <sup>15</sup>	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	21
4 <sup>14</sup>	Search for excited quarks in the $\bar{t}t$ jet final state in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 738, 274-293	4.2	21
4 <sup>13</sup>	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^* \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	21
4 <sup>12</sup>	Inclusive b-hadron production cross section with muons in pp collisions at ( $\sqrt{s} = 7$ ; TeV). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	21
4 <sup>11</sup>	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	21
4 <sup>10</sup>	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
4 <sup>09</sup>	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
4 <sup>08</sup>	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 745, 5-28	4.2	20
4 <sup>07</sup>	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
4 <sup>06</sup>	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20

405	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4.2	20
404	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
403	Measurement of the production cross section for pairs of isolated photons in pp collisions at ( $\sqrt{s} = 7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	20
402	Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 42-61	4.2	20
401	Observation of a diffractive contribution to dijet production in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	20
400	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
399	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
398	Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 815-840	4.2	20
397	New results on silicon microstrip detectors of CMS tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2000</b> , 447, 142-150	1.2	20
396	Search for anomalous single top quark production in association with a photon in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
395	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
394	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
393	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19
392	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
391	Search for resonant and nonresonant Higgs boson pair production in the ( $\overline{\text{b}}\text{b}\ell\ell$ ) final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
390	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
389	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 277	4.2	19
388	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19

387	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
386	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
385	Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 735, 204-225	4.2	19
384	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	19
383	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
382	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4.2	19
381	Search for lepton flavour violating decays of the Higgs boson to $\mu\bar{\nu}_e$ and $e\bar{\nu}_\mu$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
380	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18
379	Study of Z production in PbPb and pp collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
378	Observation of top quark pairs produced in association with a vector boson in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	18
377	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
376	. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
375	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
374	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
373	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
372	Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV. <i>Physical Review D</i> , <b>2012</b> , 86,	4.9	18
371	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	18
370	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	18



369	Search for $(\overline{t}t)$ production in the $(H)$ to $(\overline{b}b)$ decay channel with leptonic $(\overline{t}t)$ decays in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	17
368	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 743, 503-525	4.2	17
367	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
366	Measurement of the inclusive jet cross section in pp collisions at $(\sqrt{s} = 2.76, \text{text {TeV}})$ . <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	17
365	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=8$ TeV in dilepton final states containing one lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 739, 23-43	4.2	17
364	Search for $(\overline{t}t)$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
363	Searches for pair production of third-generation squarks in pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4.2	17
362	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	17
361	Search for stopped long-lived particles produced in pp collisions at $(\sqrt{s} = \text{text {7TeV}})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	17
360	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	17
359	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at $\sqrt{s}(\text{NN}) = 2.76$ TeV. <i>Physical Review Letters</i> , <b>2013</b> , 110, 042301	7.4	17
358	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	17
357	Search for pair production of first-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 201802	7.4	17
356	Performance of the CMS hadron calorimeter with cosmic ray muons and LHC beam data. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03012-T03012	1	17
355	Commissioning and performance of the CMS pixel tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03007-T03007	1	17
354	P-Type Silicon Strip Sensors for the new CMS Tracker at HL-LHC. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P06018-P06018	1	16
353	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 13$ TeV and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16
352	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16

351	Search for new physics with the $M_{T2}$ variable in all-jets final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
350	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\tau$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
349	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973	4.2	16
348	Search for large extra dimensions in dimuon and dielectron events in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 711, 15-34	4.2	16
347	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	16
346	Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1252-1272	4.2	16
345	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
344	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03021-T03021	1	16
343	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16
342	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
341	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
340	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
339	Measurements of ( $\overline{\sigma}(\text{t})$ ) differential cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
338	Measurement of the cross section ratio $\frac{\sigma(\text{t}\bar{\text{t}}\text{bb})}{\sigma(\text{t}\bar{\text{t}}\text{jj})}$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 746, 132-153	4.2	15
337	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
336	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
335	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
334	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15

333	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	15
332	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404	4-2	15
331	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	15
330	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	15
329	Commissioning and performance of the CMS silicon strip tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03008-T03008	1	15
328	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03001-T03001	1	15
327	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	15
326	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4-2	14
325	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	14
324	Measurement of the production cross section ratio $\frac{\sigma(B2(1P))}{\sigma(B1(1P))}$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 743, 383-402	4-2	14
323	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4-2	14
322	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	14
321	Measurement of the ( $\Lambda_{\text{b}}^0$ ) lifetime in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	14
320	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section in the all-jet final state in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	14
319	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section using events with one lepton and at least one jet in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	14
318	Time reconstruction and performance of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03011-T03011	1	14
317	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	14
316	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	14

315	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
314	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\tau$ leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
313	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
312	Search for supersymmetry in events with a $\tau$ lepton pair and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
311	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
310	Search for resonant ( $\overline{\text{t}}\text{t}$ ) production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
309	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow \mu^+ \mu^-$ and $B \rightarrow \mu^+ \mu^- \mu^+ \mu^-$ and $(\text{mathcal{B}}\{\text{B}\}\{\text{left}\{\{\text{mathrm{B}}\}_{\text{mathrm{c}}\}^{\text{pm}}\}\text{to}\text{mathrm{J}}/\psi\{\text{pi}\}^{\text{pm}}\}\{\text{pi}\}^{\text{pm}}\}\{\text{pi}\}^{\text{pm}}\}\{\text{pi}\}^{\text{pm}}\}\text{right})/\text{mathrm{mathcal{B}}}\{\text{B}\}\{\text{left}\{\{\text{mathrm{B}}\}_{\text{mathrm{c}}\}^{\text{pm}}\}\text{to}\text{mathrm{J}}/\psi\{\text{pi}\}^{\text{pm}}\}\text{right})$ ) in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> ,	5.4	13
308	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
307	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13
306	Measurement of exclusive $\gamma$ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
305	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
304	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4.2	13
303	Searches for Higgs bosons in pp collisions at $\sqrt{s}=7$ and 8 TeV in the context of four-generation and fermiophobic models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 725, 36-59	4.2	13
302	Search for a fermiophobic Higgs boson in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
301	Search for charge-asymmetric production of $\tau$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 717, 351-370	4.2	13
300	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
299	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
298	Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	13

297	Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 702, 336-354	4.2	13
296	Search for pair production of second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2011</b> , 106, 201803	7.4	13
295	Measurement of $(\sigma_{\text{pp}}^{\text{hbox}})$ normalised multi-differential cross sections in $(\text{pp})$ collisions at $(\sqrt{s}=13, \text{TeV})$ , and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
294	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
293	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $(\sqrt{s_{\text{N}}; \text{N}})=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
292	Search for $(\overline{\text{t}}\text{H})$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
291	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4.2	13
290	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12
289	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
288	Measurement of normalized differential $(\overline{\text{t}})$ cross sections in the dilepton channel from pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
287	Measurement of the production cross section for $(\text{Z}\gamma \rightarrow \nu \overline{\nu})$ in pp collisions at $(\sqrt{s} = 7)$ TeV and limits on ZZ and ZZ triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
286	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
285	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
284	Search for quark compositeness in dijet angular distributions from pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
283	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $(\sqrt{s}=7; \text{TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	12
282	Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 723, 280-301	4.2	12
281	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	12
280	Study of the Dijet mass spectrum in pp $\rightarrow W$ +jets events at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , <b>2012</b> , 109, 251801	7.4	12

279	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
278	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 939	4.2	12
277	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	12
276	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
275	Search for new physics in the monophoton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
274	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
273	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11
272	Phenomenological MSSM interpretation of CMS searches in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	11
271	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11
270	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
269	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
268	Search for new physics with dijet angular distributions in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
267	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	11
266	Search for supersymmetry with razor variables in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4.9	11
265	Measurement of the underlying event activity in pp collisions at ( $\sqrt{s}=0.9$ ) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
264	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
263	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
262	Rapidity distributions in exclusive Z+jet and $\ell$ jet events in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 88,	4.9	11

261	Search for first generation scalar leptoquarks in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 703, 246-266	4.2	11
260	Stand-alone cosmic muon reconstruction before installation of the CMS silicon strip tracker. <i>Journal of Instrumentation</i> , <b>2009</b> , 4, P05004-P05004	1	11
259	Measurements of differential Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
258	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}$ = 13 TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
257	Charged-particle nuclear modification factors in XeXe collisions at ( $\sqrt{s_{\mathrm{NN}}}$ ) = 5.44 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
256	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
255	Search for the decay of a Higgs boson in the $\tau\tau$ channel in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
254	Search for beyond the standard model Higgs bosons decaying into a ( $\overline{b}b$ ) pair in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
253	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
252	Search for new neutral Higgs bosons through the ( $H \rightarrow ZA \rightarrow \ell\ell^+\ell\ell^-\overline{b}b$ ) process in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
251	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$ , $WZ$ , or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
250	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ( $\sqrt{s}$ ) = 8 TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
249	Search for excited leptons in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
248	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	10
247	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2493	4.2	10
246	Measurements of jet charge with dijet events in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
245	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
244	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10

243	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
242	Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	10
241	Search for contact interactions using the inclusive jet pT spectrum in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	10
240	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	10
239	Beam test results for single- and double-sided silicon detector prototypes of the CMS central detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1997</b> , 396, 76-92	1.2	10
238	Measurement of properties of ( $\mathbf{B}_{\mathbf{s}}^0$ ) <sup>0</sup> decays and search for $\mathbf{B}_0$ with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
237	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
236	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
235	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
234	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
233	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
232	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
231	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
230	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 457	4.2	9
229	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
228	Search for baryon number violation in top-quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 731, 173-196	4.2	9
227	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1208-1228	4.2	9
226	Search for associated production of dark matter with a Higgs boson decaying to ( $\mathbf{b}\overline{\mathbf{b}}$ ) or $\mathbf{b}\mathbf{t}$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9



225	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
224	Measurement of electroweak-induced production of $W\bar{W}$ with two jets in pp collisions at $(\sqrt{s}=8)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
223	Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	9
222	Publisher's Note: Search for Dijet Resonances in 7 TeV pp Collisions at CMS [Phys. Rev. Lett. 105, 211801 (2010)]. <i>Physical Review Letters</i> , <b>2011</b> , 106,	7.4	9
221	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
220	Search for a light pseudoscalar Higgs boson in the boosted $\bar{W}$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
219	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $[Formula: see text]$ pair in proton-proton collisions at $[Formula: see text]$ . <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
218	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
217	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
216	Search for a singly produced third-generation scalar leptoquark decaying to a $\bar{\nu}$ lepton and a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
215	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
214	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
213	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
212	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
211	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $(\sqrt{s_{\text{NN}}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
210	Search for s channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
209	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
208	Search for excited leptons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 309-329	4.2	8

207	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
206	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 354	4.2	8
205	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4.2	8
204	A search for excited leptons in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 704, 143-162	4.2	8
203	Performance study of the CMS barrel resistive plate chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03017-T03017	1	8
202	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03020-T03020	1	8
201	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
200	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
199	Trapping in proton irradiated p+n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P04023-P04023	1	8
198	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
197	Search for electroweak production of charginos in final states with two leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
196	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7
195	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ( $\sqrt{s}=13$ ,text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
194	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4.2	7
193	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
192	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
191	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
190	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7

189	Search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	7
188	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	7
187	Jet properties in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
186	Measurement of the semileptonic ( $\overline{\mathrm{t}} + \bar{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
185	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
184	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
183	Measurement of the $Z\bar{\nu}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	7
182	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	7
181	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	7
180	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4-2	7
179	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
178	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
177	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $Z\bar{q}$ final states at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
176	Search for dark matter produced in association with a Higgs boson decaying to $\bar{\nu}\nu$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
175	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
174	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4-2	7
173	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4-2	6
172	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ( $\sqrt{s}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	6

171	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2	6
170	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4.2	6
169	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\mu\bar{\nu}_\tau$ and $e\bar{\nu}_\tau$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
168	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
167	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $(\sqrt{s} = 13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	6
166	Search for anomalous production of highly boosted Z bosons decaying to $\mu\bar{\mu}$ in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 722, 28-47	4.2	6
165	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	6
164	Alignment of the CMS silicon strip tracker during stand-alone commissioning. <i>Journal of Instrumentation</i> , <b>2009</b> , 4, T07001-T07001	1	6
163	Performance of the CMS drift tube chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03015-T03015		
162	Measurement of the muon stopping power in lead tungstate. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P03007-P03007		
161	The effect of highly ionising particles on the CMS silicon strip tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2005</b> , 543, 463-482	1.2	6
160	The R&D program for silicon detectors in CMS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1999</b> , 435, 109-117	1.2	6
159	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
158	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
157	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6
156	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
155	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
154	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6

153	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
152	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\nu\overline{\nu}\mathit{q}\overline{\mathit{q}}$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
151	Measurement of the mass of the top quark in decays with a J/ $\Upsilon$ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	5
150	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	5
149	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 88,	4-9	5
148	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	5
147	Comparison of the Z/ $\Upsilon$ + jets to $\Upsilon$ jets cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	5
146	Search for jet extinction in the inclusive jet-pT spectrum from proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , <b>2014</b> , 90,	4-9	5
145	Search for contact interactions in $\mu\mu$ events in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4-9	5
144	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03013-T03013	1	5
143	Performance of CMS silicon microstrip detectors with the APV6 readout chip. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2000</b> , 447, 133-141	1.2	5
142	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV <b>2011</b> , 2011, 1		5
141	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
140	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4-2	5
139	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4-2	5
138	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4-2	5
137	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\mathit{b}})q(\overline{\mathit{q}})$ final state in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	5
136	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4-2	5

135	Measurement of the groomed jet mass in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
134	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
133	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4-2	5
132	Search for a low-mass $\chi$ resonance in association with a bottom quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	4
131	Search for the pair production of light top squarks in the $e\bar{e}\chi$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	4
130	Search for nonresonant Higgs boson pair production in the ( $\overline{\mathrm{b}}\overline{\mathrm{b}}\mathrm{b}\overline{\mathrm{b}}$ ) final state at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	4
129	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4-2	4
128	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4-2	4
127	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 302	4-2	4
126	Evidence for ( $W$ ) $W$ production from double-parton interactions in proton-proton collisions at ( $\sqrt{s} = 13$ , text {TeV}). <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	4
125	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4-2	4
124	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
123	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
122	Search for a $W$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	4
121	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
120	Search for high-mass $Z$ resonances in $e+e$ and $\chi$ final states in proton-proton collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
119	Search for CP violation in ( $\overline{t}$ ) production and decay in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
118	Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV. <i>Physical Review D</i> , <b>2015</b> , 91,	4-9	4

117	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03018-T03018	1	4
116	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03019-T03019	1	4
115	Performance of the CMS Level-1 trigger during commissioning with cosmic ray muons and LHC beams. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03002-T03002	1	4
114	The CMS tracker operation and performance at the Magnet Test and Cosmic Challenge. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, P07006-P07006	1	4
113	Study of radiation damage and substrate resistivity effects from beam test of silicon microstrip detectors using LHC readout electronics. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 488, 85-93	1.2	4
112	Characterisation and simulation of a single-sided, n+ on n silicon microstrip detector before and after neutron irradiation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1999</b> , 428, 336-347	1.2	4
111	Measurement of differential cross sections and charge ratios for $\gamma$ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
110	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	4
109	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
108	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
107	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $(\sqrt{s}=13\sim\text{hbox}{\text{TeV}})$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	4
106	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
105	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $l\bar{l}$ leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	3
104	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4.2	3
103	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
102	Measurement of the inclusive $(\overline{\text{t}})$ cross section in pp collisions at $(\sqrt{s}=5.02)$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
101	Search for ZZ resonances in the $2l\bar{l}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
100	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3

99	Test beam performance measurements for the Phase I upgrade of the CMS pixel detector. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05022-P05022	1	3
98	Search for top quark partners with charge $5/3$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
97	Study of hadronic event-shape variables in multijet final states in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	3
96	Measurement of the cross section for production of ( $\overline{b} X$ ) decaying to muons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	3
95	A comparison on radiation tolerance of and silicon substrates of microstrip detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 476, 744-750	1.2	3
94	A comparison on radiation tolerance of microstrip detectors built on and silicon substrates after proton irradiation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 485, 109-115	1.2	3
93	The CMS silicon strip tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2000</b> , 446, 229-234	1.2	3
92	The CMS silicon strip tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1999</b> , 435, 102-108	1.2	3
91	Measurements of the ( $\mathrm{p}\mathrm{p}\rightarrow\mathrm{Z}\mathrm{Z}$ ) production cross section and the ( $\mathrm{Z}\rightarrow 4\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s} = 13, \text{TeV}$ ) <b>2018</b> , 78, 1		3
90	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4-2	3
89	Measurement of the ( $\overline{t}$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s} = 8$ TeV <b>2014</b> , 2014, 1		3
88	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at ( $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
87	Investigation into the event-activity dependence of $\gamma$ (nS) relative production in proton-proton collisions at ( $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
86	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
85	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
84	Event shape variables measured using multijet final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
83	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
82	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3



81	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4.2	2
80	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
79	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\tau$ meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
78	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W$ and Z boson production cross sections in proton-proton collisions at ( $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
77	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
76	Measurement of differential cross sections in the kinematic angular variable $\phi^*$ for inclusive Z boson production in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	2
75	Search for dark matter particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
74	Search for $W \rightarrow \tau b$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
73	Search for the production of an excited bottom quark decaying to $tW$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
72	Inclusive search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
71	Search for excited leptons in final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
70	Measurements of the $pp \rightarrow W$ and $pp \rightarrow Z$ cross sections and limits on anomalous quartic gauge couplings at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	2
69	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4.2	2
68	Search for new phenomena with multiple charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4.2	2
67	Performance studies of the CMS Strip Tracker before installation. <i>Journal of Instrumentation</i> , <b>2009</b> , 4, P06009-P06009	1	2
66	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03016-T03016	1	2
65	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03004-T03004	1	2
64	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03006-T03006	1	2

63	First level trigger using pixel detector for the CMS experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 570, 266-270	1.2	2
62	Study of the annealing effect on silicon microstrip detectors built on and substrates after proton irradiation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 530, 122-127	1.2	2
61	Study of bistable defects created after high-temperature annealing in proton irradiated Si diodes. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 530, 128-133	1.2	2
60	Optimization of the silicon sensors for the CMS tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2001</b> , 466, 300-307 <sup>1.2</sup>	1.2	2
59	The CMS silicon microstrip detectors: research and development. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1999</b> , 426, 16-23	1.2	2
58	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $\sqrt{s}=8$ ) TeV <b>2013</b> , 2013, 1		2
57	Search for supersymmetry using Higgs boson to diphoton decays at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
56	Beam test performance of prototype silicon detectors for the Outer Tracker for the Phase-2 Upgrade of CMS. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P03014-P03014	1	2
55	The production of isolated photons in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}$ ) = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
54	Bose-Einstein correlations of charged hadrons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
53	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4.2	2
52	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4.2	2
51	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
50	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
49	Test beam demonstration of silicon microstrip modules with transverse momentum discrimination for the future CMS tracking detector. <i>Journal of Instrumentation</i> , <b>2018</b> , 13, P03003-P03003	1	2
48	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4.2	1
47	Search for supersymmetry in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
46	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1

45	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
44	Performance of the CMS drift-tube chamber local trigger with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03003-T03003	1	1
43	Commissioning of the CMS High-Level Trigger with cosmic rays. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, T03005-T03005	1	1
42	Beam test results for single- and double-sided irradiated silicon detector prototypes of the CMS Central Detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1998</b> , 409, 135-138	1.2	1
41	CMS silicon tracker developments. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2002</b> , 477, 440-445	1.2	1
40	The CMS silicon tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2000</b> , 453, 121-125	1.2	1
39	Test beam results on irradiated silicon detectors for the CMS Silicon Strip Tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1999</b> , 434, 313-336	1.2	1
38	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \text{ overline{\Lambda} p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1
37	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
36	Measurement of the cross section for $(\text{t} \text{ overline{\text{t}}})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
35	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
34	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
33	Search for the lepton flavor violating decay $\mu \rightarrow 3\pi$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
32	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
31	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4.2	0
30	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	0
29	The DAQ and control system for the CMS Phase-1 pixel detector upgrade. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P10017-P10017	1	0
28	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	0

27	Search for a heavy vector resonance decaying to a $\bar{b}$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	○
26	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	○
25	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
24	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	○
23	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	○
22	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
21	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
20	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
19	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
18	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
17	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
16	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
15	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	
14	The CMS silicon tracker at LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1998</b> , 409, 105-111	1.2	
13	The CMS silicon tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>1998</b> , 419, 538-543	1.2	
12	CMS Monte Carlo production in the WLCG computing grid. <i>Journal of Physics: Conference Series</i> , <b>2008</b> , 119, 052019	0.3	
11	First performance studies of a pixel-based trigger in the CMS experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 570, 271-275	1.2	
10	CMS Monte Carlo production operations in a distributed computing environment. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2008</b> , 177-178, 324-325		

- 9 CMS SILICON STRIP DETECTORS. *International Journal of Modern Physics A*, **2001**, 16, 1074-1077 1.2
- 8 Beam test results on n+-on-n type silicon microstrip detectors before and after neutron irradiation. *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, **2000**, 440, 136-150 1.2
- 7 Test results on heavily irradiated silicon detectors for the CMS experiment at LHC. *IEEE Transactions on Nuclear Science*, **2000**, 47, 2092-2100 1.7
- 6 R&D for the CMS silicon tracker. *Nuclear Physics, Section B, Proceedings Supplements*, **1999**, 78, 322-328
- 5 Test results of heavily irradiated Si detectors. *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, **1999**, 422, 238-241 1.2
- 4 The silicon microstrip tracker for CMS. *Nuclear Physics, Section B, Proceedings Supplements*, **1999**, 78, 315-321
- 3 Calibration of the CMS hadron calorimeters using proton-proton collision data at  $\sqrt{s} = 13$  TeV. *Journal of Instrumentation*, **2020**, 15, P05002-P05002 1
- 2 Study of dijet events with large rapidity separation in proton-proton collisions at  $\sqrt{s} = 2.76$  TeV. *Journal of High Energy Physics*, **2022**, 2022, 1 5.4
- 1 Measurement of the inclusive  $\overline{\text{t}}\text{t}$  production cross section in proton-proton collisions at  $\sqrt{s} = 5.02$  TeV. *Journal of High Energy Physics*, **2022**, 2022, 1 5.4