

Neil Pearce

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7151854/neil-pearce-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

517
papers

40,454
citations

84
h-index

191
g-index

602
ext. papers

46,501
ext. citations

6.7
avg, IF

7.16
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 517 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60 | 4.0 | 7625 |
| 516 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96 | 4.0 | 4971 |
| 515 | International Study of Asthma and Allergies in Childhood (ISAAC): rationale and methods. <i>European Respiratory Journal</i> , 1995 , 8, 483-91 | 13.6 | 2210 |
| 514 | Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004 | 4.0 | 950 |
| 513 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43 | 4.0 | 842 |
| 512 | Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). <i>Thorax</i> , 2007 , 62, 758-66 | 7.3 | 764 |
| 511 | Worldwide variations in the prevalence of symptoms of atopic eczema in the International Study of Asthma and Allergies in Childhood. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 103, 125-38 | 11.5 | 701 |
| 510 | Bioaerosol health effects and exposure assessment: progress and prospects. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 187-200 | | 609 |
| 509 | Non-eosinophilic asthma: importance and possible mechanisms. <i>Thorax</i> , 2002 , 57, 643-8 | 7.3 | 433 |
| 508 | Worldwide variations in prevalence of symptoms of allergic rhinoconjunctivitis in children: the International Study of Asthma and Allergies in Childhood (ISAAC). <i>Pediatric Allergy and Immunology</i> , 1997 , 8, 161-76 | 4.2 | 419 |
| 507 | How much asthma is really attributable to atopy?. <i>Thorax</i> , 1999 , 54, 268-72 | 7.3 | 415 |
| 506 | UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 381, 997-1020 | 4.0 | 401 |
| 505 | Prescribed fenoterol and death from asthma in New Zealand, 1981-83: case-control study. <i>Lancet, The</i> , 1989 , 1, 917-22 | 4.0 | 390 |
| 504 | Global burden of asthma among children. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014 , 18, 1269-78 | 2.1 | 365 |
| 503 | Analysis of matched case-control studies. <i>BMJ, The</i> , 2016 , 352, i969 | 5.9 | 338 |
| 502 | Prevalence and etiology of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 105, S466-72 | 11.5 | 338 |
| 501 | Neurofilament light chain: A prognostic biomarker in amyotrophic lateral sclerosis. <i>Neurology</i> , 2015 , 84, 2247-57 | 6.5 | 293 |

| | | | |
|-----|---|------|-----|
| 500 | Traditional epidemiology, modern epidemiology, and public health. <i>American Journal of Public Health</i> , 1996 , 86, 678-83 | 5.1 | 286 |
| 499 | Cancer mortality in workers exposed to phenoxy herbicides, chlorophenols, and dioxins. An expanded and updated international cohort study. <i>American Journal of Epidemiology</i> , 1997 , 145, 1061-75 ^{3,8} | | 269 |
| 498 | Global map of the prevalence of symptoms of rhinoconjunctivitis in children: The International Study of Asthma and Allergies in Childhood (ISAAC) Phase Three. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 123-48 | 9.3 | 260 |
| 497 | BMI and risk of dementia in two million people over two decades: a retrospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 431-436 | 18.1 | 247 |
| 496 | Changes in health in England, with analysis by English regions and areas of deprivation, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , 2015 , 386, 2257-74 | 4.0 | 231 |
| 495 | Prescribed fenoterol and death from asthma in New Zealand, 1981-7: a further case-control study. <i>Thorax</i> , 1991 , 46, 105-11 | 7.3 | 226 |
| 494 | Is social capital the key to inequalities in health?. <i>American Journal of Public Health</i> , 2003 , 93, 122-9 | 5.1 | 218 |
| 493 | Case-control study of prescribed fenoterol and death from asthma in New Zealand, 1977-81. <i>Thorax</i> , 1990 , 45, 170-5 | 7.3 | 214 |
| 492 | Self-reported prevalence of asthma symptoms in children in Australia, England, Germany and New Zealand: an international comparison using the ISAAC protocol. <i>European Respiratory Journal</i> , 1993 , 6, 1455-61 | 13.6 | 213 |
| 491 | Climate and the prevalence of symptoms of asthma, allergic rhinitis, and atopic eczema in children. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 609-15 | 2.1 | 207 |
| 490 | Analysis of amyotrophic lateral sclerosis as a multistep process: a population-based modelling study. <i>Lancet Neurology</i> , 2014 , 13, 1108-1113 | 24.1 | 205 |
| 489 | Bias in occupational epidemiology studies. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 562-8 | 2.1 | 203 |
| 488 | Defining asthma in epidemiological studies. <i>European Respiratory Journal</i> , 1999 , 14, 951-7 | 13.6 | 200 |
| 487 | Chronic bronchitis, COPD, and lung function in farmers: the role of biological agents. <i>Chest</i> , 2009 , 136, 716-725 | 5.3 | 191 |
| 486 | The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>European Journal of Epidemiology</i> , 2007 , 22, 647-64 | 12.1 | 189 |
| 485 | Cancer mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. <i>Lancet</i> , 1991 , 338, 1027-32 | 4.0 | 187 |
| 484 | What does the odds ratio estimate in a case-control study?. <i>International Journal of Epidemiology</i> , 1993 , 22, 1189-92 | 7.8 | 183 |
| 483 | Antibiotic use in early childhood and the development of asthma. <i>Clinical and Experimental Allergy</i> , 1999 , 29, 766-71 | 4.1 | 178 |

| | | | |
|-----|--|------|-----|
| 482 | Measuring cancer survival in populations: relative survival vs cancer-specific survival. <i>International Journal of Epidemiology</i> , 2010 , 39, 598-610 | 7.8 | 165 |
| 481 | Prevalence of symptoms of asthma, rhinitis and eczema in 13- to 14-year-old children in Africa: the International Study of Asthma and Allergies in Childhood Phase III. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 247-58 | 9.3 | 157 |
| 480 | Diet and asthma, allergic rhinoconjunctivitis and atopic eczema symptom prevalence: an ecological analysis of the International Study of Asthma and Allergies in Childhood (ISAAC) data. ISAAC Phase One Study Group. <i>European Respiratory Journal</i> , 2001 , 17, 436-43 | 13.6 | 155 |
| 479 | Markers of risk of asthma death or readmission in the 12 months following a hospital admission for asthma. <i>International Journal of Epidemiology</i> , 1992 , 21, 737-44 | 7.8 | 150 |
| 478 | Causality and causal inference in epidemiology: the need for a pluralistic approach. <i>International Journal of Epidemiology</i> , 2016 , 45, 1776-1786 | 7.8 | 150 |
| 477 | Prevalence of obesity, hypertension, and diabetes, and cascade of care in sub-Saharan Africa: a cross-sectional, population-based study in rural and urban Malawi. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 208-222 | 18.1 | 145 |
| 476 | End of the New Zealand asthma mortality epidemic. <i>Lancet, The</i> , 1995 , 345, 41-4 | 4.0 | 144 |
| 475 | Farm exposure in utero may protect against asthma, hay fever and eczema. <i>European Respiratory Journal</i> , 2008 , 32, 603-11 | 13.6 | 143 |
| 474 | Case-control studies: basic concepts. <i>International Journal of Epidemiology</i> , 2012 , 41, 1480-9 | 7.8 | 135 |
| 473 | International patterns of tuberculosis and the prevalence of symptoms of asthma, rhinitis, and eczema. <i>Thorax</i> , 2000 , 55, 449-53 | 7.3 | 135 |
| 472 | Is allergen exposure the major primary cause of asthma?. <i>Thorax</i> , 2000 , 55, 424-31 | 7.3 | 133 |
| 471 | The ecological fallacy strikes back. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 326-7 | 5.1 | 124 |
| 470 | Statistical foundations for model-based adjustments. <i>Annual Review of Public Health</i> , 2015 , 36, 89-108 | 20.6 | 123 |
| 469 | Soft Tissue Sarcoma and Non-Hodgkin's Lymphoma in Workers Exposed to Phenoxy Herbicides, Chlorophenols, and Dioxins. <i>Epidemiology</i> , 1995 , 6, 396-402 | 3.1 | 122 |
| 468 | Outcome modelling strategies in epidemiology: traditional methods and basic alternatives. <i>International Journal of Epidemiology</i> , 2016 , 45, 565-75 | 7.8 | 122 |
| 467 | Maternal complications and procedures in pregnancy and at birth and wheezing phenotypes in children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 16-21 | 10.2 | 120 |
| 466 | Comparison of asthma prevalence in the ISAAC and the ECRHS. ISAAC Steering Committee and the European Community Respiratory Health Survey. International Study of Asthma and Allergies in Childhood. <i>European Respiratory Journal</i> , 2000 , 16, 420-6 | 13.6 | 118 |
| 465 | Hospital volume, proportion resected and mortality from oesophageal and gastric cancer: a population-based study in England, 2004-2008. <i>Gut</i> , 2013 , 62, 961-6 | 19.2 | 117 |

| | | | |
|-----|---|------|-----|
| 464 | Is infant immunization a risk factor for childhood asthma or allergy?. <i>Epidemiology</i> , 1997 , 8, 678-80 | 3.1 | 114 |
| 463 | Classification of epidemiological study designs. <i>International Journal of Epidemiology</i> , 2012 , 41, 393-7 | 7.8 | 111 |
| 462 | Effect measures in prevalence studies. <i>Environmental Health Perspectives</i> , 2004 , 112, 1047-50 | 8.4 | 109 |
| 461 | Commentary: Representativeness is usually not necessary and often should be avoided. <i>International Journal of Epidemiology</i> , 2013 , 42, 1018-22 | 7.8 | 108 |
| 460 | The hygiene hypothesis in allergy and asthma: an update. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2013 , 13, 70-7 | 3.3 | 106 |
| 459 | The relationship of per capita gross national product to the prevalence of symptoms of asthma and other atopic diseases in children (ISAAC). <i>International Journal of Epidemiology</i> , 2001 , 30, 173-9 | 7.8 | 106 |
| 458 | Tackling non-communicable diseases in low- and middle-income countries: is the evidence from high-income countries all we need?. <i>PLoS Medicine</i> , 2013 , 10, e1001377 | 11.6 | 105 |
| 457 | Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38 | 6.5 | 103 |
| 456 | Antibiotic use in infancy and symptoms of asthma, rhinoconjunctivitis, and eczema in children 6 and 7 years old: International Study of Asthma and Allergies in Childhood Phase III. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 124, 982-9 | 11.5 | 103 |
| 455 | Exposure to dioxin and nonneoplastic mortality in the expanded IARC international cohort study of phenoxy herbicide and chlorophenol production workers and sprayers. <i>Environmental Health Perspectives</i> , 1998 , 106 Suppl 2, 645-53 | 8.4 | 103 |
| 454 | Prevalence of musculoskeletal symptoms in relation to gender, age, and occupational/industrial group. <i>International Journal of Industrial Ergonomics</i> , 2011 , 41, 561-572 | 2.9 | 100 |
| 453 | Self-reported truck traffic on the street of residence and symptoms of asthma and allergic disease: a global relationship in ISAAC phase 3. <i>Environmental Health Perspectives</i> , 2009 , 117, 1791-8 | 8.4 | 99 |
| 452 | Infections, medication use, and the prevalence of symptoms of asthma, rhinitis, and eczema in childhood. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 852-7 | 5.1 | 99 |
| 451 | Universal weekly testing as the UK COVID-19 lockdown exit strategy. <i>Lancet, The</i> , 2020 , 395, 1420-1421 | 4.0 | 98 |
| 450 | Association of beta2-adrenergic receptor polymorphisms with severe asthma. <i>Clinical and Experimental Allergy</i> , 2000 , 30, 1097-103 | 4.1 | 98 |
| 449 | Does environmental endotoxin exposure prevent asthma?. <i>Thorax</i> , 2002 , 57, 86-90 | 7.3 | 97 |
| 448 | Genetics, race, ethnicity, and health. <i>BMJ, The</i> , 2004 , 328, 1070-2 | 5.9 | 96 |
| 447 | Gender differences in occupational exposure patterns. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 888-94 | 2.1 | 95 |

| | | | |
|-----|---|------|----|
| 446 | Relationship between fetal growth and the development of asthma and atopy in childhood. <i>Thorax</i> , 1999 , 54, 905-10 | 7.3 | 94 |
| 445 | Estimating the causal influence of body mass index on risk of Parkinson disease: A Mendelian randomisation study. <i>PLoS Medicine</i> , 2017 , 14, e1002314 | 11.6 | 93 |
| 444 | Socioeconomic status, asthma and chronic bronchitis in a large community-based study. <i>European Respiratory Journal</i> , 2007 , 29, 897-905 | 13.6 | 92 |
| 443 | Improving access to health care among New Zealand's Maori population. <i>American Journal of Public Health</i> , 2006 , 96, 612-7 | 5.1 | 92 |
| 442 | Comparison of a video questionnaire with the IUATLD written questionnaire for measuring asthma prevalence. <i>Clinical and Experimental Allergy</i> , 1992 , 22, 561-8 | 4.1 | 91 |
| 441 | Beta-agonists: what is the evidence that their use increases the risk of asthma morbidity and mortality?. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 104, S18-30 | 11.5 | 90 |
| 440 | Bladder cancer and occupational exposure to polycyclic aromatic hydrocarbons. <i>International Journal of Cancer</i> , 1989 , 44, 648-51 | 7.5 | 90 |
| 439 | Siblings, asthma, rhinoconjunctivitis and eczema: a worldwide perspective from the International Study of Asthma and Allergies in Childhood. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 126-36 | 4.1 | 89 |
| 438 | Asthma and the westernization package? <i>International Journal of Epidemiology</i> , 2002 , 31, 1098-102 | 7.8 | 89 |
| 437 | Latency analysis in occupational epidemiology. <i>Archives of Environmental Health</i> , 1990 , 45, 95-100 | | 88 |
| 436 | Lifelong farm exposure may strongly reduce the risk of asthma in adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 1158-65 | 9.3 | 87 |
| 435 | The multistep hypothesis of ALS revisited: The role of genetic mutations. <i>Neurology</i> , 2018 , 91, e635-e643 | 7.5 | 86 |
| 434 | Systemic inflammatory response and neuromuscular involvement in amyotrophic lateral sclerosis. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016 , 3, e244 | 9.1 | 85 |
| 433 | How well do questionnaires perform compared with physical examination in detecting flexural eczema? Findings from the International Study of Asthma and Allergies in Childhood (ISAAC) Phase Two. <i>British Journal of Dermatology</i> , 2009 , 161, 846-53 | 4 | 81 |
| 432 | Epidemiologic studies of cancer in agricultural workers. <i>American Journal of Industrial Medicine</i> , 1990 , 18, 133-48 | 2.7 | 81 |
| 431 | Ethnic inequalities in cancer survival in New Zealand: linkage study. <i>American Journal of Public Health</i> , 2005 , 95, 834-7 | 5.1 | 80 |
| 430 | Plasma neurofilament heavy chain levels and disease progression in amyotrophic lateral sclerosis: insights from a longitudinal study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 565-73 | 5.5 | 74 |
| 429 | Occupational asthma in New Zealanders: a population based study. <i>Occupational and Environmental Medicine</i> , 1997 , 54, 301-6 | 2.1 | 73 |

| | | | |
|-----|---|------|----|
| 428 | Cancer risks in New Zealand farmers. <i>International Journal of Epidemiology</i> , 1989 , 18, 768-74 | 7.8 | 72 |
| 427 | Measuring the prevalence of bronchial hyper-responsiveness in children. <i>International Journal of Epidemiology</i> , 1995 , 24, 597-602 | 7.8 | 71 |
| 426 | Case-control studies of cancer in New Zealand electrical workers. <i>International Journal of Epidemiology</i> , 1989 , 18, 55-9 | 7.8 | 70 |
| 425 | Chronic bronchitis, shortness of breath, and airway obstruction by occupation in New Zealand. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997 , 156, 1440-6 | 10.2 | 69 |
| 424 | The relationship between anthropometric measurements at birth: asthma and atopy in childhood. <i>Clinical and Experimental Allergy</i> , 1999 , 29, 330-3 | 4.1 | 69 |
| 423 | Beta agonists and asthma mortality: dīvu. <i>Clinical and Experimental Allergy</i> , 1991 , 21, 401-10 | 4.1 | 68 |
| 422 | Environmental epidemiology: challenges and opportunities. <i>Environmental Health Perspectives</i> , 2001 , 109, 1-5 | 8.4 | 66 |
| 421 | Associations between fast food and physical activity environments and adiposity in mid-life: cross-sectional, observational evidence from UK Biobank. <i>Lancet Public Health</i> , 2018 , 3, e24-e33 | 22.4 | 65 |
| 420 | Asthma mortality and inhaled beta agonist therapy. <i>Australian and New Zealand Journal of Medicine</i> , 1991 , 21, 753-63 | | 65 |
| 419 | The COVID-19 pandemic and global environmental change: Emerging research needs. <i>Environment International</i> , 2021 , 146, 106272 | 12.9 | 64 |
| 418 | Sample selection and validity of exposure-disease association estimates in cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 407-11 | 5.1 | 63 |
| 417 | Mortality from lung cancer in workers exposed to sulfur dioxide in the pulp and paper industry. <i>Environmental Health Perspectives</i> , 2002 , 110, 991-5 | 8.4 | 63 |
| 416 | International Collaboration for the Epidemiology of eGFR in Low and Middle Income Populations - Rationale and core protocol for the Disadvantaged Populations eGFR Epidemiology Study (DEGREE). <i>BMC Nephrology</i> , 2017 , 18, 1 | 2.7 | 62 |
| 415 | Community-based asthma care: trial of a "credit card" asthma self-management plan. <i>European Respiratory Journal</i> , 1994 , 7, 1260-5 | 13.6 | 62 |
| 414 | Feasibility of recruiting a birth cohort through the Internet: the experience of the NINFEA cohort. <i>European Journal of Epidemiology</i> , 2007 , 22, 831-7 | 12.1 | 61 |
| 413 | Congenital defects and miscarriages among New Zealand 2, 4, 5-T sprayers. <i>Archives of Environmental Health</i> , 1982 , 37, 197-200 | | 61 |
| 412 | Incidence rates in dynamic populations. <i>International Journal of Epidemiology</i> , 2012 , 41, 1472-9 | 7.8 | 60 |
| 411 | Chronic bronchitis, work related respiratory symptoms, and pulmonary function in welders in New Zealand. <i>Occupational and Environmental Medicine</i> , 1998 , 55, 150-4 | 2.1 | 60 |

| | | | |
|-----|--|------|----|
| 410 | Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles County. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 47-60 | 2.7 | 60 |
| 409 | Time trends and occupational differences in cancer of the testis in New Zealand. <i>Cancer</i> , 1987 , 59, 1677-82 | 8.4 | 60 |
| 408 | Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 34-40 | 2.1 | 59 |
| 407 | The global epidemiology of asthma in children. <i>International Journal of Tuberculosis and Lung Disease</i> , 2006 , 10, 125-32 | 2.1 | 58 |
| 406 | IARC monographs: 40 years of evaluating carcinogenic hazards to humans. <i>Environmental Health Perspectives</i> , 2015 , 123, 507-14 | 8.4 | 57 |
| 405 | Epidemiology in a changing world: variation, causation and ubiquitous risk factors. <i>International Journal of Epidemiology</i> , 2011 , 40, 503-12 | 7.8 | 57 |
| 404 | Improving lung health in low-income and middle-income countries: from challenges to solutions. <i>Lancet, The</i> , 2021 , 397, 928-940 | 4.0 | 57 |
| 403 | Determinants of house dust mite allergen in homes in Wellington, New Zealand. <i>Clinical and Experimental Allergy</i> , 1997 , 27, 1077-85 | 4.1 | 56 |
| 402 | Is hypertension associated with job strain? A meta-analysis of observational studies. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 220-7 | 2.1 | 55 |
| 401 | Invited commentary: is indoor mold exposure a risk factor for asthma?. <i>American Journal of Epidemiology</i> , 2003 , 158, 203-6 | 3.8 | 55 |
| 400 | Descriptive epidemiology of primary cancer of the brain, cranial nerves, and cranial meninges in New Zealand, 1948-88. <i>Cancer Causes and Control</i> , 1993 , 4, 529-38 | 2.8 | 55 |
| 399 | Socioeconomic inequalities in cancer survival in New Zealand: the role of extent of disease at diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 915-21 | 4 | 53 |
| 398 | A New Zealand linkage study examining the associations between A1C concentration and mortality. <i>Diabetes Care</i> , 2008 , 31, 1144-9 | 14.6 | 53 |
| 397 | Occupational physical activity and risk of cancer of the colon and rectum in New Zealand males. <i>Cancer Causes and Control</i> , 1993 , 4, 45-50 | 2.8 | 52 |
| 396 | Comparisons between countries are essential for the control of COVID-19. <i>International Journal of Epidemiology</i> , 2020 , 49, 1059-1062 | 7.8 | 51 |
| 395 | Prevalence of adult asthma symptoms in relation to climate in New Zealand. <i>Environmental Health Perspectives</i> , 1998 , 106, 607-10 | 8.4 | 51 |
| 394 | Cancer-specific administrative data-based comorbidity indices provided valid alternative to Charlson and National Cancer Institute Indices. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 586-95 | 5.7 | 49 |
| 393 | Pathology of asthma and its clinical implications. <i>Journal of Allergy and Clinical Immunology</i> , 1993 , 92, 148-54 | 11.5 | 49 |

| | | | |
|-----|--|------|----|
| 392 | The burden of symptoms of asthma, allergic rhinoconjunctivitis and atopic eczema in children and adolescents in six New Zealand centres: ISAAC Phase One. <i>New Zealand Medical Journal</i> , 2001 , 114, 114-20 | 0.8 | 49 |
| 391 | Corporate influences on epidemiology. <i>International Journal of Epidemiology</i> , 2008 , 37, 46-53 | 7.8 | 47 |
| 390 | Can bacterial endotoxin exposure reverse atopy and atopic disease?. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 114, 1051-4 | 11.5 | 47 |
| 389 | Asthma and other respiratory symptoms in New Zealand pine processing sawmill workers. <i>American Journal of Industrial Medicine</i> , 2001 , 39, 608-15 | 2.7 | 47 |
| 388 | Analytical implications of epidemiological concepts of interaction. <i>International Journal of Epidemiology</i> , 1989 , 18, 976-80 | 7.8 | 47 |
| 387 | Risk factors for asthma symptoms in Kawerau children. <i>New Zealand Medical Journal</i> , 1994 , 107, 387-91 | 0.8 | 47 |
| 386 | Trihalomethanes in Drinking Water and Bladder Cancer Burden in the European Union. <i>Environmental Health Perspectives</i> , 2020 , 128, 17001 | 8.4 | 46 |
| 385 | What do epidemiological studies tell us about chronic kidney disease of undetermined cause in Meso-America? A systematic review and meta-analysis. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 496-506 | 4.5 | 46 |
| 384 | Current concentrations, temporal trends and determinants of persistent organic pollutants in breast milk of New Zealand women. <i>Science of the Total Environment</i> , 2013 , 458-460, 399-407 | 10.2 | 46 |
| 383 | The effect of season-of-response to ISAAC questions about asthma, rhinitis and eczema in children. <i>International Journal of Epidemiology</i> , 1997 , 26, 126-36 | 7.8 | 46 |
| 382 | Exposure and dose modelling in occupational epidemiology. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 492-8 | 2.1 | 45 |
| 381 | Compression, expansion, or dynamic equilibrium? The evolution of health expectancy in New Zealand. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 659-66 | 5.1 | 45 |
| 380 | Limitations of biomarkers of exposure in cancer epidemiology. <i>Epidemiology</i> , 1995 , 6, 190-4 | 3.1 | 45 |
| 379 | Causal inference-so much more than statistics. <i>International Journal of Epidemiology</i> , 2016 , 45, 1895-1903 | 3.8 | 45 |
| 378 | Moderate maternal drinking and outcome of pregnancy. <i>European Journal of Epidemiology</i> , 1993 , 9, 599-606 | 6.6 | 44 |
| 377 | The role of neighborhood characteristics in racial/ethnic disparities in type 2 diabetes: results from the Boston Area Community Health (BACH) Survey. <i>Social Science and Medicine</i> , 2015 , 130, 79-90 | 5.1 | 43 |
| 376 | Asthma nervosa: old concept, new insights. <i>European Respiratory Journal</i> , 2011 , 37, 986-90 | 13.6 | 43 |
| 375 | Selection bias and patterns of confounding in cohort studies: the case of the NINFEA web-based birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 976-81 | 5.1 | 43 |

| | | | |
|-----|---|------|----|
| 374 | Asthma and allergy in New Zealand farmers. <i>American Journal of Industrial Medicine</i> , 1999 , 35, 51-7 | 2.7 | 43 |
| 373 | Closing the mortality gap after a myocardial infarction in people with and without chronic obstructive pulmonary disease. <i>Heart</i> , 2015 , 101, 1103-10 | 5.1 | 41 |
| 372 | Prevalence and work-related risk factors for reduced activities and absenteeism due to low back symptoms. <i>Applied Ergonomics</i> , 2012 , 43, 727-37 | 4.2 | 41 |
| 371 | Respiratory symptoms in children living near busy roads and their relationship to vehicular traffic: results of an Italian multicenter study (SIDRIA 2). <i>Environmental Health</i> , 2009 , 8, 27 | 6 | 41 |
| 370 | What proportion of rhinitis symptoms is attributable to atopy?. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 385-90 | 5.7 | 41 |
| 369 | The magnitude of the effect of smaller family sizes on the increase in the prevalence of asthma and hay fever in the United Kingdom and New Zealand. <i>Journal of Allergy and Clinical Immunology</i> , 1999 , 104, 554-8 | 11.5 | 41 |
| 368 | Occupational risks for brain cancer: a New Zealand Cancer Registry-based study. <i>Journal of Occupational and Environmental Medicine</i> , 1989 , 31, 863-7 | 2 | 41 |
| 367 | Relative Contributions of Socioeconomic, Local Environmental, Psychosocial, Lifestyle/Behavioral, Biophysiological, and Ancestral Factors to Racial/Ethnic Disparities in Type 2 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 1208-17 | 14.6 | 40 |
| 366 | Association between being employed in a smoke-free workplace and living in a smoke-free home: evidence from 15 low and middle income countries. <i>Preventive Medicine</i> , 2014 , 59, 47-53 | 4.3 | 40 |
| 365 | Atopy and allergic respiratory disease in rural Poland before and after accession to the European Union. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 1347-53 | 11.5 | 40 |
| 364 | Risk factors for respiratory syncytial virus bronchiolitis hospital admission in New Zealand. <i>Epidemiology and Infection</i> , 2008 , 136, 1333-41 | 4.3 | 40 |
| 363 | Work-related respiratory symptoms in New Zealand farmers. <i>American Journal of Industrial Medicine</i> , 2001 , 39, 292-300 | 2.7 | 40 |
| 362 | A case-control study of risk factors for asthma in New Zealand children. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 44-9 | 2.3 | 40 |
| 361 | Epidemiology as a population science. <i>International Journal of Epidemiology</i> , 1999 , 28, S1015-8 | 7.8 | 40 |
| 360 | Case-control studies using other diseases as controls: problems of excluding exposure-related diseases. <i>American Journal of Epidemiology</i> , 1988 , 127, 851-6 | 3.8 | 40 |
| 359 | Decline in Kidney Function among Apparently Healthy Young Adults at Risk of Mesoamerican Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2200-2212 | 12.7 | 39 |
| 358 | Consumption of unpasteurized milk and its effects on atopy and asthma in children and adult inhabitants in rural Poland. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 644-50 | 9.3 | 39 |
| 357 | Data sharing: not as simple as it seems. <i>Environmental Health</i> , 2011 , 10, 107 | 6 | 39 |

| | | | |
|-----|--|------|----|
| 356 | Epidemiology, public health, and the rhetoric of false positives. <i>Environmental Health Perspectives</i> , 2009 , 117, 1809-13 | 8.4 | 39 |
| 355 | Case-control study of salmeterol and near-fatal attacks of asthma. <i>Thorax</i> , 1998 , 53, 7-13 | 7.3 | 39 |
| 354 | Two year follow up of pulmonary function values among welders in New Zealand. <i>Occupational and Environmental Medicine</i> , 1999 , 56, 328-33 | 2.1 | 39 |
| 353 | Point: incident exposures, prevalent exposures, and causal inference: does limiting studies to persons who are followed from first exposure onward damage epidemiology?. <i>American Journal of Epidemiology</i> , 2015 , 182, 826-33 | 3.8 | 38 |
| 352 | Worker exposures to airborne dust, endotoxin and beta(1,3)-glucan in two New Zealand sawmills. <i>American Journal of Industrial Medicine</i> , 2000 , 38, 426-30 | 2.7 | 38 |
| 351 | Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019 , 48, 912-925 | 7.8 | 38 |
| 350 | Determinants of non-response in an occupational exposure and health survey in New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 256-63 | 2.3 | 37 |
| 349 | Lung cancer and occupation: A New Zealand cancer registry-based case-control study. <i>American Journal of Industrial Medicine</i> , 2011 , 54, 89-101 | 2.7 | 37 |
| 348 | Prevalence of respiratory symptoms in migrant children to Italy: the results of SIDRIA-2 study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 293-300 | 9.3 | 37 |
| 347 | Confounding by severity does not explain the association between fenoterol and asthma death. <i>Clinical and Experimental Allergy</i> , 1994 , 24, 660-8 | 4.1 | 37 |
| 346 | A New Zealand Cancer Registry-based study of cancer in wood workers. <i>Cancer</i> , 1989 , 64, 2609-13 | 6.4 | 37 |
| 345 | Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66 | 12.1 | 36 |
| 344 | House dust mite allergen levels in public places in New Zealand. <i>Journal of Allergy and Clinical Immunology</i> , 1997 , 99, 587-93 | 11.5 | 36 |
| 343 | Is testicular cancer an occupational disease of fire fighters?. <i>American Journal of Industrial Medicine</i> , 2001 , 40, 263-70 | 2.7 | 36 |
| 342 | Seasonal variation in asthma hospitalizations and death rates in New Zealand. <i>Respirology</i> , 2000 , 5, 241-6 | 6.6 | 36 |
| 341 | The New Zealand Socioeconomic Index: developing and validating an occupationally-derived indicator of socio-economic status. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 27-33 | 2.3 | 36 |
| 340 | Increasing incidence of non-Hodgkin's lymphoma: occupational and environmental factors. <i>Cancer Research</i> , 1992 , 52, 5496s-5500s | 10.1 | 36 |
| 339 | Welding and lung cancer in a pooled analysis of case-control studies. <i>American Journal of Epidemiology</i> , 2013 , 178, 1513-25 | 3.8 | 35 |

| | | | |
|-----|---|------|----|
| 338 | Antibiotic sales and the prevalence of symptoms of asthma, rhinitis, and eczema: The International Study of Asthma and Allergies in Childhood (ISAAC). <i>International Journal of Epidemiology</i> , 2004 , 33, 558-63 | 7.8 | 35 |
| 337 | Cancer incidence and mortality in women occupationally exposed to chlorophenoxy herbicides, chlorophenols, and dioxins. <i>Cancer Causes and Control</i> , 1993 , 4, 547-53 | 2.8 | 35 |
| 336 | Asthma prevalence and deprivation: a small area analysis. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 476-80 | 5.1 | 34 |
| 335 | Effect modification of the association of cumulative exposure and cancer risk by intensity of exposure and time since exposure cessation: a flexible method applied to cigarette smoking and lung cancer in the SYNERGY Study. <i>American Journal of Epidemiology</i> , 2014 , 179, 290-8 | 3.8 | 33 |
| 334 | Gender differences in work-related risk factors associated with low back symptoms. <i>Ergonomics</i> , 2012 , 55, 327-42 | 2.9 | 33 |
| 333 | Prevalence and risk factors for self-reported asthma in an adult Indian population: a cross-sectional survey. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013 , 17, 275-82 | 2.1 | 33 |
| 332 | Missing heritability in genome-wide association study research. <i>Nature Reviews Genetics</i> , 2010 , 11, 589 | 30.1 | 33 |
| 331 | High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 354-63 | 2.1 | 33 |
| 330 | Increased risks of soft tissue sarcoma, malignant lymphoma, and acute myeloid leukemia in abattoir workers. <i>American Journal of Industrial Medicine</i> , 1988 , 14, 63-72 | 2.7 | 33 |
| 329 | Symptoms suggestive of atopic rhinitis in children aged 6-9 years and the indoor environment. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000 , 55, 945-50 | 9.3 | 32 |
| 328 | Trial of a "credit card" asthma self-management plan in a high-risk group of patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1996 , 97, 1085-92 | 11.5 | 32 |
| 327 | Social class differences in mortality from diseases amenable to medical intervention in New Zealand. <i>International Journal of Epidemiology</i> , 1993 , 22, 255-61 | 7.8 | 32 |
| 326 | Does comorbidity explain the ethnic inequalities in cervical cancer survival in New Zealand? A retrospective cohort study. <i>BMC Cancer</i> , 2011 , 11, 132 | 4.8 | 31 |
| 325 | Selecting appropriate study designs to address specific research questions in occupational epidemiology. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 633-8 | 2.1 | 31 |
| 324 | Environmental Epidemiology: Challenges and Opportunities. <i>Environmental Health Perspectives</i> , 2001 , 109, 1 | 8.4 | 31 |
| 323 | The road to 25 ²⁵ : how can the five-target strategy reach its goal?. <i>The Lancet Global Health</i> , 2014 , 2, e126-8 | 13.6 | 30 |
| 322 | Suitability of forced expiratory volume in 1 second/forced vital capacity vs percentage of predicted forced expiratory volume in 1 second for the classification of asthma severity in adolescents. <i>JAMA Pediatrics</i> , 2008 , 162, 1169-74 | | 30 |
| 321 | Case-control study of high risk occupations for bladder cancer in New Zealand. <i>International Journal of Cancer</i> , 2008 , 122, 1340-6 | 7.5 | 30 |

| | | | |
|-----|--|------|----|
| 320 | Role of bronchial responsiveness testing in asthma prevalence surveys. <i>Thorax</i> , 2000 , 55, 352-4 | 7.3 | 30 |
| 319 | Cardiovascular effects of fenoterol under conditions of hypoxaemia. <i>Thorax</i> , 1992 , 47, 814-7 | 7.3 | 30 |
| 318 | Chemical exposure in manufacture of phenoxy herbicides and chlorophenols and in spraying of phenoxy herbicides. <i>American Journal of Industrial Medicine</i> , 1993 , 23, 903-20 | 2.7 | 30 |
| 317 | Commentary: Three worlds collide: Berkson's bias, selection bias and collider bias. <i>International Journal of Epidemiology</i> , 2014 , 43, 521-4 | 7.8 | 29 |
| 316 | Update on methodological issues in the epidemiology of electromagnetic fields and cancer. <i>Epidemiologic Reviews</i> , 1993 , 15, 558-66 | 4.1 | 29 |
| 315 | The pulmonary and extrapulmonary effects of inhaled beta-agonists in patients with asthma. <i>Clinical Pharmacology and Therapeutics</i> , 1990 , 48, 296-301 | 6.1 | 29 |
| 314 | Evaluation of HIV testing algorithms in Ethiopia: the role of the tie-breaker algorithm and weakly reacting test lines in contributing to a high rate of false positive HIV diagnoses. <i>BMC Infectious Diseases</i> , 2015 , 15, 39 | 4 | 28 |
| 313 | Differences in citation rates by country of origin for papers published in top-ranked medical journals: do they reflect inequalities in access to publication?. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 119-23 | 5.1 | 28 |
| 312 | Epidemiologic studies of beta agonists and asthma deaths. <i>Epidemiologic Reviews</i> , 1998 , 20, 173-86 | 4.1 | 28 |
| 311 | Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. <i>International Journal of Cancer</i> , 1989 , 43, 49-54 | 7.5 | 28 |
| 310 | Global prevention and control of NCDs: Limitations of the standard approach. <i>Journal of Public Health Policy</i> , 2015 , 36, 408-25 | 2.9 | 27 |
| 309 | Classification of asthma severity: should the international guidelines be changed?. <i>Clinical and Experimental Allergy</i> , 1998 , 28, 1565-70 | 4.1 | 27 |
| 308 | Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environmental Health Perspectives</i> , 2006 , 114, 1007-12 | 8.4 | 27 |
| 307 | Association between glycosylated hemoglobin and cancer risk: a New Zealand linkage study. <i>Annals of Oncology</i> , 2007 , 18, 1414-9 | 10.3 | 27 |
| 306 | Acute leukemia in electrical workers: a New Zealand case-control study. <i>Cancer Causes and Control</i> , 2001 , 12, 683-9 | 2.8 | 27 |
| 305 | Time-related factors as potential confounders and effect modifiers in studies based on an occupational cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 1986 , 12, 97-107 | 4.3 | 27 |
| 304 | Risk Factors for Workplace Bullying: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 26 |
| 303 | Short-term breast cancer survival in relation to ethnicity, stage, grade and receptor status: national cohort study in England. <i>British Journal of Cancer</i> , 2016 , 115, 1408-1415 | 8.7 | 26 |

| | | | |
|-----|---|------|----|
| 302 | The benefit of evolving multidisciplinary care in ALS: a diagnostic cohort survival comparison. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 569-575 | 3.6 | 26 |
| 301 | Commentary: The rise and rise of corporate epidemiology and the narrowing of epidemiologyB vision. <i>International Journal of Epidemiology</i> , 2007 , 36, 713-7 | 7.8 | 26 |
| 300 | Design and conduct of occupational epidemiology studies: II. Analysis of cohort data. <i>American Journal of Industrial Medicine</i> , 1989 , 15, 375-94 | 2.7 | 26 |
| 299 | Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 467-77 | 4.3 | 26 |
| 298 | Worldwide trends in the burden of asthma symptoms in school-aged children: Global Asthma Network Phase I cross-sectional study. <i>Lancet, The</i> , 2021 , 398, 1569-1580 | 4.0 | 26 |
| 297 | Myocardial Infarction and Ischemic Stroke after Exacerbations of Chronic Obstructive Pulmonary Disease. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 935-946 | 4.7 | 26 |
| 296 | Using directed acyclic graphs to consider adjustment for socioeconomic status in occupational cancer studies. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, e14 | 5.1 | 25 |
| 295 | Mortality and cancer incidence in New Zealand meat workers. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 541-7 | 2.1 | 25 |
| 294 | Health expectancy in New Zealand, 1981-1991: social variations and trends in a period of rapid social and economic change. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 519-27 | 5.1 | 25 |
| 293 | Problems of measuring asthma prevalence. <i>Respirology</i> , 1996 , 1, 183-8 | 3.6 | 25 |
| 292 | Lack of evidence for beta-2 receptor selectivity: a study of metaproterenol, fenoterol, isoproterenol, and epinephrine in patients with asthma. <i>The American Review of Respiratory Disease</i> , 1991 , 143, 444-6 | | 25 |
| 291 | Critical discussion in epidemiology: problems with the Popperian approach. <i>Journal of Clinical Epidemiology</i> , 1989 , 42, 177-84 | 5.7 | 25 |
| 290 | Risk factors for symptoms of childhood asthma, allergic rhinoconjunctivitis and eczema in the Pacific: an ISAAC Phase III study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2008 , 12, 799-806 ^{2.1} | 2.1 | 25 |
| 289 | Evaluation of a community-based hypertension improvement program (ComHIP) in Ghana: data from a baseline survey. <i>BMC Public Health</i> , 2017 , 17, 368 | 4.1 | 24 |
| 288 | Indoor environment, atopy and the risk of the asthma in children in New Zealand. <i>Pediatric Allergy and Immunology</i> , 1999 , 10, 199-208 | 4.2 | 24 |
| 287 | Prescribed drug therapy and near-fatal asthma attacks. <i>European Respiratory Journal</i> , 1994 , 7, 498-503 | 13.6 | 24 |
| 286 | Nebulized fenoterol causes greater cardiovascular and hypokalaemic effects than equivalent bronchodilator doses of salbutamol in asthmatics. <i>Respiratory Medicine</i> , 1992 , 86, 419-23 | 4.6 | 24 |
| 285 | Cancer among meat industry workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 425-37 | 4.3 | 24 |

| | | | |
|-----|--|-----|----|
| 284 | The rise and rise of asthma: a new paradigm for the new millennium?. <i>Journal of Epidemiology and Biostatistics</i> , 2000 , 5, 5-16 | | 24 |
| 283 | High lung cancer surgical procedure volume is associated with shorter length of stay and lower risks of re-admission and death: National cohort analysis in England. <i>European Journal of Cancer</i> , 2016 , 64, 32-43 | 7.5 | 23 |
| 282 | Dissent: Back to the future in epidemiology and public health: response to Dr. Gori. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 643-6; discussion 647-9 | 5.7 | 23 |
| 281 | Follow up of New Zealand participants in British atmospheric nuclear weapons tests in the Pacific. <i>BMJ: British Medical Journal</i> , 1990 , 300, 1161-6 | | 23 |
| 280 | Multistage modelling of lung cancer mortality in asbestos textile workers. <i>International Journal of Epidemiology</i> , 1988 , 17, 747-52 | 7.8 | 23 |
| 279 | Lung cancer risk among bricklayers in a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2015 , 136, 360-71 | 7.5 | 22 |
| 278 | The contribution of biogeographical ancestry and socioeconomic status to racial/ethnic disparities in type 2 diabetes mellitus: results from the Boston Area Community Health Survey. <i>Annals of Epidemiology</i> , 2014 , 24, 648-54, 654.e1 | 6.4 | 22 |
| 277 | Importance of allergy in asthma: an epidemiologic perspective. <i>Current Allergy and Asthma Reports</i> , 2011 , 11, 434-44 | 5.6 | 22 |
| 276 | Leukaemia and occupation: a New Zealand Cancer Registry-based case-control Study. <i>International Journal of Epidemiology</i> , 2009 , 38, 594-606 | 7.8 | 22 |
| 275 | Stomach cancer in New Zealand: time trends, ethnic group differences and a cancer registry-based case-control study. <i>International Journal of Epidemiology</i> , 1991 , 20, 45-53 | 7.8 | 22 |
| 274 | The self reported prevalence of asthma symptoms amongst adult New Zealanders. <i>New Zealand Medical Journal</i> , 1994 , 107, 417-21 | 0.8 | 22 |
| 273 | Weekly COVID-19 testing with household quarantine and contact tracing is feasible and would probably end the epidemic. <i>Royal Society Open Science</i> , 2020 , 7, 200915 | 3.3 | 22 |
| 272 | Test-Negative Designs: Differences and Commonalities with Other Case-Control Studies with "Other Patient" Controls. <i>Epidemiology</i> , 2019 , 30, 838-844 | 3.1 | 22 |
| 271 | Understanding asthma phenotypes: the World Asthma Phenotypes (WASP) international collaboration. <i>ERJ Open Research</i> , 2018 , 4, | 3.5 | 22 |
| 270 | Commentary: The end of the hygiene hypothesis?. <i>International Journal of Epidemiology</i> , 2008 , 37, 570-27.8 | | 21 |
| 269 | Asthma prevalence in European, Maori, and Pacific children in New Zealand: ISAAC study. <i>Pediatric Pulmonology</i> , 2004 , 37, 433-42 | 3.5 | 21 |
| 268 | The New Zealand workforce survey II: occupational risk factors for asthma. <i>Annals of Occupational Hygiene</i> , 2010 , 54, 154-64 | | 20 |
| 267 | Design and conduct of occupational epidemiology studies: I. Design aspects of cohort studies. <i>American Journal of Industrial Medicine</i> , 1989 , 15, 363-73 | 2.7 | 20 |

| | | | |
|-----|---|------|----|
| 266 | The self-administration of inhaled beta agonist drugs during severe asthma. <i>New Zealand Medical Journal</i> , 1990 , 103, 205-7 | 0.8 | 20 |
| 265 | Absence of airway inflammation in a large proportion of adolescents with asthma. <i>Respirology</i> , 2016 , 21, 460-6 | 3.6 | 20 |
| 264 | Germline CDH1 mutations are a significant contributor to the high frequency of early-onset diffuse gastric cancer cases in New Zealand Māori. <i>Familial Cancer</i> , 2019 , 18, 83-90 | 3 | 20 |
| 263 | Healthy lifestyle and risk of breast cancer for indigenous and non-indigenous women in New Zealand: a case control study. <i>BMC Cancer</i> , 2014 , 14, 12 | 4.8 | 19 |
| 262 | Beta-agonist therapy and asthma mortality in Japan. <i>Lancet, The</i> , 1998 , 351, 1406-7 | 40 | 19 |
| 261 | Respiratory symptoms and environmental factors in schoolchildren in the Bay of Plenty. <i>New Zealand Medical Journal</i> , 1995 , 108, 358-61 | 0.8 | 19 |
| 260 | Mortality and social class in Maori and nonMaori New Zealand men: changes between 1975-7 and 1985-7. <i>New Zealand Medical Journal</i> , 1993 , 106, 193-6 | 0.8 | 19 |
| 259 | Quantitative estimates of work-related death, disease and injury in New Zealand. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31, 266-76 | 4.3 | 19 |
| 258 | Concussion and long-term cognitive impairment among professional or elite sport-persons: a systematic review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 455-468 | 5.5 | 19 |
| 257 | Psychosocial work factors and social inequalities in psychological distress: a population-based study. <i>BMC Public Health</i> , 2017 , 17, 91 | 4.1 | 18 |
| 256 | Head trauma in sport and neurodegenerative disease: an issue whose time has come?. <i>Neurobiology of Aging</i> , 2015 , 36, 1383-9 | 5.6 | 18 |
| 255 | Asthma in the global NCD agenda: a neglected epidemic. <i>Lancet Respiratory Medicine</i> , 2013 , 1, 96-8 | 35.1 | 18 |
| 254 | Towards a comprehensive global approach to prevention and control of NCDs. <i>Globalization and Health</i> , 2014 , 10, 74 | 10 | 18 |
| 253 | The New Zealand workforce survey I: self-reported occupational exposures. <i>Annals of Occupational Hygiene</i> , 2010 , 54, 144-53 | | 18 |
| 252 | Asthma and the beta agonist debate. <i>Thorax</i> , 1995 , 50 Suppl 1, S5-10 | 7.3 | 18 |
| 251 | Respiratory symptoms, across-shift lung function changes and lifetime exposures of welders in New Zealand. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997 , 23, 351-8 | 4.3 | 18 |
| 250 | Risk of Bias Assessments and Evidence Syntheses for Observational Epidemiologic Studies of Environmental and Occupational Exposures: Strengths and Limitations. <i>Environmental Health Perspectives</i> , 2020 , 128, 95002 | 8.4 | 18 |
| 249 | A Test-Negative Design with Additional Population Controls Can Be Used to Rapidly Study Causes of the SARS-CoV-2 Epidemic. <i>Epidemiology</i> , 2020 , 31, 836-843 | 3.1 | 18 |

| | | | |
|-----|---|------|----|
| 248 | Socio-economic factors and mortality among 25-64 year olds followed from 1991 to 1994: the New Zealand Census-Mortality Study. <i>New Zealand Medical Journal</i> , 2002 , 115, 93-7 | 0.8 | 18 |
| 247 | A comparison of sensitivity-specificity imputation, direct imputation and fully Bayesian analysis to adjust for exposure misclassification when validation data are unavailable. <i>International Journal of Epidemiology</i> , 2017 , 46, 1063-1072 | 7.8 | 17 |
| 246 | Prevalence and risk factors for impaired kidney function in the district of Anuradhapura, Sri Lanka: a cross-sectional population-representative survey in those at risk of chronic kidney disease of unknown aetiology. <i>BMC Public Health</i> , 2019 , 19, 763 | 4.1 | 17 |
| 245 | Prevalence of and risk factors for chronic kidney disease of unknown aetiology in India: secondary data analysis of three population-based cross-sectional studies. <i>BMJ Open</i> , 2019 , 9, e023353 | 3 | 17 |
| 244 | Demographic differences in stage at diagnosis and cervical cancer survival in New Zealand, 1994-2005. <i>Journal of Women's Health</i> , 2009 , 18, 955-63 | 3 | 17 |
| 243 | Prevalence of symptoms of childhood asthma, allergic rhinoconjunctivitis and eczema in the Pacific: the International Study of Asthma and Allergies in Childhood (ISAAC). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 259-64 | 9.3 | 17 |
| 242 | Prognostic factors in women with breast cancer: inequalities by ethnicity and socioeconomic position in New Zealand. <i>Cancer Causes and Control</i> , 2008 , 19, 403-11 | 2.8 | 17 |
| 241 | Prevalence of undiagnosed metabolic syndrome in a population of adult asymptomatic subjects. <i>Diabetes Research and Clinical Practice</i> , 2007 , 75, 362-5 | 7.4 | 17 |
| 240 | Bayesian methods for early detection of changes in childhood cancer incidence: trends for acute lymphoblastic leukaemia are consistent with an infectious aetiology. <i>European Journal of Cancer</i> , 2006 , 42, 78-83 | 7.5 | 17 |
| 239 | Respiratory symptoms and occupational exposures in New Zealand plywood mill workers. <i>Annals of Occupational Hygiene</i> , 2003 , 47, 287-95 | | 17 |
| 238 | Adult-onset acute leukemia and employment in the meat industry: a New Zealand case-control study. <i>Cancer Causes and Control</i> , 2001 , 12, 635-43 | 2.8 | 17 |
| 237 | Use of near fatal asthma for investigating asthma deaths. <i>Thorax</i> , 1993 , 48, 1093-4 | 7.3 | 17 |
| 236 | Asthma deaths in New Zealand. <i>BMJ: British Medical Journal</i> , 1992 , 304, 1307 | | 17 |
| 235 | Cohort profile: the Boston Area Community Health (BACH) survey. <i>International Journal of Epidemiology</i> , 2014 , 43, 42-51 | 7.8 | 16 |
| 234 | Work-related stress and asthma: results from a workforce survey in New Zealand. <i>Journal of Asthma</i> , 2011 , 48, 783-9 | 1.9 | 16 |
| 233 | The use of computer-assisted-telephone-interviewing to diagnose seizures, epilepsy and idiopathic generalized epilepsy. <i>Epilepsy Research</i> , 2010 , 91, 20-7 | 3 | 16 |
| 232 | Life expectancy as an indicator of outcome in follow-up of population-based cancer registries: the example of childhood leukemia. <i>Annals of Oncology</i> , 2006 , 17, 167-71 | 10.3 | 16 |
| 231 | The globalization of epidemiology: introductory remarks. <i>International Journal of Epidemiology</i> , 2004 , 33, 1127-31 | 7.8 | 16 |

| | | | |
|-----|--|------|----|
| 230 | Is enhanced fetal growth a risk factor for the development of atopy or asthma?. <i>International Archives of Allergy and Immunology</i> , 1999 , 118, 408-10 | 3.7 | 16 |
| 229 | A comparative study of the efficacy of beclomethasone dipropionate delivered from a breath activated and conventional metered dose inhaler in asthmatic patients. <i>Current Medical Research and Opinion</i> , 1993 , 13, 61-9 | 2.5 | 16 |
| 228 | Lifetime growth and risk of testicular cancer. <i>International Journal of Cancer</i> , 2014 , 135, 695-701 | 7.5 | 15 |
| 227 | A multi-ethnic breast cancer case-control study in New Zealand: evidence of differential risk patterns. <i>Cancer Causes and Control</i> , 2013 , 24, 135-52 | 2.8 | 15 |
| 226 | Occupational respiratory symptoms in New Zealand hairdressers. <i>Occupational Medicine</i> , 2000 , 50, 586-90 | 1 | 15 |
| 225 | Asthma and having siblings. <i>BMJ: British Medical Journal</i> , 1994 , 309, 272 | | 15 |
| 224 | Cigarette smoking and risk of breast cancer in a New Zealand multi-ethnic case-control study. <i>PLoS ONE</i> , 2013 , 8, e63132 | 3.7 | 15 |
| 223 | Calling time on asthma deaths in tropical regions-how much longer must people wait for essential medicines?. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 13-15 | 35.1 | 15 |
| 222 | Social class mortality differences in Maori and non-Maori men aged 15-64 during the last two decades. <i>New Zealand Medical Journal</i> , 2002 , 115, 127-31 | 0.8 | 15 |
| 221 | Response: Formalism or pluralism? A reply to commentaries on Causality and causal inference in epidemiology. <i>International Journal of Epidemiology</i> , 2016 , 45, 1841-1851 | 7.8 | 14 |
| 220 | Birthweight and the risk of atopic diseases: the ISAAC Phase III study. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 264-70 | 4.2 | 14 |
| 219 | Fenoterol, asthma deaths, and asthma severity. <i>Chest</i> , 1997 , 112, 1148-50 | 5.3 | 14 |
| 218 | Commentary: asthma time trends--mission accomplished?. <i>International Journal of Epidemiology</i> , 2005 , 34, 1018-9 | 7.8 | 14 |
| 217 | Albuterol and deaths from asthma in New Zealand from 1969 to 1976: a case-control study. <i>Clinical Pharmacology and Therapeutics</i> , 1992 , 51, 566-71 | 6.1 | 14 |
| 216 | A study of New Zealand wood workers: exposure to wood dust, respiratory symptoms, and suspected cases of occupational asthma. <i>New Zealand Medical Journal</i> , 1992 , 105, 185-7 | 0.8 | 14 |
| 215 | Internet-Based Birth-Cohort Studies: Is This the Future for Epidemiology?. <i>JMIR Research Protocols</i> , 2015 , 4, e71 | 2 | 14 |
| 214 | Solvent neurotoxicity in vehicle collision repair workers in New Zealand. <i>NeuroToxicology</i> , 2016 , 57, 223-229 | 14 | 14 |
| 213 | Environmental exposures in young adults with declining kidney function in a population at risk of Mesoamerican nephropathy. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 920-926 | 2.1 | 14 |

| | | | |
|-----|--|------|----|
| 212 | Cancer incidence in four pacific countries: Tonga, Fiji Islands, Cook Islands and Niue. <i>Pacific Health Dialog: A Publication of the Pacific Basin Officers Training Program and the Fiji School of Medicine</i> , 2011 , 17, 21-32 | 0.1 | 14 |
| 211 | Morbidity in former sawmill workers exposed to pentachlorophenol (PCP): a cross-sectional study in New Zealand. <i>American Journal of Industrial Medicine</i> , 2009 , 52, 271-81 | 2.7 | 13 |
| 210 | Registration of protocols for observational research is unnecessary and would do more harm than good. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 86-8 | 2.1 | 13 |
| 209 | Comparison of reported prevalences of recent asthma in longitudinal and cross-sectional studies. <i>European Respiratory Journal</i> , 1997 , 10, 51-4 | 13.6 | 13 |
| 208 | Analysis of nonresponse in the assessment of health-related quality of life of childhood cancer survivors. <i>European Journal of Cancer Prevention</i> , 2007 , 16, 576-80 | 2 | 13 |
| 207 | Undiminished social class mortality differences in New Zealand men. <i>New Zealand Medical Journal</i> , 1991 , 104, 153-6 | 0.8 | 13 |
| 206 | Rationale, description and baseline findings of a community-based prospective cohort study of kidney function amongst the young rural population of Northwest Nicaragua. <i>BMC Nephrology</i> , 2017 , 18, 16 | 2.7 | 12 |
| 205 | Cancer subtypes in aetiological research. <i>European Journal of Epidemiology</i> , 2017 , 32, 353-361 | 12.1 | 12 |
| 204 | Cohort Profile: The PROspective QuBec (PROQ) Study on Work and Health. <i>International Journal of Epidemiology</i> , 2018 , 47, 693-693i | 7.8 | 12 |
| 203 | The decline in asthma hospitalisations in persons aged 0-34 years in New Zealand. <i>Australian and New Zealand Journal of Medicine</i> , 1997 , 27, 578-81 | | 12 |
| 202 | Pine dust, atopy and lung function: A cross-sectional study in sawmill workers. <i>European Respiratory Journal</i> , 2006 , 28, 791-8 | 13.6 | 12 |
| 201 | Prevention and control of diabetes in Pacific people. <i>BMJ, The</i> , 2003 , 327, 437-9 | 5.9 | 12 |
| 200 | Exposure to asbestos and lung and pleural cancer mortality among pulp and paper industry workers. <i>Journal of Occupational and Environmental Medicine</i> , 2002 , 44, 579-84 | 2 | 12 |
| 199 | Withdrawal of fenoterol and the end of the New Zealand asthma mortality epidemic. <i>International Archives of Allergy and Immunology</i> , 1995 , 107, 325-7 | 3.7 | 12 |
| 198 | White swans, black ravens, and lame ducks: necessary and sufficient causes in epidemiology. <i>Epidemiology</i> , 1990 , 1, 47-50 | 3.1 | 12 |
| 197 | Vaccine effectiveness of heterologous CoronaVac plus BNT162b2 in Brazil.. <i>Nature Medicine</i> , 2022 , | 50.5 | 12 |
| 196 | Are environmental risk factors for current wheeze in the International Study of Asthma and Allergies in Childhood (ISAAC) phase three due to reverse causation?. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 430-441 | 4.1 | 12 |
| 195 | Combined impact of healthy lifestyle factors on risk of asthma, rhinoconjunctivitis and eczema in school children: ISAAC phase III. <i>Thorax</i> , 2019 , 74, 531-538 | 7.3 | 11 |

| | | | |
|-----|---|-----|----|
| 194 | Ethnic differences in risk factors for obesity in New Zealand infants. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 516-22 | 5.1 | 11 |
| 193 | The prevalence and demographic distribution of treated epilepsy: a community-based study in Tasmania, Australia. <i>Acta Neurologica Scandinavica</i> , 2012 , 125, 96-104 | 3.8 | 11 |
| 192 | Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes and Control</i> , 1997 , 8, 139-45 | 2.8 | 11 |
| 191 | Has the role of atopy in the development of asthma been over-emphasized?. <i>Pediatric Pulmonology</i> , 2001 , 26, 149-150 | 3.5 | 11 |
| 190 | Design and conduct of occupational epidemiology studies: III. Design aspects of case-control studies. <i>American Journal of Industrial Medicine</i> , 1989 , 15, 395-402 | 2.7 | 11 |
| 189 | Lung Cancer Among Firefighters: Smoking-Adjusted Risk Estimates in a Pooled Analysis of Case-Control Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 1137-1143 | 2 | 11 |
| 188 | From ideas to studies: how to get ideas and sharpen them into research questions. <i>Clinical Epidemiology</i> , 2018 , 10, 253-264 | 5.9 | 10 |
| 187 | Sex ratio of the offspring of New Zealand phenoxy herbicide producers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 24-29 | 2.1 | 10 |
| 186 | Accounting for False Positive HIV Tests: Is Visceral Leishmaniasis Responsible?. <i>PLoS ONE</i> , 2015 , 10, e0132422 | 3.7 | 10 |
| 185 | Time trends and risk factors for rhinoconjunctivitis in New Zealand children: an International Study of Asthma and Allergies in Childhood (ISAAC) survey. <i>Journal of Paediatrics and Child Health</i> , 2012 , 48, 913-20 | 1.3 | 10 |
| 184 | Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 810-4 | 2.1 | 10 |
| 183 | Does screening history explain the ethnic differences in stage at diagnosis of cervical cancer in New Zealand?. <i>International Journal of Epidemiology</i> , 2010 , 39, 156-65 | 7.8 | 10 |
| 182 | The use of beta agonists and the risk of death and near death from asthma. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 582-7 | 5.7 | 10 |
| 181 | Asthma prevalence in adults: good news?. <i>Thorax</i> , 2004 , 59, 637-8 | 7.3 | 10 |
| 180 | Risk factors for asthma among schoolchildren who participated in a case-control study in urban Uganda. <i>ELife</i> , 2019 , 8, | 8.9 | 10 |
| 179 | Global Asthma Network Phase I Surveillance: Geographical Coverage and Response Rates. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 10 |
| 178 | Geographical variation in the prevalence of asthma symptoms in New Zealand. <i>New Zealand Medical Journal</i> , 1997 , 110, 286-9 | 0.8 | 10 |
| 177 | Agricultural exposures and non-Hodgkin's lymphoma. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005 , 31 Suppl 1, 18-25; discussion 5-7 | 4.3 | 10 |

| | | | |
|-----|--|------|----|
| 176 | Has the prevalence and severity of symptoms of asthma changed among children in New Zealand? ISAAC Phase Three. <i>New Zealand Medical Journal</i> , 2008 , 121, 52-63 | 0.8 | 10 |
| 175 | Serum concentrations of chlorinated dibenzo-p-dioxins, furans and PCBs, among former phenoxy herbicide production workers and firefighters in New Zealand. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 307-18 | 3.2 | 9 |
| 174 | Risk of stomach cancer in Aotearoa/New Zealand: A Māori population based case-control study. <i>PLoS ONE</i> , 2017 , 12, e0181581 | 3.7 | 9 |
| 173 | Prevalence of HPV infection and other risk factors in a Fijian population. <i>Infectious Agents and Cancer</i> , 2014 , 9, 14 | 3.5 | 9 |
| 172 | Commentary: Mapping the Human Exposome: Without It, How Can We Find Environmental Risk Factors for ALS?. <i>Epidemiology</i> , 2015 , 26, 821-3 | 3.1 | 9 |
| 171 | Cross-sectional survey of risk factors for asthma in 6-7-year-old children in New Zealand: International Study of Asthma and Allergy in Childhood Phase Three. <i>Journal of Paediatrics and Child Health</i> , 2009 , 45, 375-83 | 1.3 | 9 |
| 170 | Design and conduct of occupational epidemiology studies: IV. The analysis of case-control data. <i>American Journal of Industrial Medicine</i> , 1989 , 15, 403-16 | 2.7 | 9 |
| 169 | Wood Dust in Joineries and Furniture Manufacturing: An Exposure Determinant and Intervention Study. <i>Annals of Work Exposures and Health</i> , 2017 , 61, 416-428 | 2.4 | 8 |
| 168 | Blood pressure and risk of dementia and its subtypes: a historical cohort study with long-term follow-up in 2.6 million people. <i>European Journal of Neurology</i> , 2019 , 26, 1479-1486 | 6 | 8 |
| 167 | Baseline selection on a collider: a ubiquitous mechanism occurring in both representative and selected cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 475-480 | 5.1 | 8 |
| 166 | Lung cancer risk among cooks when accounting for tobacco smoking: a pooled analysis of case-control studies from Europe, Canada, New Zealand, and China. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 202-9 | 2 | 8 |
| 165 | Respiratory health in professional cleaners: Symptoms, lung function, and risk factors. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 567-576 | 4.1 | 8 |
| 164 | Morbidity in New Zealand pesticide producers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). <i>Environment International</i> , 2018 , 110, 22-31 | 12.9 | 8 |
| 163 | Travel time and distance to health care only partially account for the ethnic inequalities in cervical cancer stage at diagnosis and mortality in New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 335-342 | 2.3 | 8 |
| 162 | Representativeness. <i>International Journal of Epidemiology</i> , 2014 , 43, 632-3 | 7.8 | 8 |
| 161 | Which factors account for the ethnic inequalities in stage at diagnosis and cervical cancer survival in New Zealand?. <i>Cancer Epidemiology</i> , 2012 , 36, e251-7 | 2.8 | 8 |
| 160 | Lung cancer risk among hairdressers: a pooled analysis of case-control studies conducted between 1985 and 2010. <i>American Journal of Epidemiology</i> , 2013 , 178, 1355-65 | 3.8 | 8 |
| 159 | Time trends, ethnicity and risk factors for eczema in New Zealand children: ISAAC Phase Three. <i>Asia Pacific Allergy</i> , 2013 , 3, 161-78 | 1.9 | 8 |

| | | | |
|-----|--|-----|---|
| 158 | Ethnic differences in disease presentation of uterine cancer in New Zealand women. <i>Journal of Family Planning and Reproductive Health Care</i> , 2012 , 38, 239-45 | | 8 |
| 157 | The video questionnaire: one approach to the identification of the asthmatic phenotype. <i>Clinical and Experimental Allergy</i> , 1998 , 28 Suppl 1, 8-12; discussion 32-6 | 4.1 | 8 |
| 156 | Bladder cancer risk in sales workers: artefact or cause for concern?. <i>American Journal of Industrial Medicine</i> , 2006 , 49, 175-86 | 2.7 | 8 |
| 155 | The international asthma video questionnaire for measuring asthma prevalence in different populations. <i>International Archives of Allergy and Immunology</i> , 1995 , 107, 450-1 | 3.7 | 8 |
| 154 | Exponential Models for Analyses of Time-related Factors, Illustrated with Asbestos Textile Worker Mortality Data. <i>Journal of Occupational and Environmental Medicine</i> , 1988 , 30, 517-522 | 2 | 8 |
| 153 | Ethnic and socio-economic differences in the prevalence of wheeze, severe wheeze, asthma, eczema and medication usage at 4 years of age: Findings from the Born in Bradford birth cohort. <i>Respiratory Medicine</i> , 2016 , 119, 122-129 | 4.6 | 8 |
| 152 | Rationale and population-based prospective cohort protocol for the disadvantaged populations at risk of decline in eGFR (CO-DEGREE). <i>BMJ Open</i> , 2019 , 9, e031169 | 3 | 8 |
| 151 | Cancer in Pacific people in New Zealand: a descriptive study. <i>Pacific Health Dialog: A Publication of the Pacific Basin Officers Training Program and the Fiji School of Medicine</i> , 2004 , 11, 94-100 | 0.1 | 8 |
| 150 | New Zealanders working non-standard hours also have greater exposure to other workplace hazards. <i>Chronobiology International</i> , 2017 , 34, 519-526 | 3.6 | 7 |
| 149 | Occupation and motor neuron disease: a New Zealand case-control study. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 309-316 | 2.1 | 7 |
| 148 | DNA methyltransferase 3b (DNMT3b), tumor tissue DNA methylation, Gleason score, and prostate cancer mortality: investigating causal relationships. <i>Cancer Causes and Control</i> , 2012 , 23, 1549-55 | 2.8 | 7 |
| 147 | Hierarchical regression for multiple comparisons in a case-control study of occupational risks for lung cancer. <i>PLoS ONE</i> , 2012 , 7, e38944 | 3.7 | 7 |
| 146 | Serum dioxin levels in former New Zealand sawmill workers twenty years after exposure to pentachlorophenol (PCP) ceased. <i>Chemosphere</i> , 2009 , 74, 962-7 | 8.4 | 7 |
| 145 | DO AGRICULTURAL CHEMICALS CAUSE SOFT TISSUE SARCOMA? INITIAL FINDINGS OF A CASE-CONTROL STUDY IN NEW ZEALAND. <i>Community Health Studies</i> , 2010 , 6, 114-119 | | 7 |
| 144 | Persistent social class mortality differences in New Zealand men aged 15-64: an analysis of mortality during 1995-97. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 17-22 | 2.3 | 7 |
| 143 | End of New Zealand asthma epidemic. <i>Lancet, The</i> , 1995 , 345, 984-5 | 4.0 | 7 |
| 142 | Comparison of individual-level and population-level risk factors for rhinoconjunctivitis, asthma, and eczema in the International Study of Asthma and Allergies in Childhood (ISAAC) Phase Three. <i>World Allergy Organization Journal</i> , 2020 , 13, 100123 | 5.2 | 7 |
| 141 | Four childhood atopic dermatitis subtypes identified from trajectory and severity of disease and internally validated in a large UK birth cohort. <i>British Journal of Dermatology</i> , 2021 , 185, 526-536 | 4 | 7 |

| | | | |
|-----|---|------|---|
| 140 | Classifying atopic dermatitis: protocol for a systematic review of subtypes (phenotypes) and associated characteristics. <i>BMJ Open</i> , 2018 , 8, e023097 | 3 | 7 |
| 139 | Social class and male cancer mortality in New Zealand, 1984-7. <i>New Zealand Medical Journal</i> , 1997 , 110, 200-2 | 0.8 | 7 |
| 138 | Ethnicity and risk of diagnosed dementia after stroke: a cohort study using the Clinical Practice Research Datalink. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 114-119 | 5.1 | 6 |
| 137 | How does the association of general and central adiposity with glycaemia and blood pressure differ by gender and area of residence in a Malawian population: a cross-sectional study. <i>International Journal of Epidemiology</i> , 2018 , 47, 887-898 | 7.8 | 6 |
| 136 | Bias in matched case-control studies: DAGs are not enough. <i>European Journal of Epidemiology</i> , 2018 , 33, 1-4 | 12.1 | 6 |
| 135 | Changes in the prevalence of cigarette smoking and quitting smoking determinants in adult inhabitants of rural areas in Poland between 2003 and 2012. <i>Public Health</i> , 2016 , 141, 178-184 | 4 | 6 |
| 134 | Changes in atopy prevalence and sibship effect in rural population at all ages. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 661-6 | 9.3 | 6 |
| 133 | Is hypertension associated with job strain? A meta-analysis of observational studies. <i>Postgraduate Medical Journal</i> , 2014 , 90, 402-9 | 2 | 6 |
| 132 | Re: "Confounding by indication and channeling over time: the risks of beta2-agonists". <i>American Journal of Epidemiology</i> , 1997 , 146, 885-7 | 3.8 | 6 |
| 131 | Ethnic differences in cause specific mortality among hospitalised patients with diabetes: a linkage study in New Zealand. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 961-6 | 5.1 | 6 |
| 130 | Beta-agonists and death from asthma. <i>New England Journal of Medicine</i> , 1992 , 327, 355-7 | 59.2 | 6 |
| 129 | Do neighbourhood characteristics act together to influence BMI? A cross-sectional study of urban parks and takeaway/fast-food stores as modifiers of the effect of physical activity facilities. <i>Social Science and Medicine</i> , 2020 , 261, 113242 | 5.1 | 6 |
| 128 | Authors' Reply to: VanderWeele et al., Chiolero, and Schooling et al. <i>International Journal of Epidemiology</i> , 2016 , 45, 2203-2205 | 7.8 | 6 |
| 127 | Impact of India's National Tobacco Control Programme on bidi and cigarette consumption: a difference-in-differences analysis. <i>Tobacco Control</i> , 2020 , 29, 103-110 | 5.3 | 6 |
| 126 | Are Environmental Factors for Atopic Eczema in ISAAC Phase Three due to Reverse Causation?. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 1023-1036 | 4.3 | 5 |
| 125 | Assessment of the healthy worker survivor effect in the relationship between psychosocial work-related factors and hypertension. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 414-421 | 2.1 | 5 |
| 124 | Dilution testing using rapid diagnostic tests in a HIV diagnostic algorithm: a novel alternative for confirmation testing in resource limited settings. <i>Virology Journal</i> , 2015 , 12, 75 | 6.1 | 5 |
| 123 | Inequities in exposure to occupational risk factors between Māori and non-Māori workers in Aotearoa New Zealand. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 809-816 | 5.1 | 5 |

| | | | |
|-----|---|-----|---|
| 122 | Lifestyle changes and childhood asthma. <i>Indian Journal of Pediatrics</i> , 2013 , 80 Suppl 1, S95-9 | 3 | 5 |
| 121 | Research at the interface between human and veterinary health. <i>Preventive Veterinary Medicine</i> , 2013 , 111, 187-93 | 3.1 | 5 |
| 120 | BRain health and healthy AgeINg in retired rugby union players, the BRAIN Study: study protocol for an observational study in the UK. <i>BMJ Open</i> , 2017 , 7, e017990 | 3 | 5 |
| 119 | Vandenbroucke and Pearce respond to "incident and prevalent exposures and causal inference". <i>American Journal of Epidemiology</i> , 2015 , 182, 846-7 | 3.8 | 5 |
| 118 | Occupations with an increased prevalence of self-reported asthma in Indian adults. <i>Journal of Asthma</i> , 2014 , 51, 814-24 | 1.9 | 5 |
| 117 | Farming, growing up on a farm, and haematological cancer mortality. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 126-32 | 2.1 | 5 |
| 116 | Worldwide worsening wheezing--is the cure the cause?. <i>Lancet, The</i> , 1992 , 339, 814 | 4.0 | 5 |
| 115 | Asthma in Maori people. <i>New Zealand Medical Journal</i> , 1992 , 105, 469-70 | 0.8 | 5 |
| 114 | Methodological problems of time-related variables in occupational cohort studies. <i>Revue DiEpidemiologie Et De Sante Publique</i> , 1992 , 40 Suppl 1, S43-54 | 0.6 | 5 |
| 113 | Hepatitis B virus: the importance of age at infection. <i>New Zealand Medical Journal</i> , 1988 , 101, 788-90 | 0.8 | 5 |
| 112 | Asthma control and management among schoolchildren in urban Uganda: results from a cross-sectional study. <i>Wellcome Open Research</i> , 2019 , 4, 168 | 4.8 | 5 |
| 111 | Neuropsychological performance in solvent-exposed vehicle collision repair workers in New Zealand. <i>PLoS ONE</i> , 2017 , 12, e0189108 | 3.7 | 5 |
| 110 | Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA scientific assessments. <i>EFSA Journal</i> , 2020 , 18, e06221 | 2.3 | 5 |
| 109 | Blood cholesterol and risk of dementia in more than 1.8 million people over two decades: a retrospective cohort study. <i>The Lancet Healthy Longevity</i> , 2021 , | 9.5 | 5 |
| 108 | Causation, mediation and explanation. <i>International Journal of Epidemiology</i> , 2016 , 45, 1915-1922 | 7.8 | 5 |
| 107 | UK case control study of smoking and risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020 , 21, 222-227 | 3.6 | 5 |
| 106 | Lung cancer risk in painters: results from the SYNERGY pooled case-control study consortium. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 269-278 | 2.1 | 5 |
| 105 | Worldwide time trends in prevalence of symptoms of rhinoconjunctivitis in children: Global Asthma Network Phase I. <i>Pediatric Allergy and Immunology</i> , 2021 , | 4.2 | 5 |

| | | | |
|-----|--|------|---|
| 104 | Confounding and Interaction 2014 , 659-684 | | 5 |
| 103 | The burden of asthma, hay fever and eczema in adults in 17 countries: GAN Phase I study.. <i>European Respiratory Journal</i> , 2022 , | 13.6 | 5 |
| 102 | Effectiveness of CoronaVac, ChAdOx1 nCoV-19, BNT162b2, and Ad26.COV2.S among individuals with previous SARS-CoV-2 infection in Brazil: a test-negative, case-control study.. <i>Lancet Infectious Diseases, The</i> , 2022 , | 25.5 | 5 |
| 101 | Clinical profile of predefined asthma phenotypes in a large cohort of UK primary care patients (Clinical Practice Research Datalink). <i>Journal of Asthma and Allergy</i> , 2019 , 12, 7-19 | 3.1 | 4 |
| 100 | Sports-related head trauma and neurodegenerative disease. <i>Lancet Neurology, The</i> , 2014 , 13, 969-70 | 24.1 | 4 |
| 99 | Determinants of hand dermatitis, urticaria and loss of skin barrier function in professional cleaners in New Zealand. <i>International Journal of Occupational and Environmental Health</i> , 2017 , 23, 110-119 | | 4 |
| 98 | Occupational mortality studies: still relevant in the 21st century. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 802-3 | 2.1 | 4 |
| 97 | Response: Time for species--course epidemiology?. <i>International Journal of Epidemiology</i> , 2009 , 38, 403-108 | | 4 |
| 96 | Commentary: Observational studies may conceal a weakly elevated risk under the appearance of consistently reduced risks. <i>International Journal of Epidemiology</i> , 2008 , 37, 1313-5 | 7.8 | 4 |
| 95 | Epidemiology: populations, methods and theories. <i>European Journal of Epidemiology</i> , 2004 , 19, 729-31 | 12.1 | 4 |
| 94 | Occupational bladder cancer in New Zealand: a 1-year review of cases notified to the New Zealand Cancer Registry. <i>Internal Medicine Journal</i> , 2005 , 35, 343-7 | 1.6 | 4 |
| 93 | The New Zealand asthma mortality epidemic. <i>Clinical Science</i> , 1995 , 88, 14-7 | 6.5 | 4 |
| 92 | Cancer mortality from soft-tissue sarcoma and malignant lymphomas in an international cohort of workers exposed to chlorophenoxy herbicides and chlorophenols. <i>Chemosphere</i> , 1992 , 25, 1071-1076 | 8.4 | 4 |
| 91 | Exponential models for analyses of time-related factors, illustrated with asbestos textile worker mortality data. <i>Journal of Occupational Medicine</i> , 1988 , 30, 517-22 | | 4 |
| 90 | Economic policy and health in the year of the family. <i>New Zealand Medical Journal</i> , 1994 , 107, 379-81 | 0.8 | 4 |
| 89 | Genetic risk of obesity as a modifier of associations between neighbourhood environment and body mass index: an observational study of 335 046 UK Biobank participants. <i>BMJ Nutrition, Prevention and Health</i> , 2020 , 3, 247-255 | 6.7 | 4 |
| 88 | Prevalence and risk factors for chronic kidney disease of unknown cause in Malawi: a cross-sectional analysis in a rural and urban population. <i>BMC Nephrology</i> , 2020 , 21, 387 | 2.7 | 4 |
| 87 | Occupation and COVID-19 mortality in England: a national linked data study of 14.3 million adults | | 4 |

| | | | |
|----|---|------|---|
| 86 | Motor Neuron Disease Register for England, Wales and Northern Ireland-an analysis of incidence in England. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021 , 22, 86-93 | 3.6 | 4 |
| 85 | Dietary Patterns and Breast Cancer Risk: A Multi-Centre Case Control Study among North Indian Women. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 4 |
| 84 | Measuring morbidity in adult asthmatics. <i>International Journal of Tuberculosis and Lung Disease</i> , 1999 , 3, 185-91 | 2.1 | 4 |
| 83 | He Mate Huango: an update on Maori asthma. <i>Pacific Health Dialog: A Publication of the Pacific Basin Officers Training Program and the Fiji School of Medicine</i> , 2000 , 7, 82-93 | 0.1 | 4 |
| 82 | Mortality and cancer incidence in New Zealand pulp and paper mill workers. <i>New Zealand Medical Journal</i> , 2002 , 115, 186-90 | 0.8 | 4 |
| 81 | Semi-Bayes and empirical Bayes adjustment methods for multiple comparisons. <i>Epidemiologia E Prevenzione</i> , 2008 , 32, 108-10 | 1.1 | 4 |
| 80 | COSPAR Sample Safety Assessment Framework (SSAF). <i>Astrobiology</i> , 2022 , 22, S-186-S-216 | 3.7 | 4 |
| 79 | Prospective Investigation of Pesticide ApplicatorsPHealth (PIPAH) study: a cohort study of professional pesticide users in Great Britain. <i>BMJ Open</i> , 2017 , 7, e018212 | 3 | 3 |
| 78 | Identification of young adults at risk of an accelerated loss of kidney function in an area affected by Mesoamerican nephropathy. <i>BMC Nephrology</i> , 2019 , 20, 21 | 2.7 | 3 |
| 77 | Exposures to Fumigants and Residual Chemicals in Workers Handling Cargo from Shipping Containers and Export Logs in New Zealand. <i>Annals of Work Exposures and Health</i> , 2020 , 64, 826-837 | 2.4 | 3 |
| 76 | Predicting mortality after acute coronary syndromes in people with chronic obstructive pulmonary disease. <i>Heart</i> , 2016 , 102, 1442-8 | 5.1 | 3 |
| 75 | Noncollapsibility in studies based on nonrepresentative samples. <i>Annals of Epidemiology</i> , 2015 , 25, 955-86.4 | 8.4 | 3 |
| 74 | Ethnic differences in patterns of occupational exposure in New Zealand. <i>American Journal of Industrial Medicine</i> , 2011 , 54, 410-8 | 2.7 | 3 |
| 73 | Response: The distribution and determinants of epidemiologic research. <i>International Journal of Epidemiology</i> , 2008 , 37, 65-68 | 7.8 | 3 |
| 72 | Mortality from cancer and other causes in parents of children with cancer: a population-based study in Piedmont, Italy. <i>European Journal of Cancer Prevention</i> , 2007 , 16, 390-5 | 2 | 3 |
| 71 | ISOPRENALINE, FENOTEROL AND ASTHMA DEATHS IN JAPAN. <i>Nihon Shoni Arerugi Gakkaishi the Japanese Journal of Pediatric Allergy and Clinical Immunology</i> , 1997 , 11, 307-316 | 0.1 | 3 |
| 70 | Does death from Covid-19 arise from a multi-step process?. <i>European Journal of Epidemiology</i> , 2021 , 36, 1-9 | 12.1 | 3 |
| 69 | International trends in asthma mortality. <i>Novartis Foundation Symposium</i> , 1997 , 206, 140-50; discussion 150-6, 157-9 | | 3 |

| | | | |
|----|---|------|---|
| 68 | Health research in the Pacific. <i>Pacific Health Dialog: A Publication of the Pacific Basin Officers Training Program and the Fiji School of Medicine</i> , 2004 , 11, 199-203 | 0.1 | 3 |
| 67 | Occupation and COVID-19 mortality in England: a national linked data study of 14.3 million adults.. <i>Occupational and Environmental Medicine</i> , 2021 , | 2.1 | 3 |
| 66 | Epidemiology of Respiratory Allergies and Asthma 2014 , 2263-2319 | | 2 |
| 65 | Has the role of atopy in the development of asthma been over-emphasized?. <i>Pediatric Pulmonology</i> , 2001 , 32, 149-150 | 3.5 | 2 |
| 64 | β ₂ -Agonist Use and Death from Asthma. <i>JAMA - Journal of the American Medical Association</i> , 1994 , 271, 822 | 27.4 | 2 |
| 63 | Fenoterol and Death from Asthma in New Zealand. <i>International Archives of Allergy and Immunology</i> , 1992 , 99, 302-305 | 3.7 | 2 |
| 62 | Fenoterol and asthma mortality in New Zealand. <i>New Zealand Medical Journal</i> , 1990 , 103, 73-5 | 0.8 | 2 |
| 61 | Differences in COVID-19 vaccination coverage by occupation in England: a national linked data study | | 2 |
| 60 | Can selection explain the protective effects of farming on asthma?. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 467-9 | 1.4 | 2 |
| 59 | Biomarkers 1. <i>Occupational and Environmental Medicine</i> , 2007 , 64, e21-e21 | 2.1 | 2 |
| 58 | Association Between Common Infections and Incident Post-Stroke Dementia: A Cohort Study Using the Clinical Practice Research Datalink. <i>Clinical Epidemiology</i> , 2020 , 12, 907-916 | 5.9 | 2 |
| 57 | Occupational differences in COVID-19 incidence, severity, and mortality in the United Kingdom: Available data and framework for analyses. <i>Wellcome Open Research</i> , 2021 , 6, 102 | 4.8 | 2 |
| 56 | Re: Is the Smog Lifting?. <i>Epidemiology</i> , 2019 , 30, e37 | 3.1 | 2 |
| 55 | Risk factors associated with rhinitis, allergic conjunctivitis and eczema among schoolchildren in Uganda. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 108-119 | 4.1 | 2 |
| 54 | Feasibility study of assessing the Preclinical Alzheimer Cognitive Composite (PACC) score via videoconferencing. <i>Journal of Neurology</i> , 2021 , 268, 2228-2237 | 5.5 | 2 |
| 53 | Evidence for causal associations between prenatal and postnatal antibiotic exposure and asthma in children, England. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 1438-1448 | 4.1 | 2 |
| 52 | Why study socioeconomic factors and cancer?. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 1997 , 17-23 | | 2 |
| 51 | Acceptability of human papillomavirus self-sampling for cervical-cancer screening in under-screened Mbri and Pasifika women: a pilot study. <i>New Zealand Medical Journal</i> , 2019 , 132, 21-31 | 0.8 | 2 |

| | | | |
|----|--|------|---|
| 50 | Occupational causes of amyotrophic lateral sclerosis: where to from here?. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 83-84 | 2.1 | 1 |
| 49 | Case-Control Studies. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 806-807 | 27.4 | 1 |
| 48 | 0164 Metagenomic detection of bacteria in aerosol samples in animal slaughterhouses to develop exposure profiles for an epidemiological analysis. <i>Occupational and Environmental Medicine</i> , 2014 , 71, A21.1-A21 | 2.1 | 1 |
| 47 | The IEA Dictionary and who should be the editor. <i>International Journal of Epidemiology</i> , 2010 , 39, 630 | 7.8 | 1 |
| 46 | Importance of meta-analyses for evaluating carcinogens. <i>Environmental Health Perspectives</i> , 2012 , 120, A145; author reply A146-7 | 8.4 | 1 |
| 45 | Fenoterol and asthma mortality. <i>Lancet, The</i> , 1998 , 352, 486 | 4.0 | 1 |
| 44 | Asthma morbidity and mortality in New Zealand. <i>Thorax</i> , 1995 , 50, 1020-1 | 7.3 | 1 |
| 43 | Letters to the Editor/Authors' Response. <i>International Journal of Epidemiology</i> , 1994 , 23, 1105-1105 | 7.8 | 1 |
| 42 | Statistical testing and estimation in medical research. <i>New Zealand Medical Journal</i> , 1988 , 101, 569-70 | 0.8 | 1 |
| 41 | Enhanced airway sensory nerve reactivity in non-eosinophilic asthma. <i>BMJ Open Respiratory Research</i> , 2021 , 8, | 5.6 | 1 |
| 40 | Risk factors for asthma among schoolchildren who participated in a case-control study in urban Uganda | | 1 |
| 39 | Genetic risk of obesity as a modifier of associations between neighbourhood environment and body mass index: an observational study of 335,046 UK Biobank participants | | 1 |
| 38 | Unwarranted optimism about vaccine efficacy. <i>BMJ, The</i> , 2020 , 371, m4918 | 5.9 | 1 |
| 37 | Educational note: types of causes. <i>International Journal of Epidemiology</i> , 2020 , 49, 676-685 | 7.8 | 1 |
| 36 | CKD and CKDu in northern Peru: a cross-sectional analysis under the DEGREE protocol. <i>BMC Nephrology</i> , 2021 , 22, 37 | 2.7 | 1 |
| 35 | The COVID-OUT study protocol: COVID-19 outbreak investigation to understand workplace SARS-CoV-2 transmission in the United Kingdom. <i>Wellcome Open Research</i> , 2021 , 6, 201 | 4.8 | 1 |
| 34 | Geographical heterogeneity across England in associations between the neighbourhood built environment and body mass index. <i>Health and Place</i> , 2021 , 71, 102645 | 4.6 | 1 |
| 33 | Causal ordering among risk factors in the PURE study. <i>Lancet, The</i> , 2021 , 397, 278 | 4.0 | 1 |

| | | | |
|----|--|------|---|
| 32 | Vaccination plus previous infection: protection during the omicron wave in Brazil.. <i>Lancet Infectious Diseases, The</i> , 2022 , | 25.5 | 1 |
| 31 | Characteristics of ovarian cancer in women residing in Aotearoa, New Zealand: 1993-2004. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 814-9 | 5.1 | 0 |
| 30 | Ian Prior and epidemiology in New Zealand. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 685-7 | 5.1 | 0 |
| 29 | Associations of Occupational Exposures to Electric Shocks and Extremely Low-Frequency Magnetic Fields With Motor Neurone Disease. <i>American Journal of Epidemiology</i> , 2021 , 190, 393-402 | 3.8 | 0 |
| 28 | The BRAIN-Q, a tool for assessing self-reported sport-related concussions for epidemiological studies. <i>Epidemiology and Health</i> , 2021 , e2021086 | 5.6 | 0 |
| 27 | Environmental risk factors for reduced kidney function due to undetermined cause in India: an environmental epidemiologic analysis.. <i>Environmental Epidemiology</i> , 2021 , 5, e170 | 0.2 | 0 |
| 26 | CoronaVac vaccine is effective in preventing symptomatic and severe COVID-19 in pregnant women in Brazil: a test-negative case-control study.. <i>BMC Medicine</i> , 2022 , 20, 146 | 11.4 | 0 |
| 25 | Heart rate variability as a marker of autonomic nervous system activity in young people with eosinophilic and non-eosinophilic asthma.. <i>Journal of Asthma</i> , 2022 , 1-12 | 1.9 | 0 |
| 24 | Investigation of a SARS-CoV-2 Outbreak at an Automotive Manufacturing Site in England. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6400 | 4.6 | 0 |
| 23 | Environmental and Occupational Epidemiology 2017 , 479-486 | | |
| 22 | S107 Explaining The Mortality Gap In Copd Patients After Myocardial Infarction: Data From The Uk Myocardial Ischaemia National Audit Project (minap). <i>Thorax</i> , 2014 , 69, A57-A58 | 7.3 | |
| 21 | The Prevalence of HPV Infection and Other Cervical Cancer Risk Factors in a Fijian Population.. <i>International Journal of Epidemiology</i> , 2015 , 44, i146-i147 | 7.8 | |
| 20 | AuthorB Response * Hygiene hypothesis: wanted--dead or alive. <i>International Journal of Epidemiology</i> , 2010 , 39, 314-317 | 7.8 | |
| 19 | Hyping Health Risks: Environmental Hazards in Daily Life and the Science of Epidemiology. Kabat GC.. <i>International Journal of Epidemiology</i> , 2009 , 38, 1746-1748 | 7.8 | |
| 18 | AuthorB Response: Epidemiology between astronomy and astrology. <i>International Journal of Epidemiology</i> , 2009 , 38, 610-611 | 7.8 | |
| 17 | Global Occupational Health. Guidotti TL (ed).. <i>International Journal of Epidemiology</i> , 2012 , 41, 896-897 | 7.8 | |
| 16 | Pearce responds. <i>American Journal of Public Health</i> , 1997 , 87, 2051-2 | 5.1 | |
| 15 | Environmental and Occupational Epidemiology 2008 , 352-361 | | |

| | | |
|----|--|------|
| 14 | Complications at Birth and Subsequent Wheeze: Risk of Attrition Bias. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 859a-859a | 10.2 |
| 13 | Bronchial reactions to exposure to welding fumes. <i>Occupational and Environmental Medicine</i> , 1998 , 55, 503 | 2.1 |
| 12 | Reply to the letter from Drs Standinger and Haas. <i>Respiratory Medicine</i> , 1993 , 87, 637-638 | 4.6 |
| 11 | Beta agonists and asthma mortality: d. <i>Clinical and Experimental Allergy</i> , 1992 , 22, 725-725 | 4.1 |
| 10 | Re: Sponsorship by Big Oil, Like the Tobacco Industry, Should be Banned by the Research Community. <i>Epidemiology</i> , 2020 , 31, e40-e41 | 3.1 |
| 9 | O6E.1 Self-report occupational exposures and mnd in new zealand. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A59.1-A59 | 2.1 |
| 8 | O2A.1 Pesticides and work-related asthma: how this relates to self-reported exposures. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A12.3-A13 | 2.1 |
| 7 | O2A.2 Pesticides and respiratory health; the GB based pipah study. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A13.1-A13 | 2.1 |
| 6 | P.1.29 Communication and dissemination in the omega-net cost action. <i>Occupational and Environmental Medicine</i> , 2019 , 76, A85.1-A85 | 2.1 |
| 5 | Arguments about face masks and Covid-19 reflect broader methodologic debates within medical science. <i>European Journal of Epidemiology</i> , 2021 , 36, 143-147 | 12.1 |
| 4 | General issues of study design and analysis in the use of biomarkers in cancer epidemiology. <i>Iarc (international Agency for Research on Cancer) Scientific Publications</i> , 1997 , 47-57 | |
| 3 | SIDRIA in the international context. <i>Epidemiologia E Prevenzione</i> , 2005 , 29, 94-6 | 1.1 |
| 2 | Carcinogenicity of glyphosate: why is New Zealand's EPA lost in the weeds?. <i>New Zealand Medical Journal</i> , 2018 , 131, 82-89 | 0.8 |
| 1 | An updated critique of the use of the Twin Spine Study (2009) to determine causation of low back disorder. <i>New Zealand Medical Journal</i> , 2019 , 132, 57-59 | 0.8 |