

Allen E Thornton

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7153363/allen-e-thornton-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

2,449

citations

22

h-index

48

g-index

93

ext. papers

2,766

ext. citations

5.3

avg, IF

4.45

L-index

#	Paper	IF	Citations
86	Hippocampal plasticity in response to exercise in schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 133-43		422
85	The need for speed: an update on methamphetamine addiction. <i>Journal of Psychiatry and Neuroscience</i> , 2006 , 31, 301-13	4.5	251
84	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
83	Memory impairment in multiple sclerosis: A quantitative review.. <i>Neuropsychology</i> , 1997 , 11, 357-366	3.8	174
82	Functional neuroimaging of working memory in schizophrenia: task performance as a moderating variable. <i>Neuropsychology</i> , 2006 , 20, 497-510	3.8	126
81	Cognitive-behavioral prevention of postconcussion syndrome in at-risk patients: a pilot randomized controlled trial. <i>Journal of Head Trauma Rehabilitation</i> , 2013 , 28, 313-22	3	69
80	The hotel study: multimorbidity in a community sample living in marginal housing. <i>American Journal of Psychiatry</i> , 2013 , 170, 1413-22	11.9	64
79	Memory in multiple sclerosis: contextual encoding deficits. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 395-409	3.1	64
78	Changes in serum lipids, independent of weight, are associated with changes in symptoms during long-term clozapine treatment. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 331-8	4.5	60
77	A novel mechanism and treatment target for presynaptic abnormalities in specific striatal regions in schizophrenia. <i>Neuropsychopharmacology</i> , 2010 , 35, 1226-38	8.7	51
76	Traumatic brain injury in homeless and marginally housed individuals: a systematic review and meta-analysis. <i>Lancet Public Health</i> , 2020 , 5, e19-e32	22.4	48
75	The impact of atypical antipsychotic medications on long-term memory dysfunction in schizophrenia spectrum disorder: a quantitative review. <i>Journal of Psychopharmacology</i> , 2006 , 20, 335-46	4.6	45
74	Effects of eight weeks of atypical antipsychotic treatment on middle frontal thickness in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2013 , 149, 149-55	3.6	43
73	Predictors of persistent psychotic symptoms in persons with methamphetamine abuse receiving psychiatric treatment. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1085-9	1.8	43
72	Methodological considerations regarding the association of Stroop and verbal fluency performance with the symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2003 , 61, 207-14	3.6	38
71	Cumulative concussion exposure in rugby players: neurocognitive and symptomatic outcomes. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2008 , 30, 398-409	2.1	35
70	48 echo T2 myelin imaging of white matter in first-episode schizophrenia: evidence for aberrant myelination. <i>NeuroImage: Clinical</i> , 2014 , 6, 408-14	5.3	31

69	Rapid Change in Fentanyl Prevalence in a Community-Based, High-Risk Sample. <i>JAMA Psychiatry</i> , 2018 , 75, 298-300	14.5	29
68	A meta-analysis of profile and time-course of symptom change in acute schizophrenia treated with atypical antipsychotics. <i>International Journal of Neuropsychopharmacology</i> , 2006 , 9, 357-66	5.8	26
67	Select neurocognitive impairment in HIV-infected women: associations with HIV viral load, hepatitis C virus, and depression, but not leukocyte telomere length. <i>PLoS ONE</i> , 2014 , 9, e89556	3.7	25
66	Hippocampal volume and the brain-derived neurotrophic factor Val66Met polymorphism in first episode psychosis. <i>Schizophrenia Research</i> , 2012 , 134, 253-9	3.6	24
65	Presynaptic proteins complexin-I and complexin-II differentially influence cognitive function in early and late stages of Alzheimer disease. <i>Acta Neuropathologica</i> , 2017 , 133, 395-407	14.3	22
64	Mortality from treatable illnesses in marginally housed adults: a prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e008876	3	22
63	Predictors of starting to smoke cigarettes in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2009 , 108, 258-64	3.6	22
62	Conceptual and methodological issues in the design of clinical trials of antipsychotics for the treatment of schizophrenia. <i>CNS Drugs</i> , 2007 , 21, 699-714	6.7	21
61	Some fear-potentiating effects of fluprazine hydrochloride in mice. <i>Aggressive Behavior</i> , 1987 , 13, 269-280	20.8	21
60	The Hotel Study-Clinical and Health Service Effectiveness in a Cohort of Homeless or Marginally Housed Persons. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 482-492	4.8	20
59	Explaining individual differences in cognitive processes underlying hindsight bias. <i>Psychonomic Bulletin and Review</i> , 2015 , 22, 328-48	4.1	19
58	Impaired musical ability in people with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 118-26	4.5	19
57	Donepezil for memory dysfunction in schizophrenia. <i>Journal of Psychopharmacology</i> , 2002 , 16, 267-70	4.6	19
56	Effects of fluprazine hydrochloride on conspecific odor preferences in rats. <i>Physiology and Behavior</i> , 1986 , 37, 53-6	3.5	17
55	Material-specific episodic memory associates of the psychomotor poverty syndrome in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2004 , 9, 213-27	2	16
54	Neurocognitive profiles of marginally housed persons with comorbid substance dependence, viral infection, and psychiatric illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014 , 36, 1009-22 ^{2.1}	2.1	15
53	Factors affecting severity of positive and negative symptoms of psychosis in a polysubstance using population with psychostimulant dependence. <i>Psychiatry Research</i> , 2016 , 240, 336-342	9.9	15
52	A comparison of psychotic symptoms in subjects with methamphetamine versus cocaine dependence. <i>Psychopharmacology</i> , 2017 , 234, 1535-1547	4.7	14

51	Traumatic Brain Injury in a Community-Based Cohort of Homeless and Vulnerably Housed Individuals. <i>Journal of Neurotrauma</i> , 2017 , 34, 3301-3310	5.4	14
50	A quantitative review of the profile and time course of symptom change in schizophrenia treated with clozapine. <i>Journal of Psychopharmacology</i> , 2012 , 26, 1175-84	4.6	13
49	Antipsychotic medications: linking receptor antagonism to neuropsychological functioning in first episode psychosis. <i>Journal of the International Neuropsychological Society</i> , 2012 , 18, 717-27	3.1	13
48	Sustained attention after severe closed head injury.. <i>Neuropsychology</i> , 1995 , 9, 592-598	3.8	13
47	Structural brain markers are differentially associated with neurocognitive profiles in socially marginalized people with multimorbid illness. <i>Neuropsychology</i> , 2017 , 31, 28-43	3.8	12
46	Effects of fluprazine hydrochloride on an olfactory discrimination in rats. <i>Bulletin of the Psychonomic Society</i> , 1986 , 24, 456-458		12
45	Cognitive decline and mortality in a community-based sample of homeless and precariously housed adults: 9-year prospective study. <i>BJPsych Open</i> , 2020 , 6, e21	5	12
44	Associations of substance use, psychosis, and mortality among people living in precarious housing or homelessness: A longitudinal, community-based study in Vancouver, Canada. <i>PLoS Medicine</i> , 2020 , 17, e1003172	11.6	11
43	Clinical and functional characteristics of young adults living in single room occupancy housing: preliminary findings from a 10-year longitudinal study. <i>Canadian Journal of Public Health</i> , 2018 , 109, 204-214	3.2	11
42	Profiles of individuals seeking psychiatric help for psychotic symptoms linked to methamphetamine abuse [baseline results from the MAPS (methamphetamine and psychosis study). <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2010 , 3, 168-181		10
41	The ecological validity of everyday cognition in hospitalized patients with serious mental illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 299-308	2.1	10
40	The impact of monetary reward on memory in schizophrenia spectrum disorder. <i>Neuropsychology</i> , 2007 , 21, 631-45	3.8	10
39	Characterization of white matter integrity deficits in cocaine-dependent individuals with substance-induced psychosis compared with non-psychotic cocaine users. <i>Addiction Biology</i> , 2017 , 22, 873-881	4.6	9
38	Subcortical grey matter alterations in cocaine dependent individuals with substance-induced psychosis compared to non-psychotic cocaine users. <i>Schizophrenia Research</i> , 2016 , 176, 158-163	3.6	9
37	Effects of Exercise on Serum Triglycerides and Symptoms of Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 273-274	1.7	8
36	Age differences in hindsight bias: the role of episodic memory and inhibition. <i>Experimental Aging Research</i> , 2014 , 40, 357-74	1.7	8
35	Relationships Among Depression, PTSD, Methamphetamine Abuse, and Psychosis. <i>Journal of Dual Diagnosis</i> , 2013 , 9, 115-122	2.4	8
34	Personalized risk assessment of drug-related harm is associated with health outcomes. <i>PLoS ONE</i> , 2013 , 8, e79754	3.7	8

33	Memory interference in multiple sclerosis. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 737-46	3.1	8
32	Volumes of the Hippocampal Formation Differentiate Component Processes of Memory in a Community Sample of Homeless and Marginally Housed Persons. <i>Archives of Clinical Neuropsychology</i> , 2019 , 34, 548-562	2.7	8
31	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada. <i>PLoS ONE</i> , 2019 , 14, e0222611	3.7	7
30	Cognitive profiles and associated structural brain networks in a multimorbid sample of marginalized adults. <i>PLoS ONE</i> , 2019 , 14, e0218201	3.7	7
29	Cognitive Impairment in Marginally Housed Youth: Prevalence and Risk Factors. <i>Frontiers in Public Health</i> , 2019 , 7, 270	6	7
28	Cognition and Plasma Ratio of Clozapine to N-desmethylclozapine in Patients With Clozapine-Resistant Schizophrenia. <i>American Journal of Psychiatry</i> , 2015 , 172, 1259	11.9	7
27	Response trajectories to clozapine in a secondary analysis of pivotal trials support using treatment response to subtype schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, S19-25	4.8	7
26	Cerebral Small Vessel Disease, Risk Factors, and Cognition in Tenants of Precarious Housing. <i>Stroke</i> , 2020 , 51, 3271-3278	6.7	7
25	Prevalence and Risk Factors of Brain Infarcts and Associations With Cognitive Performance in Tenants of Marginal Housing. <i>Journal of the American Heart Association</i> , 2019 , 8, e011412	6	6
24	A comparison of regional brain volumes and white matter connectivity in subjects with stimulant induced psychosis versus schizophrenia. <i>Psychopharmacology</i> , 2019 , 236, 3385-3399	4.7	6
23	Diffusion tensor imaging of neurocognitive profiles in a community cohort living in marginal housing. <i>Brain and Behavior</i> , 2019 , 9, e01233	3.4	6
22	Verbal memory improvement in first-episode psychosis -4 carriers: a pleiotropic effect?. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 2945-2953	3.1	5
21	Inhibitory control underlies individual differences in older adults' hindsight bias. <i>Psychology and Aging</i> , 2016 , 31, 224-38	3.6	5
20	The Positive and Negative Syndrome Scale (PANSS): A Three-Factor Model of Psychopathology in Marginally Housed Persons with Substance Dependence and Psychiatric Illness. <i>PLoS ONE</i> , 2016 , 11, e0151648	3.7	5
19	Prenatal tobacco exposure in first-episode psychosis. <i>Schizophrenia Research</i> , 2010 , 119, 271-2	3.6	4
18	Research productivity of psychologists in VA medical centers based on APA journal publication.. <i>Professional Psychology: Research and Practice</i> , 1988 , 19, 255-256	2.2	3
17	MAG Gene Variation and Cortical Gray Matter Volume in First Episode Schizophrenia. <i>Brain Imaging and Behavior</i> , 2008 , 2, 117-122	4.1	2
16	Amygdala Nuclei Volumes Are Selectively Associated With Social Network Size in Homeless and Precariously Housed Persons. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 97	3.5	2

15	Characterizing Traumatic Brain Injury and Its Association with Losing Stable Housing in a Community-based Sample : Caractérisation d'une lésion cérébrale traumatique et de son association avec la perte d'un logement stable dans un échantillon communautaire. <i>Canadian Journal of Psychiatry</i> , 2021 , 70, 674-682	4.8	2
14	Differential effects of cannabis exposure during early versus later adolescence on the expression of psychosis in homeless and precariously housed adults. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 106, 110084	5.5	2
13	Dynamic networks of psychotic symptoms in adults living in precarious housing or homelessness. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	2
12	Traumatic Brain Injury: An Underappreciated Determinant of Health in Individuals Who are Homeless or Precariously Housed. <i>World Neurosurgery</i> , 2020 , 137, 474-475	2.1	1
11	Traumatic brain injury in precariously housed persons: Incidence and risks.. <i>EClinicalMedicine</i> , 2022 , 44, 101277	11.3	0
10	Negative affect and self-agency association with immunosuppressant adherence in organ transplant: A meta-analysis. <i>Health Psychology</i> , 2021 , 40, 89-103	5	0
9	Anxiety symptoms and theory of mind in older and younger adults: curvilinearity moderated by age group.. <i>Aging and Mental Health</i> , 2022 , 1-9	3.5	0
8	The Utility of Neuropsychological Evaluation in Mesial Temporal Sclerosis 1999 , 227-234		
7	Component Processes of Decision Making in a Community Sample of Precariously Housed Persons: Associations With Learning and Memory, and Health-Risk Behaviors. <i>Frontiers in Psychology</i> , 2021 , 12, 571423	3.4	
6	Characterization of Bodily Pain and Use of Both Prescription and Non-Prescription Opioids in Tenants of Precarious Housing. <i>Substance Use and Misuse</i> , 2021 , 56, 1951-1961	2.2	
5	Psychometric properties and correlates of the Beck Depression Inventory in a community-based and homeless or precariously housed sample. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100229	1.4	
4	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada 2019 , 14, e0222611		
3	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada 2019 , 14, e0222611		
2	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada 2019 , 14, e0222611		
1	Social and structural factors associated with substance use within the support network of adults living in precarious housing in a socially marginalized neighborhood of Vancouver, Canada 2019 , 14, e0222611		