

# Ming-Liang He

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7153807/publications.pdf>

Version: 2024-02-01

133  
papers

6,743  
citations

53939

47  
h-index

78623

77  
g-index

134  
all docs

134  
docs citations

134  
times ranked

11392  
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting m6A modification inhibits herpes virus 1 infection. <i>Genes and Diseases</i> , 2022, 9, 1114-1128.	1.5	24
2	Organocatalytic discrimination of non-directing aryl and heteroaryl groups: enantioselective synthesis of bioactive indole-containing triarylmethanes. <i>Chemical Science</i> , 2022, 13, 5767-5773.	3.7	10
3	The effects of SARS-CoV-2 infection on modulating innate immunity and strategies of combating inflammatory response for COVID-19 therapy. <i>Journal of Biomedical Science</i> , 2022, 29, 27.	2.6	9
4	Suppressing MDSC Infiltration in Tumor Microenvironment Serves as an Option for Treating Ovarian Cancer Metastasis. <i>International Journal of Biological Sciences</i> , 2022, 18, 3697-3713.	2.6	10
5	Stress Proteins: Biological Functions, Human Diseases, and Virus Infections. , 2021, , 77-102.		0
6	Organocatalytic asymmetric formal oxidative coupling for the construction of all-aryl quaternary stereocenters. <i>Chemical Science</i> , 2021, 12, 11793-11798.	3.7	17
7	Bioinspired Supramolecular Slippery Organogels for Controlling Pathogen Spread by Respiratory Droplets. <i>Advanced Functional Materials</i> , 2021, 31, 2102888.	7.8	19
8	Molecular mechanisms of chemo- and radiotherapy resistance and the potential implications for cancer treatment. <i>MedComm</i> , 2021, 2, 315-340.	3.1	99
9	Lomerizine 2HCl inhibits cell proliferation and induces protective autophagy in colorectal cancer via the PI3K/Akt/mTOR signaling pathway. <i>MedComm</i> , 2021, 2, 453-466.	3.1	15
10	Desuccinylation-Triggered Peptide Self-Assembly: Live Cell Imaging of SIRT5 Activity and Mitochondrial Activity Modulation. <i>Journal of the American Chemical Society</i> , 2020, 142, 18150-18159.	6.6	84
11	Pterostilbene enhances sorafenib's anticancer effects on gastric adenocarcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 12525-12536.	1.6	4
12	Stress proteins: the biological functions in virus infection, present and challenges for target-based antiviral drug development. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 125.	7.1	81
13	Pandemic COVID-19: Current status and challenges of antiviral therapies. <i>Genes and Diseases</i> , 2020, 7, 502-519.	1.5	11
14	Lipid metabolism alteration contributes to and maintains the properties of cancer stem cells. <i>Theranostics</i> , 2020, 10, 7053-7069.	4.6	94
15	Global cytokine/chemokine profile identifies potential progression prediction indicators in hand-foot-and-mouth disease patients with Enterovirus A71 infections. <i>Cytokine</i> , 2019, 123, 154765.	1.4	10
16	Pim1 Impacts Enterovirus A71 Replication and Represents a Potential Target in Antiviral Therapy. <i>IScience</i> , 2019, 19, 715-727.	1.9	15
17	Saikosaponin D suppresses enterovirus A71 infection by inhibiting autophagy. <i>Signal Transduction and Targeted Therapy</i> , 2019, 4, 4.	7.1	18
18	Hsp27 Responds to and Facilitates Enterovirus A71 Replication by Enhancing Viral Internal Ribosome Entry Site-Mediated Translation. <i>Journal of Virology</i> , 2019, 93, .	1.5	20

#	ARTICLE	IF	CITATIONS
19	The special stemness functions of Tbx3 in stem cells and cancer development. <i>Seminars in Cancer Biology</i> , 2019, 57, 105-110.	4.3	26
20	Hsc70 regulates the IRES activity and serves as an antiviral target of enterovirus A71 infection. <i>Antiviral Research</i> , 2018, 150, 39-46.	1.9	27
21	EBV-miR-BART1-5P activates AMPK/mTOR/HIF1 pathway via a PTEN independent manner to promote glycolysis and angiogenesis in nasopharyngeal carcinoma. <i>PLoS Pathogens</i> , 2018, 14, e1007484.	2.1	67
22	Novel HDAC5-interacting motifs of Tbx3 are essential for the suppression of E-cadherin expression and for the promotion of metastasis in hepatocellular carcinoma. <i>Signal Transduction and Targeted Therapy</i> , 2018, 3, 22.	7.1	28
23	Development of "Liquid-like" Copolymer Nanocoatings for Reactive Oil-Repellent Surface. <i>ACS Nano</i> , 2017, 11, 2248-2256.	7.3	130
24	Two deletion variants of Middle East respiratory syndrome coronavirus found in a patient with characteristic symptoms. <i>Archives of Virology</i> , 2017, 162, 2445-2449.	0.9	17
25	Cytotoxic (salen)ruthenium(III) anticancer complexes exhibit different modes of cell death directed by axial ligands. <i>Chemical Science</i> , 2017, 8, 6865-6870.	3.7	46
26	A genetic variant in large tumor suppressor kinase 2 of Hippo signaling pathway contributes to prognosis of hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2016, 9, 1945.	1.0	6
27	Genetic evolution of Human Enterovirus A71 subgenotype C4 in Shenzhen, China, 1998-2013. <i>Journal of Infection</i> , 2016, 72, 731-737.	1.7	5
28	HBx-upregulated lncRNA UCA1 promotes cell growth and tumorigenesis by recruiting EZH2 and repressing p27Kip1/CDK2 signaling. <i>Scientific Reports</i> , 2016, 6, 23521.	1.6	126
29	The effects of genomic polymorphisms in one-carbon metabolism pathways on survival of gastric cancer patients received fluorouracil-based adjuvant therapy. <i>Scientific Reports</i> , 2016, 6, 28019.	1.6	12
30	PRKAA/AMPK restricts HBV replication through promotion of autophagic degradation. <i>Autophagy</i> , 2016, 12, 1507-1520.	4.3	58
31	Combination treatment with fasudil and clioquinol produces synergistic anti-tumor effects in U87 glioblastoma cells by activating apoptosis and autophagy. <i>Journal of Neuro-Oncology</i> , 2016, 127, 261-270.	1.4	14
32	Concurrent epidemics of influenza A/H3N2 and A/H1N1pdm in Southern China: A serial cross-sectional study. <i>Journal of Infection</i> , 2016, 72, 369-376.	1.7	5
33	Oblongifolin M, an active compound isolated from a Chinese medical herb <i>Garcinia oblongifolia</i> , potently inhibits enterovirus 71 reproduction through downregulation of ERp57. <i>Oncotarget</i> , 2016, 7, 8797-8808.	0.8	25
34	The interaction between human enteroviruses and type I IFN signaling pathway. <i>Critical Reviews in Microbiology</i> , 2015, 41, 201-207.	2.7	10
35	ZBP-89 reduces histone deacetylase 3 by degrading I $\kappa$ B in the presence of Pin1. <i>Journal of Translational Medicine</i> , 2015, 13, 23.	1.8	3
36	Polymorphism in one-carbon metabolism pathway affects survival of gastric cancer patients: Large and comprehensive study. <i>Oncotarget</i> , 2015, 6, 9564-9576.	0.8	16

#	ARTICLE	IF	CITATIONS
37	Survival benefit from Sâ€1 as compared to Fluorouracil in Asian patients with advanced gastrointestinal cancer: A metaâ€analysis. <i>Cancer Science</i> , 2014, 105, 1008-1014.	1.7	12
38	Hepatitis B virus x protein induces autophagy via activating deathâ€associated protein kinase. <i>Journal of Viral Hepatitis</i> , 2014, 21, 642-649.	1.0	41
39	miR-9 targets CXCR4 and functions as a potential tumor suppressor in nasopharyngeal carcinoma. <i>Carcinogenesis</i> , 2014, 35, 554-563.	1.3	85
40	HIV Infection and Sexual Behaviors Among Non-Commercial Men Who Have Sex with Men at Different Venues. <i>Archives of Sexual Behavior</i> , 2014, 43, 801-809.	1.2	19
41	The variations of VP1 protein might be associated with nervous system symptoms caused by enterovirus 71 infection. <i>BMC Infectious Diseases</i> , 2014, 14, 243.	1.3	42
42	Gene expression profiling of CD4+T cells in treatment-naïve HIV, HCV mono- or co-infected Chinese. <i>Virology Journal</i> , 2014, 11, 27.	1.4	4
43	Interleukin-27 Is Differentially Associated with HIV Viral Load and CD4+ T Cell Counts in Therapy-Naïve HIV-Mono-Infected and HIV/HCV-Co-Infected Chinese. <i>PLoS ONE</i> , 2014, 9, e96792.	1.1	7
44	EZH2 promotes angiogenesis through inhibition of miR-1/Endothelin-1 axis in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2014, 5, 11319-11332.	0.8	40
45	Epigenetic upregulation of Bak by ZBP-89 inhibits the growth of hepatocellular carcinoma. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2970-2979.	1.9	17
46	Epidemiological Dynamics and Phylogeography of Influenza Virus in Southern China. <i>Journal of Infectious Diseases</i> , 2013, 207, 106-114.	1.9	41
47	Cross Sectional Survey of Influenza Antibodies before and during the 2009 Pandemic in Shenzhen, China. <i>PLoS ONE</i> , 2013, 8, e53847.	1.1	2
48	Antitumor Effects of Interferon-Alpha on Cell Growth and Metastasis in Human Nasopharyngeal Carcinoma. <i>Current Cancer Drug Targets</i> , 2012, 12, 561-570.	0.8	17
49	A Comparison of HIV Infection and Related Risk Factors Between Money Boys and Noncommercial Men Who Have Sex With Men in Shenzhen, China. <i>Sexually Transmitted Diseases</i> , 2012, 39, 942-948.	0.8	29
50	Enterovirus 71 Disrupts Interferon Signaling by Reducing the Level of Interferon Receptor 1. <i>Journal of Virology</i> , 2012, 86, 3767-3776.	1.5	132
51	MicroRNAs: Potential diagnostic markers and therapeutic targets for EBV-associated nasopharyngeal carcinoma. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012, 1825, 1-10.	3.3	38
52	Transcriptomic Assay of CD8+ T Cells in Treatment-Naïve HIV, HCV-Mono-Infected and HIV/HCV-Co-Infected Chinese. <i>PLoS ONE</i> , 2012, 7, e45200.	1.1	8
53	Transactivation of the TIEG1 confers growth inhibition of transforming growth factor-Î²-susceptible hepatocellular carcinoma cells. <i>World Journal of Gastroenterology</i> , 2012, 18, 2035.	1.4	17
54	Targeting S100P Inhibits Colon Cancer Growth and Metastasis by Lentivirus-Mediated RNA Interference and Proteomic Analysis. <i>Molecular Medicine</i> , 2011, 17, 709-716.	1.9	67

#	ARTICLE	IF	CITATIONS
55	Potent Inhibition of Human Enterovirus 71 Replication by Type I Interferon Subtypes. <i>Antiviral Therapy</i> , 2011, 16, 51-58.	0.6	68
56	Three fatal cases of pandemic 2009 influenza A virus infection in Shenzhen are associated with cytokine storm. <i>Respiratory Physiology and Neurobiology</i> , 2011, 175, 185-187.	0.7	53
57	MiRNA-20a promotes osteogenic differentiation of human mesenchymal stem cells by co-regulating BMP signaling. <i>RNA Biology</i> , 2011, 8, 829-838.	1.5	229
58	A Comparison of HIV Infection and Related Risks Among Male Sex Workers in Different Venues in Shenzhen, China. <i>AIDS and Behavior</i> , 2011, 15, 635-642.	1.4	18
59	Primate-specific microRNA-637 inhibits tumorigenesis in hepatocellular carcinoma by disrupting signal transducer and activator of transcription 3 signaling. <i>Hepatology</i> , 2011, 54, 2137-2148.	3.6	124
60	<i>Hsa-miR-637</i> inhibits proliferation of hepatocellular carcinoma cells by downregulation of <i>c-Myc</i> and upregulation of <i>p16<sup>INK4A</sup></i> . <i>International Journal of Cancer</i> , 2011, 128, 319-331.	2.3	143
61	Aqueous Extracts of <i>Fructus Ligustri Lucidi</i> Enhance the Sensitivity of Human Colorectal Carcinoma DLD-1 Cells to Doxorubicin-Induced Apoptosis via Tbx3 Suppression. <i>Integrative Cancer Therapies</i> , 2011, 10, 85-91.	0.8	22
62	MiR-26a Inhibits Cell Growth and Tumorigenesis of Nasopharyngeal Carcinoma through Repression of EZH2. <i>Cancer Research</i> , 2011, 71, 225-233.	0.4	379
63	MiR-637 maintains the balance between adipocytes and osteoblasts by directly targeting Osterix. <i>Molecular Biology of the Cell</i> , 2011, 22, 3955-3961.	0.9	185
64	The virology and developments toward control of human enterovirus 71. <i>Critical Reviews in Microbiology</i> , 2011, 37, 313-327.	2.7	94
65	Comparative Proteomic Analysis of Mesenchymal Stem Cells Derived from Human Bone Marrow, Umbilical Cord and Placenta: Implication in the Migration. <i>Advances in Experimental Medicine and Biology</i> , 2011, 720, 51-68.	0.8	6
66	Viral kinetics of Enterovirus 71 in human abdo myosarcoma cells. <i>World Journal of Gastroenterology</i> , 2011, 17, 4135.	1.4	54
67	Ethanol extract of <i>Fructus Ligustri Lucidi</i> promotes osteogenesis of mesenchymal stem cells. <i>Phytotherapy Research</i> , 2010, 24, 571-576.	2.8	42
68	TBX2 and TBX3: The special value for anticancer drug targets. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2010, 1806, 268-274.	3.3	42
69	Proteomic identification of microRNA-122a target proteins in hepatocellular carcinoma. <i>Proteomics</i> , 2010, 10, 3723-3731.	1.3	44
70	Epigenetic inactivation of T-box transcription factor 5, a novel tumor suppressor gene, is associated with colon cancer. <i>Oncogene</i> , 2010, 29, 6464-6474.	2.6	79
71	HIV prevalence and related risk factors among male sex workers in Shenzhen, China: results from a time-location sampling survey. <i>Sexually Transmitted Infections</i> , 2010, 86, 15-20.	0.8	60
72	Four-and-a-half LIM protein 2 promotes invasive potential and epithelial-mesenchymal transition in colon cancer. <i>Carcinogenesis</i> , 2010, 31, 1220-1229.	1.3	59

#	ARTICLE	IF	CITATIONS
73	Bip overexpression, but not CHOP inhibition, attenuates fatty-acid-induced endoplasmic reticulum stress and apoptosis in HepG2 liver cells. <i>Life Sciences</i> , 2010, 87, 724-732.	2.0	53
74	Flavonoids of Herba Epimedii regulate osteogenesis of human mesenchymal stem cells through BMP and Wnt/ $\beta$ -catenin signaling pathway. <i>Molecular and Cellular Endocrinology</i> , 2010, 314, 70-74.	1.6	125
75	Gold(III) porphyrin 1a inhibited nasopharyngeal carcinoma metastasis in vivo and inhibited cell migration and invasion in vitro. <i>Cancer Letters</i> , 2010, 294, 159-166.	3.2	44
76	Glucose-regulated Protein 78 Is an Intracellular Antiviral Factor against Hepatitis B Virus. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 2582-2594.	2.5	49
77	Total flavonoids of Herba Epimedii improves osteogenesis and inhibits osteoclastogenesis of human mesenchymal stem cells. <i>Phytomedicine</i> , 2009, 16, 521-529.	2.3	55
78	High level virion production and surface antigen expression with 1.5 copies of hepatitis B viral genome. <i>Journal of Virological Methods</i> , 2009, 159, 135-140.	1.0	2
79	microRNA-146b inhibits glioma cell migration and invasion by targeting MMPs. <i>Brain Research</i> , 2009, 1269, 158-165.	1.1	179
80	Adenosine diphosphate-ribosylation factor 6 is required for epidermal growth factor-induced glioblastoma cell proliferation. <i>Cancer</i> , 2009, 115, 4959-4972.	2.0	30
81	The use of folate-PEG-grafted-hybranched-PEI nonviral vector for the inhibition of glioma growth in the rat. <i>Biomaterials</i> , 2009, 30, 4014-4020.	5.7	113
82	Comparative proteomic analysis of mesenchymal stem cells derived from human bone marrow, umbilical cord, and placenta: Implication in the migration. <i>Proteomics</i> , 2009, 9, 20-30.	1.3	101
83	Proteomic identification of molecular targets of gambogic acid: Role of stathmin in hepatocellular carcinoma. <i>Proteomics</i> , 2009, 9, 242-253.	1.3	81
84	Genetic polymorphisms and haplotype structures of <i>HSPA5</i> gene in the Han population of Southern China. <i>Tissue Antigens</i> , 2009, 74, 420-423.	1.0	1
85	The genetic variability of MDR1 C3435T polymorphisms in four Southern Chinese populations. <i>Biomedicine and Pharmacotherapy</i> , 2009, 63, 658-662.	2.5	6
86	Down-regulation of stathmin is required for TGF- $\beta$ 2 inducible early gene 1 induced growth inhibition of pancreatic cancer cells. <i>Cancer Letters</i> , 2009, 274, 101-108.	3.2	40
87	MicroRNA-15b regulates cell cycle progression by targeting cyclins in glioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2009, 380, 205-210.	1.0	140
88	Pluronic L81 ameliorates diabetic symptoms in db/db mice through transcriptional regulation of microsomal triglyceride transfer protein. <i>World Journal of Gastroenterology</i> , 2009, 15, 2987.	1.4	4
89	Inhibition of HBV replication and gene expression in vitro and in vivo with a single AAV vector delivering two shRNA molecules. <i>BMB Reports</i> , 2009, 42, 59-64.	1.1	7
90	A novel TSHR gene mutation (Ile691Phe) in a Chinese family causing autosomal dominant non-autoimmune hyperthyroidism. <i>Journal of Human Genetics</i> , 2008, 53, 475-478.	1.1	19

#	ARTICLE	IF	CITATIONS
91	Inhibition of HBV gene expression and replication by stably expressed interferon $\alpha$ 1 via adeno-associated viral vectors. <i>Journal of Gene Medicine</i> , 2008, 10, 619-627.	1.4	5
92	Synthesis and characterization of folate-PEG-grafted-hyperbranched-PEI for tumor-targeted gene delivery. <i>Biochemical and Biophysical Research Communications</i> , 2008, 367, 874-880.	1.0	128
93	A1762T/G1764A mutations of hepatitis B virus, associated with the increased risk of hepatocellular carcinoma, reduce basal core promoter activities. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 773-776.	1.0	26
94	Makorin-2 Is a Neurogenesis Inhibitor Downstream of Phosphatidylinositol 3-Kinase/Akt (PI3K/Akt) Signal. <i>Journal of Biological Chemistry</i> , 2008, 283, 8486-8495.	1.6	26
95	The Kringle 1 Domain of Hepatocyte Growth Factor Has Antiangiogenic and Antitumor Cell Effects on Hepatocellular Carcinoma. <i>Cancer Research</i> , 2008, 68, 404-414.	0.4	31
96	Molecular Epidemiology of HCV Mono-infection and HIV/HCV Co-infection in Injection Drug Users in Liuzhou, Southern China. <i>PLoS ONE</i> , 2008, 3, e3608.	1.1	50
97	p130CAS Is Required for Netrin Signaling and Commissural Axon Guidance. <i>Journal of Neuroscience</i> , 2007, 27, 957-968.	1.7	54
98	Cell Cycle-Related Kinase: A Novel Candidate Oncogene in Human Glioblastoma. <i>Journal of the National Cancer Institute</i> , 2007, 99, 936-948.	3.0	48
99	Genetic variability of CYP2B6 polymorphisms in four southern Chinese populations. <i>World Journal of Gastroenterology</i> , 2007, 13, 2100.	1.4	36
100	Bismuth Complexes Inhibit the SARS Coronavirus. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6464-6468.	7.2	86
101	Bismuth Complexes Inhibit the SARS Coronavirus. <i>Angewandte Chemie</i> , 2007, 119, 6584-6588.	1.6	1
102	Lentivirus-mediated RNA interference targeting enhancer of zeste homolog 2 inhibits hepatocellular carcinoma growth through down-regulation of stathmin. <i>Hepatology</i> , 2007, 46, 200-208.	3.6	153
103	Achieving a high coverage--the challenge of controlling HIV spread in heroin users. <i>Harm Reduction Journal</i> , 2007, 4, 8.	1.3	10
104	Proteomic analysis of EZH2 downstream target proteins in hepatocellular carcinoma. <i>Proteomics</i> , 2007, 7, 3097-3104.	1.3	51
105	RNA interference and antiviral therapy. <i>World Journal of Gastroenterology</i> , 2007, 13, 5169.	1.4	40
106	EFA6A Enhances Glioma Cell Invasion through ADP Ribosylation Factor 6/Extracellular Signal-Regulated Kinase Signaling. <i>Cancer Research</i> , 2006, 66, 1583-1590.	0.4	38
107	Kinetics and synergistic effects of siRNAs targeting structural and replicase genes of SARS-associated coronavirus. <i>FEBS Letters</i> , 2006, 580, 2414-2420.	1.3	36
108	Absence of CYP2B6 promoter $\alpha$ 82T>C mutation in Chinese as an additional factor for slow metabolism of drugs commonly used in infections. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 585-586.	0.8	4



#	ARTICLE	IF	CITATIONS
109	The Implications of a High Allelic Frequency of CYP2B6 G516T in Ethnic Chinese Persons. <i>Clinical Infectious Diseases</i> , 2006, 43, 541-542.	2.9	16
110	Inhibition of human nasopharyngeal carcinoma growth and metastasis in mice by adenovirus-associated virus-mediated expression of human endostatin. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 1290-1298.	1.9	35
111	Cox-2 Expressed with Insulin in Pancreatic Beta-Cells, and in the Infiltrated Leukocytes in Inflamed Islets of Diabetic Mice. <i>European Journal of Inflammation</i> , 2005, 3, 55-61.	0.2	2
112	The Adamantane-Derived Bananins Are Potent Inhibitors of the Helicase Activities and Replication of SARS Coronavirus. <i>Chemistry and Biology</i> , 2005, 12, 303-311.	6.2	145
113	Is COX-2 a perpetrator or a protector? Selective COX-2 inhibitors remain controversial. <i>Acta Pharmacologica Sinica</i> , 2005, 26, 926-933.	2.8	43
114	Ascorbic acid inhibits ROS production, NF- $\kappa$ B activation and prevents ethanol-induced growth retardation and microencephaly. <i>Neuropharmacology</i> , 2005, 48, 426-434.	2.0	105
115	Synthetic Peptides outside the Spike Protein Heptad Repeat Regions as Potent Inhibitors of Sars-Associated Coronavirus. <i>Antiviral Therapy</i> , 2005, 10, 393-403.	0.6	63
116	Phosphatidylinositol 3-Kinase Signaling Is Involved in Neurogenesis during Xenopus Embryonic Development. <i>Journal of Biological Chemistry</i> , 2004, 279, 28509-28514.	1.6	37
117	Potent Inhibition of SARS-Associated Coronavirus (SCoV) Infection and Replication by Type I Interferons (IFN- $\alpha$ / $\beta$ ) but Not by Type II Interferon (IFN- $\gamma$ ). <i>Journal of Interferon and Cytokine Research</i> , 2004, 24, 388-390.	0.5	73
118	Catalase and Peroxiredoxin 5 Protect Xenopus Embryos against Alcohol-Induced Ocular Anomalies. , 2004, 45, 23.		53
119	Prediction of quaternary assembly of SARS coronavirus peplomer. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 1210-1214.	1.0	20
120	A critical role of Pax6 in alcohol-induced fetal microcephaly. <i>Neurobiology of Disease</i> , 2004, 16, 370-376.	2.1	47
121	HBV cccDNA in patients' sera as an indicator for HBV reactivation and an early signal of liver damage. <i>World Journal of Gastroenterology</i> , 2004, 10, 82.	1.4	45
122	Prophylactic and therapeutic effects of small interfering RNA targeting SARS-coronavirus. <i>Antiviral Therapy</i> , 2004, 9, 365-74.	0.6	58
123	Prophylactic and Therapeutic Effects of Small Interfering Rna Targeting Sars-Coronavirus. <i>Antiviral Therapy</i> , 2004, 9, 365-374.	0.6	88
124	Inhibition of hepatitis B virus replication by stably expressed shRNA. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 398-404.	1.0	55
125	Inhibition of SARS-Associated Coronavirus Infection and Replication by RNA Interference. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 2665-2666.	3.8	105
126	Retina Dorsal/Ventral Patterning by Xenopus TBX3. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 737-742.	1.0	22



#	ARTICLE	IF	CITATIONS
127	Induction of apoptosis and inhibition of cell growth by developmental regulator hTBX5. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 185-192.	1.0	26
128	The function of the nuclear matrix attachment region of silkworm rDNA as an autonomously replicating sequence in plasmid and chromosomal replication origin in yeast. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 723-729.	1.0	9
129	A new and sensitive method for the quantification of HBV cccDNA by real-time PCR. <i>Biochemical and Biophysical Research Communications</i> , 2002, 295, 1102-1107.	1.0	55
130	Preemptive use of lamivudine reduces hepatitis B exacerbation after allogeneic hematopoietic cell transplantation. <i>Hepatology</i> , 2002, 36, 702-709.	3.6	175
131	Transcription repression by <i>Xenopus</i> ET and its human ortholog TBX3, a gene involved in ulnar-mammary syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10212-10217.	3.3	111
132	Identification and characterization of scaffold-associated region (SAR) of rRNA gene of silkworm <i>Attacus ricini</i> . <i>Science in China Series C: Life Sciences</i> , 1998, 41, 181-188.	1.3	1
133	Characterization of S1 nuclease sensitive site at transcription initiation region of <i>Attacus ricini</i> rDNA. <i>Science in China Series C: Life Sciences</i> , 1997, 40, 398-405.	1.3	1