

# Jian-Min Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7154001/publications.pdf>

Version: 2024-02-01

129  
papers

22,022  
citations

10373

72  
h-index

14197

128  
g-index

163  
all docs

163  
docs citations

163  
times ranked

14779  
citing authors

#	ARTICLE	IF	CITATIONS
1	Firefly Luciferase Complementation Imaging Assay for Protein-Protein Interactions in Plants. <i>Plant Physiology</i> , 2008, 146, 323-324.	2.3	989
2	Receptor-like Cytoplasmic Kinases Integrate Signaling from Multiple Plant Immune Receptors and Are Targeted by a <i>Pseudomonas syringae</i> Effector. <i>Cell Host and Microbe</i> , 2010, 7, 290-301.	5.1	713
3	The FLS2-Associated Kinase BIK1 Directly Phosphorylates the NADPH Oxidase RbohD to Control Plant Immunity. <i>Cell Host and Microbe</i> , 2014, 15, 329-338.	5.1	635
4	Initiation of Plant Disease Resistance by Physical Interaction of AvrPto and Pto Kinase. <i>Science</i> , 1996, 274, 2060-2063.	6.0	630
5	Derepression of ethylene-stabilized transcription factors (EIN3/EIL1) mediates jasmonate and ethylene signaling synergy in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12539-12544.	3.3	622
6	Structural Basis for flg22-Induced Activation of the <i>Arabidopsis</i> FLS2-BAK1 Immune Complex. <i>Science</i> , 2013, 342, 624-628.	6.0	604
7	Pattern-recognition receptors are required for NLR-mediated plant immunity. <i>Nature</i> , 2021, 592, 105-109.	13.7	590
8	A <i>Pseudomonas syringae</i> Effector Inactivates MAPKs to Suppress PAMP-Induced Immunity in Plants. <i>Cell Host and Microbe</i> , 2007, 1, 175-185.	5.1	585
9	Receptor Kinases in Plant-Pathogen Interactions: More Than Pattern Recognition. <i>Plant Cell</i> , 2017, 29, 618-637.	3.1	552
10	Reconstitution and structure of a plant NLR resistosome conferring immunity. <i>Science</i> , 2019, 364, .	6.0	551
11	Chitin-Induced Dimerization Activates a Plant Immune Receptor. <i>Science</i> , 2012, 336, 1160-1164.	6.0	534
12	Plant Immunity: Danger Perception and Signaling. <i>Cell</i> , 2020, 181, 978-989.	13.5	520
13	<i>Pseudomonas syringae</i> Effector AvrPto Blocks Innate Immunity by Targeting Receptor Kinases. <i>Current Biology</i> , 2008, 18, 74-80.	1.8	429
14	The Pto kinase conferring resistance to tomato bacterial speck disease interacts with proteins that bind a cis-element of pathogenesis-related genes. <i>EMBO Journal</i> , 1997, 16, 3207-3218.	3.5	427
15	Phytopathogen Effectors Subverting Host Immunity: Different Foes, Similar Battleground. <i>Cell Host and Microbe</i> , 2012, 12, 484-495.	5.1	422
16	Reactive oxygen species signaling and stomatal movement in plant responses to drought stress and pathogen attack. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 805-826.	4.1	397
17	The tomato gene <i>Pti1</i> encodes a serine/threonine kinase that is phosphorylated by Pto and is involved in the hypersensitive response. <i>Cell</i> , 1995, 83, 925-935.	13.5	383
18	The Phosphothreonine Lyase Activity of a Bacterial Type III Effector Family. <i>Science</i> , 2007, 315, 1000-1003.	6.0	378

#	ARTICLE	IF	CITATIONS
19	Apoplastic ROS signaling in plant immunity. <i>Current Opinion in Plant Biology</i> , 2017, 38, 92-100.	3.5	362
20	Identification of MicroRNAs Involved in Pathogen-Associated Molecular Pattern-Triggered Plant Innate Immunity. <i>Plant Physiology</i> , 2010, 152, 2222-2231.	2.3	359
21	Ligand-triggered allosteric ADP release primes a plant NLR complex. <i>Science</i> , 2019, 364, .	6.0	334
22	Disruption of PAMP-Induced MAP Kinase Cascade by a <i>Pseudomonas syringae</i> Effector Activates Plant Immunity Mediated by the NB-LRR Protein SUMM2. <i>Cell Host and Microbe</i> , 2012, 11, 253-263.	5.1	321
23	Multiple Rice MicroRNAs Are Involved in Immunity against the Blast Fungus <i>Magnaporthe oryzae</i> . <i>Plant Physiology</i> , 2014, 164, 1077-1092.	2.3	310
24	The ZAR1 resistosome is a calcium-permeable channel triggering plant immune signaling. <i>Cell</i> , 2021, 184, 3528-3541.e12.	13.5	308
25	Receptor-Like Cytoplasmic Kinases: Central Players in Plant Receptor Kinase-Mediated Signaling. <i>Annual Review of Plant Biology</i> , 2018, 69, 267-299.	8.6	303
26	Plant Immunity Triggered by Microbial Molecular Signatures. <i>Molecular Plant</i> , 2010, 3, 783-793.	3.9	298
27	A single transcription factor promotes both yield and immunity in rice. <i>Science</i> , 2018, 361, 1026-1028.	6.0	296
28	BIK1 interacts with PEPRs to mediate ethylene-induced immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6205-6210.	3.3	291
29	A <i>Xanthomonas</i> uridine 5'-monophosphate transferase inhibits plant immune kinases. <i>Nature</i> , 2012, 485, 114-118.	13.7	275
30	Pti4 Is Induced by Ethylene and Salicylic Acid, and Its Product Is Phosphorylated by the Pto Kinase. <i>Plant Cell</i> , 2000, 12, 771-785.	3.1	274
31	<i>Arabidopsis</i> CYP86A2 represses <i>Pseudomonas syringae</i> type III genes and is required for cuticle development. <i>EMBO Journal</i> , 2004, 23, 2903-2913.	3.5	269
32	ETHYLENE INSENSITIVE3 and ETHYLENE INSENSITIVE3-LIKE1 Repress <i>SALICYLIC ACID INDUCTION DEFICIENT2</i> Expression to Negatively Regulate Plant Innate Immunity in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 2527-2540.	3.1	267
33	Flagellin induces innate immunity in nonhost interactions that is suppressed by <i>Pseudomonas syringae</i> effectors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12990-12995.	3.3	248
34	S-Nitrosylation Positively Regulates Ascorbate Peroxidase Activity during Plant Stress Responses. <i>Plant Physiology</i> , 2015, 167, 1604-1615.	2.3	227
35	The EDS1-PAD4-ADR1 node mediates <i>Arabidopsis</i> pattern-triggered immunity. <i>Nature</i> , 2021, 598, 495-499.	13.7	223
36	Receptor-Like Cytoplasmic Kinases Directly Link Diverse Pattern Recognition Receptors to the Activation of Mitogen-Activated Protein Kinase Cascades in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2018, 30, 1543-1561.	3.1	219

#	ARTICLE	IF	CITATIONS
37	Arabidopsis heterotrimeric G proteins regulate immunity by directly coupling to the FLS2 receptor. <i>ELife</i> , 2016, 5, e13568.	2.8	217
38	A <i>Pseudomonas syringae</i> ADP-Ribosyltransferase Inhibits <i>Arabidopsis</i> Mitogen-Activated Protein Kinase Kinases. <i>Plant Cell</i> , 2010, 22, 2033-2044.	3.1	215
39	The Decoy Substrate of a Pathogen Effector and a Pseudokinase Specify Pathogen-Induced Modified-Self Recognition and Immunity in Plants. <i>Cell Host and Microbe</i> , 2015, 18, 285-295.	5.1	212
40	Plant-bacterial pathogen interactions mediated by type III effectors. <i>Current Opinion in Plant Biology</i> , 2012, 15, 469-476.	3.5	200
41	Structure, organization and expression of the metallothionein gene family in <i>Arabidopsis</i> . <i>Molecular Genetics and Genomics</i> , 1995, 248, 318-328.	2.4	192
42	Regulation of the Type III Secretion System in Phytopathogenic Bacteria. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 1159-1166.	1.4	187
43	<i>Pseudomonas syringae</i> Effector Protein AvrB Perturbs <i>Arabidopsis</i> Hormone Signaling by Activating MAP Kinase 4. <i>Cell Host and Microbe</i> , 2010, 7, 164-175.	5.1	178
44	Allopolyploidy alters gene expression in the highly stable hexaploid wheat. <i>Plant Molecular Biology</i> , 2003, 52, 401-414.	2.0	171
45	Plant pathogenic bacterial type III effectors subdue host responses. <i>Current Opinion in Microbiology</i> , 2008, 11, 179-185.	2.3	171
46	Purification and Immunological Identification of Metallothioneins 1 and 2 from <i>Arabidopsis thaliana</i> . <i>Plant Physiology</i> , 1997, 113, 1293-1301.	2.3	168
47	The <i>Pseudomonas</i> AvrPto Protein Is Differentially Recognized by Tomato and Tobacco and Is Localized to the Plant Plasma Membrane. <i>Plant Cell</i> , 2000, 12, 2323-2337.	3.1	163
48	The structural basis for activation of plant immunity by bacterial effector protein AvrPto. <i>Nature</i> , 2007, 449, 243-247.	13.7	162
49	A Regulatory Module Controlling Homeostasis of a Plant Immune Kinase. <i>Molecular Cell</i> , 2018, 69, 493-504.e6.	4.5	161
50	Plant immune signaling: Advancing on two frontiers. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 2-24.	4.1	152
51	Interplay of the <i>Arabidopsis</i> nonhost resistance gene NHO1 with bacterial virulence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 3519-3524.	3.3	146
52	Activation of a COI1-dependent pathway in <i>Arabidopsis</i> by <i>Pseudomonas syringae</i> type III effectors and coronatine. <i>Plant Journal</i> , 2004, 37, 589-602.	2.8	136
53	Deacetylation of chitin oligomers increases virulence in soil-borne fungal pathogens. <i>Nature Plants</i> , 2019, 5, 1167-1176.	4.7	130
54	The U-Box/ARM E3 Ligase PUB13 Regulates Cell Death, Defense, and Flowering Time in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2012, 159, 239-250.	2.3	129

#	ARTICLE	IF	CITATIONS
55	Arabidopsis NHO1 Is Required for General Resistance against Pseudomonas Bacteria. <i>Plant Cell</i> , 2001, 13, 437-447.	3.1	128
56	Two Cytoplasmic Effectors of <i>Phytophthora sojae</i> Regulate Plant Cell Death via Interactions with Plant Catalases. <i>Plant Physiology</i> , 2014, 167, 164-175.	2.3	125
57	A cyclic nucleotide-gated channel mediates cytoplasmic calcium elevation and disease resistance in rice. <i>Cell Research</i> , 2019, 29, 820-831.	5.7	119
58	The Arabidopsis Protein Phosphatase PP2C38 Negatively Regulates the Central Immune Kinase BIK1. <i>PLoS Pathogens</i> , 2016, 12, e1005811.	2.1	113
59	Receptor-like Kinases in Plant Innate Immunity. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 1271-1286.	4.1	112
60	RAR1, a central player in plant immunity, is targeted by <i>Pseudomonas syringae</i> effector AvrB. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 19200-19205.	3.3	111
61	A Cluster of Mutations Disrupt the Avirulence but Not the Virulence Function of AvrPto. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 592-598.	1.4	109
62	PUB25 and PUB26 Promote Plant Freezing Tolerance by Degrading the Cold Signaling Negative Regulator MYB15. <i>Developmental Cell</i> , 2019, 51, 222-235.e5.	3.1	105
63	Roles of receptor-like cytoplasmic kinase VII members in pattern-triggered immune signaling. <i>Plant Physiology</i> , 2018, 177, pp.00486.2018.	2.3	103
64	An Arabidopsis Plasma Membrane Proton ATPase Modulates JA Signaling and Is Exploited by the <i>Pseudomonas syringae</i> Effector Protein AvrB for Stomatal Invasion. <i>Plant Cell</i> , 2015, 27, 2032-2041.	3.1	95
65	The MAP4 Kinase SIK1 Ensures Robust Extracellular ROS Burst and Antibacterial Immunity in Plants. <i>Cell Host and Microbe</i> , 2018, 24, 379-391.e5.	5.1	95
66	<i>Pseudomonas syringae</i> pv tomato induces the expression of tomato EREBP-like genes Pti4 and Pti5 independent of ethylene, salicylate and jasmonate. <i>Plant Journal</i> , 1999, 20, 475-483.	2.8	94
67	Activation-Dependent Destruction of a Co-receptor by a <i>Pseudomonas syringae</i> Effector Dampens Plant Immunity. <i>Cell Host and Microbe</i> , 2016, 20, 504-514.	5.1	94
68	Overexpression of Pti5 in Tomato Potentiates Pathogen-Induced Defense Gene Expression and Enhances Disease Resistance to <i>Pseudomonas syringae</i> pv. tomato. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 1453-1457.	1.4	93
69	Ligand-triggered de-repression of Arabidopsis heterotrimeric G proteins coupled to immune receptor kinases. <i>Cell Research</i> , 2018, 28, 529-543.	5.7	87
70	Malate Circulation: Linking Chloroplast Metabolism to Mitochondrial ROS. <i>Trends in Plant Science</i> , 2020, 25, 446-454.	4.3	84
71	Plant immunity: a lesson from pathogenic bacterial effector proteins. <i>Cellular Microbiology</i> , 2009, 11, 1453-1461.	1.1	83
72	Plant Immune Mechanisms: From Reductionistic to Holistic Points of View. <i>Molecular Plant</i> , 2020, 13, 1358-1378.	3.9	82

#	ARTICLE	IF	CITATIONS
73	Deficient plastidic fatty acid synthesis triggers cell death by modulating mitochondrial reactive oxygen species. <i>Cell Research</i> , 2015, 25, 621-633.	5.7	80
74	BAK1 Is Not a Target of the <i>Pseudomonas syringae</i> Effector AvrPto. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 100-107.	1.4	79
75	In planta induced genes of <i>Puccinia triticina</i> . <i>Molecular Plant Pathology</i> , 2003, 4, 51-56.	2.0	75
76	Inactivation of a wheat protein kinase gene confers broad-spectrum resistance to rust fungi. <i>Cell</i> , 2022, 185, 2961-2974.e19.	13.5	74
77	MAP Kinase Signaling Pathways: A Hub of Plant-Microbe Interactions. <i>Cell Host and Microbe</i> , 2017, 21, 270-273.	5.1	73
78	Luciferase Complementation Assay for Protein-Protein Interactions in Plants. <i>Current Protocols in Plant Biology</i> , 2018, 3, 42-50.	2.8	72
79	An Arabidopsis Secondary Metabolite Directly Targets Expression of the Bacterial Type III Secretion System to Inhibit Bacterial Virulence. <i>Cell Host and Microbe</i> , 2020, 27, 601-613.e7.	5.1	66
80	Bacterial Effectors Induce Oligomerization of Immune Receptor ZAR1 In Vivo. <i>Molecular Plant</i> , 2020, 13, 793-801.	3.9	65
81	Loss of the common immune coreceptor BAK1 leads to NLR-dependent cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 27044-27053.	3.3	63
82	Genome-Wide Gene Expression Analysis of <i>Pseudomonas syringae</i> pv. tomato DC3000 Reveals Overlapping and Distinct Pathways Regulated by hrpL and hrpRS. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 976-987.	1.4	58
83	Danger-Associated Peptides Close Stomata by OST1-Independent Activation of Anion Channels in Guard Cells. <i>Plant Cell</i> , 2018, 30, 1132-1146.	3.1	57
84	The <i>Pseudomonas syringae</i> pv. tomatoDC3000 Type III Effector HopF2 Has a Putative Myristoylation Site Required for Its Avirulence and Virulence Functions. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 130-138.	1.4	55
85	Effector-Triggered and Pathogen-Associated Molecular Pattern-Triggered Immunity Differentially Contribute to Basal Resistance to <i>Pseudomonas syringae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 940-948.	1.4	53
86	Transnitrosylation Mediated by the Non-canonical Catalase ROG1 Regulates Nitric Oxide Signaling in Plants. <i>Developmental Cell</i> , 2020, 53, 444-457.e5.	3.1	51
87	A receptor-like protein from <i>Nicotiana benthamiana</i> mediates VmE02 PAMP-triggered immunity. <i>New Phytologist</i> , 2021, 229, 2260-2272.	3.5	51
88	A Nitrilase-Like Protein Interacts with GCC Box DNA-Binding Proteins Involved in Ethylene and Defense Responses. <i>Plant Physiology</i> , 1998, 118, 867-874.	2.3	50
89	Expression of 35S::Pto Globally Activates Defense-Related Genes in Tomato Plants. <i>Plant Physiology</i> , 2001, 126, 1637-1645.	2.3	48
90	Proline Isomerization of the Immune Receptor-Interacting Protein RIN4 by a Cyclophilin Inhibits Effector-Triggered Immunity in Arabidopsis. <i>Cell Host and Microbe</i> , 2014, 16, 473-483.	5.1	48

#	ARTICLE	IF	CITATIONS
91	Plant pattern-recognition receptors controlling innate immunity. <i>Science China Life Sciences</i> , 2016, 59, 878-888.	2.3	46
92	Mutation of Lon Protease Differentially Affects the Expression of <i>Pseudomonas syringae</i> Type III Secretion System Genes in Rich and Minimal Media and Reduces Pathogenicity. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 682-696.	1.4	39
93	<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> Mutants Compromised for Type III Secretion System Gene Induction. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 964-976.	1.4	39
94	The Myristylation Motif of Pto Is Not Required for Disease Resistance. <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 572-576.	1.4	38
95	The HopPtoF Locus of <i>Pseudomonas syringae</i> pv. tomato DC3000 Encodes a Type III Chaperone and a Cognate Effector. <i>Molecular Plant-Microbe Interactions</i> , 2004, 17, 447-455.	1.4	38
96	Two-Component Sensor RhpS Promotes Induction of <i>Pseudomonas syringae</i> Type III Secretion System by Repressing Negative Regulator RhpR. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 223-234.	1.4	38
97	A <i>Phytophthora sojae</i> effector PsCRN63 forms homo-/hetero-dimers to suppress plant immunity via an inverted association manner. <i>Scientific Reports</i> , 2016, 6, 26951.	1.6	38
98	Structural basis for the catalytic mechanism of phosphothreonine lyase. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 101-102.	3.6	36
99	Plasma membrane-nucleo-cytoplasmic coordination of a receptor-like cytoplasmic kinase promotes EDS1-dependent plant immunity. <i>Nature Plants</i> , 2022, 8, 802-816.	4.7	30
100	A gain-of-function mutation in <i>Msl10</i> triggers cell death and wound-induced hyperaccumulation of jasmonic acid in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2016, 58, 600-609.	4.1	28
101	Regulation of Cell Death and Signaling by Pore-Forming Resistosomes. <i>Annual Review of Phytopathology</i> , 2021, 59, 239-263.	3.5	26
102	Nitric oxide negatively regulates gibberellin signaling to coordinate growth and salt tolerance in <i>Arabidopsis</i> . <i>Journal of Genetics and Genomics</i> , 2022, 49, 756-765.	1.7	26
103	<i>Pseudomonas syringae</i> Two-Component Response Regulator RhpR Regulates Promoters Carrying an Inverted Repeat Element. <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 927-939.	1.4	24
104	Regulation of mitochondrial NAD pool via NAD <sup>+</sup> transporter 2 is essential for matrix NADH homeostasis and ROS production in <i>Arabidopsis</i> . <i>Science China Life Sciences</i> , 2019, 62, 991-1002.	2.3	24
105	A <i>Phytophthora capsici</i> RXLR effector targets and inhibits the central immune kinases to suppress plant immunity. <i>New Phytologist</i> , 2021, 232, 264-278.	3.5	24
106	MPK3- and MPK6-mediated VLN3 phosphorylation regulates actin dynamics during stomatal immunity in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2021, 12, 6474.	5.8	24
107	From plant immunity to crop disease resistance. <i>Journal of Genetics and Genomics</i> , 2022, 49, 693-703.	1.7	24
108	The origin and evolution of a plant resistosome. <i>Plant Cell</i> , 2022, 34, 1600-1620.	3.1	22

#	ARTICLE	IF	CITATIONS
109	Arabidopsis NHO1 Is Required for General Resistance against Pseudomonas Bacteria. <i>Plant Cell</i> , 2001, 13, 437.	3.1	18
110	Overexpression of Pto Induces a Salicylate-Independent Cell Death But Inhibits Necrotic Lesions Caused by Salicylate-Deficiency in Tomato Plants. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 654-661.	1.4	18
111	Early signalling mechanisms underlying receptor kinase-mediated immunity in plants. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180310.	1.8	18
112	Pathogen recognition and signal transduction by the Pto kinase. <i>Journal of Plant Research</i> , 1998, 111, 353-356.	1.2	16
113	The multilevel and dynamic interplay between plant and pathogen. <i>Plant Signaling and Behavior</i> , 2009, 4, 283-293.	1.2	16
114	Pto Mutants Differentially Activate Prf-Dependent, avrPto-Independent Resistance and Gene-for-Gene Resistance. <i>Plant Physiology</i> , 2003, 131, 1239-1249.	2.3	15
115	Tobacco Genes Induced by the Bacterial Effector Protein AvrPto. <i>Molecular Plant-Microbe Interactions</i> , 2004, 17, 1139-1145.	1.4	14
116	Effector-triggered innate immunity contributes to <i>Arabidopsis</i> resistance to <i>Xanthomonas campestris</i> . <i>Molecular Plant Pathology</i> , 2010, 11, 783-793.	2.0	14
117	Blocking and triggering of plant immunity by <i>Pseudomonas syringae</i> effector AvrPto. <i>Plant Signaling and Behavior</i> , 2008, 3, 583-585.	1.2	13
118	Plant Pathology: A Life and Death Struggle in Rice Blast Disease. <i>Current Biology</i> , 2016, 26, R843-R845.	1.8	12
119	The secret of fertilization in flowering plants unveiled. <i>Science Bulletin</i> , 2018, 63, 408-410.	4.3	12
120	Receptor-like kinases take center stage in plant biology. <i>Science China Life Sciences</i> , 2016, 59, 863-866.	2.3	10
121	Two plant NLR proteins confer strain-specific resistance conditioned by an effector from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Journal of Genetics and Genomics</i> , 2022, 49, 823-832.	1.7	9
122	Salicylic acid. , 2017, , 273-289.		8
123	Rice extra-large G proteins play pivotal roles in controlling disease resistance and yield-related traits. <i>New Phytologist</i> , 2022, 234, 607-617.	3.5	8
124	PEPR s spice up plant immunity. <i>EMBO Journal</i> , 2016, 35, 4-5.	3.5	7
125	Small RNA trafficking at the forefront of plant-pathogen interactions. <i>F1000Research</i> , 2018, 7, 1633.	0.8	6
126	Role of small RNAs in the interaction between <i>Arabidopsis</i> and <i>Pseudomonas syringae</i> . <i>Frontiers in Biology</i> , 2011, 6, 462-467.	0.7	3

#	ARTICLE	IF	CITATIONS
127	Research on ADR1s helps understanding the plant immune network. <i>Stress Biology</i> , 2022, 2, 1.	1.5	2
128	The Pseudomonas AvrPto Protein Is Differentially Recognized by Tomato and Tobacco and Is Localized to the Plant Plasma Membrane. <i>Plant Cell</i> , 2000, 12, 2323.	3.1	1
129	Effectors of Bacterial Pathogens: Modes of Action and Plant Targets. , 2012, , 81-106.		0