

Marcio Vidotti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7154609/marcio-vidotti-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

1,828
citations

25
h-index

40
g-index

77
ext. papers

2,025
ext. citations

5
avg, IF

4.91
L-index

#	Paper	IF	Citations
74	Development of polypyrrole (nano)structures decorated with gold nanoparticles towards immunosensing for COVID-19 serological diagnosis.. <i>Materials Today Chemistry</i> , 2022 , 24, 100817	6.2	5
73	Modified Electrodes Surface with Inorganic Oxides and Conducting Polymers 2022 , 345-359		
72	Enhancement of polypyrrole nanotubes stability by gold nanoparticles for the construction of flexible solid-state supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 911, 116212	4.1	0
71	Over 21.0% faradaic efficiency of ambient ammonia production: Photoelectrocatalytic activity of MOF-235. <i>Applied Materials Today</i> , 2022 , 28, 101540	6.6	1
70	In vitro biocompatibility screening of a colloidal gum Arabic-polyaniline conducting nanocomposite. <i>International Journal of Biological Macromolecules</i> , 2021 , 173, 109-117	7.9	1
69	Nanostructured Platforms Based on Conducting Polymers for Sensing 2021 ,		
68	Electrodes Based on PEDOT Nanotubes Decorated with Gold Nanoparticles for Biosensing and Energy Storage. <i>ACS Applied Nano Materials</i> , 2021 , 4, 9945-9956	5.6	2
67	Enhancement of organophosphate degradation by electroactive pyrrole and imidazole copolymers. <i>Electrochimica Acta</i> , 2020 , 338, 135842	6.7	7
66	Electrochemical Performance of pH Sensor Based on LbL Films of Polyaniline-Gum Arabic Nanocomposite and Graphene Oxide. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 047505	3.9	10
65	Influence of electrosynthesis methods in the electrocatalytical and morphological properties of cobalt and nickel hexacyanoferrate films. <i>Electrochimica Acta</i> , 2020 , 361, 137021	6.7	2
64	Harnessing energy from micropollutants electrocatalysis in a high-performance supercapacitor based on PEDOT nanotubes. <i>Applied Materials Today</i> , 2020 , 18, 100538	6.6	2
63	Facile method to prepare biocharNiO nanocomposites as a promisor material for electrochemical energy storage devices. <i>Chemical Papers</i> , 2020 , 74, 1471-1476	1.9	9
62	Recent trends of micro and nanostructured conducting polymers in health and environmental applications. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 879, 114754	4.1	6
61	IR drop studies of poly(aniline)-based modified electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 878, 114662	4.1	13
60	Conducting polymers and composites nanowires for energy devices: A brief review. <i>Materials Science for Energy Technologies</i> , 2020 , 3, 78-90	5.2	14
59	Adsorption of catechol onto PEDOT films doped with gold nanoparticles: Electrochemical and spectroscopic studies. <i>Electrochimica Acta</i> , 2019 , 322, 134773	6.7	12
58	Polypyrrole nanotubes for electrochemically controlled extraction of atrazine, caffeine and progesterone. <i>Mikrochimica Acta</i> , 2019 , 186, 398	5.8	4

57	Impedimetric studies about the degradation of polypyrrole nanotubes during galvanostatic charge and discharge cycles. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 855, 113636	4.1	10
56	Influence of the pH on the electrochemical synthesis of polypyrrole nanotubes and the supercapacitive performance evaluation. <i>Electrochimica Acta</i> , 2019 , 293, 447-457	6.7	19
55	Interfacial characterization and supercapacitive behavior of PEDOT nanotubes modified electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 823, 573-579	4.1	10
54	PEDOT Nanotubes Electrochemically Synthesized on Flexible Substrates: Enhancement of Supercapacitive and Electrocatalytic Properties. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3913-3924	5.6	16
53	Enzymeless PEDOT-based electrochemical sensor for the detection of nitrophenols and organophosphates. <i>Sensors and Actuators B: Chemical</i> , 2018 , 257, 570-578	8.5	44
52	Influence of cationic and anionic micelles in the (sono)chemical synthesis of stable Ni(OH) ₂ nanoparticles: In situ zeta-potential measurements and electrochemical properties. <i>Applied Surface Science</i> , 2018 , 455, 357-366	6.7	12
51	Conducting polymers revisited: applications in energy, electrochromism and molecular recognition. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 2489-2515	2.6	52
50	Direct electrodeposition of imidazole modified poly(pyrrole) copolymers: synthesis, characterization and supercapacitive properties. <i>Electrochimica Acta</i> , 2017 , 243, 260-269	6.7	20
49	Nickel-Copper Alloys Modified Electrodes: an Electrochemical Study on their Interfacial and Supercapacitive Properties. <i>Journal of the Brazilian Chemical Society</i> , 2017 ,	1.5	2
48	Layer-by-Layer AuNPs-SiPy+/Prussian blue nanoparticles modified electrodes: characterization and electrocatalytic effects. <i>Electrochimica Acta</i> , 2017 , 249, 104-112	6.7	9
47	Polysaccharides as Green Biodegradable Platforms for Building-up Electroactive Composite Materials: An Overview 2017 , 377-417		1
46	Interfacial characterization and supercapacitive properties of polyaniline/gum arabic nanocomposite/graphene oxide LbL modified electrodes. <i>Applied Surface Science</i> , 2017 , 425, 16-23	6.7	11
45	Effect of low and high methoxyl citrus pectin on the properties of polypyrrole based electroactive hydrogels. <i>Carbohydrate Polymers</i> , 2017 , 155, 11-18	10.3	16
44	Electrochemical supercapacitive properties of polypyrrole thin films: influence of the electropolymerization methods. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 901-910	2.6	38
43	One-Pot sonoelectrodeposition of poly(pyrrole)/Prussian blue nanocomposites: Effects of the ultrasound amplitude in the electrode interface and electrocatalytical properties. <i>Electrochimica Acta</i> , 2016 , 213, 822-830	6.7	22
42	Stability of gum arabic-gold nanoparticles in physiological simulated pHs and their selective effect on cell lines. <i>RSC Advances</i> , 2016 , 6, 9411-9420	3.7	19
41	Hybrid core-shell nanostructured electrodes made of polypyrrole nanotubes coated with Ni(OH) ₂ nanoflakes for high energy-density supercapacitors. <i>RSC Advances</i> , 2016 , 6, 15062-15070	3.7	36
40	Structure and effects of gold nanoparticles in bacterial cellulose/polyaniline conductive membranes. <i>RSC Advances</i> , 2016 , 6, 9571-9580	3.7	26

39	Synthetic approach from polypyrrole nanotubes to nitrogen doped pyrolyzed carbon nanotubes for asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2016 , 308, 158-165	8.9	142
38	Synthesis of Ni(OH) ₂ in micellar environment: structural, spectroscopic, and electrochemical studies. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 2525-2531	2.6	4
37	Evaluation of the electrocatalytical properties of NiCo(OH) ₂ composite modified electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 765, 126-131	4.1	2
36	Electrodeposition of Nickel Hydroxide Nanoparticles on Carbon Nanotube Electrodes: Correlation of Particle Crystallography with Electrocatalytic Properties. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 16059-16068	3.8	37
35	Interfacial characterization and electrocatalytic response of sonoelectrodeposited NiCo(OH) ₂ nanocomposites. <i>Electrochimica Acta</i> , 2016 , 196, 670-679	6.7	5
34	Sonoelectrodeposition of poly(pyrrole) films: Electrochemical and morphological effects caused by the ultrasonic amplitude. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 774, 31-35	4.1	14
33	Anisotropic behavior of layer-by-layer films using highly disordered copper hexacyanoferrate(II) nanoparticles. <i>Applied Surface Science</i> , 2016 , 378, 253-258	6.7	10
32	The effect of the natural polymer gum Arabic on the synthesis of aqueous dispersible PEDOT composites. <i>Materials Letters</i> , 2015 , 149, 116-119	3.3	6
31	The electrochemical impedance spectroscopy behavior of poly(aniline) nanocomposite electrodes modified by Layer-by-Layer deposition. <i>Electrochimica Acta</i> , 2015 , 174, 864-870	6.7	33
30	Native and structurally modified gum arabic: exploring the effect of the gum's microstructure in obtaining electroactive nanoparticles. <i>Carbohydrate Polymers</i> , 2015 , 119, 35-43	10.3	12
29	Layer-by-Layer Assembly of Electrochromic Materials: On the Efficient Method for Immobilisation of Nanomaterials 2015 , 337-362		
28	Kinetic Approach to Elucidate Size Controllable Features in Nanocomposites of Gold Nanoparticles and Poly(3,4-ethylenedioxythiophene) in Aqueous Dispersion Stabilized by Gum Acacia. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 25756-25764	3.8	10
27	The use of gum Arabic as "Green" stabilizer of poly(aniline) nanocomposites: a comprehensive study of spectroscopic, morphological and electrochemical properties. <i>Journal of Colloid and Interface Science</i> , 2014 , 434, 18-27	9.3	31
26	ELECTROCHROMISM: BASIS AND APPLICATION OF NANOMATERIALS IN DEVELOPMENT OF HIGH PERFORMANCE ELECTRODES. <i>Quimica Nova</i> , 2014 , 37,	1.6	5
25	Electrocatalytical properties presented by Cu/Ni alloy modified electrodes toward the oxidation of glucose. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 1333-1338	2.6	25
24	Electrophoretic deposition of Au@PEDOT nanoparticles towards the construction of high-performance electrochromic electrodes. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 118, 72-80	6.4	25
23	Nickel/cobalt alloys modified electrodes: Synthesis, characterization and optimization of the electrocatalytical response. <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 528-535	8.5	24
22	Polarized vibrational spectra of Prussian Blue films: Spectroscopic evidence of columnar growth. <i>Vibrational Spectroscopy</i> , 2013 , 64, 58-61	2.1	5

21	Synthesis, characterization and electrocatalysis of mono- and di-nickel tetraaminodiphenolate macrocyclic complexes as active site models of [NiFe]-hydrogenases. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 14094-14102	6.7	5
20	Electrochromic properties of a metallo-supramolecular polymer derived from tetra(2-pyridyl-1,4-pyrazine) ligands integrated in thin multilayer films. <i>Langmuir</i> , 2012 , 28, 3332-7	4	7
19	Fabrication and characterization of an all-diamond tubular flow microelectrode for electroanalysis. <i>Analytical Chemistry</i> , 2011 , 83, 5804-8	7.8	14
18	Biosensors based on gold nanostructures. <i>Journal of the Brazilian Chemical Society</i> , 2011 , 22, 3-20	1.5	86
17	Electrodeposition of Nickel Hydroxide Nanoparticles on Boron-Doped Diamond Electrodes for Oxidative Electrocatalysis. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 1649-1658	3.8	122
16	Eletrodos modificados por hidróxido de níquel: um estudo de revisão sobre suas propriedades estruturais e eletroquímicas visando suas aplicações em eletrocatalise, electrocromismo e baterias secundárias. <i>Química Nova</i> , 2010 , 33, 2176-2186	1.6	28
15	Platinum nanoparticle-modified electrodes, morphologic, and electrochemical studies concerning electroactive materials deposition. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 675-679	2.6	9
14	Nickel hydroxide electrodes as amperometric detectors for carbohydrates in flow injection analysis and liquid chromatography. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 636, 18-23	4.1	53
13	Electrostatic layer-by-layer and electrophoretic depositions as methods for electrochromic nanoparticle immobilization. <i>Electrochimica Acta</i> , 2009 , 54, 2800-2804	6.7	37
12	Synthesis and characterization of stable Co and Cd doped nickel hydroxide nanoparticles for electrochemical applications. <i>Ultrasonics Sonochemistry</i> , 2009 , 16, 35-40	8.9	53
11	Nanochromics: old materials, new structures and architectures for high performance devices. <i>Journal of the Brazilian Chemical Society</i> , 2008 , 19, 1248-1257	1.5	27
10	Electrochemical oxidation of glycine by doped nickel hydroxide modified electrode. <i>Sensors and Actuators B: Chemical</i> , 2008 , 135, 245-249	8.5	50
9	Copper hexacyanoferrate nanoparticles modified electrodes: A versatile tool for biosensors. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 622, 219-224	4.1	49
8	Electrocatalytic oxidation of urea by nanostructured nickel/cobalt hydroxide electrodes. <i>Electrochimica Acta</i> , 2008 , 53, 4030-4034	6.7	141
7	Synthesis and characterization of copper hexacyanoferrate nanoparticles for building up long-term stability electrochromic electrodes. <i>Langmuir</i> , 2007 , 23, 6796-800	4	88
6	Mixed Ni/Co hydroxide nanoparticles synthesized by sonochemical method. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 3221-6	1.3	29
5	Sonochemically synthesized Ni(OH) ₂ and Co(OH) ₂ nanoparticles and their application in electrochromic electrodes. <i>Electrochemistry Communications</i> , 2006 , 8, 554-560	5.1	63
4	A highly efficient redox chromophore for simultaneous application in a photoelectrochemical dye sensitized solar cell and electrochromic devices. <i>New Journal of Chemistry</i> , 2005 , 29, 320-324	3.6	35

3	Reduction of interference signal of ascorbate and urate in poly(pyrrole)-based ammonia sensors in aqueous solutions. <i>Electrochimica Acta</i> , 2004 , 49, 3665-3670	6.7	29
2	On line mass spectrometric detection of ammonia oxidation products generated by polypyrrole based amperometric sensors. <i>Analytica Chimica Acta</i> , 2003 , 489, 207-214	6.6	23
1	A New Sensor for Ammonia Determination Based on Polypyrrole Films Doped with Dodecylbenzenesulfonate (DBSA) Ions. <i>Electroanalysis</i> , 2002 , 14, 1577-1586	3	38