

# Dae Sung Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7156646/publications.pdf>

Version: 2024-02-01

21  
papers

163  
citations

1163117

8  
h-index

1199594

12  
g-index

21  
all docs

21  
docs citations

21  
times ranked

286  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preclinical Evaluation of a Novel Polymer-free Everolimus-eluting Stent in a Mid-term Porcine Coronary Restenosis Model. <i>Journal of Korean Medical Science</i> , 2021, 36, e259.	2.5	3
2	Poly-L-lactide Polymer-Based Triple Drug-Eluting Stent with Abciximab, Alpha-Lipoic Acid and Sirolimus in Porcine Coronary Restenosis Model. <i>Macromolecular Research</i> , 2020, 28, 9-14.	2.4	1
3	Augmented re-endothelialization and anti-inflammation of coronary drug-eluting stent by abluminal coating with magnesium hydroxide. <i>Biomaterials Science</i> , 2019, 7, 2499-2510.	5.4	25
4	Efficacy of dextran and peptide-everolimus bi-directional stent. <i>Journal of Biomaterials Applications</i> , 2019, 33, 1232-1241.	2.4	2
5	Novel porcine model of acute myocardial infarction using polyethylene terephthalate. <i>Journal of Biomedical Translational Research</i> , 2019, 20, 44-52.	0.1	1
6	Influence of Local Myocardial Infarction on Endothelial Function, Neointimal Progression, and Inflammation in Target and Non-Target Vascular Territories in a Porcine Model of Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2019, 34, e145.	2.5	4
7	Effect of dyslipidemia on vascular smooth muscle cell proliferation in a porcine coronary restenosis model. <i>Journal of Biomedical Translational Research</i> , 2019, 20, 91-98.	0.1	0
8	Bilirubin coating attenuates the inflammatory response to everolimus-coated stents. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 1486-1495.	3.4	11
9	Cardioprotective effect of substance P in a porcine model of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 271, 228-232.	1.7	10
10	Effect of Stents Coated with Artemisinin or Dihydroartemisinin in a Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2017, 47, 115.	1.9	5
11	The Control of Drug Release and Vascular Endothelialization after Hyaluronic Acid-Coated Paclitaxel Multi-Layer Coating Stent Implantation in Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2017, 47, 123.	1.9	6
12	Optimal coating method for a dual-layer stent with sirolimus and alpha-lipoic acid in a porcine coronary restenosis model. <i>Macromolecular Research</i> , 2016, 24, 725-733.	2.4	1
13	Prednisolone- and sirolimus-eluting stent: Anti-inflammatory approach for inhibiting in-stent restenosis. <i>Journal of Biomaterials Applications</i> , 2016, 31, 36-44.	2.4	7
14	A novel polymer-free drug-eluting stent coated with everolimus using nitrogen-doped titanium dioxide film deposition in a porcine coronary restenosis model. <i>International Journal of Cardiology</i> , 2016, 222, 436-440.	1.7	11
15	Cardioprotective Effect of Fimasartan, a New Angiotensin Receptor Blocker, in a Porcine Model of Acute Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2015, 30, 34.	2.5	10
16	Effect of Pretreatment of Ezetimibe/Simvastatin on Arterial Healing and Endothelialization after Drug-Eluting Stent Implantation in a Porcine Coronary Restenosis Model. <i>Korean Circulation Journal</i> , 2015, 45, 110.	1.9	2
17	Comparison of sirolimus loaded PLGA-PEG Co-polymer coronary stent and bare metal stent in a porcine coronary restenosis model. <i>Macromolecular Research</i> , 2014, 22, 639-646.	2.4	8
18	Effect of polymer-free TiO <sub>2</sub> stent coated with abciximab or alpha lipoic acid in porcine coronary restenosis model. <i>Journal of Cardiology</i> , 2014, 64, 409-418.	1.9	21

#	ARTICLE	IF	CITATIONS
19	Effect of Atorvastatin-Eluting Stents in a Rabbit Iliac Artery Restenosis Model. Chonnam Medical Journal, 2013, 49, 118.	0.9	7
20	Histopathological Comparison among Biolimus, Zotarolimus and Everolimus-Eluting Stents in Porcine Coronary Restenosis Model. Korean Circulation Journal, 2013, 43, 744.	1.9	10
21	Mechanical and Histopathological Comparison between Commercialized and Newly Designed Coronary Bare Metal Stents in a Porcine Coronary Restenosis Model. Chonnam Medical Journal, 2013, 49, 7.	0.9	18