

Takumi Yamada

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7160130/takumi-yamada-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

3,243
citations

29
h-index

53
g-index

193
ext. papers

3,833
ext. citations

3.2
avg, IF

4.96
L-index

#	Paper	IF	Citations
185	Idiopathic ventricular arrhythmias originating from the left ventricular summit: anatomic concepts relevant to ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 616-23	6.4	196
184	Idiopathic ventricular arrhythmias originating from the aortic root prevalence, electrocardiographic and electrophysiologic characteristics, and results of radiofrequency catheter ablation. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 139-47	15.1	181
183	EHRA/HRS/APHS expert consensus on ventricular arrhythmias. <i>Heart Rhythm</i> , 2014 , 11, e166-96	6.7	179
182	Ventricular tachycardia originating from the posterior papillary muscle in the left ventricle: a distinct clinical syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 23-9	6.4	162
181	EHRA/HRS/APHS expert consensus on ventricular arrhythmias. <i>Europace</i> , 2014 , 16, 1257-83	3.9	135
180	Electrocardiographic and electrophysiological characteristics in idiopathic ventricular arrhythmias originating from the papillary muscles in the left ventricle: relevance for catheter ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 324-31	6.4	118
179	The left ventricular ostium: an anatomic concept relevant to idiopathic ventricular arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 396-404	6.4	118
178	2019 HRS/EHRA/APHS/LAHS expert consensus statement on catheter ablation of ventricular arrhythmias. <i>Europace</i> , 2019 , 21, 1143-1144	3.9	114
177	Preferential conduction across the ventricular outflow septum in ventricular arrhythmias originating from the aortic sinus cusp. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 884-91	15.1	114
176	Electrocardiographic characteristics of ventricular arrhythmias originating from the junction of the left and right coronary sinuses of Valsalva in the aorta: the activation pattern as a rationale for the electrocardiographic characteristics. <i>Heart Rhythm</i> , 2008 , 5, 184-92	6.7	113
175	A novel electrocardiographic criterion for differentiating a left from right ventricular outflow tract tachycardia origin: the V2S/V3R index. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 747-53	2.7	87
174	Idiopathic ventricular arrhythmias originating from the papillary muscles in the left ventricle: prevalence, electrocardiographic and electrophysiological characteristics, and results of the radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 62-9	2.7	86
173	Idiopathic focal epicardial ventricular tachycardia originating from the crux of the heart. <i>Heart Rhythm</i> , 2009 , 6, 44-50	6.7	85
172	Idiopathic focal ventricular arrhythmias originating from the anterior papillary muscle in the left ventricle. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 866-72	2.7	81
171	Catheter ablation of ventricular arrhythmias originating in the vicinity of the His bundle: significance of mapping the aortic sinus cusp. <i>Heart Rhythm</i> , 2008 , 5, 37-42	6.7	75
170	Radiofrequency catheter ablation of idiopathic ventricular arrhythmias originating from intramural foci in the left ventricular outflow tract: efficacy of sequential versus simultaneous unipolar catheter ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 344-52	6.4	70
169	Electrophysiologic and electrocardiographic characteristics and radiofrequency catheter ablation of focal atrial tachycardia originating from the left atrial appendage. <i>Heart Rhythm</i> , 2007 , 4, 1284-91	6.7	70

168	Prevalence and severity of left atrial edema detected by electron beam tomography early after pulmonary vein ablation. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1436-42	15.1	49
167	Plasma atrial natriuretic Peptide and brain natriuretic Peptide levels after radiofrequency catheter ablation of atrial fibrillation. <i>American Journal of Cardiology</i> , 2006 , 97, 1741-4	3	45
166	Focal atrial tachycardia originating from the epicardial left atrial appendage. <i>Heart Rhythm</i> , 2008 , 5, 766-7	4.7	42
165	Idiopathic left ventricular arrhythmias originating adjacent to the left aortic sinus of valsalva: electrophysiological rationale for the surface electrocardiogram. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 170-6	2.7	36
164	Atrial tachycardia originating from the noncoronary aortic cusp and musculature connection with the atria: relevance for catheter ablation. <i>Heart Rhythm</i> , 2006 , 3, 1494-6	6.7	36
163	Challenging Radiofrequency Catheter Ablation of Idiopathic Ventricular Arrhythmias Originating From the Left Ventricular Summit Near the Left Main Coronary Artery. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	36
162	Prevalence and clinical, electrocardiographic, and electrophysiologic characteristics of ventricular arrhythmias originating from the noncoronary sinus of Valsalva. <i>Heart Rhythm</i> , 2013 , 10, 1605-12	6.7	35
161	Transthoracic epicardial catheter ablation: indications, techniques, and complications. <i>Circulation Journal</i> , 2013 , 77, 1672-80	2.9	35
160	Efficacy of electroanatomic mapping in the catheter ablation of premature ventricular contractions originating from the right ventricular outflow tract. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007 , 19, 187-94	2.4	34
159	Idiopathic ventricular arrhythmias: Relevance to the anatomy, diagnosis and treatment. <i>Journal of Cardiology</i> , 2016 , 68, 463-471	3	31
158	Optimal ablation strategies for different types of ventricular tachycardias. <i>Nature Reviews Cardiology</i> , 2012 , 9, 512-25	14.8	31
157	Left ventricular outflow tract tachycardia with preferential conduction and multiple exits. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 140-2	6.4	31
156	Electrophysiological pulmonary vein antrum isolation with a multielectrode basket catheter is feasible and effective for curing paroxysmal atrial fibrillation: efficacy of minimally extensive pulmonary vein isolation. <i>Heart Rhythm</i> , 2006 , 3, 377-84	6.7	28
155	Localization of precise origin of idiopathic ventricular tachycardia from the right ventricular outflow tract by a 12-lead ECG: a study of pace mapping using a multielectrode "basket" catheter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999 , 22, 1760-8	1.6	28
154	Aspirated air in the pericardial space during epicardial catheterization may elevate the defibrillation threshold. <i>International Journal of Cardiology</i> , 2009 , 135, e34-5	3.2	27
153	Efficacy of an Anatomical Approach in Radiofrequency Catheter Ablation of Idiopathic Ventricular Arrhythmias Originating From the Left Ventricular Outflow Tract. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10, e004959	6.4	25
152	Plasma brain natriuretic peptide level after radiofrequency catheter ablation of paroxysmal, persistent, and permanent atrial fibrillation. <i>Europace</i> , 2007 , 9, 770-4	3.9	25
151	Prevalence and Electrocardiographic and Electrophysiological Characteristics of Idiopathic Ventricular Arrhythmias Originating From Intramural Foci in the Left Ventricular Outflow Tract. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	24

150	Focal ventricular arrhythmias originating from the left ventricle adjacent to the membranous septum. <i>Europace</i> , 2010 , 12, 1467-74	3.9	20
149	Complications during catheter ablation of atrial fibrillation: identification and prevention. <i>Heart Rhythm</i> , 2009 , 6, S18-25	6.7	20
148	Vagal modification can be a valid predictor of late recurrence of paroxysmal atrial fibrillation independent of the pulmonary vein isolation technique. <i>Circulation Journal</i> , 2009 , 73, 1606-11	2.9	20
147	One-puncture, double-transseptal catheterization manoeuvre in the catheter ablation of atrial fibrillation. <i>Europace</i> , 2007 , 9, 487-9	3.9	20
146	Efficacy of pulmonary vein isolation in paroxysmal atrial fibrillation patients with a Brugada electrocardiogram. <i>Circulation Journal</i> , 2008 , 72, 281-6	2.9	18
145	Mapping and ablation of trigger premature ventricular contractions in a case of electrical storm associated with ischemic cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 440-3	1.6	18
144	Incidence, location, and cause of recovery of electrical connections between the pulmonary veins and the left atrium after pulmonary vein isolation. <i>Europace</i> , 2006 , 8, 182-8	3.9	17
143	Electrophysiologic characteristics of atrial tachycardia originating from the right pulmonary veins or posterior right atrium: double potentials obtained from the posterior wall of the right atrium can be useful to predict foci of atrial tachycardia in right pulmonary veins or posterior right atrium. <i>Journal of Cardiovascular Electrophysiology</i> , 2004 , 15, 745-51	2.7	17
142	Anatomical Consideration in Catheter Ablation of Idiopathic Ventricular Arrhythmias. <i>Arrhythmia and Electrophysiology Review</i> , 2016 , 5, 203-209	3.2	17
141	Real-time integration of intracardiac echocardiography and electroanatomic mapping in PVCs arising from the LV anterior papillary muscle. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1240-3	1.6	16
140	Non-pulmonary vein epicardial foci of atrial fibrillation identified in the left atrium after pulmonary vein isolation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1323-30	1.6	16
139	Vagal modification can also help prevent late recurrence of atrial fibrillation after segmental pulmonary vein isolation. <i>Circulation Journal</i> , 2009 , 73, 632-8	2.9	14
138	Pulmonary vein isolation in patients with paroxysmal atrial fibrillation after direct suture closure of congenital atrial septal defect. <i>Circulation Journal</i> , 2007 , 71, 1989-92	2.9	14
137	Computerized three-dimensional potential mapping with a multielectrode basket catheter can be useful for pulmonary vein electrical disconnection. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2005 , 12, 23-33	2.4	14
136	Successful catheter ablation of atrial fibrillation in a patient with dextrocardia. <i>Europace</i> , 2008 , 10, 1120-29	3.9	13
135	Idiopathic Ventricular Arrhythmias Originating From the Infundibular Muscles: Prevalence, Electrocardiographic and Electrophysiological Characteristics, and Outcome of Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005749	6.4	12
134	Idiopathic Ventricular Arrhythmias Originating From the Parietal Band: Electrocardiographic and Electrophysiological Characteristics and Outcome of Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	12
133	Idiopathic mitral annular PVCs with multiple breakouts and preferential conduction unmasked by radiofrequency catheter ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e112-5	1.6	12

132	The incidence and clinical significance of non-isolation of the pulmonary vein carina after encircling ipsilateral pulmonary veins isolation for paroxysmal atrial fibrillation: a pitfall of the double-Lasso technique. <i>Europace</i> , 2013 , 15, 33-40	3.9	12
131	Focal atrial fibrillation originating from the coronary sinus musculature. <i>Heart Rhythm</i> , 2006 , 3, 1088-91	6.7	12
130	Successful catheter ablation of atrial fibrillation in a patient with cor triatriatum sinister. <i>Heart Rhythm</i> , 2008 , 5, 903-4	6.7	11
129	Ventricular tachycardia with a myocardial fibre travelling from the origin in the right aortic sinus cusp to the epicardial breakout site of the right ventricular outflow tract. <i>Europace</i> , 2008 , 10, 469-70	3.9	11
128	Twelve-lead electrocardiographic localization of idiopathic premature ventricular contraction origins. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2603-2617	2.7	10
127	Idiopathic premature ventricular contractions exhibiting preferential conduction within the aortic root. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, e10-3	1.6	10
126	The difference in autonomic denervation and its effect on atrial fibrillation recurrence between the standard segmental and circumferential pulmonary vein isolation techniques. <i>Europace</i> , 2009 , 11, 1612-9	3.9	10
125	Successful radiofrequency catheter ablation of ventricular tachycardia originating from underneath the mechanical prosthetic aortic valve. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 618-20	1.6	10
124	Ventricular far-field activity may provide a diagnostic challenge in identifying an origin of ventricular tachycardia arising from the left ventricular papillary muscle. <i>Europace</i> , 2009 , 11, 1403-5	3.9	9
123	Ventricular fibrillation induced by a radiofrequency energy delivery for idiopathic premature ventricular contractions arising from the left ventricular anterior papillary muscle. <i>Europace</i> , 2009 , 11, 1115-7	3.9	9
122	Plasma brain natriuretic peptide level after hybrid therapy with pulmonary vein isolation and antiarrhythmic drugs for atrial fibrillation. <i>International Heart Journal</i> , 2008 , 49, 143-51	1.8	9
121	Successful catheter ablation of premature ventricular contractions originating from the tricuspid annulus using a Halo-type catheter. <i>Europace</i> , 2008 , 10, 1228-9	3.9	8
120	Vagal reflex provoked by radiofrequency catheter ablation in the right aortic sinus cusp: a Bezold-Jarisch-like phenomenon. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008 , 23, 199-204	2.4	8
119	Simple and accurate catheter mapping technique to predict atrial fibrillation foci in the pulmonary veins or posterior right atrium. <i>Heart Rhythm</i> , 2004 , 1, 427-34	6.7	8
118	Usefulness of pace mapping in catheter ablation of left ventricular papillary muscle ventricular arrhythmias with a preferential conduction. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 889-899	2.7	7
117	Recognition and Prevention of Complications During Epicardial Ablation. <i>Cardiac Electrophysiology Clinics</i> , 2010 , 2, 127-134	1.4	7
116	Premature ventricular contractions arising from the intramural ventricular septum. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, e1-3	1.6	7
115	Comparison of the change in the dimension of the pulmonary vein ostia immediately after pulmonary vein isolation for atrial fibrillation-open irrigated-tip catheters versus non-irrigated conventional 4 mm-tip catheters. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 41, 83-90	2.4	6

114	Sequential ventricular prepotentials recorded within the left coronary cusp of the aorta during idiopathic PVCs: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 241-3	1.6	6
113	A couplet of PVCs with different QRS morphologies arising from a single origin in the left ventricular outflow tract. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, e88-92	1.6	6
112	QRS alternans during idiopathic ventricular tachycardia originating from the right coronary cusp of the aorta. <i>Europace</i> , 2010 , 12, 133-5	3.9	6
111	Ventricular arrhythmias originating from the epicardial ventricular outflow tract complicated with peripartum cardiomyopathy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 25, 53-7	2.4	6
110	Successful catheter ablation of a ventricular tachycardia storm originating from the left ventricular posterior papillary muscle involved with a remote myocardial infarction. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 24, 143-5	2.4	6
109	Transseptal catheterization in the catheter ablation of atrial fibrillation in a patient with cor triatriatum sinister. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 25, 79-82	2.4	6
108	Successful transseptal catheter ablation of premature ventricular contractions arising from the mitral annulus: a case with a pure annular origin. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 680-2	1.6	6
107	Epicardial macro-reentrant ventricular tachycardia exhibiting an endocardial centrifugal activation pattern in a case with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 692-5	2.7	6
106	Electrophysiologic characteristics and outcome of segmental ostial superior vena cava isolation in patients with paroxysmal atrial fibrillation initiated by superior vena cava ectopy: comparison with pulmonary vein isolation. <i>Journal of Electrocardiology</i> , 2007 , 40, 319-25	1.4	6
105	Focal atrial fibrillation associated with multiple breakout sites at the crista terminalis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006 , 29, 207-10	1.6	6
104	Successful implantable cardioverter-defibrillator implantation through a communicating branch of the persistent left superior vena cava. <i>Journal of Arrhythmia</i> , 2015 , 31, 331-2	1.5	5
103	Great cardiac venography by contrast injection through an external irrigation catheter. <i>Heart Rhythm</i> , 2012 , 9, 156-7	6.7	5
102	Idiopathic ventricular tachycardia originating from the left ventricle near the His bundle. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, e114-8	1.6	5
101	Successful catheter ablation of epicardial ventricular tachycardia worsened by cardiac resynchronization therapy. <i>Europace</i> , 2010 , 12, 437-40	3.9	5
100	Catheter ablation of focal triggers and drivers of atrial fibrillation. <i>Journal of Electrocardiology</i> , 2008 , 41, 138-43	1.4	5
99	Radiofrequency catheter ablation of the slow pathway for atrioventricular nodal reentry in a patient with an obstructed inferior vena cava. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2008 , 22, 195-8	2.4	5
98	Usefulness of esophageal leads for determining the strategy of pulmonary vein ablation to avoid complications associated with the esophagus. <i>American Journal of Cardiology</i> , 2006 , 97, 1494-7	3	5
97	Pulmonary vein antrum not always coaxial to the pulmonary vein: a dimensional pitfall to the circumferential isolation technique. <i>Circulation Journal</i> , 2007 , 71, 1430-6	2.9	5

96	Catheter ablation of epicardial ventricular tachycardia. <i>Journal of Arrhythmia</i> , 2014 , 30, 262-271	1.5	4
95	Preferential Conduction During Posterior Papillary Muscle Origin Premature Ventricular Contractions Demonstrated by Pace Mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 235-236	2.7	4
94	Epicardial macroreentrant ventricular tachycardia associated with a left ventricular aneurysm. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e13-6	1.6	4
93	Evidence for an intramural origin of idiopathic premature ventricular contractions successfully ablated within the great cardiac vein. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, e112-4	1.6	4
92	Catheter ablation of premature ventricular contractions arising from the mitral annulus after mitral valvoplasty. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 825-7	1.6	4
91	Bigeminal pulmonary vein ectopy suppressed by pulmonary vein isolation. <i>International Heart Journal</i> , 2008 , 49, 129-32	1.8	4
90	Eccentric Activation Patterns in the Left Ventricular Outflow Tract during Idiopathic Ventricular Arrhythmias Originating From the Left Ventricular Summit: A Pitfall for Predicting the Sites of Ventricular Arrhythmia Origins. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007419	6.4	3
89	EHRA/HRS/APHS expert consensus on ventricular arrhythmias. <i>Journal of Arrhythmia</i> , 2014 , 30, 327-349	4.5	3
88	Innominate vein to left internal mammary artery bypass graft fistula during laser lead extraction: salvage with covered coronary artery stent. <i>Europace</i> , 2013 , 15, 717	3.9	3
87	Focal ventricular tachycardia arising from the epicardial crux of the heart after a remote inferior myocardial infarction. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 944-5	2.7	3
86	Focal atrial fibrillation in dextrocardia. <i>Annals of Noninvasive Electrocardiology</i> , 2009 , 14, 301-4	1.5	3
85	A case of bifocal premature ventricular contractions exhibiting bigeminy with an alternating QRS morphology. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 1114-5	2.7	3
84	Electroanatomic mapping in the catheter ablation of premature atrial contractions with a non-pulmonary vein origin. <i>Europace</i> , 2008 , 10, 1320-4	3.9	3
83	Pulmonary vein isolation with a multielectrode basket catheter. <i>Indian Pacing and Electrophysiology Journal</i> , 2007 , 7, 97-109	1.5	3
82	Successful catheter ablation of a focal atrial tachycardia originating from the coronary sinus ostium in a patient with a history of Fontan conversion and dextrocardia. <i>Europace</i> , 2018 , 20, 1351	3.9	2
81	Multifocal Ventricular Arrhythmias Originating From the His-Purkinje System: Incidence, Characteristics, and Outcome of Catheter Ablation. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1248-1260	4.6	2
80	Atrial flutter following pulmonary vein isolation: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1186-8	2.7	2
79	Epicardial ventricular tachycardia successfully ablated from the left atrium in a case with a prior mitral valve repair. <i>Europace</i> , 2017 , 19, 1356	3.9	2

78	Pseudo typical atrial flutter occurring after cavotricuspid isthmus ablation in a patient with a prior history of Senning operation. <i>HeartRhythm Case Reports</i> , 2015 , 1, 54-57	1	2
77	Successful cavotricuspid isthmus ablation in a patient with a senning operation and prosthetic tricuspid valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 329-30	2.7	2
76	Regularly irregular atrial tachycardia following an orthotopic heart transplant: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 105-6	2.7	2
75	Idiopathic premature ventricular contractions arising from the intraventricular septum adjacent to the his bundle. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e108-11	1.6	2
74	Successful reduction of a high defibrillation threshold by a combined implantation of a subcutaneous array and azygos vein lead. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e173-6	1.6	2
73	Successful ICD lead implantation via an angulated and tortuous collateral vein after subclavian vein occlusion. <i>Europace</i> , 2011 , 13, 286-7	3.9	2
72	Idiopathic premature ventricular contractions successfully ablated from the epicardial right ventricular outflow tract. <i>Europace</i> , 2011 , 13, 595-7	3.9	2
71	Atrial tachycardia initiating atrial fibrillation successfully ablated in the non-coronary cusp of the aorta. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010 , 27, 123-6	2.4	2
70	Multiple macroreentrant ventricular tachycardias exhibiting centrifugal endocardial activations from the scar border zone after myocardial infarction. <i>Journal of Electrocardiology</i> , 2008 , 41, 160-4	1.4	2
69	Ventricular tachycardia with an outflow tract septal origin after repair of double outlet right ventricle. <i>Circulation Journal</i> , 2008 , 72, 496-9	2.9	2
68	Intrinsic pulmonary vein automaticity with continuous bigeminal depolarizations after pulmonary vein isolation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 135-7	1.6	2
67	Left ventricular lead implantation in an unusual anatomy of the proximal coronary sinus. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007 , 18, 191-3	2.4	2
66	Atrial tachycardia with slow pathway conduction mimicking typical atrioventricular nodal reentrant tachycardia. <i>Europace</i> , 2007 , 9, 299-301	3.9	2
65	Successful percutaneous epicardial catheter ablation of ventricular tachycardia arising from the crux of the heart in a patient with prior coronary artery bypass grafting. <i>Journal of Arrhythmia</i> , 2017 , 33, 66-68	1.5	1
64	Complications Associated With Radiofrequency Catheter Ablation of Arrhythmias 2019 , 636-647.e4		1
63	Successful transcatheter ethanol ablation of a ventricular tachycardia originating from the crux of the heart. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 777-778	2.7	1
62	Letter From Yamada et al Regarding Article, "Differentiation of Papillary Muscle From Fascicular and Mitral Annular Ventricular Arrhythmias in Patients With and Without Structural Heart Disease". <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1301	6.4	1
61	Atrioventricular Nodal Reentrant Tachycardia With a Displaced His-Bundle in an Atrioventricular Canal Defect. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 120-121	2.7	1

60	Successful transbaffle catheter ablation of pulmonary vein tachycardia. <i>Europace</i> , 2014 , 16, 645	3.9	1
59	Letter by Yamada and Kay regarding article, "Ventricular arrhythmias arising from the left ventricular outflow tract below the aortic sinus cusps: mapping and catheter ablation via transseptal approach and electrocardiographic characteristics". <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 888	6.4	1
58	Anatomical versus electrophysiological isolation approaches to ablate ventricular arrhythmias originating from near the coronary artery ostium. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, E22	2.7	1
57	Atrial fibrillation ablation in a patient with an interrupted inferior vena cava and persistent left superior vena cava. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 935	2.7	1
56	A regular narrow QRS complex tachycardia with alternating atrial activation sequences within the coronary sinus: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 1264-6	1.6	1
55	Successful catheter ablation of idiopathic premature ventricular contractions originating from the mid-lateral left ventricle in a patient with dextrocardia and situs solitus. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 1302	2.7	1
54	Atrial tachycardia originating from the junction of the right atrium and a diverticulum of the inferior vena cava. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, e44-6	6.4	1
53	Adenosine can improve the intra-atrial conduction block along the mitral annulus during accessory pathway ablation. <i>Europace</i> , 2008 , 10, 303-5	3.9	1
52	Duplicated coronary sinus with a connecting branch. <i>Europace</i> , 2008 , 10, 880-1	3.9	1
51	Detour conduction can mimic complete conduction block at the cavo-tricuspid isthmus. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 140-2	1.6	1
50	Premature ventricular contractions with a right bundle branch block and inferior QRS axis morphology: where is the site of the origin?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1009-11	1.6	1
49	Macroreentrant ventricular tachycardia mimicking focal ventricular tachycardia in a case with arrhythmogenic right ventricular cardiomyopathy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007 , 20, 43-7	2.4	1
48	Successful ablation of an atrial tachycardia in the right coronary cusp of the aortic valve. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, E44; author reply E45-7	2.7	1
47	A novel catheter for simultaneous angiography of ipsilateral pulmonary veins. <i>Europace</i> , 2007 , 9, 62-3	3.9	1
46	Adenosine can also improve the conduction between the superior vena cava and right atrium after isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 1246-9	2.7	1
45	Atrial tachycardia originating from the cavo-tricuspid isthmus may exhibit narrow P waves. <i>Indian Pacing and Electrophysiology Journal</i> , 2010 , 10, 152-5	1.5	1
44	Intracoronary artery mapping and 3-dimensional visualization of the coronary arteries with a 0.014 inch guidewire in catheter ablation of left ventricular summit premature ventricular contractions. <i>HeartRhythm Case Reports</i> , 2020 , 6, 914-917	1	1
43	Excellent Pace Maps Recorded from Two Remote Sites Inside and Outside the Scar in a Patient with Ischemic VT: What Is the Mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 72-74	1.6	0

42	Variable degrees of ventricular preexcitation during rapid atrial pacing: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 304-305	1.6	o
41	Focal intra-cavotricuspid isthmus atrial tachycardias occurring after typical atrial flutter ablation: incidence and electrocardiographic and electrophysiological characteristics. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 52, 237-245	2.4	o
40	Demonstration of a right ventricular substrate of ventricular tachycardia after myocardial infarction. <i>Europace</i> , 2011 , 13, 133-5	3.9	o
39	Significant Discrepancy Between Estimated and Actual Longevity in St. Jude Medical Implantable Cardioverter-Defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 552-558	2.7	
38	Focal Ventricular Tachycardia Associated With an Apical Aneurysm in a Patient With Hypertrophic Cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 351-352	2.7	
37	A Double Ventricular Response Through Dual AV Nodal Pathways Can Mimic a Premature Ventricular Contraction. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 722-723	2.7	
36	Demonstration of an extension of the ligament of Marshall to the left atrial posterior wall. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 773-774	2.7	
35	Alternating tachycardia cycle length occurring during catheter ablation of typical atrial flutter: What is the mechanism?. <i>Journal of Arrhythmia</i> , 2019 , 35, 320-322	1.5	
34	Typical atrioventricular nodal reentrant tachycardia with 2:1 conduction block: What is the mechanism?. <i>Journal of Arrhythmia</i> , 2019 , 35, 317-319	1.5	
33	Successful catheter ablation of a ventricular tachycardia by a radiofrequency application from the right atrium in a patient with a tetralogy of Fallot. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 973-975	2.7	
32	Successful cavotricuspid isthmus ablation in a patient with an interrupted inferior vena cava and persistent left superior vena cava. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 450-451	2.7	
31	Persistent ventricular preexcitation despite right bundle branch block. <i>Indian Pacing and Electrophysiology Journal</i> , 2018 , 18, 146-147	1.5	
30	Aortic Sinus Cusps for Catheter Ablation of Supraventricular and Ventricular Arrhythmias 2018 , 53-63		
29	Demonstration of a long narrow critical isthmus of ischemic ventricular tachycardia by pace mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 339-340	2.7	
28	Double-Layer Separate Ventricular Activation Patterns During Ventricular Tachycardia Associated With Myocarditis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	
27	Atrial fibrillation driven by scar-related atrial flutter. <i>Europace</i> , 2016 , 18, 1718	3.9	
26	Typical atrial flutter mimicking a pacemaker-mediated tachycardia. <i>Journal of Arrhythmia</i> , 2018 , 34, 309-311		
25	Special considerations in mapping and ablation of focal ventricular arrhythmias originating from the left ventricular outflow tract in patients with a transcatheter aortic valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2640-2647	2.7	

24	Successful epicardial catheter ablation of a septal ventricular tachycardia after myocardial infarction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e116-9	1.6
23	Simultaneous double atrial flutters depending on the cavotricuspid and mitral isthmuses. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1423-4	2.7
22	Prolongation of local ventriculoatrial conduction during left lateral accessory pathway ablation: what is the mechanism?. <i>Heart Rhythm</i> , 2011 , 8, 942-3	6.7
21	Suppression of premature ventricular contractions during atrioventricular conduction block: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 377-9	1.6
20	Alternating LBBB and RBBB QRS morphologies with two different supraventricular rhythms: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 94-6	1.6
19	A regular ventricular tachycardia with variable QRS morphologies originating from the interventricular septum: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 827-8	2.7
18	An atrial tachycardia with altered atrial activation sequences within the coronary sinus: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 220-1	2.7
17	A case with a narrow QRS complex tachycardia: is there any preexcitation?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 922-4	1.6
16	A case of atrioventricular nodal reentrant tachycardia: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1056-9	1.6
15	Coronary angiography is a simple and reliable method to identify which aortic cusp is being mapped. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, E72; author reply E73	2.7
14	Atrial tachycardia with widely-split P waves may mimic a distinct faster atrial tachycardia with half the cycle length of the actual P-P interval. <i>Circulation Journal</i> , 2008 , 72, 1381-4	2.9
13	A very narrow preexisting isthmus in a case with typical atrial flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 709-12	1.6
12	A wide QRS complex tachycardia with different initiation patterns: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 796-8	1.6
11	Evidence-based approach to ablating atrial fibrillation. <i>Current Cardiology Reports</i> , 2007 , 9, 366-70	4.2
10	Discrepancy between activation and postpacing interval mapping in predicting atrial tachycardia foci: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 351-3	1.6
9	Atrial tachycardia developing after cavo-tricuspid isthmus ablation: what is the mechanisms?. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 219-20	2.7
8	Atrial Tachycardia Successfully Ablated from the Left Coronary Sinus Cusp of the Aorta: An Unusual Site of Origin. <i>Journal of Atrial Fibrillation</i> , 2010 , 3, 339	0.8
7	Catheter ablation of premature ventricular contractions originating from kissing papillary muscles. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, e04955	0.7

6	Discordance between Auto Mode Switch (AMS) Episodes and Atrial Tachyarrhythmia (AT/AF) Burden. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 398-400	1.6
5	Typical atrial flutter with muscular type tricuspid atresia. <i>Europace</i> , 2016 , 18, 701	3.9
4	Disappearance of a pre-excitation immediately after the initiation of rapid atrial pacing: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 93-95	1.6
3	Successful slow pathway ablation in a patient with an interrupted inferior vena cava and persistent left superior vena cava. <i>Europace</i> , 2019 , 21, 1012	3.9
2	Idiopathic ventricular tachycardia originating from the parietal band in a patient with a corrected truncus arteriosus. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 267-268	2.7
1	Radiofrequency ablation on the right ventricular septum changed a bundle branch block pattern of a ventricular tachycardia: What is the mechanism?. <i>Journal of Arrhythmia</i> , 2022 , 38, 171-173	1.5