Haiquan Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7163296/publications.pdf

Version: 2024-02-01

57	708	623734	642732
papers	citations	h-index	g-index
57	57	57	851
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Tuning the Photocatalytic Activity of Graphitic Carbon Nitride by Plasma-Based Surface Modification. ACS Applied Materials & ACS ACS Applied Materials & ACS ACS APPLIED & ACS ACS ACS APPLIED & ACS ACS ACS APPLIED & ACS ACS APPLI	8.0	73
2	Characteristics of selective reflection of chiral nematic liquid crystalline gels with a nonuniform pitch distribution. Applied Physics Letters, 2007, 91, .	3.3	66
3	Regulating Polymerization in Graphitic Carbon Nitride To Improve Photocatalytic Activity. Chemistry of Materials, 2019, 31, 9188-9199.	6.7	57
4	High performance hydrazine vapor sensor based on redox mechanism of twisted perylene diimide derivative with lower reduction potential. Sensors and Actuators B: Chemical, 2017, 239, 898-905.	7.8	35
5	Photoinduced polymer-stabilised chiral nematic liquid crystal films reflecting both right- and left-circularly polarised light. Liquid Crystals, 2015, 42, 1120-1123.	2.2	27
6	Viewing-angle-switching film based on polymer dispersed liquid crystals for smart anti-peeping liquid crystal display. Liquid Crystals, 2022, 49, 59-65.	2.2	19
7	Silicon nanostructure-doped polymer/nematic liquid crystal composites for low voltage-driven smart windows. Nanotechnology, 2022, 33, 085205.	2.6	19
8	Multicolored Electrochromic Device from the Reversible Aggregation and Decentralization of Silver Nanoparticles. Advanced Optical Materials, 2016, 4, 106-111.	7.3	18
9	Perylene diimide derivative regulate the antimony sulfide morphology and electrochemical sensing for hydrazine. Applied Surface Science, 2019, 491, 267-275.	6.1	18
10	The regulation of electric-optical properties of polymer-dispersed liquid crystals via implantation of polyhedral oligomeric silsesquioxane (POSS) microstructure. Liquid Crystals, 2022, 49, 240-247.	2.2	18
11	Facile synthesis of an isolable and ambient stable bay-substituted perylene diimide radical anion salt and its optical response to base–acid and metal ions. Journal of Materials Science, 2016, 51, 9229-9238.	3.7	17
12	Study of configuration differentia and highly efficient deep-red thermally activated delayed fluorescent organic light-emitting diodes based on phenanthro[4,5- <i>fgh</i>]quinoxaline derivatives. Journal of Materials Chemistry C, 2021, 9, 7392-7399.	5.5	17
13	Liquid crystalline and thermo-optical properties of cyclic siloxane tetramers containing cholestryl-4-allyloxy-benzoate and biphenyl-4-yl 4-allyloxybenzoate. Liquid Crystals, 2011, 38, 9-15.	2.2	16
14	Investigation on Fluorescence Quenching Mechanism of Perylene Diimide Dyes by Graphene Oxide. Molecules, 2016, 21, 1642.	3.8	16
15	Efficient Nondoped Pure Blue Organic Lightâ€Emitting Diodes Based on an Anthracene and 9,9â€Diphenylâ€9,10â€dihydroacridine Derivative. Chemistry - an Asian Journal, 2020, 15, 163-168.	3.3	16
16	Surface plasmon resonanceâ€induced Agâ€BaTiO ₃ composites for catalytic performance. Journal of the American Ceramic Society, 2021, 104, 4389-4397.	3.8	16
17	Visible-light-triggered generation of persistent radical anions from perylenediimides: A substituent effect and potential application in photocatalytic reduction of Ag+. Dyes and Pigments, 2019, 165, 319-326.	3.7	15
18	Influence of linkage and terminal group on the liquid crystalline and helical twisting behaviours of cholesteryl esters. Liquid Crystals, 2011, 38, 803-812.	2.2	13

#	Article	IF	Citations
19	Photothermal conversion performance of perylene diimide radical anion salts modified with tunable moieties. Journal of Materials Science, 2019, 54, 217-227.	3.7	13
20	A Novel Chemical Sensor Based on Sb ₂ S ₃ Film for Highly Sensitive Detection of Hydrazine. Electroanalysis, 2017, 29, 2737-2743.	2.9	11
21	Synthesis, structure and photocatalytic properties of benzo[ghi] perylenetriimide/graphitic carbon nitride composite. Materials Letters, 2018, 221, 38-41.	2.6	11
22	Fabrication and Photocatalytic Performance of Sb2S3 Film/ITO Combination. Catalysis Letters, 2017, 147, 2592-2599.	2.6	11
23	Study on the helical twisting behaviour of chiral 1,2-propanediol derivatives inducing chiral nematic liquid crystals with a helix inversion and controllable pitch variation. Liquid Crystals, 2009, 36, 531-540.	2.2	10
24	A greener electrochromic liquid crystal based on ionic liquid electrolytes. Liquid Crystals, 2016, 43, 1110-1119.	2.2	10
25	Ultrasensitive sensing of hydrazine vapor at sub-ppm level with pyrimidine-substituted perylene diimide film device. Tetrahedron, 2019, 75, 1988-1996.	1.9	10
26	Synthesis, nonlinear optical, magnetic and electrical properties of ultra-stable open-shell pancake bonding linked perylene diimide anion radicals π-oligomer. Journal of Molecular Structure, 2020, 1199, 127002.	3.6	10
27	Effects of chemically functionalized <scp>TiO₂</scp> nanoparticles on the <scp>UV</scp> â€shielding characteristics of polymerâ€dispersed liquid crystals. Polymers for Advanced Technologies, 2022, 33, 1561-1568.	3.2	10
28	Base-driven keto–enol anion tautomerism of a perylene diimide derivative in DMF solution. RSC Advances, 2016, 6, 68402-68406.	3.6	9
29	Hydrogen-bond-linked photocatalyst of g-C3N4/3, 4, 9, 10-perylenetetracarboxylic acid anhydride with different bay-substitutents. Catalysis Communications, 2018, 111, 90-94.	3.3	9
30	Facile synthesis and hydrazine detection activity of Sb 2 S 3 films on indium tin oxide electrode. Materials Letters, 2018, 216, 73-76.	2.6	9
31	A helix inversion from the temperature-dependent intramolecular chiral conflict. Liquid Crystals, 2011, 38, 633-638.	2.2	8
32	Effect of solvent–vapour annealing on morphology, structure of copper(II) phthalocyanine thin films and device performance. Bulletin of Materials Science, 2018, 41, 1.	1.7	8
33	PrVO4/SnD NPs as a Nanocatalyst for Carbon Dioxide Fixation to Synthesis Benzimidazoles and 2-Oxazolidinones. Catalysis Letters, 2021, 151, 1623-1632.	2.6	8
34	Chiral nematic liquid crystals with helix inversion from (R)-1,1 $\hat{a}\in^2$ -binaphthyl and cholesteryl ester moieties. Liquid Crystals, 2012, 39, 1284-1290.	2.2	7
35	Synthesis, characterization, photophysical properties and stability of bay-substituted tetrachloro-perylene diimide dianion salt by alkali treatment. Tetrahedron, 2017, 73, 6632-6636.	1.9	7
36	Facile synthesis of graphene oxide sheet-immobilized perylene diimide radical anion salt and its optical response to different solvents and pH values. Journal of Materials Science, 2016, 51, 6583-6589.	3.7	6

#	Article	IF	Citations
37	Dependence of morphology, substrate and thickness of iron phthalocyanine thin films on the photocatalytic degradation of rhodamine B dye. Chemical Papers, 2018, 72, 2327-2337.	2.2	6
38	Direct reduction of metal ions based on perylene diimide derivative radical anion as an electron-transfer mediator and potential application in detection of oxidizing metal ions. Sensors and Actuators B: Chemical, 2018, 254, 1141-1147.	7.8	6
39	TiO ₂ doped polymer dispersed and stabilised liquid crystal smart film with high contrast ratio, low driving voltage and short response time. Liquid Crystals, 2022, 49, 1623-1632.	2.2	6
40	Preparation of Cyano-Substituted Tetraphenylethylene Derivatives and Their Applications in Solution-Processable OLEDs. Molecules, 2018, 23, 190.	3.8	5
41	Highly Sensitive Amperometric Hydrazine Sensor Based on Novel Sb ₂ S ₃ -CuTβPc Composite Modified Platinum Disk Electrode. Chemistry Letters, 2018, 47, 1187-1190.	1.3	5
42	Extrinsic Fabry Perot interferometer fiber sensor for simultaneous measurement of hydrazine vapor and temperature. Sensors and Actuators A: Physical, 2019, 292, 60-65.	4.1	5
43	Ï€-Dimers of core-unsubstituted perylene diimide radical anion: Synthesis, dissociation and high current-responsive to alkyl primary amine vapor. Dyes and Pigments, 2022, 197, 109847.	3.7	5
44	Structural, photoelectrical and thermol properties of ultra-stable Benzo[ghi]perylene trimide dimer anion. Tetrahedron, 2019, 75, 130577.	1.9	4
45	Effect of preparation conditions on the electro-optical performance and the polymer morphology of polymer-dispersed liquid crystals with polyhedral oligomeric silsesquioxane (POSS) microstructure. Molecular Crystals and Liquid Crystals, 2022, 737, 41-51.	0.9	4
46	Multiple detection for hydrazine based on reduction of the $1,6,7,12$ -tetrachloroperylene diimide derivative. Chemical Papers, 2018, 72, 1927-1933.	2.2	3
47	Nucleophilic Substitution Reaction of Pentafluorophenyl Aminated Perylene Diimide system with ⟨i⟩N⟨ i⟩,⟨i⟩N⟨ i⟩â€Dimethylformamide. Asian Journal of Organic Chemistry, 2020, 9, 1076-1080.	2.7	3
48	Perylene diimide radical anion constructed by hydrogen bonds and its colorimetric chemodosimeter for the rapid detection of Fe3+. Journal of Molecular Structure, 2021, 1224, 129038.	3.6	3
49	Enhancement of electro-optical properties of polymer dispersed liquid crystals by doping with nano-sized electrospun fibers. Molecular Crystals and Liquid Crystals, 0, , 1-12.	0.9	3
50	Helical H-type aggregation of trimeric p-phenylene vinylene with chiral ester groups. Bulletin of Materials Science, 2011, 34, 1049-1051.	1.7	2
51	Rational Design of a Near-infrared Fluorescent Material with High Solid-state Efficiency, Aggregation-induced Emission and Live Cell Imaging Property. Chemical Research in Chinese Universities, 2022, 38, 1461-1466.	2.6	2
52	The regulation of contrast ratio of polymer-dispersed liquid crystals (PDLCs) via polyvinyl alcohol (PVA) nanofibers. Molecular Crystals and Liquid Crystals, 0, , 1-10.	0.9	1
53	Photoinitiator release improves PDLC electro-optical performance. Molecular Crystals and Liquid Crystals, 2022, 732, 1-10.	0.9	1
54	Facile preparation of antimony sulfide and 3,4,9,10-perylenetetracarboxylic diimide composite nanomaterials modified fluorine-doped tin oxide glass for efficient detection of hydrazine. Materials Letters, 2022, 325, 132840.	2.6	1

#	Article	IF	CITATIONS
55	Mechanical properties of PPV film in thermal elimination process. Chemical Research in Chinese Universities, 2014, 30, 698-701.	2.6	O
56	Ambient stable perylene diimide anion radical for high conductivity and potential application as chemiresistive sensor. Pigment and Resin Technology, 2020, ahead-of-print, .	0.9	0
57	Self anion radical induced breaking carbon–oxygen bond in bay area of perylene diimide, and nucleophilic substitution with SRN1 mechanism. Tetrahedron, 2021, , 132480.	1.9	O