

Haiquan Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7163296/publications.pdf>

Version: 2024-02-01

57
papers

708
citations

623734

14
h-index

642732

23
g-index

57
all docs

57
docs citations

57
times ranked

851
citing authors

#	ARTICLE	IF	CITATIONS
1	Viewing-angle-switching film based on polymer dispersed liquid crystals for smart anti-peeping liquid crystal display. <i>Liquid Crystals</i> , 2022, 49, 59-65.	2.2	19
2	The regulation of electric-optical properties of polymer-dispersed liquid crystals via implantation of polyhedral oligomeric silsesquioxane (POSS) microstructure. <i>Liquid Crystals</i> , 2022, 49, 240-247.	2.2	18
3	•-Dimers of core-unsubstituted perylene diimide radical anion: Synthesis, dissociation and high current-responsive to alkyl primary amine vapor. <i>Dyes and Pigments</i> , 2022, 197, 109847.	3.7	5
4	Effect of preparation conditions on the electro-optical performance and the polymer morphology of polymer-dispersed liquid crystals with polyhedral oligomeric silsesquioxane (POSS) microstructure. <i>Molecular Crystals and Liquid Crystals</i> , 2022, 737, 41-51.	0.9	4
5	Silicon nanostructure-doped polymer/nematic liquid crystal composites for low voltage-driven smart windows. <i>Nanotechnology</i> , 2022, 33, 085205.	2.6	19
6	Effects of chemically functionalized TiO_2 nanoparticles on the UV-shielding characteristics of polymer-dispersed liquid crystals. <i>Polymers for Advanced Technologies</i> , 2022, 33, 1561-1568.	3.2	10
7	TiO_2 doped polymer dispersed and stabilised liquid crystal smart film with high contrast ratio, low driving voltage and short response time. <i>Liquid Crystals</i> , 2022, 49, 1623-1632.	2.2	6
8	Photoinitiator release improves PDLC electro-optical performance. <i>Molecular Crystals and Liquid Crystals</i> , 2022, 732, 1-10.	0.9	1
9	Rational Design of a Near-infrared Fluorescent Material with High Solid-state Efficiency, Aggregation-induced Emission and Live Cell Imaging Property. <i>Chemical Research in Chinese Universities</i> , 2022, 38, 1461-1466.	2.6	2
10	Facile preparation of antimony sulfide and 3,4,9,10-perylenetetracarboxylic diimide composite nanomaterials modified fluorine-doped tin oxide glass for efficient detection of hydrazine. <i>Materials Letters</i> , 2022, 325, 132840.	2.6	1
11	Perylene diimide radical anion constructed by hydrogen bonds and its colorimetric chemodosimeter for the rapid detection of Fe^{3+} . <i>Journal of Molecular Structure</i> , 2021, 1224, 129038.	3.6	3
12	PrVO_4/SnD NPs as a Nanocatalyst for Carbon Dioxide Fixation to Synthesis Benzimidazoles and 2-Oxazolidinones. <i>Catalysis Letters</i> , 2021, 151, 1623-1632.	2.6	8
13	Study of configuration differentia and highly efficient deep-red thermally activated delayed fluorescent organic light-emitting diodes based on phenanthro[4,5- <i>fg</i>]quinoxaline derivatives. <i>Journal of Materials Chemistry C</i> , 2021, 9, 7392-7399.	5.5	17
14	Surface plasmon resonance-induced $\text{Ag}@\text{BaTiO}_3$ composites for catalytic performance. <i>Journal of the American Ceramic Society</i> , 2021, 104, 4389-4397.	3.8	16
15	Self anion radical induced breaking carbon-oxygen bond in bay area of perylene diimide, and nucleophilic substitution with SRN1 mechanism. <i>Tetrahedron</i> , 2021, , 132480.	1.9	0
16	Synthesis, nonlinear optical, magnetic and electrical properties of ultra-stable open-shell pancake bonding linked perylene diimide anion radicals •-oligomer. <i>Journal of Molecular Structure</i> , 2020, 1199, 127002.	3.6	10
17	Efficient Nondoped Pure Blue Organic Light-Emitting Diodes Based on an Anthracene and 9,9-Diphenyl-10-hydroacridine Derivative. <i>Chemistry - an Asian Journal</i> , 2020, 15, 163-168.	3.3	16
18	Ambient stable perylene diimide anion radical for high conductivity and potential application as chemiresistive sensor. <i>Pigment and Resin Technology</i> , 2020, ahead-of-print, .	0.9	0

#	ARTICLE	IF	CITATIONS
19	Nucleophilic Substitution Reaction of Pentafluorophenyl Aminated Perylene Diimide system with N,N -Dimethylformamide. <i>Asian Journal of Organic Chemistry</i> , 2020, 9, 1076-1080.	2.7	3
20	Photothermal conversion performance of perylene diimide radical anion salts modified with tunable moieties. <i>Journal of Materials Science</i> , 2019, 54, 217-227.	3.7	13
21	Structural, photoelectrical and thermal properties of ultra-stable Benzo[ghi]perylene trimide dimer anion. <i>Tetrahedron</i> , 2019, 75, 130577.	1.9	4
22	Regulating Polymerization in Graphitic Carbon Nitride To Improve Photocatalytic Activity. <i>Chemistry of Materials</i> , 2019, 31, 9188-9199.	6.7	57
23	Perylene diimide derivative regulate the antimony sulfide morphology and electrochemical sensing for hydrazine. <i>Applied Surface Science</i> , 2019, 491, 267-275.	6.1	18
24	Extrinsic Fabry Perot interferometer fiber sensor for simultaneous measurement of hydrazine vapor and temperature. <i>Sensors and Actuators A: Physical</i> , 2019, 292, 60-65.	4.1	5
25	Visible-light-triggered generation of persistent radical anions from perylenediimides: A substituent effect and potential application in photocatalytic reduction of Ag^+ . <i>Dyes and Pigments</i> , 2019, 165, 319-326.	3.7	15
26	Ultrasensitive sensing of hydrazine vapor at sub-ppm level with pyrimidine-substituted perylene diimide film device. <i>Tetrahedron</i> , 2019, 75, 1988-1996.	1.9	10
27	Multiple detection for hydrazine based on reduction of the 1,6,7,12-tetrachloroperylene diimide derivative. <i>Chemical Papers</i> , 2018, 72, 1927-1933.	2.2	3
28	Dependence of morphology, substrate and thickness of iron phthalocyanine thin films on the photocatalytic degradation of rhodamine B dye. <i>Chemical Papers</i> , 2018, 72, 2327-2337.	2.2	6
29	Hydrogen-bond-linked photocatalyst of g-C ₃ N ₄ /3, 4, 9, 10-perylenetetra-carboxylic acid anhydride with different bay-substituents. <i>Catalysis Communications</i> , 2018, 111, 90-94.	3.3	9
30	Facile synthesis and hydrazine detection activity of Sb ₂ S ₃ films on indium tin oxide electrode. <i>Materials Letters</i> , 2018, 216, 73-76.	2.6	9
31	Synthesis, structure and photocatalytic properties of benzo[ghi] perylenetriimide/graphitic carbon nitride composite. <i>Materials Letters</i> , 2018, 221, 38-41.	2.6	11
32	Direct reduction of metal ions based on perylene diimide derivative radical anion as an electron-transfer mediator and potential application in detection of oxidizing metal ions. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 1141-1147.	7.8	6
33	Preparation of Cyano-Substituted Tetraphenylethylene Derivatives and Their Applications in Solution-Processable OLEDs. <i>Molecules</i> , 2018, 23, 190.	3.8	5
34	Effect of solvent vapour annealing on morphology, structure of copper(II) phthalocyanine thin films and device performance. <i>Bulletin of Materials Science</i> , 2018, 41, 1.	1.7	8
35	Highly Sensitive Amperometric Hydrazine Sensor Based on Novel Sb ₂ S ₃ -Cu ^{II} Pc Composite Modified Platinum Disk Electrode. <i>Chemistry Letters</i> , 2018, 47, 1187-1190.	1.3	5
36	Synthesis, characterization, photophysical properties and stability of bay-substituted tetrachloro-perylene diimide dianion salt by alkali treatment. <i>Tetrahedron</i> , 2017, 73, 6632-6636.	1.9	7

#	ARTICLE	IF	CITATIONS
37	A Novel Chemical Sensor Based on Sb ₂ S ₃ Film for Highly Sensitive Detection of Hydrazine. <i>Electroanalysis</i> , 2017, 29, 2737-2743.	2.9	11
38	Tuning the Photocatalytic Activity of Graphitic Carbon Nitride by Plasma-Based Surface Modification. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 24616-24624.	8.0	73
39	High performance hydrazine vapor sensor based on redox mechanism of twisted perylene diimide derivative with lower reduction potential. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 898-905.	7.8	35
40	Fabrication and Photocatalytic Performance of Sb ₂ S ₃ Film/ITO Combination. <i>Catalysis Letters</i> , 2017, 147, 2592-2599.	2.6	11
41	Investigation on Fluorescence Quenching Mechanism of Perylene Diimide Dyes by Graphene Oxide. <i>Molecules</i> , 2016, 21, 1642.	3.8	16
42	Facile synthesis of graphene oxide sheet-immobilized perylene diimide radical anion salt and its optical response to different solvents and pH values. <i>Journal of Materials Science</i> , 2016, 51, 6583-6589.	3.7	6
43	A greener electrochromic liquid crystal based on ionic liquid electrolytes. <i>Liquid Crystals</i> , 2016, 43, 1110-1119.	2.2	10
44	Facile synthesis of an isolable and ambient stable bay-substituted perylene diimide radical anion salt and its optical response to base ⁻ acid and metal ions. <i>Journal of Materials Science</i> , 2016, 51, 9229-9238.	3.7	17
45	Base-driven keto ⁻ enol anion tautomerism of a perylene diimide derivative in DMF solution. <i>RSC Advances</i> , 2016, 6, 68402-68406.	3.6	9
46	Multicolored Electrochromic Device from the Reversible Aggregation and Decentralization of Silver Nanoparticles. <i>Advanced Optical Materials</i> , 2016, 4, 106-111.	7.3	18
47	Photoinduced polymer-stabilised chiral nematic liquid crystal films reflecting both right- and left-circularly polarised light. <i>Liquid Crystals</i> , 2015, 42, 1120-1123.	2.2	27
48	Mechanical properties of PPV film in thermal elimination process. <i>Chemical Research in Chinese Universities</i> , 2014, 30, 698-701.	2.6	0
49	Chiral nematic liquid crystals with helix inversion from (R)-1,1'-binaphthyl and cholesteryl ester moieties. <i>Liquid Crystals</i> , 2012, 39, 1284-1290.	2.2	7
50	Influence of linkage and terminal group on the liquid crystalline and helical twisting behaviours of cholesteryl esters. <i>Liquid Crystals</i> , 2011, 38, 803-812.	2.2	13
51	A helix inversion from the temperature-dependent intramolecular chiral conflict. <i>Liquid Crystals</i> , 2011, 38, 633-638.	2.2	8
52	Liquid crystalline and thermo-optical properties of cyclic siloxane tetramers containing cholesteryl-4-allyloxy-benzoate and biphenyl-4-yl 4-allyloxybenzoate. <i>Liquid Crystals</i> , 2011, 38, 9-15.	2.2	16
53	Helical H-type aggregation of trimeric p-phenylene vinylene with chiral ester groups. <i>Bulletin of Materials Science</i> , 2011, 34, 1049-1051.	1.7	2
54	Study on the helical twisting behaviour of chiral 1,2-propanediol derivatives inducing chiral nematic liquid crystals with a helix inversion and controllable pitch variation. <i>Liquid Crystals</i> , 2009, 36, 531-540.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Characteristics of selective reflection of chiral nematic liquid crystalline gels with a nonuniform pitch distribution. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	66
56	Enhancement of electro-optical properties of polymer dispersed liquid crystals by doping with nano-sized electrospun fibers. <i>Molecular Crystals and Liquid Crystals</i> , 0, , 1-12.	0.9	3
57	The regulation of contrast ratio of polymer-dispersed liquid crystals (PDLCs) via polyvinyl alcohol (PVA) nanofibers. <i>Molecular Crystals and Liquid Crystals</i> , 0, , 1-10.	0.9	1