

Nanjoo Suh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7163408/nanjoo-suh-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

6,307
citations

45
h-index

78
g-index

97
ext. papers

6,765
ext. citations

6.3
avg, IF

5.41
L-index

#	Paper	IF	Citations
96	Extremely potent triterpenoid inducers of the phase 2 response: correlations of protection against oxidant and inflammatory stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 4584-9	11.5	445
95	Chemoprevention of cancer. <i>Carcinogenesis</i> , 2000 , 21, 525-30	4.6	375
94	Chemoprevention: an essential approach to controlling cancer. <i>Nature Reviews Cancer</i> , 2002 , 2, 537-43	31.3	299
93	An inducible pathway for degradation of FLIP protein sensitizes tumor cells to TRAIL-induced apoptosis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 22320-9	5.4	239
92	The synthetic triterpenoids, CDDO and CDDO-imidazolide, are potent inducers of heme oxygenase-1 and Nrf2/ARE signaling. <i>Cancer Research</i> , 2005 , 65, 4789-98	10.1	228
91	Synthetic oleanane and ursane triterpenoids with modified rings A and C: a series of highly active inhibitors of nitric oxide production in mouse macrophages. <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 4233-46	8.3	201
90	Cancer-preventive activities of tocopherols and tocotrienols. <i>Carcinogenesis</i> , 2010 , 31, 533-42	4.6	185
89	Design and synthesis of 2-cyano-3,12-dioxolean-1,9-dien-28-oic acid, a novel and highly active inhibitor of nitric oxide production in mouse macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998 , 8, 2711-4	2.9	167
88	Novel triterpenoid CDDO-Me is a potent inducer of apoptosis and differentiation in acute myelogenous leukemia. <i>Blood</i> , 2002 , 99, 326-35	2.2	155
87	A novel dicyanotriterpenoid, 2-cyano-3,12-dioxoleana-1,9(11)-dien-28-onitrile, active at picomolar concentrations for inhibition of nitric oxide production. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 1027-30	2.9	127
86	Rotenoids mediate potent cancer chemopreventive activity through transcriptional regulation of ornithine decarboxylase. <i>Nature Medicine</i> , 1995 , 1, 260-6	50.5	125
85	Pterostilbene, an active constituent of blueberries, suppresses aberrant crypt foci formation in the azoxymethane-induced colon carcinogenesis model in rats. <i>Clinical Cancer Research</i> , 2007 , 13, 350-5	12.9	124
84	Synthetic triterpenoids cooperate with tumor necrosis factor-related apoptosis-inducing ligand to induce apoptosis of breast cancer cells. <i>Cancer Research</i> , 2005 , 65, 4799-808	10.1	120
83	Chemical and bioactive constituents from <i>Zanthoxylum simulans</i> . <i>Journal of Natural Products</i> , 1994 , 57, 1206-11	4.9	115
82	The pak4 protein kinase plays a key role in cell survival and tumorigenesis in athymic mice. <i>Molecular Cancer Research</i> , 2008 , 6, 1215-24	6.6	111
81	The bortezomib/proteasome inhibitor PS-341 and triterpenoid CDDO-Im induce synergistic anti-multiple myeloma (MM) activity and overcome bortezomib resistance. <i>Blood</i> , 2004 , 103, 3158-66	2.2	106
80	Novel synthetic oleanane and ursane triterpenoids with various enone functionalities in ring A as inhibitors of nitric oxide production in mouse macrophages. <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 1866-77	8.3	105

79	Dietary intake of pterostilbene, a constituent of blueberries, inhibits the beta-catenin/p65 downstream signaling pathway and colon carcinogenesis in rats. <i>Carcinogenesis</i> , 2010 , 31, 1272-8	4.6	103
78	Anti-inflammatory action of pterostilbene is mediated through the p38 mitogen-activated protein kinase pathway in colon cancer cells. <i>Cancer Prevention Research</i> , 2009 , 2, 650-7	3.2	102
77	Gamma-tocopherol-enriched mixed tocopherol diet inhibits prostate carcinogenesis in TRAMP mice. <i>International Journal of Cancer</i> , 2009 , 124, 1693-9	7.5	96
76	The novel synthetic triterpenoid, CDDO-imidazole, inhibits inflammatory response and tumor growth in vivo. <i>Clinical Cancer Research</i> , 2003 , 9, 2798-806	12.9	92
75	Mixed tocopherols prevent mammary tumorigenesis by inhibiting estrogen action and activating PPAR-gamma. <i>Clinical Cancer Research</i> , 2009 , 15, 4242-9	12.9	91
74	Biological/chemopreventive activity of stilbenes and their effect on colon cancer. <i>Planta Medica</i> , 2008 , 74, 1635-43	3.1	83
73	Epigenetic reactivation of Nrf2 in murine prostate cancer TRAMP C1 cells by natural phytochemicals Z-ligustilide and Radix angelica sinensis via promoter CpG demethylation. <i>Chemical Research in Toxicology</i> , 2013 , 26, 477-85	4	81
72	Modulation of arachidonic acid metabolism and nitric oxide synthesis by garcinol and its derivatives. <i>Carcinogenesis</i> , 2006 , 27, 278-86	4.6	78
71	Potential therapeutic implications of IL-6/IL-6R/gp130-targeting agents in breast cancer. <i>Oncotarget</i> , 2016 , 7, 15460-73	3.3	77
70	New enone derivatives of oleanolic acid and ursolic acid as inhibitors of nitric oxide production in mouse macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997 , 7, 1623-1628	2.9	75
69	Vitamin D inhibits the formation of prostatic intraepithelial neoplasia in Nkx3.1;Pten mutant mice. <i>Clinical Cancer Research</i> , 2006 , 12, 5895-901	12.9	71
68	The novel triterpenoid 2-cyano-3,12-dioxooleana-1,9-dien-28-oic acid (CDDO) potently enhances apoptosis induced by tumor necrosis factor in human leukemia cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 16448-55	5.4	71
67	A novel Gemini vitamin D analog represses the expression of a stem cell marker CD44 in breast cancer. <i>Molecular Pharmacology</i> , 2011 , 79, 360-7	4.3	70
66	Does vitamin E prevent or promote cancer?. <i>Cancer Prevention Research</i> , 2012 , 5, 701-5	3.2	69
65	Synthetic triterpenoids enhance transforming growth factor beta/Smad signaling. <i>Cancer Research</i> , 2003 , 63, 1371-6	10.1	64
64	Gene expression profiling changes induced by a novel Gemini Vitamin D derivative during the progression of breast cancer. <i>Biochemical Pharmacology</i> , 2006 , 72, 332-43	6	63
63	Novel synthetic oleanane triterpenoids: a series of highly active inhibitors of nitric oxide production in mouse macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999 , 9, 3429-34	2.9	63
62	Chemopreventive activity of vitamin E in breast cancer: a focus on α and β tocopherol. <i>Nutrients</i> , 2011 , 3, 962-86	6.7	57

61	The selective estrogen receptor modulator arzoxifene and the rexinoid LG100268 cooperate to promote transforming growth factor beta-dependent apoptosis in breast cancer. <i>Cancer Research</i> , 2004 , 64, 3566-71	10.1	57
60	Specific chemopreventive agents trigger proteasomal degradation of G1 cyclins: implications for combination therapy. <i>Clinical Cancer Research</i> , 2004 , 10, 2570-7	12.9	57
59	A α -tocopherol-rich mixture of tocopherols maintains Nrf2 expression in prostate tumors of TRAMP mice via epigenetic inhibition of CpG methylation. <i>Journal of Nutrition</i> , 2012 , 142, 818-23	4.1	55
58	Combination of atorvastatin with sulindac or naproxen profoundly inhibits colonic adenocarcinomas by suppressing the p65/I κ B/cyclin D1 signaling pathway in rats. <i>Cancer Prevention Research</i> , 2011 , 4, 1895-902	3.2	54
57	Novel semisynthetic analogues of betulinic acid with diverse cytoprotective, antiproliferative, and proapoptotic activities. <i>Molecular Cancer Therapeutics</i> , 2007 , 6, 2113-9	6.1	53
56	Tocopherols in cancer: An update. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 1354-63	5.9	51
55	Vitamin D compounds inhibit cancer stem-like cells and induce differentiation in triple negative breast cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 173, 122-129	5.1	48
54	The combination of the rexinoid, LG100268, and a selective estrogen receptor modulator, either arzoxifene or acolbifene, synergizes in the prevention and treatment of mammary tumors in an estrogen receptor-negative model of breast cancer. <i>Clinical Cancer Research</i> , 2006 , 12, 5902-9	12.9	48
53	A lignan and four terpenoids from <i>Brucea javanica</i> that induce differentiation with cultured HL-60 promyelocytic leukemia cells. <i>Phytochemistry</i> , 1996 , 43, 409-12	4	48
52	Dietary tocopherols inhibit cell proliferation, regulate expression of ER α /PPAR α and Nrf2, and decrease serum inflammatory markers during the development of mammary hyperplasia. <i>Molecular Carcinogenesis</i> , 2013 , 52, 514-25	5	45
51	Gemini vitamin D analogues inhibit estrogen receptor-positive and estrogen receptor-negative mammary tumorigenesis without hypercalcemic toxicity. <i>Cancer Prevention Research</i> , 2008 , 1, 476-84	3.2	45
50	Targeting CD44-STAT3 signaling by Gemini vitamin D analog leads to inhibition of invasion in basal-like breast cancer. <i>PLoS ONE</i> , 2013 , 8, e54020	3.7	43
49	Vitamin D compounds reduce mammosphere formation and decrease expression of putative stem cell markers in breast cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 148, 148-55	5.1	42
48	Design, synthesis, and anti-inflammatory activity both in vitro and in vivo of new betulinic acid analogues having an enone functionality in ring A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 6306-9	2.9	42
47	In vitro and in vivo studies on stilbene analogs as potential treatment agents for colon cancer. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 3702-8	6.8	41
46	The synthetic triterpenoid CDDO-imidazolide induces monocytic differentiation by activating the Smad and ERK signaling pathways in HL60 leukemia cells. <i>Molecular Cancer Therapeutics</i> , 2006 , 5, 1452-8	6.1	40
45	Dietary administration of α - and γ -tocopherol inhibits tumorigenesis in the animal model of estrogen receptor-positive, but not HER-2 breast cancer. <i>Cancer Prevention Research</i> , 2012 , 5, 1310-20	3.2	39
44	Prevention and treatment of experimental breast cancer with the combination of a new selective estrogen receptor modulator, arzoxifene, and a new rexinoid, LG 100268. <i>Clinical Cancer Research</i> , 2002 , 8, 3270-5	12.9	39

43	Targeting cancer stem cells in solid tumors by vitamin D. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 148, 79-85	5.1	37
42	Vitamin E and cancer prevention: Studies with different forms of tocopherols and tocotrienols. <i>Molecular Carcinogenesis</i> , 2020 , 59, 365-389	5	35
41	Role of dietary bioactive natural products in estrogen receptor-positive breast cancer. <i>Seminars in Cancer Biology</i> , 2016 , 40-41, 170-191	12.7	35
40	HES1-mediated inhibition of Notch1 signaling by a Gemini vitamin D analog leads to decreased CD44(+)/CD24(-/low) tumor-initiating subpopulation in basal-like breast cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 148, 111-21	5.1	35
39	Platforms and networks in triterpenoid pharmacology. <i>Drug Development Research</i> , 2007 , 68, 174-182	5.1	35
38	Identification of a novel synthetic triterpenoid, methyl-2-cyano-3,12-dioxooleana-1,9-dien-28-oate, that potently induces caspase-mediated apoptosis in human lung cancer cells. <i>Molecular Cancer Therapeutics</i> , 2002 , 1, 177-84	6.1	35
37	Gemini vitamin D analog suppresses ErbB2-positive mammary tumor growth via inhibition of ErbB2/AKT/ERK signaling. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 121, 408-12	5.1	33
36	Differential Expression of Key Signaling Proteins in MCF10 Cell Lines, a Human Breast Cancer Progression Model. <i>Molecular and Cellular Pharmacology</i> , 2012 , 4, 31-40		33
35	βand αtocopherols inhibit pHP/DSS-induced colon carcinogenesis by protection against early cellular and DNA damages. <i>Molecular Carcinogenesis</i> , 2017 , 56, 172-183	5	32
34	Peroxisome proliferator-activated receptor-gamma-independent repression of collagenase gene expression by 2-cyano-3,12-dioxooleana-1,9-dien-28-oic acid and prostaglandin 15-deoxy-delta(12,14) J2: a role for Smad signaling. <i>Molecular Pharmacology</i> , 2004 , 65, 309-18	4.3	32
33	Tocopherols inhibit oxidative and nitrosative stress in estrogen-induced early mammary hyperplasia in ACI rats. <i>Molecular Carcinogenesis</i> , 2015 , 54, 916-25	5	31
32	Dietary tocopherols inhibit PhIP-induced prostate carcinogenesis in CYP1A-humanized mice. <i>Cancer Letters</i> , 2016 , 371, 71-8	9.9	30
31	Novel A-ring cleaved analogs of oleanolic and ursolic acids which affect growth regulation in NRP.152 prostate cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997 , 7, 1769-1772	2.9	29
30	Design and synthesis of tricyclic compounds with enone functionalities in rings A and C: a novel class of highly active inhibitors of nitric oxide production in mouse macrophages. <i>Journal of Medicinal Chemistry</i> , 2002 , 45, 4801-5	8.3	29
29	Efficient synthesis of (-)- and (+)-tricyclic compounds with enone functionalities in rings A and C. A novel class of orally active anti-inflammatory and cancer chemopreventive agents. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 4384-91	3.9	28
28	Dietary αTocopherol-Rich Mixture Inhibits Estrogen-Induced Mammary Tumorigenesis by Modulating Estrogen Metabolism, Antioxidant Response, and PPARα <i>Cancer Prevention Research</i> , 2015 , 8, 807-16	3.2	27
27	Mixed tocopherols inhibit N-methyl-N-nitrosourea-induced mammary tumor growth in rats. <i>Nutrition and Cancer</i> , 2007 , 59, 76-81	2.8	27
26	Calcitriol derivatives with two different side chains at C-20. V. Potent inhibitors of mammary carcinogenesis and inducers of leukemia differentiation. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 5505-19	8.3	26

25	Structure-function study of gemini derivatives with two different side chains at C-20, Gemini-0072 and Gemini-0097. <i>MedChemComm</i> , 2011 , 2, 424-429	5	25
24	Synthesis and biological evaluation of retinoid-chalcones as inhibitors of colon cancer cell growth. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7385-7	2.9	23
23	A synthetic triterpenoid CDDO-Im inhibits tumorsphere formation by regulating stem cell signaling pathways in triple-negative breast cancer. <i>PLoS ONE</i> , 2014 , 9, e107616	3.7	22
22	Diastereotopic and deuterium effects in gemini. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 3878-88	8.3	20
21	Calcitriol derivatives with two different side chains at C-20 III. An epimeric pair of the gemini family with unprecedented antiproliferative effects on tumor cells and renin mRNA expression inhibition. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 103, 277-81	5.1	19
20	Inhibitory Effects of α and γ -Tocopherols on Estrogen-Stimulated Breast Cancer and. <i>Cancer Prevention Research</i> , 2017 , 10, 188-197	3.2	18
19	Oral administration of a gemini vitamin D analog, a synthetic triterpenoid and the combination prevents mammary tumorigenesis driven by ErbB2 overexpression. <i>Cancer Prevention Research</i> , 2013 , 6, 959-70	3.2	18
18	Targeting HER2 Positive Breast Cancer with Chemopreventive Agents. <i>Current Pharmacology Reports</i> , 2015 , 1, 324-335	5.5	16
17	A novel vitamin D derivative activates bone morphogenetic protein signaling in MCF10 breast epithelial cells. <i>Molecular Pharmacology</i> , 2006 , 69, 1840-8	4.3	16
16	Tocopherols inhibit estrogen-induced cancer stemness and OCT4 signaling in breast cancer. <i>Carcinogenesis</i> , 2018 , 39, 1045-1055	4.6	12
15	Inhibition of the transition of ductal carcinoma in situ to invasive ductal carcinoma by a Gemini vitamin D analog. <i>Cancer Prevention Research</i> , 2014 , 7, 617-26	3.2	10
14	Analysis of the Transcriptome: Regulation of Cancer Stemness in Breast Ductal Carcinoma by Vitamin D Compounds. <i>Cancer Prevention Research</i> , 2020 , 13, 673-686	3.2	9
13	Regulation of Hedgehog Signaling in Cancer by Natural and Dietary Compounds. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700621	5.9	9
12	Activation of bone morphogenetic protein signaling by a Gemini vitamin D3 analogue is mediated by Ras/protein kinase C alpha. <i>Cancer Research</i> , 2007 , 67, 11840-7	10.1	8
11	Differential Gene Regulation and Tumor-Inhibitory Activities of Alpha-, Delta-, and Gamma-Tocopherols in Estrogen-Mediated Mammary Carcinogenesis. <i>Cancer Prevention Research</i> , 2017 , 10, 694-703	3.2	8
10	Strawberry fields forever?. <i>Cancer Prevention Research</i> , 2012 , 5, 30-3	3.2	7
9	Carcinogen 7,12-dimethylbenz[a]anthracene-induced mammary tumorigenesis is accelerated in Smad3 heterozygous mice compared to Smad3 wild type mice. <i>Oncotarget</i> , 2016 , 7, 64878-64885	3.3	5
8	Structural analysis and biological activities of BXL0124, a gemini analog of vitamin D. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 173, 69-74	5.1	4

7	Breast cancer stem cells: A review of their characteristics and the agents that affect them. <i>Molecular Carcinogenesis</i> , 2021 , 60, 73-100	5	4
6	CDDO Increases Translation of CCAAT Enhancer Binding Protein alpha To Induce Granulocytic Differentiation.. <i>Blood</i> , 2005 , 106, 2458-2458	2.2	1
5	Understanding the Mechanistic Link between Bisphenol A and Cancer Stem Cells: A Cancer Prevention Perspective. <i>Journal of Cancer Prevention</i> , 2021 , 26, 18-24	3	1
4	Natural Products in the Prevention of Metabolic Diseases: Lessons Learned from the 20th KAST Frontier Scientists Workshop. <i>Nutrients</i> , 2021 , 13,	6.7	1
3	Tanshinone 1 prevents high fat diet-induced obesity through activation of brown adipocytes and induction of browning in white adipocytes.. <i>Life Sciences</i> , 2022 , 298, 120488	6.8	0
2	Vitamin D Compounds and Cancer Stem Cells in Cancer Prevention 2020 , 143-159		
1	Selected Vitamins385-415		