

Alessandro Di Mattia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7163939/publications.pdf>

Version: 2024-02-01

613
papers

25,056
citations

9254

74
h-index

17090

122
g-index

636
all docs

636
docs citations

636
times ranked

9735
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
3	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
4	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 421.	1.4	355
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
6	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	1.4	298
7	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
8	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
9	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
10	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
11	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238

12

#	ARTICLE	IF	CITATIONS
19	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
20	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	175
21	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
22	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
23	Measurement of the transverse momentum and $\phi_{\ell\ell}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
24	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	1.4	146
25	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
26	Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
27	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
28	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
29	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
30	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
31	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
32	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
33	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13, 14$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
34	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	1.4	121
35			

#	ARTICLE	IF	CITATIONS
37	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
38	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
39	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	114

40

#	ARTICLE	IF	CITATIONS
55	Measurements of the W production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	1.4	92
56	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.	1.4	90
57	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	89
58	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	88
59	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	88
60	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	86
61	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	84
62	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020, 15, P10017-P10017.	0.5	84
63	Measurement of the differential cross section and charge asymmetry for inclusive $p\bar{p} \rightarrow W^{\pm} + X$ production at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 469.	1.4	83
64	Measurement of prompt and nonprompt charmonium suppression in $PbPb$ collisions at $5.02 \leq \sqrt{s} \leq 8.76$ TeV. <i>European Physical Journal C</i> , 2018, 78, 509.	1.4	83
65	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	82
66	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>European Physical Journal C</i> , 2017, 77, 252.	1.4	82
67	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	82
68	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	81
69	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	1.4	79
70	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	1.6	78
71	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 75.	1.4	78
72	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	1.4	77

#	ARTICLE	IF	CITATIONS
73	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
74	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
75	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
76	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
77	Search for additional neutral MSSM Higgs bosons in the \tilde{l}, \tilde{l} final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
78	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71
79	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
80	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
81	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
82	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 3.	1.4	70
83	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tilde{l}, \tau^+ \tilde{l}^*$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
84	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
85	Measurement of the $\overline{t}t$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
86	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
87	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
88	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
89	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
90	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	66

#	ARTICLE	IF	CITATIONS
91	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
92	Measurement of the $W \rightarrow \tau^+ \tau^-$, $W \rightarrow \tau^+ \tau^- \nu_\tau$ and $Z \rightarrow \tau^+ \tau^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
93	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
94	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
95	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
96	Measurement of the differential cross-sections of prompt and non-prompt production of $\psi(2S)$ and $\psi(3770)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
97	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
98	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
99	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
100	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
101	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
102	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	62
103	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	1.4	61
104	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\nu}$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
105	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	61
106	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
107	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
108	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60

#	ARTICLE	IF	CITATIONS
109	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} / d\bar{d} / s\bar{s} / c\bar{c} / b\bar{b}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	1.4	60
110	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	1.4	60
111	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	59
112	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	59
113	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	59
114	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	59
115	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	1.4	58
116	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2018, 78, 701.	1.4	58
117	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	57
118	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 578.	1.4	57
119	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	57
120	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	57
121	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	56
122	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	1.4	56
123	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883.	1.4	55
124	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	55
125	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2016, 76, 451.	1.4	55
126	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	54

#	ARTICLE	IF	CITATIONS
127	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
128	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}^-$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
129	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s}=8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
130	Search for charged Higgs bosons in the $H\hat{A}^\pm \hat{A}^\mp \ell, \hat{A}^\pm \ell/2\ell$, decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
131	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
132	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.	1.6	54
133	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s}=7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
134	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
135	Measurement of prompt and nonprompt J/ψ production in pp and pPb collisions at $\sqrt{s_{\text{NN}}}=5.02, \text{ext}\{TeV\}$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
136	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
137	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
138	Search for lepton-flavour-violating $H\hat{A}^\pm \ell/4\ell$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
139	Measurement of the top quark mass in the $t\rightarrow \text{lepton}+\text{jets}$ and $t\rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
140	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s}=8$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
141	Measurements of the $p\bar{p}\rightarrow Z\bar{Z}$ production cross section and the $Z\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
142	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	1.4	51
143	Measurement of the top quark mass with the template method in the $\text{lepton}+\text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
144	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51

#	ARTICLE	IF	CITATIONS
145	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
146	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s}=13, \text{ext}\{\text{TeV}\}$. European Physical Journal C, 2019, 79, 564.	1.4	50
147	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
148	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7; \text{mathrm}\{\text{TeV}\}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
149	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
150	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
151	Observation of $Y(1S)$ pair production in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
152	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13, \text{ext}\{\text{TeV}\}$ $s = 13$ Te. European Physical Journal C, 2019, 79, 364.	1.4	48
153	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
154	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ $s = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
155	Search for third-generation scalar leptoquarks decaying to a top quark and a τ, lepton at $\sqrt{s}=13, \text{ext}\{\text{TeV}\}$ $s = 13$ Te. European Physical Journal C, 2018, 78, 707.	1.4	46
156	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = \{7, \text{ext}\{\text{TeV}\}\}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
157	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	1.4	45
158	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
159	Measurement of the t production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
160	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
161	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
162	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
163	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
164	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
165	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
166	Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
167	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
168	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
169	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
170	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
171	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
172	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
173	Evidence for exclusive $\tau^+ \tau^- W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
174	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
175	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
176	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
177	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
178	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2015, 75, 23.	1.4	41
179	Measurement of the $t \bar{t} \rightarrow \tau^+ \tau^-$ production cross section in the e^+e^- channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
180	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41

#	ARTICLE	IF	CITATIONS
181	Measurement of properties of B_s^0 decays and search for $\text{B}_s^0 \rightarrow \tau^+ \tau^-$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	41
182	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	41
183	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
184	A search for t resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
185	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
186	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
187	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
188	Study of the $\text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^+ \text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^+$ and $\text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^+ \text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
189	Measurement of the $\text{t} \rightarrow \text{t} \bar{\Lambda}$ production cross section using events in the μe final state in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
190	Search for new physics in dijet angular distributions using proton-proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40
191	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13$ TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
192	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
193	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 378.	1.4	40
194	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
195	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
196	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
197	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
198	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 845.	1.4	38

#	ARTICLE	IF	CITATIONS
199	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
200	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying l, \bar{l} , leptons at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
201	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
202	Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
203	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
204	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	37
205	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	36
206	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
207	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
208	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
209	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
210	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
211	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\gamma\gamma$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	36
212	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	36
213	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
214	Measurement of the production cross section of prompt J/ψ mesons in association with a W^\pm boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
215	Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
216	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35

#	ARTICLE	IF	CITATIONS
217	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm$ jets and $e\hat{A}\pm \hat{A}\pm$ jets events in proton-proton collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
218	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 \sqrt{s}=7 \text{ TeV}$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
219	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	35
220	Measurement of exclusive Υ photoproduction from protons in $p\text{-}Pb$ collisions at $\sqrt{s_{NN}} = 5.02, \text{ext } \text{TeV}$. European Physical Journal C, 2019, 79, 277.	1.4	35
221	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \text{TeV}$. European Physical Journal C, 2021, 81, 488.	1.4	35
222	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7, \text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
223	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
224	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8, \text{ext } \text{TeV}$ $s = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 379.	1.4	34
225	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at $8, \text{ext } \text{TeV}$ TeV and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
226	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ , leptons in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
227	Measurement of the top quark mass with lepton+jets final states using $p\text{-}p$ collisions at $\sqrt{s}=13, \text{ext } \text{TeV}$. European Physical Journal C, 2018, 78, 891.	1.4	34
228	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
229	Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \text{TeV}$ $s = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 90.	1.4	34
230	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
231	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	1.4	33
232	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
233	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
234	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33

#	ARTICLE	IF	CITATIONS
235	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \tilde{l} , leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33
236	Measurement of exclusive ρ^0 photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. European Physical Journal C, 2019, 79, 702.	1.4	33
237	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 13.	1.4	33
238	Search for top squark pair production using dilepton final states in pp collision data collected at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 3.	1.4	33
239	Measurement of normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
240	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
241	Measurement of $c1$ and $c2$ production with $s=7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
242	Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
243	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
244	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
245	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
246	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
247	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
248	Search for top squark pair production in pp collisions at $\sqrt{s}=13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
249	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
250	A multi-dimensional search for new heavy resonances decaying to boosted W , Z , or Z boson pairs in the dijet final state at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 237.	1.4	31
251	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
252	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30

#	ARTICLE	IF	CITATIONS
253	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
254	Search for massive WH resonances decaying into the $\ell u \overline{b}$ final state at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 237.	1.4	30
255	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2017, 77, 751.	1.4	30
256	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
257	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{NN}}=5.02 \text{ TeV}$. European Physical Journal C, 2016, 76, 372.	1.4	29
258	Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
259	A search for new phenomena in pp collisions at $\sqrt{s}=13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
260	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
261	Search for lepton flavour violating decays of the Higgs boson to $\tau \mu$, and $e \tau$, in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
262	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
263	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280.	1.4	29
264	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
265	Measurements of $\overline{t}t$ differential cross sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
266	Search for $\overline{t}tH$ production in the $\overline{t}b$ decay channel with leptonic $\overline{t}t$ decays in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
267	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	1.6	28
268	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
269	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
270	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27

#	ARTICLE	IF	CITATIONS
271	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	27
272	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 291.	1.4	27
273	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020, 15, P02027-P02027.	0.5	27
274	Search for new neutral Higgs bosons through the $\text{H} \rightarrow \text{ZA} \rightarrow \text{e}^+ \text{e}^- \text{b} \bar{\text{b}}$ process in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	27
275	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	27
276	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV. <i>European Physical Journal C</i> , 2016, 76, 1.	1.4	26
277	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	26
278	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	26
279	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	26
280	A search for Z^* resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	1.4	25
281	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	25
282	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	25
283	Determination of the top-quark pole mass using $t \bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	25
284	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	25
285	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	25
286	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	25
287	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	24
288	Measurements of $\text{pp} \rightarrow \text{ZZ} \text{pp}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 200.	1.4	24

#	ARTICLE	IF	CITATIONS
289	The ATLAS Data Acquisition and Trigger: concept, design and status. Nuclear Physics, Section B, Proceedings Supplements, 2007, 172, 178-182.	0.5	23
290	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	1.4	23
291	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
292	Measurement of the underlying event in jet events from $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
293	A search for high-mass resonances decaying to \tilde{l}, \tilde{l}^* in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
294	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
295	Measurement of the jet mass in highly boosted \tilde{t} events from pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 467.	1.4	23
296	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
297	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
298	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 354.	1.4	23
299	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
300	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
301	Search for resonant \tilde{t} production in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
302	Search for a light pseudoscalar Higgs boson in the boosted $\tilde{l}\tilde{l}^*$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	23
303	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 752.	1.4	23
304	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
305	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	22
306	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22

#	ARTICLE	IF	CITATIONS
307	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	22
308	Measurement of the $t\bar{t}\hat{A}W$ and $t\bar{t}\hat{A}Z$ production cross sections in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
309	Study of (W/Z)H production and Higgs boson couplings using $H\hat{A}\tau^+ W W \hat{A}^-$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
310	Search for $t\bar{t}\hat{A}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	22
311	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	22
312	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	22
313	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \tilde{l} , leptons and two jets in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	22
314	Search for direct pair production of supersymmetric partners to the $\{\tau\}_-^{\hat{A}}$ lepton in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 189.	1.4	22
315	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 370.	1.4	22
316	Measurement of \tilde{l} , polarization in $W\hat{A}\tau^+ \tilde{l}, \hat{l}_{1/2}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7-13$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2062.	1.4	21
317	Measurement of the production cross-section of $\tilde{\tau}(2S) \hat{A}^+ J/\tilde{\tau}(\hat{A}\tau^+ \hat{l}_{1/4} + \hat{l}_{1/4} \hat{A}^-) \tilde{\tau} + \tilde{\tau} \hat{A}^-$ in pp collisions at $s = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	21
318	Determination of spin and parity of the Higgs boson in the $WW \hat{A}^* \rightarrow e u \mu u WW \hat{A}^- \hat{A}^+ e \hat{l}_{1/2} \hat{l}_{1/4} \hat{l}_{1/2}$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	1.4	21
319	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	21
320	Search for supersymmetry in events with a \tilde{l} , lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	21
321	Search for beyond the standard model Higgs bosons decaying into a $\overline{b}b$ pair in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	21
322	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020, 4, 10.	1.3	21
323	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	21
324	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
325	Search for $\overline{t}t\text{H}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
326	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
327	Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
328	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
329	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
330	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
331	Search for charged Higgs bosons through the violation of lepton universality in $\overline{t}t$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
332	Measurement of k_T splitting scales in $W\tau^+\nu_\tau$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
333	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
334	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
335	Addendum to $\tau^+\tau^-$ Measurement of the $t\bar{t}\tau^+\tau^-$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 1.	1.4	19
336	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
337	Probing lepton flavour violation via neutrinoless $\mu \rightarrow 3\mu$, $\tau \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
338	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	19
339	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 723.	1.4	19
340	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
341	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
342	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18

#	ARTICLE	IF	CITATIONS
343	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
344	Measurement of normalized differential $\overline{\sigma}(\mathit{t}\overline{\mathit{t}})$ cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
345	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
346	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
347	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
348	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
349	MUSIC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 629.	1.4	18
350	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 970.	1.4	18
351	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 290.	1.4	18
352	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	1.4	17
353	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
354	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
355	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
356	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
357	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
358	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
359	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
360	Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17

#	ARTICLE	IF	CITATIONS
361	Measurement of electroweak-induced production of $W\ell^3$ with two jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
362	Measurements of jet charge with dijet events in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
363	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
364	Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\text{NN}}} = 5.44 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
365	Search for $Z\ell^3$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
366	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
367	Search for the decay of a Higgs boson in the $\gamma\gamma\ell^3$ channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
368	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 697.	1.4	17
369	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1.	1.4	17
370	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
371	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
372	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 317.	1.4	16
373	Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 536.	1.4	16
374	Measurement of the production cross section of a Wb boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 92.	1.4	16
375	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 287.	1.4	16
376	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
377	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 886.	1.4	16
378	Trigger and reconstruction for heavy long-lived charged particles with the ATLAS detector. European Physical Journal C, 2009, 62, 281-292.	1.4	15

#	ARTICLE	IF	CITATIONS
379	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
380	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
381	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	15
382	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
383	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	1.4	15
384	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
385	Measurement of event-shape observables in $Z \rightarrow e^+ e^- Z \rightarrow \mu^+ \mu^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
386	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
387	Search for strong gravity in multijet final states produced in pp collisions at $s = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
388	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
389	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
390	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
391	Measurement of the $t \bar{t} \rightarrow \mu^+ \mu^-$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
392	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
393	Search for a singly produced third-generation scalar leptoquark decaying to a \bar{l} , lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
394	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 457.	1.4	15
395	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
396	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\tau \mu$, and $e \mu$, in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	15

#	ARTICLE	IF	CITATIONS
397	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	15
398	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
399	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
400	Search for s channel single top quark production in pp collisions at $s = 7 \sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
401	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
402	Search for supersymmetry in pp collisions at $s = 13 \sqrt{s}=13$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
403	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
404	Search for associated production of dark matter with a Higgs boson decaying to $b \bar{b}$ or $t \bar{t}$ at $s = 13 \sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
405	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
406	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
407	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
408	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
409	Studies of $\mathcal{B}(\text{B} \rightarrow \text{B} \gamma)$ and $\mathcal{B}(\text{B} \rightarrow \text{B} \gamma \gamma)$ at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.		

#	ARTICLE	IF	CITATIONS
415	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\sqrt{s_{NN}} = 2.76$ and 5.02 TeV collisions. European Physical Journal C, 2020, 80, 534.	1.4	14
416	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
417	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
418	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 153.	1.4	14
419	Studies for a common selection software environment in ATLAS: from the level-2 trigger to the offline reconstruction. IEEE Transactions on Nuclear Science, 2004, 51, 915-920.	1.2	13
420	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
421	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	13
422	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
423	Search for lepton flavour violation in the $e\tau$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
424	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
425	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
426	Measurement of the CP-violating phase β_s and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \tau^+ \tau^- \mu^+ \mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
427	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
428	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
429	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
430	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
431	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
432	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
433	Jet properties in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
434	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
435	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
436	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
437	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
438	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	13
439	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
440	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
441	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
442	Phenomenological MSSM interpretation of CMS searches in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
443	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
444	Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
445	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
446	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}_1^0$ or $\tilde{\chi}_1^\pm$, \tilde{a}^0 at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
447	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	12
448	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
449	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 893.	1.4	12
450	Investigation into the event-activity dependence of $\tilde{p}(nS)$ relative production in proton-proton collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12

#	ARTICLE	IF	CITATIONS
451	Search for new physics in top quark production with additional leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
452	Development and validation of HERWIG ⁷ tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
453	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
454	Measurement of $W\hat{1}^3$ and $Z\hat{1}^3$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
455	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
456	Search for electroweak production of charginos in final states with two \tilde{l} , leptons in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
457	Measurement of the semileptonic $t \bar{t} \hat{1}^3$ production cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
458	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s} = 8$ TeV using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
459	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
460	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
461	Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 444.	1.4	11
462	Search for nonresonant Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
463	Study of the underlying event in top quark pair production in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 123.	1.4	11
464	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
465	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
466	Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 43.	1.4	11
467	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of High Energy Physics, 2021, 2021, 1.	1.6	11
468	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the \tilde{l}, \tilde{l}, bb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	11

#	ARTICLE	IF	CITATIONS
469	The second level trigger of the ATLAS experiment at CERN's LHC. IEEE Transactions on Nuclear Science, 2004, 51, 909-914.	1.2	10
470	The RPC first level muon trigger in the barrel of the ATLAS experiment. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	0.5	10
471	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
472	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
473	Measurements of the $pp \rightarrow W^{\pm} Z^{\pm} \gamma^{\pm}$ and $pp \rightarrow Z^{\pm} Z^{\pm} \gamma^{\pm}$ cross sections and limits on anomalous quartic gauge couplings at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
474	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
475	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
476	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2018, 78, 242.	1.4	10
477	Measurement of the $\sigma(\text{pp} \rightarrow \text{Z}/\gamma^* \rightarrow \text{u}\bar{\text{u}})$ cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of $\sigma(\text{pp} \rightarrow \text{Z}/\gamma^* \rightarrow \text{u}\bar{\text{u}})$. European Physical Journal C, 2018, 78, 708.	1.4	10
478	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\text{u}\bar{\text{u}} \rightarrow \text{q}\bar{\text{q}}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
479	Search for resonances decaying to a pair of Higgs bosons in the $\text{b}\bar{\text{b}} \rightarrow \text{q}\bar{\text{q}}$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	10
480	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
481	Evidence for $\text{W}^{\pm} \text{W}^{\pm}$ production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	10
482	RPC cosmic ray tests in the ATLAS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 213-216.	0.7	9
483	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
484	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
485	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{\pm} \mu^{\pm}$ final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
486	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	9

#	ARTICLE	IF	CITATIONS
487	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
488	Search for a low-mass $\tilde{\chi}_0^0, \tilde{\chi}_1^0$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
489	Angular analysis of the decay $B \rightarrow K^* \ell^+ \ell^-$ in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	9
490	Search for a heavy vector resonance decaying to a Z boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 688.	1.4	9
491	Algorithms for the ATLAS high-level trigger. IEEE Transactions on Nuclear Science, 2004, 51, 367-374.	1.2	8
492	ATLAS Level-1 Muon Barrel Trigger robustness study at X5 test facility. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 529-531.	0.7	8
493	Trapping in proton irradiated p+n+n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. Journal of Instrumentation, 2016, 11, P04023-P04023.	0.5	8
494	Searches for W bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
495	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
496	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2q, 2q$ final states at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
497	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
498	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 773.	1.4	8
499	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
500	Dependence of inclusive jet production on the anti- k_T distance parameter in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
501	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
502	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
503	Deployment of the ATLAS High-Level Trigger. IEEE Transactions on Nuclear Science, 2006, 53, 2144-2149.	1.2	7
504	Integration of the Trigger and Data Acquisition Systems in ATLAS. IEEE Transactions on Nuclear Science, 2008, 55, 106-112.	1.2	7

#	ARTICLE	IF	CITATIONS
505	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
506	Search for high-mass $Z\gamma$ resonances in $e^+e^- \rightarrow \gamma\gamma$ and $\gamma\gamma + \gamma\gamma$ final states in proton-proton collisions at $\sqrt{s} = 8$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
507	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s} = 13$ TeV via Higgs boson decays to $b\bar{b}$, leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	7
508	Study of central exclusive "Equation missing" \rightarrow production in proton-proton collisions at $\sqrt{s} = 5.02$ and 13 TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
509	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
510	Measurements of the pp $\rightarrow W\gamma\gamma$ and pp $\rightarrow Z\gamma\gamma$ cross sections at $\sqrt{s} = 13$ TeV and limits on anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.	1.6	7
511	The RPC LVL1 trigger system of the muon spectrometer of the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2004, 51, 1581-1589.	1.2	6
512	Construction of the inner layer barrel drift chambers of the ATLAS muon spectrometer at the LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 546, 481-497.	0.7	6
513	The Muon Spectrometer Barrel Level-1 Trigger of the ATLAS Experiment at LHC. IEEE Transactions on Nuclear Science, 2006, 53, 2446-2451.	1.2	6
514	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
515	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
516	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
517	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in pp collisions at $\sqrt{s} = 8, \text{ext } \{ \text{TeV} \}$. European Physical Journal C, 2019, 79, 969.	1.4	6
518	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\bar{c}c$ meson. Journal of High Energy Physics, 2020, 2020, 1.	1.6	6
519	Determination of the strong coupling constant $\alpha_s(m_Z)$ from measurements of inclusive $W\gamma$ and Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	6
520	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
521	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
522	Design, deployment and functional tests of the online event filter for the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2005, 52, 2846-2852.	1.2	5

#	ARTICLE	IF	CITATIONS
523	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
524	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
525	Measurement of the inclusive $\overline{\text{t}}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
526	Search for a $W\tilde{\chi}^0$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
527	Search for the pair production of light top squarks in the $e\tilde{\chi}^0_{1/4}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
528	Measurement of the cross section for $\overline{\text{t}}\text{t}$ production with additional jets and b jets in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	5
529	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
530	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=8$ TeV with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
531	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
532	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
533	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s}=13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
534	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
535	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
536	Online muon reconstruction in the ATLAS level-2 trigger system. IEEE Transactions on Nuclear Science, 2006, 53, 1339-1346.	1.2	4
537	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
538	Search for dark matter particles in proton-proton collisions at $\sqrt{s}=8$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
539	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. European Physical Journal C, 2017, 77, 1.	1.4	4
540	Search for CP violation in $t\bar{t}\tilde{\chi}^0_{1/4}$ production and decay in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4

#	ARTICLE	IF	CITATIONS
541	Measurement of differential cross sections in the kinematic angular variable $\tilde{\chi}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
542	Search for ZZ resonances in the $2\hat{\alpha}, "2\hat{1}/2$ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
543	Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
544	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
545	The production of isolated photons in PbPb and pp collisions at $\sqrt{s_{\mathrm{NN}}}$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
546	Search for supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
547	Measurement of b jet shapes in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
548	Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	4
549	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
550	Architecture of the ATLAS High Level Trigger Event Selection Software. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 537-541.	0.7	3
551	The ATLAS RPC Level-1 muon trigger: design and simulation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 533, 188-192.	0.7	3
552	Muon Calibration Data Extraction and Distribution for the Atlas Experiment. , 0, , .		3
553	Deployment of the ATLAS high level trigger. , 2005, , .		3
554	Overview of the High-Level Trigger Electron and Photon Selection for the ATLAS Experiment at the LHC. IEEE Transactions on Nuclear Science, 2006, 53, 2839-2843.	1.2	3
555	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. IEEE Transactions on Nuclear Science, 2008, 55, 139-144.	1.2	3
556	The ATLAS MDT remote calibration centers. Journal of Physics: Conference Series, 2010, 219, 022028.	0.3	3
557	Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
558	Inclusive search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3

#	ARTICLE	IF	CITATIONS
559	Search for excited leptons in $\hat{e}, \hat{\mu}, \hat{\tau}$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
560	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
561	Search for the lepton flavor violating decay $\tilde{l}, \hat{\tau} \rightarrow 3\hat{l}/4$ in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
562	Study of Drell-Yan dimuon production in proton-lead collisions at $\sqrt{s_{NN}} = 8.16$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
563	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.		3
564	Study of the $\mathcal{B}^{+} \rightarrow \text{u} \overline{\text{L}} \text{p}$ decay in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
565	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
566	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
567	Measurements of the $(\text{p}) \rightarrow \text{Z} \text{p}$ production cross section and the $(\text{Z}) \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{ext} \{ \text{TeV} \}$). , 2018, 78, 1.		3
568	Selection of the silicon sensor thickness for the Phase-2 upgrade of the CMS Outer Tracker. Journal of Instrumentation, 2021, 16, P11028.	0.5	3
569	Measurement of the inclusive and differential $\text{t} \rightarrow \text{t} \hat{l}$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
570	The RPC Level-1 muon trigger of the ATLAS experiment at the LHC. , 2005, , .		2
571	Implementation and performance of the seeded reconstruction for the ATLAS event filter selection software. , 2005, , .		2
572	Implementation and performance of the seeded reconstruction for the ATLAS event filter. IEEE Transactions on Nuclear Science, 2006, 53, 864-869.	1.2	2
573	The ATLAS Muon Trigger "Slice". , 2007, , .		2
574	Integration of the Trigger and Data Acquisition systems in ATLAS. , 2007, , .		2
575	The ATLAS level-1 trigger: Status of the system and first results from cosmic-ray data. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 476-481.	0.7	2
576	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2

#	ARTICLE	IF	CITATIONS
577	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
578	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	2
579	Measurement of the top quark pair production cross section in dilepton final states containing one τ , lepton in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	2
580	Measurements of the differential cross sections of the production of $Z + \text{jets}$ and $\hat{t} + \text{jets}$ and of Z boson emission collinear with a jet in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
581	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow \nu\bar{\nu}$) in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
582	Measurements of angular distance and momentum ratio distributions in three-jet and $Z + \text{two-jet}$ final states in pp collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
583	Measurement of the $t\bar{t}$ production cross-section using $(e\mu)$ events with (b)-tagged jets in (pp) collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
584	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
585	PERFORMANCES OF THE ATLAS LEVEL-1 MUON TRIGGER PROCESSOR IN THE BARREL. , 2006, , .		2
586	Observation of tW production in the single-lepton channel in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
587	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	2
588	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
589	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
590	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
591	The second level trigger of the ATLAS experiment at CERN's LHC. , 2003, , .		1
592	Overview of the high-level trigger electron and photon selection for the ATLAS experiment at the LHC. , 2005, , .		1
593	The ATLAS LVL1 Barrel Muon Trigger Commissioning with Cosmic Rays. , 2006, , .		1
594	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. , 2007, , .		1

#	ARTICLE	IF	CITATIONS
595	First cosmic ray results of the RPC commissioning in the ATLAS cavern. Nuclear Physics, Section B, Proceedings Supplements, 2008, 177-178, 335-338.	0.5	1
596	Commissioning of the ATLAS High Level Trigger with single beam and cosmic rays. Journal of Physics: Conference Series, 2010, 219, 022006.	0.3	1
597	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	1
598	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
599	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{ TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
600	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
601	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.	1.6	1
602	Observation of $B^0 \rightarrow \psi(2S) K^0_{\text{had}}$ and $B^0_{\text{had}} \rightarrow \psi(2S) K^0_{\text{had}}$ decays. European Physical Journal C, 2022, 82, .	1.4	1
603	The RPC LVL1 trigger system of the muon spectrometer of the ATLAS experiment at LHC. , 2003, , .		0
604	The Muon Spectrometer Barrel Level-1 Trigger of the Atlas Experiment at LHC. , 0, , .		0
605	The ATLAS Muon Trigger Slice. , 2006, , .		0
606	The ATLAS level-1 trigger: Status of the system and experience from commissioning with cosmic ray muons. , 2007, , .		0
607	Erratum to "Design, Deployment and Functional Tests of the Online Event Filter for the ATLAS Experiment at LHC". IEEE Transactions on Nuclear Science, 2007, 54, 758-758.	1.2	0
608	Implementation and performance of the ATLAS Trigger Muon Vertical Slice. Nuclear Physics, Section B, Proceedings Supplements, 2007, 172, 289-291.	0.5	0
609	Event reconstruction algorithms for the ATLAS trigger. Journal of Physics: Conference Series, 2008, 119, 022022.	0.3	0
610	Online muon reconstruction in the ATLAS Muon Spectrometer at the level-2 stage of the event selection. , 2011, , .		0
611	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0
612	IMPLEMENTATION AND PERFORMANCE OF A TAU LEPTON SELECTION WITHIN THE ATLAS TRIGGER SYSTEM AT THE LHC. , 2006, , .		0

#	ARTICLE	IF	CITATIONS
613	Implementation and performance of the ATLAS Trigger Muon "Vertical Slice"., 2008, , .		0