

# Alessandro Di Mattia

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7163939/alessandro-di-mattia-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

595 papers	16,639 citations	61 h-index	100 g-index
636 ext. papers	19,299 ext. citations	4.7 avg, IF	1.39 L-index

#	Paper	IF	Citations
595	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , <b>2010</b> , 70, 823-874	4.2	817
594	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
593	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
592	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
591	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
590	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
589	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
588	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
587	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
586	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
585	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
584	Luminosity determination in pp collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167
583	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
582	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
581	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
580	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
579	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153

578	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
577	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
576	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}}$ ) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
575	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
574	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
573	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
572	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ events using pp collision data at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112
571	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
570	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
569	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
568	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
567	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
566	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	103
565	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
564	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
563	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
562	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
561	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1193-1236	4.2	82

560	Measurement of the $Z/\bar{\nu}$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	79
559	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4-2	78
558	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4-2	78
557	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	77
556	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	76
555	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4-2	76
554	Searches for invisible decays of the Higgs boson in pp collisions at ( $\sqrt{s}$ ) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	74
553	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	74
552	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4-2	73
551	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	72
550	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4-2	71
549	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7$ mbox{~TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	70
548	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , <b>2010</b> , 70, 787-821	4-2	70
547	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4-2	68
546	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	67
545	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7$ ; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	67
544	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4-2	66
543	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5-4	66

542	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
541	Search for the ( $\overline{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
540	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
539	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( $\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	64
538	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63
537	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63
536	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
535	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
534	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60
533	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	60
532	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
531	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4.2	58
530	Measurement of the W and Z/ $\gamma$ production cross sections in proton-proton collisions at ( $\sqrt{s} = 7$ ; {TeV}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	58
529	A search for ( $\overline{t}$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
528	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in fully hadronic final states using pp collision data at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
527	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
526	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
525	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55

524	Summary of the searches for squarks and gluinos using ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	55
523	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4-2	54
522	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4-2	54
521	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	54
520	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	54
519	Measurement of $W \mp Z$ production in proton-proton collisions at ( $\sqrt{s}=7\sim\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	54
518	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4-2	53
517	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	53
516	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at ( $\sqrt{s}=7\sim\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	53
515	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	52
514	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4-2	52
513	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	52
512	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4-2	51
511	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	51
510	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	50
509	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4-2	50
508	Search for narrow and broad dijet resonances in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	50
507	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4-2	49



506	Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\mathrm{NN}}}$ )=2.76 ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	49
505	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}$ =7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	49
504	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4-2	48
503	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb <sup>-1</sup> of ( $\sqrt{s} = 7$ ;TeV ) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	48
502	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}$ =7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	47
501	Search for a new resonance decaying to a $\gamma$ or $Z$ boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4-2	46
500	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4-2	46
499	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	46
498	Search for lepton-flavour-violating H $\rightarrow \mu\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	46
497	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}$ =8 ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	45
496	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	45
495	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}$ =8 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	45
494	Measurement of ZZ production in pp collisions at ( $\sqrt{s}$ =7 ) TeV and limits on anomalous ZZZ and ZZ $\gamma$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	45
493	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4-2	45
492	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}$ =7;TeV ) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
491	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4-2	44
490	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4-2	44
489	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}$ =7;TeV ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	44

488	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7$ mbox{TeV}). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
487	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	44
486	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
485	Measurement of the cross section for top-quark pair production in pp collisions at ( $\sqrt{s} = \{7\}, \{ \text{TeV} \}$ ) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
484	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4.2	42
483	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4.2	42
482	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
481	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	42
480	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
479	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
478	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in ( $\sqrt{s}=7\sim$ mbox{TeV}) proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
477	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , <b>2010</b> , 70, 723-753	4.2	41
476	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41
475	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	40
474	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	40
473	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4.2	39
472	Search for supersymmetry at ( $\sqrt{s}$ ) = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	39
471	A search for ( $\overline{t}t$ ) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	39



470	Search for natural and split supersymmetry in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	39
469	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4-2	38
468	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	38
467	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469	4-2	37
466	Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	37
465	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	37
464	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in ( $\sqrt{s} = 7, \text{TeV}$ ) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	37
463	Limits on the production of the standard model Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4-2	37
462	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	37
461	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4-2	37
460	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	36
459	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4-2	36
458	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4-2	35
457	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	35
456	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7\sim\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	35
455	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	34
454	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4-2	34
453	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	34

452	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
451	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
450	Search for charged Higgs bosons in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at ( $\sqrt{s} = 8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
449	Measurement of the top quark mass in the $t\bar{t} \rightarrow b\bar{b} \ell^+ \ell^-$ channels using $t\bar{t} \rightarrow b\bar{b} \ell^+ \ell^-$ ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
448	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
447	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s} = 7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	31
446	Measurement of the production and lepton charge asymmetry of $Z$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	31
445	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	31
444	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	31
443	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	31
442	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s} = 7 \text{ TeV}$ ) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
441	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	31
440	Measurement of the $t\bar{t} \rightarrow b\bar{b} \ell^+ \ell^-$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at ( $\sqrt{s} = 7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	30
439	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
438	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s} = 8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	30
437	Measurement of the $t\bar{t} \rightarrow b\bar{b} \ell^+ \ell^-$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	30
436	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s} = 900$ ) GeV and ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	30
435	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29

434	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
433	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
432	Observation of $Y(1S)$ pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
431	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
430	Search for vector-like T and B quark pairs in final states with leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	29
429	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
428	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
427	Search for heavy Majorana neutrinos in $e\bar{e}\mu\mu$ jets and $e\mu\mu\mu$ jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	28
426	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
425	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
424	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
423	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
422	Evidence for exclusive $\mu\bar{\mu}W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	27
421	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4.2	26
420	Measurement of $t\bar{t}$ and $t\bar{t}2$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
419	Search for anomalous $Wtb$ couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	26
418	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
417	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26

4 <sup>16</sup>	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
4 <sup>15</sup>	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
4 <sup>14</sup>	Search for top squark pair production in pp collisions at ( $\sqrt{s}=13$ ) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
4 <sup>13</sup>	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
4 <sup>12</sup>	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4.2	25
4 <sup>11</sup>	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4.2	25
4 <sup>10</sup>	Search for charged Higgs bosons in the $H^\pm \rightarrow \tau^\pm \nu_\tau$ decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	24
4 <sup>09</sup>	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
4 <sup>08</sup>	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
4 <sup>07</sup>	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
4 <sup>06</sup>	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^\pm$ boson in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
4 <sup>05</sup>	Measurement of the differential cross-section of $B^+$ meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
4 <sup>04</sup>	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24
4 <sup>03</sup>	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24
4 <sup>02</sup>	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	24
4 <sup>01</sup>	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
4 <sup>00</sup>	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
399	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23

398	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons] at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
397	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22
396	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
395	A search for prompt lepton-jets in pp collisions at ( $\sqrt{\mathrm{s}}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
394	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
393	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4.2	22
392	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
391	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
390	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 236	4.2	21
389	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21
388	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
387	Correlations between jets and charged particles in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
386	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
385	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4.2	21
384	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	21
383	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
382	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
381	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21



380	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
379	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20
378	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4.2	20
377	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
376	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
375	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
374	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	20
373	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19
372	Search for resonant and nonresonant Higgs boson pair production in the $(\overline{\mathbf{b}}\mathbf{b})$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
371	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
370	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 277	4.2	19
369	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
368	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
367	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
366	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
365	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4.2	19
364	Search for lepton flavour violating decays of the Higgs boson to $\mu\mu$ and $e\mu$ in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
363	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18



362	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
361	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
360	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
359	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
358	Measurement of the low-mass Drell-Yan differential cross section at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
357	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
356	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
355	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
354	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
353	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
352	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
351	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ( $\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
350	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ( $\sqrt{s}=7$ ) TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18
349	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	18
348	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
347	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	18
346	Search for ( $\overline{t}t \rightarrow H$ ) production in the ( $H \rightarrow b\overline{b}$ ) decay channel with leptonic ( $\overline{t}t \rightarrow \ell\overline{\ell}$ ) decays in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	17
345	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17

344	Measurement of the inclusive jet cross section in pp collisions at ( $\sqrt{s} = 2.76$ ,text {TeV}). <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	17
343	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
342	Measurement of polarization in $t$ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
341	Search for ( $\overline{t}t$ ) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
340	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4.2	17
339	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
338	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16
337	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
336	Search for new physics with the $M_{T2}$ variable in all-jets final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
335	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
334	Measurement of the ( $\overline{t}W$ ) and ( $\overline{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
333	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
332	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
331	Measurement of the production cross-section of $t\overline{t}$ in pp collisions at ( $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
330	Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7;\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
329	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	16
328	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ( $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16
327	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16

326	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
325	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
324	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
323	Measurements of ( $\overline{\sigma}(\mathrm{t})$ ) differential cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
322	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
321	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
320	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
319	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
318	Measurement of the top quark charge in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
317	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7$ ; $\mathrm{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
316	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
315	Determination of the top-quark pole mass using ( $\overline{\sigma}(\mathrm{t})$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
314	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
313	Search for diphoton events with large missing transverse energy with 36 $\mathrm{pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
312	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
311	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14
310	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
309	Measurement of the ( $\overline{\sigma}(\mathrm{t})$ ) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14

308	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4.2	14
307	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
306	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
305	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
304	Search for charged Higgs bosons through the violation of lepton universality in $(\overline{t}t)$ events using pp collision data at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
303	Measurement of the $(\overline{t}t)$ production cross section using events with one lepton and at least one jet in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	14
302	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
301	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
300	Trigger and reconstruction for heavy long-lived charged particles with the ATLAS detector. <i>European Physical Journal C</i> , <b>2009</b> , 62, 281-292	4.2	14
299	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , <b>2010</b> , 70, 875-916	4.2	14
298	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	14
297	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
296	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	14
295	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
294	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
293	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
292	Search for supersymmetry in events with a dilepton pair and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
291	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14

290	Search for resonant ( $\overline{t}t$ ) production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
289	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
288	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
287	Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
286	Addendum to Measurement of the ( $\overline{t}t$ ) production cross-section using (emu) events with b-tagged jets in pp collisions at ( $\sqrt{s}$ ) = 7 and 8 (TeV) with the ATLAS detector <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
285	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
284	Measurement of exclusive $\gamma$ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
283	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
282	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7$ ;TeV) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
281	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7$ ~TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
280	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
279	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
278	Measurement of ( $\overline{t}t$ ) normalised multi-differential cross sections in (pp) collisions at ( $\sqrt{s}=13$ ,TeV), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
277	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
276	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ( $\sqrt{s_{NN}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
275	Search for ( $\overline{t}tH$ ) production in the all-jet final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
274	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4.2	13
273	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12



272	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
271	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
270	Measurement of normalized differential ( $\overline{\mathrm{t}}\mathrm{t}$ ) cross sections in the dilepton channel from pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
269	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
268	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
267	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
266	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
265	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
264	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
263	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
262	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7$ mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
261	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , <b>2010</b> , 70, 755-785	4.2	12
260	The ATLAS Data Acquisition and Trigger: concept, design and status. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2007</b> , 172, 178-182		12
259	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
258	Studies of $\eta$ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 939	4.2	12
257	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	12
256	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
255	Search for new physics in the monophoton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11



254	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
253	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11
252	Phenomenological MSSM interpretation of CMS searches in pp collisions at ( $\sqrt{s}$ =7 ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	11
251	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ( $\sqrt{s}$ =8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
250	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
249	Search for new physics with dijet angular distributions in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
248	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}$ =7 ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
247	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
246	Measurement of W and Z production in proton-proton collisions at ( $\sqrt{s}$ = 7 ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
245	Measurements of differential Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
244	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}$ = 13 TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
243	Charged-particle nuclear modification factors in XeXe collisions at ( $\sqrt{s_{\mathrm{NN}}}$ ) = 5.44 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
242	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
241	Search for the decay of a Higgs boson in the $\tau\tau$ channel in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
240	Search for beyond the standard model Higgs bosons decaying into a ( $\overline{\mathrm{b}}\mathrm{b}$ ) pair in pp collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
239	Measurements of the pp $\rightarrow$ WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
238	Search for new neutral Higgs bosons through the ( $\mathrm{H}\rightarrow\mathrm{ZA}\rightarrow\ell\ell^+\ell\ell^-\overline{\mathrm{b}}\mathrm{b}$ ) process in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
237	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10

236	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ( $\sqrt{s}=8$ ) TeV using H $\rightarrow$ WW decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
235	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
234	Measurement of the CP-violating phase $\phi_s$ and the $B^0$ meson decay width difference with $B^0 \rightarrow \pi^+ \pi^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
233	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
232	Measurements of jet charge with dijet events in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
231	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
230	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
229	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
228	Measurement of properties of ( $\mathbf{B}_{\mathrm{s}}^0$ ) $\rightarrow\mu^+\mu^-$ decays and search for $B^0\rightarrow\mu^+\mu^-$ with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
227	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
226	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
225	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
224	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
223	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
222	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 457	4.2	9
221	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
220	Search for associated production of dark matter with a Higgs boson decaying to ( $\mathbf{b}\overline{\mathbf{b}}$ ) or $\mathbf{t}\bar{\mathbf{t}}$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
219	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9

218	Measurement of electroweak-induced production of $W\ell$ with two jets in pp collisions at $(\sqrt{s}=8)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
217	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of $(\sqrt{s}) = 8$ TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
216	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
215	Search for a light pseudoscalar Higgs boson in the boosted $\ell\ell$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
214	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $[B\mu]$ pair in proton-proton collisions at $[B\mu]$ . <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
213	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
212	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
211	Search for a singly produced third-generation scalar leptoquark decaying to a $\ell$ lepton and a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
210	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
209	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
208	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
207	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
206	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $(\sqrt{s_{NN}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
205	Search for s channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
204	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
203	Measurement of splitting scales in $\ell\ell$ events at $[B\mu]$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
202	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
201	Measurement of the top quark mass using single top quark events in proton-proton collisions at $[B\mu]$ TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 354	4.2	8

200	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4.2	8
199	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
198	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
197	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
196	Trapping in proton irradiated p+n-n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P04023-P04023	1	8
195	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
194	Search for electroweak production of charginos in final states with two leptons in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
193	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7
192	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $(\sqrt{s}=13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
191	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $= 13$ . <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4.2	7
190	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
189	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
188	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
187	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
186	Search for supersymmetry in pp collisions at $(\sqrt{s}=13)$ TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
185	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
184	Jet properties in PbPb and pp collisions at $(\sqrt{s_{\text{N}}; \text{N}})=5.02)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
183	Measurement of the semileptonic $(\text{t})\overline{(\text{t})} + \text{t}\overline{\text{t}}$ production cross section in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7

182	Searches for $W$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
181	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
180	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
179	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
178	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2	7
177	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7
176	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
175	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
174	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
173	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
172	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
171	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
170	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4.2	6
169	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2	6
168	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4.2	6
167	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\ell\bar{\ell}$ and $e\bar{e}$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
166	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
165	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4.2	6



164	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ( $\sqrt{s} = 13$ ,text {TeV} ). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	6
163	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
162	RPC cosmic ray tests in the ATLAS experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 581, 213-216	1.2	6
161	The RPC first level muon trigger in the barrel of the ATLAS experiment. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2006</b> , 158, 11-15		6
160	Construction of the inner layer barrel drift chambers of the ATLAS muon spectrometer at the LHC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2005</b> , 546, 481-497	1.2	6
159	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
158	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
157	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6
156	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
155	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
154	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
153	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
152	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\nu_{\overline{\mathrm{q}}}\overline{\mathrm{q}}$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
151	Measurement of the mass of the top quark in decays with a $J/\psi$ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
150	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
149	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
148	Measurement of four-jet differential cross sections in ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5.4	5
147	ATLAS Level-1 Muon Barrel Trigger robustness study at X5 test facility. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 518, 529-531	1.2	5



146	The RPC LVL1 trigger system of the muon spectrometer of the ATLAS experiment at LHC. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 1581-1589	1.7	5
145	Studies for a common selection software environment in ATLAS: from the level-2 trigger to the offline reconstruction. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 915-920	1.7	5
144	The second level trigger of the ATLAS experiment at CERN's LHC. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 909-914	1.7	5
143	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
142	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
141	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5
140	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
139	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
138	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4.2	5
137	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\mathrm{b}})q(\overline{\mathrm{q}})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
136	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
135	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}})=5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	5
134	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	5
133	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4.2	5
132	Search for a low-mass $\chi$ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
131	Search for the pair production of light top squarks in the $e\chi$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
130	Search for nonresonant Higgs boson pair production in the $(\mathrm{b}\overline{\mathrm{b}})\mathrm{b}\overline{\mathrm{b}}$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
129	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4.2	4

128	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4.2	4
127	Evidence for $(\text{W})\text{W}$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
126	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4.2	4
125	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $(\sqrt{s_{\text{NN}}}=5.02)$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
124	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
123	Search for a $W'$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
122	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
121	Search for high-mass $Z'$ resonances in $e^+e^-$ and $\mu^+\mu^-$ final states in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
120	Search for CP violation in $(\text{H})$ production and decay in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
119	Integration of the Trigger and Data Acquisition Systems in ATLAS. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 106-112	1.7	4
118	Deployment of the ATLAS High-Level Trigger. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 2144-2149	1.7	4
117	Design, deployment and functional tests of the online event filter for the ATLAS experiment at LHC. <i>IEEE Transactions on Nuclear Science</i> , <b>2005</b> , 52, 2846-2852	1.7	4
116	Measurement of differential cross sections and charge ratios for $\gamma$ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
115	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	4
114	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
113	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	4
112	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
111	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $(\sqrt{s}= 13\text{~TeV})$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	4

110	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
109	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV via Higgs boson decays to $\ell\ell$ leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	3
108	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4.2	3
107	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
106	Measurement of the inclusive ( $\overline{\text{t}}\text{t}$ ) cross section in pp collisions at ( $\sqrt{s}$ =5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
105	Search for ZZ resonances in the $2\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	3
104	Search for top quark partners with charge 5/3 in proton-proton collisions at ( $\sqrt{s}$ =13) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
103	The Muon Spectrometer Barrel Level-1 Trigger of the ATLAS Experiment at LHC. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 2446-2451	1.7	3
102	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1		3
101	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1		3
100	Measurements of the ( $\text{p}\text{p}\rightarrow\text{Z}\text{Z}$ ) production cross section and the ( $\text{Z}\rightarrow\ell\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s}$ = 13, text {TeV}) <b>2018</b> , 78, 1		3
99	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
98	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s}$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
97	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}$ =7) TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector <b>2015</b> , 2015, 1		3
96	Dependence of inclusive jet production on the anti- $k_T$ distance parameter in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
95	Investigation into the event-activity dependence of $\eta$ (nS) relative production in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
94	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
93	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3

92	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
91	Event shape variables measured using multijet final states in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
90	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e $\bar{\nu}$ final states in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
89	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3
88	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4-2	2
87	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}$ = 13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
86	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\bar{b}b$ meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
85	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\bar{b}$ and Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
84	Measurement of differential cross sections in the kinematic angular variable $\phi^*$ for inclusive Z boson production in pp collisions at ( $\sqrt{s}$ =8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	2
83	Search for dark matter particles in proton-proton collisions at ( $\sqrt{s}$ =8 ) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	2
82	Inclusive search for supersymmetry in pp collisions at ( $\sqrt{s}$ =13 ) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
81	Search for excited leptons in $\ell\bar{\ell}$ final states in proton-proton collisions at ( $\sqrt{s}$ =13 ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
80	Measurements of the pp $\rightarrow W\bar{b}$ and pp $\rightarrow Z\bar{b}$ cross sections and limits on anomalous quartic gauge couplings at ( $\sqrt{s}$ =8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	2
79	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4-2	2
78	Search for new phenomena with multiple charged leptons in proton-proton collisions at ( $\sqrt{s}$ =13 ) (,text {TeV}). <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4-2	2
77	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}$ =8 ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	2
76	The ATLAS MDT remote calibration centers. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 219, 022028	0-3	2
75	The ATLAS level-1 trigger: Status of the system and first results from cosmic-ray data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 581, 476-481	1-2	2

74	Implementation and performance of the seeded reconstruction for the ATLAS event filter. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 864-869	1.7	2
73	Algorithms for the ATLAS high-level trigger. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 367-374	1.7	2
72	The ATLAS RPC Level-1 muon trigger: design and simulation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 533, 188-192	1.2	2
71	Measurement of the $(\overline{t}t)$ production cross-section using $(\mu\mu)$ events with $(b)$ -tagged jets in $(pp)$ collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
70	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $(\sqrt{s}=8\sim)$ TeV with the ATLAS detector <b>2015</b> , 75, 1		2
69	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $B\bar{b}$ final state at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
68	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
67	The production of isolated photons in PbPb and $pp$ collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
66	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
65	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4.2	2
64	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4.2	2
63	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
62	Angular analysis of the decay $B^+ \rightarrow K^{*}(892)^0 \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
61	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
60	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
59	Search for supersymmetry in events with a photon, jets, $\gamma$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4.2	1
58	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
57	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1

56	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
55	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
54	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. <i>IEEE Transactions on Nuclear Science</i> , <b>2008</b> , 55, 139-144	1.7	1
53	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data <b>2007</b> ,		1
52	Integration of the Trigger and Data Acquisition systems in ATLAS <b>2007</b> ,		1
51	First cosmic ray results of the RPC commissioning in the ATLAS cavern. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2008</b> , 177-178, 335-338		1
50	Overview of the High-Level Trigger Electron and Photon Selection for the ATLAS Experiment at the LHC. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 2839-2843	1.7	1
49	Online muon reconstruction in the ATLAS level-2 trigger system. <i>IEEE Transactions on Nuclear Science</i> , <b>2006</b> , 53, 1339-1346	1.7	1
48	The second level trigger of the ATLAS experiment at CERN's LHC <b>2003</b> ,		1
47	The RPC Level-1 muon trigger of the ATLAS experiment at the LHC <b>2005</b> ,		1
46	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector <b>2015</b> , 75, 1		1
45	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector <b>2016</b> , 76, 1		1
44	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb <sup>-1</sup> of proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
43	Measurements of the pp $\rightarrow W\gamma$ and pp $\rightarrow Z\gamma$ cross sections at $(\sqrt{s}) = 13$ TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
42	Study of the $(\text{B}^+ \rightarrow \text{J}/\psi \text{ overline{Lambda}} \text{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1
41	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
40	Measurement of the cross section for $(\text{t} \text{ overline{t}})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
39	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1



38	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
37	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
36	Search for the lepton flavor violating decay $\mu \rightarrow e \gamma$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
35	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
34	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
33	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4.2	0
32	Commissioning of the ATLAS High Level Trigger with single beam and cosmic rays. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 219, 022006	0.3	0
31	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	0
30	Selection of the silicon sensor thickness for the Phase-2 upgrade of the CMS Outer Tracker. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P11028	1	0
29	Observation of $t\bar{t}$ production in the single-lepton channel in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
28	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
27	Study of Drell-Yan dimuon production in proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 8.16$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
26	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	0
25	Search for a heavy vector resonance decaying to a $W$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	0
24	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	0
23	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
22	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	0
21	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	0

20	Measurement of the inclusive and differential $t\bar{t}$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	o
19	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	o
18	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	o
17	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
16	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
15	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
14	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
13	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	o
11	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
10	Event reconstruction algorithms for the ATLAS trigger. <i>Journal of Physics: Conference Series</i> , <b>2008</b> , 119, 022022	0.3	
9	Erratum to "Design, Deployment and Functional Tests of the Online Event Filter for the ATLAS Experiment at LHC". <i>IEEE Transactions on Nuclear Science</i> , <b>2007</b> , 54, 758-758	1.7	
8	Implementation and performance of the ATLAS Trigger Muon Vertical Slice. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2007</b> , 172, 289-291		
7	Architecture of the ATLAS High Level Trigger Event Selection Software. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 518, 537-541	1.2	
6	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P05002-P05002	1	
5	Measurements of the differential cross sections of the production of Z + jets and $t\bar{t}$ jets and of Z boson emission collinear with a jet in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	
4	Measurement of the Z boson differential production cross section using its invisible decay mode ( $Z \rightarrow \nu\bar{\nu}$ ) in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	
3	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	

- |   |   |     |
|---|---|-----|
| 2 | Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1                                | 5·4 |
| 1 | Measurement of the inclusive $\mathrm{t}\overline{\mathrm{t}}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1 | 5·4 |