

# Yukio Oshiro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7167045/publications.pdf>

Version: 2024-02-01

41  
papers

608  
citations

623734

14  
h-index

610901

24  
g-index

41  
all docs

41  
docs citations

41  
times ranked

854  
citing authors

#	ARTICLE	IF	CITATIONS
1	Drain Lipase Levels and Decreased Rate of Drain Amylase Levels as Independent Predictors of Pancreatic Fistula with Nomogram After Pancreaticoduodenectomy. <i>World Journal of Surgery</i> , 2021, 45, 1921-1928.	1.6	6
2	Loss of antibodies to hepatitis E virus in organ transplant patients with hepatitis E. <i>Hepatology Research</i> , 2021, 51, 538-547.	3.4	2
3	Carbohydrate Antigen 19-9 Is an Invasive Malignancy Preoperative Prognostic Factor for Intraductal Papillary Mucinous Neoplasms. <i>European Surgical Research</i> , 2021, 62, 262-270.	1.3	3
4	A patient with an intraductal papillary mucinous carcinoma with obstructive jaundice caused by a pancreato-biliary fistula. <i>Suizo</i> , 2021, 36, 377-384.	0.1	0
5	A Nationwide Survey of Hepatitis E Virus Infection and Chronic Hepatitis in Heart and Kidney Transplant Recipients in Japan. <i>Transplantation</i> , 2020, 104, 437-444.	1.0	25
6	Urinary titin N-terminal fragment concentration is an indicator of preoperative sarcopenia and nutritional status in patients with gastrointestinal tract and hepatobiliary pancreatic malignancies. <i>Nutrition</i> , 2020, 79-80, 110957.	2.4	5
7	Investigation of morphological and functional changes in the liver and pancreas during bevacizumab treatment. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 712-717.	1.5	2
8	&lt;p&gt;Number of positive lymph nodes and lymphatic invasion are significant prognostic factors after pancreaticoduodenectomy for distal cholangiocarcinoma&lt;/p&gt;. <i>Clinical and Experimental Gastroenterology</i> , 2019, Volume 12, 255-262.	2.3	12
9	Remnant pancreatic volume as an indicator of poor prognosis in pancreatic cancer patients after resection. <i>Pancreatology</i> , 2019, 19, 716-721.	1.1	9
10	Prevalence and characteristics of hepatitis E virus infection in kidney transplant recipients: A single-center experience in Japan. <i>Transplant Infectious Disease</i> , 2019, 21, e13033.	1.7	3
11	Development of new software enabling automatic identification of the optimal anatomical liver resectable region, incorporating preoperative liver function. <i>Oncology Letters</i> , 2019, 18, 6639-6647.	1.8	5
12	Remnant pancreatic volume to predict short-term and long-term outcomes in patients with resected pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15713-e15713.	1.6	0
13	Indocyanine green fluorescence-navigated laparoscopic metastasectomy for peritoneal metastasis of hepatocellular carcinoma: a case report. <i>Surgical Case Reports</i> , 2018, 4, 130.	0.6	13
14	Predictive Early Recurrence Factors of Preoperative Clinicophysiological Findings in Pancreatic Cancer. <i>European Surgical Research</i> , 2018, 59, 329-338.	1.3	21
15	Three-Dimensional Remnant Pancreatic Volumetry Predicts Postoperative Pancreatic Fistula in Pancreatic Cancer Patients after Pancreaticoduodenectomy. <i>Gastrointestinal Tumors</i> , 2018, 5, 90-99.	0.7	9
16	Three-dimensional surgical simulation of the bile duct and vascular arrangement in pancreatoduodenectomy: A retrospective cohort study. <i>Annals of Medicine and Surgery</i> , 2018, 36, 17-22.	1.1	10
17	[Invited Paper] A Liver Surgery Simulator Using Full HD Autostereoscopic Displays. <i>ITE Transactions on Media Technology and Applications</i> , 2018, 6, 11-17.	0.5	2
18	Three-dimensional simulation of pancreatic surgery showing the size and location of the main pancreatic duct. <i>Surgery Today</i> , 2017, 47, 357-364.	1.5	32

#	ARTICLE	IF	CITATIONS
19	Novel imaging using a touchless display for computer-assisted hepato-biliary surgery. <i>Surgery Today</i> , 2017, 47, 1512-1518.	1.5	2
20	The Effect of Three-Dimensional Preoperative Simulation on Liver Surgery. <i>World Journal of Surgery</i> , 2017, 41, 1840-1847.	1.6	60
21	Three-Dimensional Liver Surgery Simulation: Computer-Assisted Surgical Planning with Three-Dimensional Simulation Software and Three-Dimensional Printing <sup />. <i>Tissue Engineering - Part A</i> , 2017, 23, 474-480.	3.1	44
22	A novel three-dimensional print of liver vessels and tumors in hepatectomy. <i>Surgery Today</i> , 2017, 47, 521-524.	1.5	53
23	Impact of Three-Dimensional Surgical Simulation on Pancreatic Surgery. <i>Gastrointestinal Tumors</i> , 2017, 4, 84-89.	0.7	16
24	Gastroenterological, Hepatobiliary and Pancreatic Surgery. <i>Journal of Japan Society of Computer Aided Surgery</i> , 2017, 19, 157-161.	0.0	0
25	Treatment with ribavirin for chronic hepatitis E following living donor liver transplantation: A case report. <i>Hepatology Research</i> , 2016, 46, 1058-1059.	3.4	10
26	Chronic hepatitis E virus infection after living donor liver transplantation via blood transfusion: a case report. <i>Surgical Case Reports</i> , 2016, 2, 32.	0.6	21
27	VR Simulation. <i>Journal of Japan Society of Computer Aided Surgery</i> , 2016, 18, 145-147.	0.0	2
28	Neuroendocrine carcinoma of the extrahepatic bile duct: A case report. <i>World Journal of Gastroenterology</i> , 2016, 22, 6960.	3.3	19
29	Clinical Features of Hepatitis E Virus Infection in Ibaraki, Japan: Autochthonous Hepatitis E and Acute-on-Chronic Liver Failure. <i>Tohoku Journal of Experimental Medicine</i> , 2015, 235, 275-282.	1.2	18
30	Inter-Anastomosis Drainage Tube Between the Pancreas and Jejunum: A Novel Technique for Preventing Pancreatic Fistula after Pancreaticoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2015, 221, e55-e60.	0.5	9
31	A Nationwide Survey of Hepatitis E Virus Infection and Chronic Hepatitis E in Liver Transplant Recipients in Japan. <i>EBioMedicine</i> , 2015, 2, 1607-1612.	6.1	48
32	Novel 3-dimensional virtual hepatectomy simulation combined with real-time deformation. <i>World Journal of Gastroenterology</i> , 2015, 21, 9982.	3.3	41
33	Mode of swine hepatitis E virus infection and replication in primary human hepatocytes. <i>Journal of General Virology</i> , 2014, 95, 2677-2682.	2.9	13
34	Three-dimensional imaging identified the accessory bile duct in a patient with cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 11451.	3.3	21
35	Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 389-395.	2.6	22
36	A novel preoperative fusion analysis using three-dimensional MDCT combined with three-dimensional MRI for patients with hilar cholangiocarcinoma. <i>Clinical Imaging</i> , 2013, 37, 772-774.	1.5	18

#	ARTICLE	IF	CITATIONS
37	Analysis of the caudate artery with three-dimensional imaging. Journal of Hepato-Biliary-Pancreatic Sciences, 2013, 20, 639-646.	2.6	5
38	Adjuvant surgery for advanced extrahepatic cholangiocarcinoma. World Journal of Gastroenterology, 2013, 19, 6934.	3.3	12
39	A CASE OF GASTRIC MALIGNANT FIBROUS HISTIOCYTOMA. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japanese Surgical Association), 2014, 74, 1147-1150.	0.7843	14
40	A resected case of metachronous liver metastasis from lung cancer producing alpha-fetoprotein (AFP) and protein induced by vitamin K absence or antagonist II (PIVKA-II). Hepato-Gastroenterology, 2004, 51, 1144-7.	0.5	14
41	Outcomes of pancreatic resection for elderly patients with pancreatic cancer. International Surgery, 2000, 75, 114-117.	0.1	0