

Amy B Heimberger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7167116/publications.pdf>

Version: 2024-02-01

162
papers

16,036
citations

20797

60
h-index

18115

120
g-index

170
all docs

170
docs citations

170
times ranked

15991
citing authors

#	ARTICLE	IF	CITATIONS
1	Designing Clinical Trials for Combination Immunotherapy: A Framework for Glioblastoma. <i>Clinical Cancer Research</i> , 2022, 28, 585-593.	3.2	18
2	New Approaches to Glioblastoma. <i>Annual Review of Medicine</i> , 2022, 73, 279-292.	5.0	14
3	Central nervous system immune interactome is a function of cancer lineage, tumor microenvironment, and STAT3 expression. <i>JCI Insight</i> , 2022, 7, .	2.3	7
4	Next-Generation Sequencing of a Glioblastoma with True Epithelial Differentiation. <i>Journal of Neuropathology and Experimental Neurology</i> , 2022, 81, 239-241.	0.9	1
5	Circadian Regulator CLOCK Drives Immunosuppression in Glioblastoma. <i>Cancer Immunology Research</i> , 2022, 10, 770-784.	1.6	34
6	B7-H3 Specific CAR T Cells for the Naturally Occurring, Spontaneous Canine Sarcoma Model. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 999-1009.	1.9	8
7	Cell-directed aptamer therapeutic targeting for cancers including those within the central nervous system. <i>Oncimmunology</i> , 2022, 11, 2062827.	2.1	6
8	Epigenetic STING silencing is developmentally conserved in gliomas and can be rescued by methyltransferase inhibition. <i>Cancer Cell</i> , 2022, 40, 439-440.	7.7	27
9	A Window of Opportunity to Overcome Therapeutic Failure in Neuro-Oncology. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2022, 42, 139-146.	1.8	1
10	A first-in-human Phase I trial of the oral p-STAT3 inhibitor WP1066 in patients with recurrent malignant glioma. <i>CNS Oncology</i> , 2022, 11, CNS87.	1.2	15
11	Mechanism and therapeutic potential of tumor-immune symbiosis in glioblastoma. <i>Trends in Cancer</i> , 2022, 8, 839-854.	3.8	23
12	Abstract 2548: The central nervous system immune cell interactome is a function of cancer lineage, tumor microenvironment and STAT3 expression. <i>Cancer Research</i> , 2022, 82, 2548-2548.	0.4	0
13	Immune landscape of a genetically engineered murine model of glioma compared with human glioma. <i>JCI Insight</i> , 2022, 7, .	2.3	10
14	Blood-brain barrier opening with low intensity pulsed ultrasound for immune modulation and immune therapeutic delivery to CNS tumors. <i>Journal of Neuro-Oncology</i> , 2021, 151, 65-73.	1.4	31
15	What is the burden of proof for tumor mutational burden in gliomas?. <i>Neuro-Oncology</i> , 2021, 23, 17-22.	0.6	15
16	The Role and Therapeutic Targeting of JAK/STAT Signaling in Glioblastoma. <i>Cancers</i> , 2021, 13, 437.	1.7	59
17	Regulation of tumor immune suppression and cancer cell survival by CXCL1/2 elevation in glioblastoma multiforme. <i>Science Advances</i> , 2021, 7, .	4.7	54
18	Context-Dependent Glioblastoma-Macrophage/Microglia Symbiosis and Associated Mechanisms. <i>Trends in Immunology</i> , 2021, 42, 280-292.	2.9	42

#	ARTICLE	IF	CITATIONS
19	FGL2-wired macrophages secrete CXCL7 to regulate the stem-like functionality of glioma cells. <i>Cancer Letters</i> , 2021, 506, 83-94.	3.2	25
20	Opening of the Blood-Brain Barrier Using Low-Intensity Pulsed Ultrasound Enhances Responses to Immunotherapy in Preclinical Glioma Models. <i>Clinical Cancer Research</i> , 2021, 27, 4325-4337.	3.2	58
21	The immune landscape of common CNS malignancies: implications for immunotherapy. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 729-744.	12.5	50
22	Phase II Trial of Proton Therapy vs. Photon IMRT for GBM: Secondary Analysis Comparison of Progression Free Survival between RANO vs. Clinical Assessment. <i>Neuro-Oncology Advances</i> , 2021, 3, vda073.	0.4	1
23	Gliosarcoma vs. glioblastoma: a retrospective case series using molecular profiling. <i>BMC Neurology</i> , 2021, 21, 231.	0.8	9
24	Targeting the αv integrin/TGF- $\beta 2$ axis improves natural killer cell function against glioblastoma stem cells. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	117
25	Systematic review of combinations of targeted or immunotherapy in advanced solid tumors. , 2021, 9, e002459.		41
26	Circadian regulation of cancer cell and tumor microenvironment crosstalk. <i>Trends in Cell Biology</i> , 2021, 31, 940-950.	3.6	42
27	Intratumoral Delivery of STING Agonist Results in Clinical Responses in Canine Glioblastoma. <i>Clinical Cancer Research</i> , 2021, 27, 5528-5535.	3.2	22
28	Immune Modulatory Short Noncoding RNAs Targeting the Glioblastoma Microenvironment. <i>Frontiers in Oncology</i> , 2021, 11, 682129.	1.3	2
29	Immune Microenvironment Landscape in CNS Tumors and Role in Responses to Immunotherapy. <i>Cells</i> , 2021, 10, 2032.	1.8	12
30	LMD-20. Immune Suppressive Macrophages and Signal Transducer and Activator of Transcription 3 (STAT3) Expression are common in Melanoma Leptomeningeal Disease. <i>Neuro-Oncology Advances</i> , 2021, 3, iii11-iii12.	0.4	0
31	Qki is an essential regulator of microglial phagocytosis in demyelination. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	13
32	Unique challenges for glioblastoma immunotherapy—discussions across neuro-oncology and non-neuro-oncology experts in cancer immunology. Meeting Report from the 2019 SNO Immuno-Oncology Think Tank. <i>Neuro-Oncology</i> , 2021, 23, 356-375.	0.6	59
33	CD11c+CD163+ Cells and Signal Transducer and Activator of Transcription 3 (STAT3) Expression Are Common in Melanoma Leptomeningeal Disease. <i>Frontiers in Immunology</i> , 2021, 12, 745893.	2.2	6
34	American Society of Clinical Oncology 2021 Annual Meeting updates on primary brain tumors and CNS metastatic tumors. <i>Future Oncology</i> , 2021, 17, 4425-4429.	1.1	0
35	Replication stress response defects are associated with response to immune checkpoint blockade in nonhypermuted cancers. <i>Science Translational Medicine</i> , 2021, 13, eabe6201.	5.8	19
36	ERK1/2 phosphorylation predicts survival following anti-PD-1 immunotherapy in recurrent glioblastoma. <i>Nature Cancer</i> , 2021, 2, 1372-1386.	5.7	39

#	ARTICLE	IF	CITATIONS
37	The Eclectic Nature of Glioma-Infiltrating Macrophages and Microglia. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13382.	1.8	14
38	Immune biology of glioma associated macrophages and microglia: Functional and therapeutic implications. <i>Neuro-Oncology</i> , 2020, 22, 180-194.	0.6	95
39	Immune profiling of human tumors identifies CD73 as a combinatorial target in glioblastoma. <i>Nature Medicine</i> , 2020, 26, 39-46.	15.2	236
40	Window-of-opportunity clinical trial of pembrolizumab in patients with recurrent glioblastoma reveals predominance of immune-suppressive macrophages. <i>Neuro-Oncology</i> , 2020, 22, 539-549.	0.6	98
41	MiR-181 Family Modulates Osteopontin in Glioblastoma Multiforme. <i>Cancers</i> , 2020, 12, 3813.	1.7	12
42	CD8+ T-cell-Mediated Immunoediting Influences Genomic Evolution and Immune Evasion in Murine Gliomas. <i>Clinical Cancer Research</i> , 2020, 26, 4390-4401.	3.2	36
43	Anti-PD-1 Induces M1 Polarization in the Glioma Microenvironment and Exerts Therapeutic Efficacy in the Absence of CD8 Cytotoxic T Cells. <i>Clinical Cancer Research</i> , 2020, 26, 4699-4712.	3.2	65
44	Radiation with STAT3 Blockade Triggers Dendritic Cell-T cell Interactions in the Glioma Microenvironment and Therapeutic Efficacy. <i>Clinical Cancer Research</i> , 2020, 26, 4983-4994.	3.2	38
45	Comparative Molecular Life History of Spontaneous Canine and Human Gliomas. <i>Cancer Cell</i> , 2020, 37, 243-257.e7.	7.7	59
46	Are radiation and response biomarkers the missing elements for efficacious immunotherapy for glioma patients?. <i>Neuro-Oncology</i> , 2020, 22, 590-591.	0.6	0
47	Glioblastoma-mediated Immune Dysfunction Limits CMV-specific T Cells and Therapeutic Responses: Results from a Phase I/II Trial. <i>Clinical Cancer Research</i> , 2020, 26, 3565-3577.	3.2	30
48	IMMU-35. TRANSCRIPTIONALLY DEFINED IMMUNE CONTEXTURE IN HUMAN GLIOMAS AT SINGLE-CELL RESOLUTION. <i>Neuro-Oncology</i> , 2020, 22, ii112-ii112.	0.6	2
49	Profiling of patients with glioma reveals the dominant immunosuppressive axis is refractory to immune function restoration. <i>JCI Insight</i> , 2020, 5, .	2.3	43
50	Mature myelin maintenance requires Qki to coactivate PPAR γ -RXR α -mediated lipid metabolism. <i>Journal of Clinical Investigation</i> , 2020, 130, 2220-2236.	3.9	50
51	Microglia promote glioblastoma via mTOR-mediated immunosuppression of the tumour microenvironment. <i>EMBO Journal</i> , 2020, 39, e103790.	3.5	77
52	The Role of Fibrinogen-Like Protein 2 on Immunosuppression and Malignant Progression in Glioma. <i>Journal of the National Cancer Institute</i> , 2019, 111, 292-300.	3.0	32
53	Immune checkpoint blockade in glioma. , 2019, , 387-396.		0
54	Immunomodulatory Methods. , 2019, , 297-334.		2

#	ARTICLE	IF	CITATIONS
55	Shortened ex vivo manufacturing time of EGFRvIII-specific chimeric antigen receptor (CAR) T cells reduces immune exhaustion and enhances antiglioma therapeutic function. <i>Journal of Neuro-Oncology</i> , 2019, 145, 429-439.	1.4	33
56	FGL2 promotes tumor progression in the CNS by suppressing CD103+ dendritic cell differentiation. <i>Nature Communications</i> , 2019, 10, 448.	5.8	65
57	Fibrinogen-like protein 2: a potential molecular target for glioblastoma treatment. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 647-649.	1.5	3
58	TMIC-60. COMPREHENSIVE SPATIAL CHARACTERIZATION OF IMMUNE CELLS IN THE CNS BRAIN TUMOR MICROENVIRONMENT. <i>Neuro-Oncology</i> , 2019, 21, vi261-vi261.	0.6	4
59	Identification of metabolites in plasma for predicting survival in glioblastoma. <i>Molecular Carcinogenesis</i> , 2018, 57, 1078-1084.	1.3	28
60	Poly-ligand profiling differentiates trastuzumab-treated breast cancer patients according to their outcomes. <i>Nature Communications</i> , 2018, 9, 1219.	5.8	20
61	Germline polymorphisms in myeloid-associated genes are not associated with survival in glioma patients. <i>Journal of Neuro-Oncology</i> , 2018, 136, 33-39.	1.4	4
62	Glioblastoma stem cell-derived exosomes induce M2 macrophages and PD-L1 expression on human monocytes. <i>Oncotmmunology</i> , 2018, 7, e1412909.	2.1	247
63	Multiplatform profiling of meningioma provides molecular insight and prioritization of drug targets for rational clinical trial design. <i>Journal of Neuro-Oncology</i> , 2018, 139, 469-478.	1.4	18
64	Cell surface vimentin-targeted monoclonal antibody 86C increases sensitivity to temozolomide in glioma stem cells. <i>Cancer Letters</i> , 2018, 433, 176-185.	3.2	28
65	Rethinking medulloblastoma from a targeted therapeutics perspective. <i>Journal of Neuro-Oncology</i> , 2018, 139, 713-720.	1.4	17
66	Profiles of brain metastases: Prioritization of therapeutic targets. <i>International Journal of Cancer</i> , 2018, 143, 3019-3026.	2.3	31
67	Osteopontin mediates glioblastoma-associated macrophage infiltration and is a potential therapeutic target. <i>Journal of Clinical Investigation</i> , 2018, 129, 137-149.	3.9	242
68	Immune Checkpoint Inhibitors for Brain Metastases. <i>Current Oncology Reports</i> , 2017, 19, 38.	1.8	18
69	Mutational burden, immune checkpoint expression, and mismatch repair in glioma: implications for immune checkpoint immunotherapy. <i>Neuro-Oncology</i> , 2017, 19, 1047-1057.	0.6	325
70	Tumor Vaccines for Malignant Gliomas. <i>Neurotherapeutics</i> , 2017, 14, 345-357.	2.1	41
71	Serum microRNA profiling in patients with glioblastoma: a survival analysis. <i>Molecular Cancer</i> , 2017, 16, 59.	7.9	55
72	Immune Checkpoint Inhibitors in Gliomas. <i>Current Oncology Reports</i> , 2017, 19, 23.	1.8	27

#	ARTICLE	IF	CITATIONS
73	Tumor Evolution of Glioma-Intrinsic Gene Expression Subtypes Associates with Immunological Changes in the Microenvironment. <i>Cancer Cell</i> , 2017, 32, 42-56.e6.	7.7	1,282
74	Qki deficiency maintains stemness of glioma stem cells in suboptimal environment by downregulating endolysosomal degradation. <i>Nature Genetics</i> , 2017, 49, 75-86.	9.4	74
75	Tumor image-derived texture features are associated with CD3 T-cell infiltration status in glioblastoma. <i>Oncotarget</i> , 2017, 8, 101244-101254.	0.8	25
76	Glioblastoma-infiltrated innate immune cells resemble M0 macrophage phenotype. <i>JCI Insight</i> , 2016, 1, .	2.3	356
77	Redirecting T-Cell Specificity to EGFR Using mRNA to Self-limit Expression of Chimeric Antigen Receptor. <i>Journal of Immunotherapy</i> , 2016, 39, 205-217.	1.2	29
78	Immune checkpoint blockade as a potential therapeutic target: surveying CNS malignancies. <i>Neuro-Oncology</i> , 2016, 18, 1357-1366.	0.6	116
79	Tipping a favorable CNS intratumoral immune response using immune stimulation combined with inhibition of tumor-mediated immune suppression. <i>Oncolmunology</i> , 2016, 5, e1117739.	2.1	7
80	Interrogating Metabolism in Brain Cancer. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2016, 24, 687-703.	0.6	17
81	Immune modulatory nanoparticle therapeutics for intracerebral glioma. <i>Neuro-Oncology</i> , 2016, 19, now198.	0.6	23
82	Immunotherapy in glioblastoma: emerging options in precision medicine. <i>CNS Oncology</i> , 2016, 5, 175-186.	1.2	11
83	MiR-138 exerts anti-glioma efficacy by targeting immune checkpoints. <i>Neuro-Oncology</i> , 2016, 18, 639-648.	0.6	161
84	Cytomegalovirus-targeted immunotherapy and glioblastoma: hype or hope?. <i>Immunotherapy</i> , 2016, 8, 413-423.	1.0	7
85	Principles of immunotherapy. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2016, 134, 163-181.	1.0	12
86	Prioritization schema for immunotherapy clinical trials in glioblastoma. <i>Oncolmunology</i> , 2016, 5, e1145332.	2.1	13
87	PD-L1 expression and prognostic impact in glioblastoma. <i>Neuro-Oncology</i> , 2016, 18, 195-205.	0.6	463
88	Discovery of cell surface vimentin targeting mAb for direct disruption of GBM tumor initiating cells. <i>Oncotarget</i> , 2016, 7, 72021-72032.	0.8	44
89	Metabolomics profiling in plasma samples from glioma patients correlates with tumor phenotypes. <i>Oncotarget</i> , 2016, 7, 20486-20495.	0.8	49
90	Signal transducer and activator of transcription 5b drives malignant progression in a <sc>PDGFB</sc>-dependent proneural glioma model by suppressing apoptosis. <i>International Journal of Cancer</i> , 2015, 136, 2047-2054.	2.3	11

#	ARTICLE	IF	CITATIONS
91	IMPS-28PD-L1 EXPRESSION AND PROGNOSTIC IMPACT IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2015, 17, v119.2-v119.	0.6	3
92	A phase II, multicenter trial of rindopepimut (CDX-110) in newly diagnosed glioblastoma: the ACT III study. <i>Neuro-Oncology</i> , 2015, 17, 854-861.	0.6	335
93	The role of STAT3 in tumor-mediated immune suppression. <i>Journal of Neuro-Oncology</i> , 2015, 123, 385-394.	1.4	55
94	FGL2 as a Multimodality Regulator of Tumor-Mediated Immune Suppression and Therapeutic Target in Gliomas. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	80
95	Immunosuppressive mechanisms in glioblastoma: Fig. 1.. <i>Neuro-Oncology</i> , 2015, 17, vii9-vii14.	0.6	275
96	Tuning Sensitivity of CAR to EGFR Density Limits Recognition of Normal Tissue While Maintaining Potent Antitumor Activity. <i>Cancer Research</i> , 2015, 75, 3505-3518.	0.4	327
97	The Duality of Fgl2 - Secreted Immune Checkpoint Regulator Versus Membrane-Associated Procoagulant: Therapeutic Potential and Implications. <i>International Reviews of Immunology</i> , 2014, 35, 1-15.	1.5	41
98	Therapeutic targets in subependymoma. <i>Journal of Neuroimmunology</i> , 2014, 277, 168-175.	1.1	21
99	Immunotherapy for Primary Brain Tumors: No Longer a Matter of Privilege. <i>Clinical Cancer Research</i> , 2014, 20, 5620-5629.	3.2	91
100	Epidermal growth factor receptor and variant III targeted immunotherapy. <i>Neuro-Oncology</i> , 2014, 16, viii20-viii25.	0.6	29
101	Effect of miR-142-3p on the M2 Macrophage and Therapeutic Efficacy Against Murine Glioblastoma. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	112
102	Targeting 4-1BB Costimulation to the Tumor Stroma with Bispecific Aptamer Conjugates Enhances the Therapeutic Index of Tumor Immunotherapy. <i>Cancer Immunology Research</i> , 2014, 2, 867-877.	1.6	79
103	miR-124 Inhibits STAT3 Signaling to Enhance T Cell-Mediated Immune Clearance of Glioma. <i>Cancer Research</i> , 2013, 73, 3913-3926.	0.4	223
104	Mesenchymal Differentiation Mediated by NF- κ B Promotes Radiation Resistance in Glioblastoma. <i>Cancer Cell</i> , 2013, 24, 331-346.	7.7	856
105	MicroRNAs as novel immunotherapeutics. <i>Oncolmunology</i> , 2013, 2, e25124.	2.1	4
106	Immune Heterogeneity of Glioblastoma Subtypes: Extrapolation from the Cancer Genome Atlas. <i>Cancer Immunology Research</i> , 2013, 1, 112-122.	1.6	192
107	The Controversial Role of Microglia in Malignant Gliomas. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-12.	3.3	166
108	Signal transducer and activator of transcription 3 promotes angiogenesis and drives malignant progression in glioma. <i>Neuro-Oncology</i> , 2012, 14, 1136-1145.	0.6	73

#	ARTICLE	IF	CITATIONS
109	Consensus on the role of human cytomegalovirus in glioblastoma. <i>Neuro-Oncology</i> , 2012, 14, 246-255.	0.6	245
110	Modulating Antiangiogenic Resistance by Inhibiting the Signal Transducer and Activator of Transcription 3 Pathway in Glioblastoma. <i>Oncotarget</i> , 2012, 3, 1036-1048.	0.8	71
111	The tumor microenvironment expression of p-STAT3 influences the efficacy of cyclophosphamide with WP1066 in murine melanoma models. <i>International Journal of Cancer</i> , 2012, 131, 8-17.	2.3	36
112	miRNA-mediated immune regulation and immunotherapeutic potential in glioblastoma. <i>Clinical Investigation</i> , 2011, 1, 1637-1650.	0.0	8
113	Immunotherapy coming of age: What will it take to make it standard of care for glioblastoma?. <i>Neuro-Oncology</i> , 2011, 13, 3-13.	0.6	97
114	Greater chemotherapy-induced lymphopenia enhances tumor-specific immune responses that eliminate EGFRVIII-expressing tumor cells in patients with glioblastoma. <i>Neuro-Oncology</i> , 2011, 13, 324-333.	0.6	306
115	Reply to M.C. Chamberlain. <i>Journal of Clinical Oncology</i> , 2011, 29, e519-e520.	0.8	1
116	Reply to M.S. Lesniak. <i>Journal of Clinical Oncology</i> , 2011, 29, 3105-3106.	0.8	9
117	Brain Tumor Immunology and Immunotherapy. , 2011, , 1087-1101.		1
118	Hypoxia Potentiates Glioma-Mediated Immunosuppression. <i>PLoS ONE</i> , 2011, 6, e16195.	1.1	177
119	The therapeutic potential of inhibitors of the signal transducer and activator of transcription 3 for central nervous system malignancies. , 2011, 2, 163.		10
120	Immune therapeutic targeting of glioma cancer stem cells. <i>Targeted Oncology</i> , 2010, 5, 217-227.	1.7	31
121	Intratumoral Mediated Immunosuppression is Prognostic in Genetically Engineered Murine Models of Glioma and Correlates to Immunotherapeutic Responses. <i>Clinical Cancer Research</i> , 2010, 16, 5722-5733.	3.2	71
122	Glioma-Associated Cancer-Initiating Cells Induce Immunosuppression. <i>Clinical Cancer Research</i> , 2010, 16, 461-473.	3.2	212
123	Glioblastoma Cancer-Initiating Cells Inhibit T-Cell Proliferation and Effector Responses by the Signal Transducers and Activators of Transcription 3 Pathway. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 67-78.	1.9	253
124	Immunologic Escape After Prolonged Progression-Free Survival With Epidermal Growth Factor Receptor Variant III Peptide Vaccination in Patients With Newly Diagnosed Glioblastoma. <i>Journal of Clinical Oncology</i> , 2010, 28, 4722-4729.	0.8	702
125	Inhibition of p-STAT3 Enhances IFN- γ Efficacy against Metastatic Melanoma in a Murine Model. <i>Clinical Cancer Research</i> , 2010, 16, 2550-2561.	3.2	51
126	The Role of Tregs in Glioma-Mediated Immunosuppression: Potential Target for Intervention. <i>Neurosurgery Clinics of North America</i> , 2010, 21, 125-137.	0.8	67

#	ARTICLE	IF	CITATIONS
127	Clinical Applications of a Peptide-Based Vaccine for Glioblastoma. <i>Neurosurgery Clinics of North America</i> , 2010, 21, 95-109.	0.8	21
128	Glioma cancer stem cells induce immunosuppressive macrophages/microglia. <i>Neuro-Oncology</i> , 2010, 12, 1113-1125.	0.6	530
129	Modulation of Angiogenic and Inflammatory Response in Glioblastoma by Hypoxia. <i>PLoS ONE</i> , 2009, 4, e5947.	1.1	95
130	An epidermal growth factor receptor variant III-targeted vaccine is safe and immunogenic in patients with glioblastoma multiforme. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 2773-2779.	1.9	262
131	The PEPvIII-KLH (CDX-110) vaccine in glioblastoma multiforme patients. <i>Expert Opinion on Biological Therapy</i> , 2009, 9, 1087-1098.	1.4	79
132	IgE, allergy, and risk of glioma: Update from the San Francisco Bay Area Adult Glioma Study in the Temozolomide era. <i>International Journal of Cancer</i> , 2009, 125, 680-687.	2.3	73
133	Topotecan enhances immune clearance of gliomas. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 259-270.	2.0	18
134	A novel phosphorylated STAT3 inhibitor enhances T cell cytotoxicity against melanoma through inhibition of regulatory T cells. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1023-1032.	2.0	74
135	EGFRvIII-targeted Vaccination Therapy of Malignant Glioma. <i>Brain Pathology</i> , 2009, 19, 713-723.	2.1	118
136	Detecting the percent of peripheral blood mononuclear cells displaying p-STAT-3 in malignant glioma patients. <i>Journal of Translational Medicine</i> , 2009, 7, 92.	1.8	7
137	Preferential migration of regulatory T cells mediated by glioma-secreted chemokines can be blocked with chemotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 123-131.	2.0	210
138	Detection of humoral response in patients with glioblastoma receiving EGFRvIII-KLH vaccines. <i>Journal of Immunological Methods</i> , 2008, 339, 74-81.	0.6	48
139	Tumor-specific immunotherapy targeting the EGFRvIII mutation in patients with malignant glioma. <i>Seminars in Immunology</i> , 2008, 20, 267-275.	2.7	156
140	The Incidence, Correlation with Tumor-Infiltrating Inflammation, and Prognosis of Phosphorylated STAT3 Expression in Human Gliomas. <i>Clinical Cancer Research</i> , 2008, 14, 8228-8235.	3.2	174
141	Immunological responses in a patient with glioblastoma multiforme treated with sequential courses of temozolomide and immunotherapy: Case study. <i>Neuro-Oncology</i> , 2008, 10, 98-103.	0.6	109
142	A Novel Inhibitor of Signal Transducers And Activators Of Transcription 3 Activation Is Efficacious Against Established Central Nervous System Melanoma and Inhibits Regulatory T Cells. <i>Clinical Cancer Research</i> , 2008, 14, 5759-5768.	3.2	111
143	Incidence and Prognostic Impact of FoxP3+ Regulatory T Cells in Human Gliomas. <i>Clinical Cancer Research</i> , 2008, 14, 5166-5172.	3.2	280
144	Epidermal Growth Factor Receptor Variant III Status Defines Clinically Distinct Subtypes of Glioblastoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 2288-2294.	0.8	260

#	ARTICLE	IF	CITATIONS
145	Cytochrome P450 1B1 Expression in Glial Cell Tumors: An Immunotherapeutic Target. <i>Clinical Cancer Research</i> , 2007, 13, 3559-3567.	3.2	32
146	A Novel Small Molecule Inhibitor of Signal Transducers and Activators of Transcription 3 Reverses Immune Tolerance in Malignant Glioma Patients. <i>Cancer Research</i> , 2007, 67, 9630-9636.	0.4	278
147	Innovative Treatment Strategies for High-Grade Gliomas. , 2007, , 171-190.		0
148	Innate immune functions of microglia isolated from human glioma patients. <i>Journal of Translational Medicine</i> , 2006, 4, 15.	1.8	91
149	The role of human glioma-infiltrating microglia/macrophages in mediating antitumor immune responses ¹ . <i>Neuro-Oncology</i> , 2006, 8, 261-279.	0.6	516
150	The Role of Glioma Microenvironment in Immune Modulation: Potential Targets for Intervention. <i>Letters in Drug Design and Discovery</i> , 2006, 3, 443-453.	0.4	11
151	Mechanisms of action of rapamycin in gliomas. <i>Neuro-Oncology</i> , 2005, 7, 1-11.	0.6	27
152	Immunotherapy for human glioma: innovative approaches and recent results. <i>Expert Review of Anticancer Therapy</i> , 2005, 5, 777-790.	1.1	37
153	Prognostic Effect of Epidermal Growth Factor Receptor and EGFRvIII in Glioblastoma Multiforme Patients. <i>Clinical Cancer Research</i> , 2005, 11, 1462-1466.	3.2	446
154	The natural history of EGFR and EGFRvIII in glioblastoma patients. <i>Journal of Translational Medicine</i> , 2005, 3, 38.	1.8	180
155	Loss of the AP-2alpha transcription factor is associated with the grade of human gliomas. <i>Clinical Cancer Research</i> , 2005, 11, 267-72.	3.2	38
156	Epidermal growth factor receptor VIII peptide vaccination is efficacious against established intracerebral tumors. <i>Clinical Cancer Research</i> , 2003, 9, 4247-54.	3.2	175
157	Dendritic Cells Pulsed with a Tumor-specific Peptide Induce Long-lasting Immunity and Are Effective against Murine Intracerebral Melanoma. <i>Neurosurgery</i> , 2002, 50, 158-166.	0.6	81
158	Dendritic Cells Pulsed with a Tumor-specific Peptide Induce Long-lasting Immunity and Are Effective against Murine Intracerebral Melanoma. <i>Neurosurgery</i> , 2002, 50, 158-166.	0.6	66
159	Brain tumors in mice are susceptible to blockade of epidermal growth factor receptor (EGFR) with the oral, specific, EGFR-tyrosine kinase inhibitor ZD1839 (iressa). <i>Clinical Cancer Research</i> , 2002, 8, 3496-502.	3.2	138
160	Bone marrow-derived dendritic cells pulsed with tumor homogenate induce immunity against syngeneic intracerebral glioma. <i>Journal of Neuroimmunology</i> , 2000, 103, 16-25.	1.1	128
161	Biological Principles of Brain Tumor Immunotherapy. , 0, , 101-130.		5
162	Myeloid Cell Classification and Therapeutic Opportunities Within the Glioblastoma Tumor Microenvironment in the Single Cell-Omics Era. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	4