

Asami Mashio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7169084/publications.pdf>

Version: 2024-02-01

39
papers

565
citations

567281

15
h-index

677142

22
g-index

41
all docs

41
docs citations

41
times ranked

542
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Fe plaque on arsenic biotransformation by marine macroalgae. <i>Science of the Total Environment</i> , 2022, 802, 149776.	8.0	7
2	Speciation analysis of inorganic selenium in wastewater using a highly selective cellulose-based adsorbent via liquid electrode plasma optical emission spectrometry. <i>Journal of Hazardous Materials</i> , 2022, 424, 127250.	12.4	9
3	Enhanced remediation of arsenic-contaminated excavated soil using a binary blend of biodegradable surfactant and chelator. <i>Journal of Hazardous Materials</i> , 2022, 431, 128562.	12.4	12
4	Very strong but exchangeable organic ligand of cobalt in the marginal sea. <i>Limnology and Oceanography</i> , 2022, 67, 1299-1312.	3.1	2
5	Biodegradable Chelator-Assisted Washing and Stabilization of Arsenic-Contaminated Excavated Soils. <i>Water, Air, and Soil Pollution</i> , 2022, 233, .	2.4	5
6	Cross-linked dithiocarbamate-modified cellulose with enhanced thermal stability and dispersibility as a sorbent for arsenite removal. <i>Chemosphere</i> , 2022, 307, 135671.	8.2	6
7	Selective recovery of silver and palladium from acidic waste solutions using dithiocarbamate-functionalized cellulose. <i>Chemical Engineering Journal</i> , 2021, 407, 127225.	12.7	36
8	Highly selective and straightforward recovery of gold and platinum from acidic waste effluents using cellulose-based bio-adsorbent. <i>Journal of Hazardous Materials</i> , 2021, 410, 124569.	12.4	54
9	Freshwater phytoplankton: Salinity stress on arsenic biotransformation. <i>Environmental Pollution</i> , 2021, 270, 116090.	7.5	9
10	Wide-range detection of Cu-binding organic ligands in seawater using reverse titration. <i>Marine Chemistry</i> , 2021, 230, 103927.	2.3	7
11	Budgets and sources of dissolved platinum in the inland seas of Japan. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 253, 107293.	2.1	3
12	4. Elucidation of the actual status of land-derived environmental pollutants. <i>Nippon Suisan Gakkaishi</i> , 2021, 87, 522-523.	0.1	0
13	Comparative evaluation of dithiocarbamate-modified cellulose and commercial resins for recovery of precious metals from aqueous matrices. <i>Journal of Hazardous Materials</i> , 2021, 418, 126308.	12.4	21
14	Spatiotemporal variations of platinum in seawater in Otsuchi Bay, Japan after the 2011 tsunami. <i>Science of the Total Environment</i> , 2020, 708, 134659.	8.0	7
15	A technique for the speciation analysis of metal-chelator complexes in aqueous matrices using ultra-performance liquid chromatography-quadrupole/time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1630, 461528.	3.7	5
16	Dithiocarbamate-modified cellulose-based sorbents with high storage stability for selective removal of arsenite and hazardous heavy metals. <i>RSC Advances</i> , 2020, 10, 30238-30244.	3.6	7
17	Speciation of inorganic selenium in wastewater using liquid electrode plasma-optical emission spectrometry combined with supramolecule-equipped solid-phase extraction system. <i>Microchemical Journal</i> , 2020, 159, 105490.	4.5	7
18	Integrated effects of important environmental factors on arsenic biotransformation and photosynthetic efficiency by marine microalgae. <i>Ecotoxicology and Environmental Safety</i> , 2020, 201, 110797.	6.0	17

#	ARTICLE	IF	CITATIONS
19	Arsenic biotransformation potential of marine phytoplankton under a salinity gradient. <i>Algal Research</i> , 2020, 47, 101842.	4.6	10
20	Arsenic biotransformation potential of six marine diatom species: effect of temperature and salinity. <i>Scientific Reports</i> , 2019, 9, 10226.	3.3	34
21	Freshwater phytoplankton: biotransformation of inorganic arsenic to methylarsenic and organoarsenic. <i>Scientific Reports</i> , 2019, 9, 12074.	3.3	27
22	Bioaccumulation and biotransformation of arsenic by the brown macroalga <i>Sargassum patens</i> C. Agardh in seawater: effects of phosphate and iron ions. <i>Journal of Applied Phycology</i> , 2019, 31, 2669-2685.	2.8	28
23	Comparative biotransformation and detoxification potential of arsenic by three macroalgae species in seawater: Evidence from laboratory culture studies. <i>Chemosphere</i> , 2019, 228, 117-127.	8.2	21
24	Arsenic speciation and biotransformation by the marine macroalga <i>Undaria pinnatifida</i> in seawater: A culture medium study. <i>Chemosphere</i> , 2019, 222, 705-713.	8.2	13
25	Determination of multiple chelator complexes in aqueous matrices using ultra-performance liquid chromatography-quadrupole/time-of-flight mass spectrometry. <i>Talanta</i> , 2019, 194, 980-990.	5.5	7
26	Selective recovery of gold, palladium, or platinum from acidic waste solution. <i>Microchemical Journal</i> , 2018, 139, 174-180.	4.5	36
27	Analysis of historical trend of pollution sources of lead in Tokyo Bay based on lead isotope ratios in sediment core. <i>Journal of Oceanography</i> , 2018, 74, 187-196.	1.7	8
28	Chelator-induced recovery of rare earths from end-of-life fluorescent lamps with the aid of mechano-chemical energy. <i>Waste Management</i> , 2018, 80, 17-25.	7.4	25
29	On-site analysis of gold, palladium, or platinum in acidic aqueous matrix using liquid electrode plasma-optical emission spectrometry combined with ion-selective preconcentration. <i>Sensors and Actuators B: Chemical</i> , 2018, 272, 91-99.	7.8	18
30	Organic complexation of copper in estuarine waters: An assessment of the multi-detection window approach. <i>Marine Chemistry</i> , 2018, 204, 144-151.	2.3	12
31	Distribution of zirconium, hafnium, niobium and tantalum in the North Atlantic Ocean, northeastern Indian Ocean and its adjacent seas. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2018, 140, 128-135.	1.4	11
32	Long-range-transported bioaerosols captured in snow cover on Mount Tateyama, Japan: impacts of Asian-dust events on airborne bacterial dynamics relating to ice-nucleation activities. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 8155-8171.	4.9	27
33	Simultaneous measurement of picomolar zirconium, hafnium, niobium and tantalum in seawater using commercially available chelating resin and subsequent ICP-MS determination. <i>Geochemical Journal</i> , 2018, 52, 427-431.	1.0	5
34	Organic complexation of zinc in a coastal hydrothermal area, Tachibana Bay, Nagasaki, Japan. <i>Geochemical Journal</i> , 2018, 52, e29-e38.	1.0	3
35	Dissolved Platinum Concentrations in Coastal Seawater: Boso to Sanriku Areas, Japan. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 73, 240-246.	4.1	15
36	Dissolved platinum in rainwater, river water and seawater around Tokyo Bay and Otsuchi Bay in Japan. <i>Estuarine, Coastal and Shelf Science</i> , 2016, 180, 160-167.	2.1	18

#	ARTICLE	IF	CITATIONS
37	Size fractionation of nanoparticulate metal sulfides in oxic water of Lake Teganuma, Japan. <i>Geochemical Journal</i> , 2016, 50, 281-286.	1.0	1
38	Precise determination of dissolved platinum in seawater of the Japan Sea, Sea of Okhotsk and western North Pacific Ocean. <i>Marine Chemistry</i> , 2014, 166, 114-121.	2.3	32
39	Subarctic Pacific Intermediate Water: An Oceanic Highway for the Transport of Trace Metals in the North Pacific. <i>Limnology and Oceanography Bulletin</i> , 0, , .	0.4	0