

Tetsuya Hirata

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7169363/tetsuya-hirata-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,483
citations

33
h-index

53
g-index

138
ext. papers

4,006
ext. citations

3.5
avg, IF

4.5
L-index

#	Paper	IF	Citations
136	A case of laparoscopically assisted combined resection of the round ligament for dienogest-resistant inguinal endometriosis. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2022 , 38, 170-175	0	
135	Use of selective PGE2 receptor antagonists on human endometriotic stromal cells and peritoneal macrophages. <i>Molecular Human Reproduction</i> , 2021 , 27,	4.4	5
134	National survey of bladder endometriosis cases in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1451-1461	1.9	0
133	An Unusual Imaging Appearance of Peritoneal Endometriosis Presenting a Pelvic Multilocular Tumor. <i>Journal of Minimally Invasive Gynecology</i> , 2021 , 28, 1561-1563	2.2	1
132	The roles of polymorphonuclear myeloid-derived suppressor cells in endometriosis. <i>Journal of Reproductive Immunology</i> , 2021 , 148, 103371	4.2	1
131	PAX8: A Highly Sensitive Marker for the Glands in Extragenital Endometriosis. <i>Reproductive Sciences</i> , 2020 , 27, 1580-1586	3	2
130	Cancers associated with extraovarian endometriosis at less common/rare sites: A nationwide survey in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 917-923	1.9	4
129	Androgens Increase Accumulation of Advanced Glycation End Products in Granulosa Cells by Activating ER Stress in PCOS. <i>Endocrinology</i> , 2020 , 161,	4.8	20
128	Expression of ALDH1A Isozymes in Human Endometrium with and without Endometriosis and in Ovarian Endometrioma. <i>Reproductive Sciences</i> , 2020 , 27, 443-452	3	5
127	Preclinical validation of the new vitrification device possessing a feature of absorbing excess vitrification solution for the cryopreservation of human embryos. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 302-309	1.9	1
126	The effects of tokishakuyakusan, a traditional Japanese medicine (kampo), ferulic acid and paeoniflorin, on human endometriotic stromal cells and peritoneal macrophages. <i>Journal of Reproductive Immunology</i> , 2020 , 139, 103104	4.2	3
125	IFITM1 is a Novel, Highly Sensitive Marker for Endometriotic Stromal Cells in Ovarian and Extragenital Endometriosis. <i>Reproductive Sciences</i> , 2020 , 27, 1595-1601	3	4
124	Activation of endoplasmic reticulum stress mediates oxidative stress-induced apoptosis of granulosa cells in ovaries affected by endometrioma. <i>Molecular Human Reproduction</i> , 2020 , 26, 40-52	4.4	16
123	Extra-pelvic endometriosis: A review. <i>Reproductive Medicine and Biology</i> , 2020 , 19, 323-333	4.1	8
122	A National Survey of Umbilical Endometriosis in Japan. <i>Journal of Minimally Invasive Gynecology</i> , 2020 , 27, 80-87	2.2	7
121	Accumulation of advanced glycation end products in follicles is associated with poor oocyte developmental competence. <i>Molecular Human Reproduction</i> , 2019 , 25, 684-694	4.4	11
120	Mixed endometrioid and clear cell carcinoma arising from laparoscopic trocar site endometriosis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1613-1618	1.9	5

119	Contralateral ovarian endometrioma recurrence after unilateral salpingo-oophorectomy. <i>BMC Womens Health</i> , 2019 , 19, 59	2.9	1
118	IFITM1 is a Novel, Highly Sensitive Marker for Endometriotic Stromal Cells in Ovarian and Extragenital Endometriosis. <i>Reproductive Sciences</i> , 2019 , 1933719119831782	3	5
117	Activation of Nrf2/Keap1 pathway by oral Dimethylfumarate administration alleviates oxidative stress and age-associated infertility might be delayed in the mouse ovary. <i>Reproductive Biology and Endocrinology</i> , 2019 , 17, 23	5	16
116	PAX8: A Highly Sensitive Marker for the Glands in Extragenital Endometriosis. <i>Reproductive Sciences</i> , 2019 , 1933719119828095	3	4
115	Clinical aspects and management of inguinal endometriosis: A case series of 20 patients. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 2029-2036	1.9	12
114	A Japanese nationwide survey on the cryopreservation of embryos, oocytes and ovarian tissue for cancer patients. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 2021-2028	1.9	11
113	Role of oxidative stress in follicular fluid on embryos of patients undergoing assisted reproductive technology treatment. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1884-1891	1.9	1
112	Endometriosis Triggers Excessive Activation of Primordial Follicles via PI3K-PTEN-Akt-Foxo3 Pathway. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5547-5554	5.6	11
111	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan. <i>PLoS ONE</i> , 2019 , 14, e0223571	3.7	4
110	Endoplasmic Reticulum Stress Activated by Androgen Enhances Apoptosis of Granulosa Cells via Induction of Death Receptor 5 in PCOS. <i>Endocrinology</i> , 2019 , 160, 119-132	4.8	32
109	Expression of Nerve Injury-Induced Protein1 (Ninj1) in Endometriosis. <i>Reproductive Sciences</i> , 2019 , 26, 1105-1110	3	9
108	Mdm2-p53-SF1 pathway in ovarian granulosa cells directs ovulation and fertilization by conditioning oocyte quality. <i>FASEB Journal</i> , 2019 , 33, 2610-2620	0.9	12
107	The efficacy of non-assisted reproductive technology treatment might be limited in infertile patients with advanced endometriosis in their 30s. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 368-375	1.9	1
106	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan 2019 , 14, e0223571		
105	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan 2019 , 14, e0223571		
104	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan 2019 , 14, e0223571		
103	A survey of public attitudes toward uterus transplantation, surrogacy, and adoption in Japan 2019 , 14, e0223571		
102	The three peaks in age distribution of females with pneumothorax: a nationwide database study in Japan. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 572-578	3	4

101	Thoracic endometriosis syndrome: Comparison between catamenial pneumothorax or endometriosis-related pneumothorax and catamenial hemoptysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 225, 118-123	2.4	19
100	Activation of Nrf2 might reduce oxidative stress in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2018 , 470, 96-104	4.4	31
99	Factors associated with successful pregnancy in women of late reproductive age with uterine fibroids who undergo embryo cryopreservation before surgery. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1956-1962	1.9	1
98	A nationwide survey on gynecologic endoscopic surgery in Japan, 2014-2016. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 2067-2076	1.9	21
97	A survey of public attitudes towards third-party reproduction in Japan in 2014. <i>PLoS ONE</i> , 2018 , 13, e0198499	3.7	3
96	Long-term dienogest administration in patients with symptomatic adenomyosis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1439-1444	1.9	25
95	Japanese GWAS identifies variants for bust-size, dysmenorrhea, and menstrual fever that are eQTLs for relevant protein-coding or long non-coding RNAs. <i>Scientific Reports</i> , 2018 , 8, 8502	4.9	9
94	Drospirenone reduces inflammatory cytokines, vascular endothelial growth factor (VEGF) and nerve growth factor (NGF) expression in human endometriotic stromal cells. <i>Journal of Reproductive Immunology</i> , 2017 , 119, 44-48	4.2	11
93	Preoperative assessment of factors associated with difficulty in performing total laparoscopic hysterectomy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 320-329	1.9	16
92	Oil-Soluble Contrast Medium (OSCM) for Hysterosalpingography Modulates Dendritic Cell and Regulatory T Cell Profiles in the Peritoneal Cavity: A Possible Mechanism by Which OSCM Enhances Fertility. <i>Journal of Immunology</i> , 2017 , 198, 4277-4284	5.3	18
91	A Potential Role for Endoplasmic Reticulum Stress in Progesterone Deficiency in Obese Women. <i>Endocrinology</i> , 2017 , 158, 84-97	4.8	9
90	Activation of Endoplasmic Reticulum Stress in Granulosa Cells from Patients with Polycystic Ovary Syndrome Contributes to Ovarian Fibrosis. <i>Scientific Reports</i> , 2017 , 7, 10824	4.9	38
89	Mannose receptor is highly expressed by peritoneal dendritic cells in endometriosis. <i>Fertility and Sterility</i> , 2017 , 107, 167-173.e2	4.8	21
88	Vaginal Stenosis After Gonadotropin-Releasing Hormone Agonist Therapy During Treatment for Acute Lymphoblastic Leukemia. <i>Journal of Lower Genital Tract Disease</i> , 2016 , 20, e11-3	3.6	3
87	Dienogest reduces proliferation, NGF expression and nerve fiber density in human adenomyosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 207, 157-161	2.4	12
86	Risk of endometrial cancer in patients with a preoperative diagnosis of atypical endometrial hyperplasia treated with total laparoscopic hysterectomy. <i>Gynecology and Minimally Invasive Therapy</i> , 2016 , 5, 69-73	1.1	5
85	Th2 Cells and Th17 Cells in the Development of Endometriosis [Possible Roles of Interleukin-4 and Interleukin-17A. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2016 , 8, 136-140	0.6	5
84	Resveratrol Enhances Apoptosis in Endometriotic Stromal Cells. <i>American Journal of Reproductive Immunology</i> , 2016 , 75, 486-92	3.8	29

83	Assisted reproductive technology pregnancy complications are significantly associated with endometriosis severity before conception: a retrospective cohort study. <i>Reproductive Biology and Endocrinology</i> , 2016 , 14, 73	5	28
82	Effects of 1,25-Dihydroxy Vitamin D3 on Endometriosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2371-9	5.6	52
81	The impact of elevated thyroid stimulating hormone on female subfertility. <i>Reproductive Medicine and Biology</i> , 2016 , 15, 121-126	4.1	7
80	A potential role of endoplasmic reticulum stress in development of ovarian hyperstimulation syndrome. <i>Molecular and Cellular Endocrinology</i> , 2016 , 428, 161-9	4.4	15
79	Development of ovarian cancer after excision of endometrioma. <i>Fertility and Sterility</i> , 2016 , 106, 1432-1437.e2	16	16
78	Neutrophil depletion reduces endometriotic lesion formation in mice. <i>American Journal of Reproductive Immunology</i> , 2016 , 76, 193-8	3.8	22
77	Drospirenone induces decidualization in human eutopic endometrial stromal cells and reduces DNA synthesis of human endometriotic stromal cells. <i>Fertility and Sterility</i> , 2015 , 104, 217-24.e2	4.8	8
76	Laparoscopic excision of ovarian endometrioma does not exert a qualitative effect on ovarian function: insights from in vitro fertilization and single embryo transfer cycles. <i>Journal of Assisted Reproduction and Genetics</i> , 2015 , 32, 685-9	3.4	5
75	Four Cases of Postoperative Pneumothorax Among 2814 Consecutive Laparoscopic Gynecologic Surgeries: A Possible Correlation Between Postoperative Pneumothorax and Endometriosis. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 980-4	2.2	3
74	Elective single-embryo transfer improves cumulative pregnancy outcome in young patients but not in women of advanced reproductive age. <i>Journal of Assisted Reproduction and Genetics</i> , 2015 , 32, 1773-9	3.4	5
73	Evidence of the activation of unfolded protein response in granulosa and cumulus cells during follicular growth and maturation. <i>Gynecological Endocrinology</i> , 2015 , 31, 783-7	2.4	30
72	Simultaneous Detection and Evaluation of Four Subsets of CD4+ T Lymphocyte in Lesions and Peripheral Blood in Endometriosis. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 480-6	3.8	45
71	Cyclic stretch augments production of neutrophil chemokines, matrix metalloproteinases, and activin a in human endometrial stromal cells. <i>American Journal of Reproductive Immunology</i> , 2015 , 73, 501-6	3.8	5
70	Efficacy of dienogest in the treatment of symptomatic adenomyosis: a pilot study. <i>Gynecological Endocrinology</i> , 2014 , 30, 726-9	2.4	32
69	The outcome of infertility treatment in patients undergoing assisted reproductive technology after conservative therapy for endometrial cancer. <i>Journal of Assisted Reproduction and Genetics</i> , 2014 , 31, 1189-94	3.4	21
68	Dienogest reduces proliferation, aromatase expression and angiogenesis, and increases apoptosis in human endometriosis. <i>Gynecological Endocrinology</i> , 2014 , 30, 644-8	2.4	37
67	Parasitic Myomas developing after a Laparoscopic Myomectomy: Case Report. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2014 , 30, 204-208	0	
66	The role of bone morphogenetic protein 6 in accumulation and regulation of neutrophils in the human ovary. <i>Reproductive Sciences</i> , 2014 , 21, 772-7	3	10

65	IL-1 β increases expression of tryptophan 2,3-dioxygenase and stimulates tryptophan catabolism in endometrioma stromal cells. <i>American Journal of Reproductive Immunology</i> , 2014 , 72, 496-503	3.8	33
64	Concomitant ovarian drilling and oocyte retrieval by laparoendoscopic single-site surgery led to live birth using in vitro maturation of oocyte and transfer of frozen-thawed blastocyst in woman with polycystic ovary syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1431-5	1.9	1
63	Bone morphogenetic protein 7 increased vascular endothelial growth factor (VEGF)-a expression in human granulosa cells and VEGF receptor expression in endothelial cells. <i>Reproductive Sciences</i> , 2014 , 21, 477-82	3	28
62	Infertility Treatment of Endometriosis Patients 2014 , 431-443		
61	Follistatin is induced by IL-1 β and TNF- α in stromal cells from endometrioma. <i>Reproductive Sciences</i> , 2013 , 20, 675-9	3	4
60	Interleukin-4 and prostaglandin E2 synergistically up-regulate 3 β hydroxysteroid dehydrogenase type 2 in endometrioma stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1583-90	5.6	27
59	Zscan4 restores the developmental potency of embryonic stem cells. <i>Nature Communications</i> , 2013 , 4, 1966	17.4	77
58	Cyclic stretch augments production of neutrophil chemokines and matrix metalloproteinase-1 in human uterine smooth muscle cells. <i>American Journal of Reproductive Immunology</i> , 2013 , 69, 240-7	3.8	11
57	Cyclic stretch augments production of neutrophil chemokines and matrix metalloproteinases-1 (MMP-1) from human decidual cells, and the production was reduced by progesterone. <i>American Journal of Reproductive Immunology</i> , 2013 , 69, 454-62	3.8	6
56	Systematic repression of transcription factors reveals limited patterns of gene expression changes in ES cells. <i>Scientific Reports</i> , 2013 , 3, 1390	4.9	47
55	Endometriosis May Be Promoted by Midkine: Possible Involvement of Ovarian Follicles 2012 , 195-202		
54	The localization and regulation of proprotein convertase subtilisin/kexin (PCSK) 6 in human ovary. <i>American Journal of Reproductive Immunology</i> , 2012 , 68, 491-8	3.8	6
53	Interleukin-17A is present in neutrophils in endometrioma and stimulates the secretion of growth-regulated oncogene- β (Gro- β) from endometrioma stromal cells. <i>Fertility and Sterility</i> , 2012 , 98, 1218-24.e1-2	4.8	21
52	Proteinase-activated receptors in the endometrium and endometriosis. <i>Frontiers in Bioscience - Elite</i> , 2012 , 4, 755-67	1.6	1
51	Proteinase-activated receptors in the endometrium and endometriosis. <i>Frontiers in Bioscience - Scholar</i> , 2012 , 4, 1201-12	2.4	15
50	Interleukin-1 β stimulates the secretion of thymic stromal lymphopoietin (TSLP) from endometrioma stromal cells: possible involvement of TSLP in endometriosis. <i>Human Reproduction</i> , 2012 , 27, 3028-35	5.7	29
49	Zscan4 transiently reactivates early embryonic genes during the generation of induced pluripotent stem cells. <i>Scientific Reports</i> , 2012 , 2, 208	4.9	69
48	Interleukin-17F increases the secretion of interleukin-8 and the expression of cyclooxygenase 2 in endometriosis. <i>Fertility and Sterility</i> , 2011 , 96, 113-7	4.8	32

47	Activin-A is induced by interleukin-1 β and tumor necrosis factor- α and enhances the mRNA expression of interleukin-6 and protease-activated receptor-2 and proliferation of stromal cells from endometrioma. <i>Fertility and Sterility</i> , 2011 , 96, 118-21	4.8	38
46	High mobility group box 1 (HMGB1) levels in the placenta and in serum in preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2011 , 66, 143-8	3.8	39
45	Dienogest, a new conservative strategy for extragenital endometriosis: a pilot study. <i>Gynecological Endocrinology</i> , 2011 , 27, 717-20	2.4	31
44	TGF- β induces proteinase-activated receptor 2 (PAR2) expression in endometriotic stromal cells and stimulates PAR2 activation-induced secretion of IL-6. <i>Human Reproduction</i> , 2011 , 26, 1892-8	5.7	30
43	Toll-like receptor-3 ligation-induced indoleamine 2, 3-dioxygenase expression in human trophoblasts. <i>Endocrinology</i> , 2011 , 152, 4984-92	4.8	29
42	Progesterone decreases bone morphogenetic protein (BMP) 7 expression and BMP7 inhibits decidualization and proliferation in endometrial stromal cells. <i>Human Reproduction</i> , 2010 , 25, 751-6	5.7	25
41	Interleukin-4 induces expression of eotaxin in endometriotic stromal cells. <i>Fertility and Sterility</i> , 2010 , 94, 58-62	4.8	26
40	Recruitment of CCR6-expressing Th17 cells by CCL 20 secreted from IL-1 beta-, TNF-alpha-, and IL-17A-stimulated endometriotic stromal cells. <i>Endocrinology</i> , 2010 , 151, 5468-76	4.8	84
39	Interstitial pregnancy detection with laparoscopic ultrasound probe: A case report. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2010 , 26, 374-377	0	1
38	Interleukin (IL)-1beta stimulates migration and survival of first-trimester villous cytotrophoblast cells through endometrial epithelial cell-derived IL-8. <i>Endocrinology</i> , 2009 , 150, 350-6	4.8	38
37	Predictive factors of successful pregnancy after assisted reproductive technology in women aged 40 years and older. <i>Reproductive Medicine and Biology</i> , 2009 , 8, 145-149	4.1	5
36	Conjoined twins in a triplet pregnancy after intracytoplasmic sperm injection and blastocyst transfer: case report and review of the literature. <i>Fertility and Sterility</i> , 2009 , 91, 933.e9-12	4.8	16
35	Bone morphogenetic protein-6 stimulates gene expression of follicle-stimulating hormone receptor, inhibin/activin beta subunits, and anti-Müllerian hormone in human granulosa cells. <i>Fertility and Sterility</i> , 2009 , 92, 1794-8	4.8	80
34	Tunicamycin enhances the apoptosis induced by tumor necrosis factor-related apoptosis-inducing ligand in endometriotic stromal cells. <i>Human Reproduction</i> , 2009 , 24, 408-14	5.7	16
33	Vaginal Expulsion of a Placental Polyp With Ergometrine. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2009 , 25, 347-349	0	
32	High soluble CD44 concentration in peritoneal fluid in endometriosis. <i>Fertility and Sterility</i> , 2008 , 89, 1267-1268	4.8	14
31	A case of hydrosalpinx associated with the menstrual cycle. <i>Fertility and Sterility</i> , 2008 , 90, 199.e9-11	4.8	5
30	Interleukin-4 stimulates proliferation of endometriotic stromal cells. <i>American Journal of Pathology</i> , 2008 , 173, 463-9	5.8	69

29	Dienogest inhibits BrdU uptake with G0/G1 arrest in cultured endometriotic stromal cells. <i>Fertility and Sterility</i> , 2008 , 89, 1344-7	4.8	58
28	Interleukin (IL)-17A stimulates IL-8 secretion, cyclooxygenase-2 expression, and cell proliferation of endometriotic stromal cells. <i>Endocrinology</i> , 2008 , 149, 1260-7	4.8	93
27	The presence of midkine and its possible implication in human ovarian follicles. <i>American Journal of Reproductive Immunology</i> , 2007 , 58, 367-73	3.8	14
26	Selective increase in high molecular weight adiponectin concentration in serum of women with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2007 , 73, 60-5	4.2	35
25	Expression of toll-like receptors 2, 3, 4, and 9 genes in the human endometrium during the menstrual cycle. <i>Journal of Reproductive Immunology</i> , 2007 , 74, 53-60	4.2	61
24	Metformin suppresses interleukin (IL)-1beta-induced IL-8 production, aromatase activation, and proliferation of endometriotic stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3213-8	5.6	78
23	FR 167653, a p38 mitogen-activated protein kinase inhibitor, suppresses the development of endometriosis in a murine model. <i>Journal of Reproductive Immunology</i> , 2006 , 72, 85-93	4.2	44
22	Expression of adiponectin receptors and its possible implication in the human endometrium. <i>Endocrinology</i> , 2006 , 147, 3203-10	4.8	130
21	Mechanical stretch upregulates IGFBP-1 secretion from decidualized endometrial stromal cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 290, E268-72	6	19
20	The expression and possible roles of chemokine CXCL11 and its receptor CXCR3 in the human endometrium. <i>Journal of Immunology</i> , 2006 , 177, 8813-21	5.3	54
19	Recurrence of ovarian endometrioma after laparoscopic excision. <i>Human Reproduction</i> , 2006 , 21, 2171-4	5.7	141
18	Possible implication of midkine in the development of endometriosis. <i>Human Reproduction</i> , 2005 , 20, 1084-9	5.7	33
17	Development of an experimental model of endometriosis using mice that ubiquitously express green fluorescent protein. <i>Human Reproduction</i> , 2005 , 20, 2092-6	5.7	62
16	Activation of protease-activated receptor 2 stimulates proliferation and interleukin (IL)-6 and IL-8 secretion of endometriotic stromal cells. <i>Human Reproduction</i> , 2005 , 20, 3547-53	5.7	56
15	Possible involvement of thrombin/protease-activated receptor 1 system in the pathogenesis of endometriosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3673-9	5.6	38
14	Serum adiponectin concentrations are decreased in women with endometriosis. <i>Human Reproduction</i> , 2005 , 20, 3510-3	5.7	43
13	GnRH II as a possible cytostatic regulator in the development of endometriosis. <i>Human Reproduction</i> , 2005 , 20, 3212-8	5.7	23
12	Concentration of adiponectin in peritoneal fluid is decreased in women with endometriosis. <i>American Journal of Reproductive Immunology</i> , 2005 , 54, 217-21	3.8	30

11	Mechanical stretch stimulates interleukin-8 production in endometrial stromal cells: possible implications in endometrium-related events. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1144-8	5.6	38
10	Evidence for the presence of protease-activated receptor 2 and its possible implication in remodeling of human endometrium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1662-9	5.6	31
9	Evidence for the presence of toll-like receptor 4 system in the human endometrium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 548-56	5.6	93
8	Possible pathophysiological roles of mitogen-activated protein kinases (MAPKs) in endometriosis. <i>American Journal of Reproductive Immunology</i> , 2004 , 52, 306-11	3.8	96
7	Evidence for the presence of angiogenin in human testis. <i>Journal of Andrology</i> , 2004 , 25, 369-74		9
6	Concentration of osteoprotegerin (OPG) in peritoneal fluid is increased in women with endometriosis. <i>Human Reproduction</i> , 2004 , 19, 2188-91	5.7	15
5	Endometrial stromal cells undergoing decidualization down-regulate their properties to produce proinflammatory cytokines in response to interleukin-1 beta via reduced p38 mitogen-activated protein kinase phosphorylation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2236-41	5.6	55
4	Possible roles of thrombin-induced activation of protease-activated receptor 1 in human luteinized granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 3952-7	5.6	29
3	Elevated serum soluble vascular endothelial growth factor receptor 1 (sVEGFR-1) levels in women with preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2348-51	5.6	318
2	Atrial conduction curves in patients with and without atrial fibrillation. <i>Japanese Circulation Journal</i> , 1998 , 62, 289-93		
1	A survey of public attitudes towards third-party reproduction in Japan in 2014		1