Giuseppe Regolisti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7169843/publications.pdf

Version: 2024-02-01

95 papers 3,305 citations

32 h-index 190340 53 g-index

97 all docs

97 docs citations

97 times ranked 4632 citing authors

#	Article	IF	CITATIONS
1	What is the role of exercise in chronic kidney disease?. Nephrology Dialysis Transplantation, 2022, 37, 258-261.	0.4	5
2	Low skeletal muscle mass by computerized tomography is associated with increased mortality risk in end-stage kidney disease patients on hemodialysis. Journal of Nephrology, 2022, 35, 545-557.	0.9	8
3	Acute kidney injury referred to the nephrologist: A single centre experience in a tertiary care hospital. Nephrology, 2022, 27, 145-154.	0.7	2
4	The Association of New-Onset Acute Kidney Injury and Mortality in Critically Ill Patients With COVID-19 With Less Severe Clinical Conditions at Admission: A Moderation Analysis. Frontiers in Medicine, 2022, 9, 799298.	1.2	5
5	Hypophosphatemia in critically ill patients undergoing Sustained Low-Efficiency Dialysis with standard dialysis solutions. Nephrology Dialysis Transplantation, 2022, 37, 2505-2513.	0.4	4
6	Quadriceps muscle thickness assessed by ultrasound is independently associated with mortality in hemodialysis patients. European Journal of Clinical Nutrition, 2022, 76, 1719-1726.	1.3	6
7	Prevention of hypomagnesemia in critically ill patients with acute kidney injury on continuous kidney replacement therapy: the role of early supplementation and close monitoring. Journal of Nephrology, 2021, 34, 1271-1279.	0.9	14
8	A case of extreme hyperphosphatemia due to sodium phosphate enemas successfully treated with sustained low efficiency dialysis. Clinical Nephrology, 2021, 95, 62-64.	0.4	5
9	Ultrasound for Non-invasive Assessment and Monitoring of Quadriceps Muscle Thickness in Critically Ill Patients With Acute Kidney Injury. Frontiers in Nutrition, 2021, 8, 622823.	1.6	8
10	Sustained low-efficiency dialysis with regional citrate anticoagulation in critically ill patients with COVID-19 associated AKI: A pilot study. Journal of Critical Care, 2021, 63, 22-25.	1.0	6
11	Validation by CT scan of quadriceps muscle thickness measurement by ultrasound in acute kidney injury. Journal of Nephrology, 2020, 33, 109-117.	0.9	22
12	Electrocardiographic T wave alterations and prediction of hyperkalemia in patients with acute kidney injury. Internal and Emergency Medicine, 2020, 15, 463-472.	1.0	12
13	Hyperchloremia and acute kidney injury: a spurious association or a worrisome reality?. Internal and Emergency Medicine, 2020, 15, 187-189.	1.0	3
14	Inflammation is an amplifier of lung congestion by high ly filling pressure in hemodialysis patients: a longitudinal study. Journal of Nephrology, 2020, 33, 583-590.	0.9	4
15	Ultrasound to address medullary sponge kidney: a retrospective study. BMC Nephrology, 2020, 21, 430.	0.8	9
16	Muscle mass assessment in renal disease: the role of imaging techniques. Quantitative Imaging in Medicine and Surgery, 2020, 10, 1672-1686.	1.1	25
17	Kidney Biopsy Findings in a Critically Ill COVID-19 Patient With Dialysis-Dependent Acute Kidney Injury: A Case Against "SARS-CoV-2 Nephropathy― Kidney International Reports, 2020, 5, 1100-1105.	0.4	61
18	Electrolyte Disorders Induced by Antineoplastic Drugs. Frontiers in Oncology, 2020, 10, 779.	1.3	39

#	Article	IF	CITATIONS
19	Recent insights into sodium and potassium handling by the aldosterone-sensitive distal nephron: implications on pathophysiology and drug discovery. Journal of Nephrology, 2020, 33, 447-466.	0.9	9
20	Recent insights into sodium and potassium handling by the aldosterone-sensitive distal nephron: a review of the relevant physiology. Journal of Nephrology, 2020, 33, 431-445.	0.9	19
21	Green nephrology and eco-dialysis: a position statement by the Italian Society of Nephrology. Journal of Nephrology, 2020, 33, 681-698.	0.9	44
22	Exercise in patients on chronic hemodialysis: current evidence, knowledge gaps and future perspectives. Current Opinion in Clinical Nutrition and Metabolic Care, 2020, 23, 181-189.	1.3	9
23	Noninvasive evaluation of muscle mass by ultrasonography of quadriceps femoris muscle in End-Stage Renal Disease patients on hemodialysis. Clinical Nutrition, 2019, 38, 1232-1239.	2.3	54
24	Hypophosphatemia in critically ill patients with acute kidney injury on renal replacement therapies. Journal of Nephrology, 2019, 32, 895-908.	0.9	25
25	A Guide to Understanding Antimicrobial Drug Dosing in Critically Ill Patients on Renal Replacement Therapy. Antimicrobial Agents and Chemotherapy, 2019, 63, .	1.4	58
26	Management of hyperkalemia in patients with kidney disease: a position paper endorsed by the Italian Society of Nephrology. Journal of Nephrology, 2019, 32, 499-516.	0.9	63
27	Frailty and Sarcopenia in Older Patients Receiving Kidney Transplantation. Frontiers in Nutrition, 2019, 6, 169.	1.6	31
28	Pivotal clinical trials, meta-analyses and current guidelines in the treatment of hyperkalemia. Nephrology Dialysis Transplantation, 2019, 34, iii51-iii61.	0.4	11
29	Sustained low-efficiency dialysis for metformin-associated lactic acidosis in patients with acute kidney injury. Journal of Nephrology, 2019, 32, 297-306.	0.9	15
30	Recent advances in the pathogenetic mechanisms of sepsis-associated acute kidney injury. Journal of Nephrology, 2018, 31, 351-359.	0.9	135
31	Acute kidney injury and stroke: unresolved issues. Internal and Emergency Medicine, 2018, 13, 13-15.	1.0	2
32	Approach to hyponatremia according to the clinical setting: Consensus statement from the Italian Society of Endocrinology (SIE), Italian Society of Nephrology (SIN), and Italian Association of Medical Oncology (AlOM). Journal of Endocrinological Investigation, 2018, 41, 3-19.	1.8	28
33	Contrast medium induced acute kidney injury: a narrative review. Journal of Nephrology, 2018, 31, 797-812.	0.9	70
34	Interaction of healthcare staff's attitude with barriers to physical activity in hemodialysis patients: A quantitative assessment. PLoS ONE, 2018, 13, e0196313.	1.1	39
35	Protein-energy wasting and nutritional supplementation in patients with end-stage renal disease on hemodialysis. Clinical Nutrition, 2017, 36, 663-671.	2.3	129
36	Renal resistive index by transesophageal and transparietal echo-doppler imaging for the prediction of acute kidney injury in patients undergoing major heart surgery. Journal of Nephrology, 2017, 30, 243-253.	0.9	32

#	Article	IF	CITATIONS
37	Treatment of Metformin Intoxication Complicated by Lactic Acidosis and Acute Kidney Injury: The Role of Prolonged Intermittent Hemodialysis. American Journal of Kidney Diseases, 2017, 70, 290-296.	2.1	18
38	Intestinal Microbiota in Type 2 Diabetes and Chronic Kidney Disease. Current Diabetes Reports, 2017, 17, 16.	1.7	136
39	Preventing Continuous Renal Replacement Therapy-Induced Hypophosphatemia: An Extended Clinical Experience with a Phosphate-Containing Solution in the Setting of Regional Citrate Anticoagulation. Blood Purification, 2017, 44, 8-15.	0.9	18
40	Diet and enteral nutrition in patients with chronic kidney disease not on dialysis: a review focusing on fat, fiber and protein intake. Journal of Nephrology, 2017, 30, 743-754.	0.9	23
41	Reliability of bedside ultrasound for measurement of quadriceps muscle thickness in critically ill patients with acute kidney injury. Clinical Nutrition, 2017, 36, 1710-1715.	2.3	66
42	Energy and Protein in Critically Ill Patients with AKI: A Prospective, Multicenter Observational Study Using Indirect Calorimetry and Protein Catabolic Rate. Nutrients, 2017, 9, 802.	1.7	24
43	Management of Congestion and Diuretic Resistance in Heart Failure. Nephrology @ Point of Care, 2016, 2, pocj.5000200.	0.2	4
44	Colistin Use in Patients With Reduced Kidney Function. American Journal of Kidney Diseases, 2016, 68, 296-306.	2.1	38
45	Severe acute kidney injury following cardiac surgery: short-term outcomes in patients undergoing continuous renal replacement therapy (CRRT). Journal of Nephrology, 2016, 29, 229-239.	0.9	35
46	Hyper/hypoglycemia and acute kidney injury in critically ill patients. Clinical Nutrition, 2016, 35, 317-321.	2.3	30
47	Efficacy and Safety of Long-term Tolvaptan Treatment in a Patient with SCLC and SIADH. Tumori, 2015, 101, e51-e53.	0.6	6
48	Myeloperoxidase-Related Chlorination Activity Is Positively Associated with Circulating Ceruloplasmin in Chronic Heart Failure Patients: Relationship with Neurohormonal, Inflammatory, and Nutritional Parameters. BioMed Research International, 2015, 2015, 1-10.	0.9	12
49	Alterations of intestinal barrier and microbiota in chronic kidney disease. Nephrology Dialysis Transplantation, 2015, 30, 924-933.	0.4	167
50	Barriers to Physical Activity in Chronic Hemodialysis Patients: A Single-Center Pilot Study in an Italian Dialysis Facility. Kidney and Blood Pressure Research, 2014, 39, 169-175.	0.9	43
51	Genome-wide association study identifies CAMKID variants involved in blood pressure response to losartan: the SOPHIA study. Pharmacogenomics, 2014, 15, 1643-1652.	0.6	27
52	Intradialytic parenteral nutrition in end-stage renal disease: practical aspects, indications and limits. Journal of Nephrology, 2014, 27, 377-383.	0.9	22
53	Body cell mass evaluation in critically ill patients: killing two birds with one stone. Critical Care, 2014, 18, 139.	2.5	16
54	Low Serum Ferroxidase I Activity Is Associated With Mortality in Heart Failure and Related to Both Peroxynitrite-Induced Cysteine Oxidation and Tyrosine Nitration of Ceruloplasmin. Circulation Research, 2014, 114, 1723-1732.	2.0	42

#	Article	IF	CITATIONS
55	Protein/Energy Debt in Critically Ill Children in the Pediatric Intensive Care Unit: Acute Kidney Injury As a Major Risk Factor., 2014, 24, 209-218.		17
56	Balancing thromboembolic risk against vitamin K antagonist-related bleeding and accelerated calcification: is fondaparinux the Holy Grail for end-stage renal disease patients with atrial fibrillation?. Nephrology Dialysis Transplantation, 2013, 28, 2923-2928.	0.4	4
57	Effects of the radiocontrast agent iodixanol on endothelial cell morphology and function. Vascular Pharmacology, 2013, 58, 39-47.	1.0	20
58	Prealbumin improves death risk prediction of BNP-added Seattle Heart Failure Model: Results from a pilot study in elderly chronic heart failure patients. International Journal of Cardiology, 2013, 168, 3334-3339.	0.8	33
59	Nutritional Evaluation and Management of AKI Patients. , 2013, 23, 255-258.		31
60	Cerebral blood flow decreases during intermittent hemodialysis in patients with acute kidney injury, but not in patients with end-stage renal disease. Nephrology Dialysis Transplantation, 2013, 28, 79-85.	0.4	25
61	Specialized nutritional support interventions in critically ill patients on renal replacement therapy. Current Opinion in Clinical Nutrition and Metabolic Care, 2013, 16, 217-224.	1.3	55
62	Elevation of Angiotensin-II Type-1-Receptor Autoantibodies Titer in Primary Aldosteronism as a Result of Aldosterone-Producing Adenoma. Hypertension, 2013, 61, 526-533.	1.3	55
63	Efficacy and Safety of a Citrate-Based Protocol for Sustained Low-Efficiency Dialysis in AKI Using Standard Dialysis Equipment. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1670-1678.	2.2	52
64	Continuous Renal-Replacement Therapy for Acute Kidney Injury. New England Journal of Medicine, 2013, 368, 1160-1161.	13.9	4
65	The Relationship Between Blood Pressure and Pain. Journal of Clinical Hypertension, 2013, 15, 600-605.	1.0	202
66	Cerebral perfusion during intermittent hemodialysis in patients with acute kidney injury and advanced liver cirrhosis. Journal of Nephrology, 2013, 26, 771-777.	0.9	1
67	Ultrafiltration in acute decompensated heart failure: friend or foe for the kidney?. Journal of Nephrology, 2013, 26, 421-426.	0.9	7
68	Eplerenone Use in Primary Aldosteronism During Pregnancy. Hypertension, 2012, 59, e18-9.	1.3	43
69	Serum adipokine zinc α2-glycoprotein and lipolysis in cachectic and noncachectic heart failure patients: relationship with neurohormonal and inflammatory biomarkers. Metabolism: Clinical and Experimental, 2012, 61, 37-42.	1.5	44
70	Ultrafiltration in heart failure. American Heart Journal, 2011, 161, 439-449.	1.2	30
71	Nutritional Assessment and Delivery in Renal Replacement Therapy Patients. Seminars in Dialysis, 2011, 24, 169-175.	0.7	47
72	Intraprocedural Cortisol Measurement Increases Adrenal Vein Sampling Success Rate in Primary Aldosteronism. American Journal of Hypertension, 2011, 24, 1280-1285.	1.0	40

#	Article	IF	Citations
73	A Clinical Phenotype Mimicking Essential Hypertension in a Newly Discovered Family With Liddle's Syndrome. American Journal of Hypertension, 2011, 24, 930-935.	1.0	19
74	Severe Hypomagnesemia During Long-term Treatment With a Proton Pump Inhibitor. American Journal of Kidney Diseases, 2010, 56, 168-174.	2.1	70
75	Specific nutritional problems in acute kidney injury, treated with non-dialysis and dialytic modalities. CKJ: Clinical Kidney Journal, 2010, 3, 1-7.	1.4	22
76	Quiz Page September 2009. American Journal of Kidney Diseases, 2009, 54, A41-A44.	2.1	3
77	The relation between the incidence of hypernatremia and mortality in patients with severe traumatic brain injury. Critical Care, 2009, 13, R110.	2.5	79
78	Combined Conn's Syndrome and Subclinical Hypercortisolism From an Adrenal Adenoma Associated With Homolateral Renal Carcinoma. American Journal of Hypertension, 2008, 21, 1269-1272.	1.0	12
79	Liddle's syndrome caused by a novel missense mutation (P617L) of the epithelial sodium channel \hat{l}^2 subunit. Journal of Hypertension, 2008, 26, 921-927.	0.3	24
80	Conceptual basis and methodology of the SOPHIA study. Pharmacogenomics, 2007, 8, 1497-1509.	0.6	8
81	Comparison of Confirmatory Tests for the Diagnosis of Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 2618-2623.	1.8	174
82	Reversible posterior leukoencephalopathy associated with postpartum HELLP syndrome. European Journal of Internal Medicine, 2005, 16, 291-293.	1.0	17
83	Effects of the reduction of preload on left and right ventricular myocardial velocities analyzed by Doppler tissue echocardiography in healthy subjects. European Journal of Echocardiography, 2004, 5, 262-271.	2.3	85
84	High prevalence of primary aldosteronism using postcaptopril plasma aldosterone to renin ratio as a screening test among Italian hypertensives. American Journal of Hypertension, 2002, 15, 896-902.	1.0	133
85	â°344C/T polymorphism of CYP11B2 gene in Italian patients with idiopathic low renin hypertension. American Journal of Hypertension, 2001, 14, 934-941.	1.0	23
86	Heart Rate Variability in Patients with Sjögren's Syndrome. Clinical Rheumatology, 2000, 19, 477-480.	1.0	26
87	Acute Effects of Intravenous Sodium Chloride Load on Calcium Metabolism and on Parathyroid Function in Patients With Primary Aldosteronism Compared With Subjects With Essential Hypertension. American Journal of Hypertension, 1998, 11, 8-13.	1.0	32
88	Increased plasma levels of platelet-derived growth factor (PDGF-BB + PDGF-AB) in patients with never-treated mild essential hypertension. American Journal of Hypertension, 1998, 11, 1239-1243.	1.0	33
89	Ifosfamide-induced renal Fanconi syndrome with associated nephrogenic diabetes insipidus in an adult patient. Nephrology Dialysis Transplantation, 1998, 13, 1547-1549.	0.4	34
90	Use of Fourier shape descriptors to improve the reproducibility of echographic measurements of arterial intima-media thickness. Journal of Hypertension, 1997, 15, 467-474.	0.3	8

#	Article	IF	CITATIONS
91	Myocardial ultrasonic tissue characterization in patients with different types of left ventricular hypertrophy: A videodensitometric approach. Journal of the American Society of Echocardiography, 1997, 10, 74-82.	1.2	19
92	Effects of Reduced Preload on Diastolic Filling in Essential Hypertensive Patients With Increased Left Ventricular Mass. American Journal of Hypertension, 1997, 10, 447-453.	1.0	8
93	Renal effects of nifedipine and captopril in patients with essential hypertension and reduced renal reserve Hypertension, 1994, 24, 763-769.	1.3	5
94	Effects of water immersion on forearm vascular resistance in normotensive subjects. Journal of Hypertension, 1993, 11, S178???S179.	0.3	1
95	Increased sensitivity to protein kinase C activation in aortas of spontaneously hypertensive rats. Journal of Hypertension, 1988, 6, S248-251.	0.3	18