

Mineko Terao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7170063/publications.pdf>

Version: 2024-02-01

112
papers

5,182
citations

76031

42
h-index

111975

67
g-index

113
all docs

113
docs citations

113
times ranked

4496
citing authors

#	ARTICLE	IF	CITATIONS
1	Involvement of aldehyde oxidase in the metabolism of aromatic and aliphatic aldehyde-odorants in the mouse olfactory epithelium. <i>Archives of Biochemistry and Biophysics</i> , 2022, 715, 109099.	1.4	3
2	Role of cardiolipins, mitochondria, and autophagy in the differentiation process activated by all-trans retinoic acid in acute promyelocytic leukemia. <i>Cell Death and Disease</i> , 2022, 13, 30.	2.7	3
3	A DOCK1 Gene-Derived Circular RNA Is Highly Expressed in Luminal Mammary Tumours and Is Involved in the Epithelial Differentiation, Growth, and Motility of Breast Cancer Cells. <i>Cancers</i> , 2021, 13, 5325.	1.7	6
4	CXCL13/CXCR5 signalling is pivotal to preserve motor neurons in amyotrophic lateral sclerosis. <i>EBioMedicine</i> , 2020, 62, 103097.	2.7	16
5	Retinoic Acid Sensitivity of Triple-Negative Breast Cancer Cells Characterized by Constitutive Activation of the notch1 Pathway: The Role of Rar ¹ . <i>Cancers</i> , 2020, 12, 3027.	1.7	10
6	Evolution, expression, and substrate specificities of aldehyde oxidase enzymes in eukaryotes. <i>Journal of Biological Chemistry</i> , 2020, 295, 5377-5389.	1.6	39
7	All-Trans Retinoic Acid Stimulates Viral Mimicry, Interferon Responses and Antigen Presentation in Breast-Cancer Cells. <i>Cancers</i> , 2020, 12, 1169.	1.7	15
8	Role of mitochondria and cardiolipins in growth inhibition of breast cancer cells by retinoic acid. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 436.	3.5	11
9	The ATRA-21 gene-expression model predicts retinoid sensitivity in CEBPA double mutant, t(8;21) and inv(16) AML patients. <i>Blood Cancer Journal</i> , 2019, 9, 76.	2.8	2
10	Aldehyde oxidase at the crossroad of metabolism and preclinical screening. <i>Drug Metabolism Reviews</i> , 2019, 51, 428-452.	1.5	11
11	HER2-positive breast-cancer cell lines are sensitive to KDM5 inhibition: definition of a gene-expression model for the selection of sensitive cases. <i>Oncogene</i> , 2019, 38, 2675-2689.	2.6	23
12	S100A3 a partner protein regulating the stability/activity of RAR ¹ and PML-RAR ¹ in cellular models of breast/lung cancer and acute myeloid leukemia. <i>Oncogene</i> , 2019, 38, 2482-2500.	2.6	18
13	Inhibitory effects of drugs on the metabolic activity of mouse and human aldehyde oxidases and influence on drug-drug interactions. <i>Biochemical Pharmacology</i> , 2018, 154, 28-38.	2.0	21
14	Uncoupling FoxO3A mitochondrial and nuclear functions in cancer cells undergoing metabolic stress and chemotherapy. <i>Cell Death and Disease</i> , 2018, 9, 231.	2.7	33
15	Critical overview on the structure and metabolism of human aldehyde oxidase and its role in pharmacokinetics. <i>Coordination Chemistry Reviews</i> , 2018, 368, 35-59.	9.5	21
16	Structural basis for the role of mammalian aldehyde oxidases in the metabolism of drugs and xenobiotics. <i>Current Opinion in Chemical Biology</i> , 2017, 37, 39-47.	2.8	33
17	Network-guided modeling allows tumor-type independent prediction of sensitivity to all-trans-retinoic acid. <i>Annals of Oncology</i> , 2017, 28, 611-621.	0.6	31
18	Generation of a new mouse model of glaucoma characterized by reduced expression of the AP-2 ¹ and AP-2 ² proteins. <i>Scientific Reports</i> , 2017, 7, 11140.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Direct Comparison of the Enzymatic Characteristics and Superoxide Production of the Four Aldehyde Oxidase Enzymes Present in Mouse. <i>Drug Metabolism and Disposition</i> , 2017, 45, 947-955.	1.7	15
20	RAR \pm 2 and PML-RAR similarities in the control of basal and retinoic acid induced myeloid maturation of acute myeloid leukemia cells. <i>Oncotarget</i> , 2017, 8, 37041-37060.	0.8	8
21	Mouse aldehyde-oxidase-4 controls diurnal rhythms, fat deposition and locomotor activity. <i>Scientific Reports</i> , 2016, 6, 30343.	1.6	15
22	Structure and function of mammalian aldehyde oxidases. <i>Archives of Toxicology</i> , 2016, 90, 753-780.	1.9	95
23	Association of <i>CFHR1</i> homozygous deletion with acute myelogenous leukemia in the European population. <i>Leukemia and Lymphoma</i> , 2016, 57, 1234-1237.	0.6	5
24	Cellular and molecular determinants of all- <i>trans</i> retinoic acid sensitivity in breast cancer: Luminal phenotype and RAR \pm expression. <i>EMBO Molecular Medicine</i> , 2015, 7, 950-972.	3.3	60
25	Insights into the structural determinants of substrate specificity and activity in mouse aldehyde oxidases. <i>Journal of Biological Inorganic Chemistry</i> , 2015, 20, 209-217.	1.1	19
26	All- <i>trans</i> -retinoic Acid Modulates the Plasticity and Inhibits the Motility of Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 17690-17709.	1.6	44
27	Different Stability and Proteasome-Mediated Degradation Rate of SMN Protein Isoforms. <i>PLoS ONE</i> , 2015, 10, e0134163.	1.1	11
28	MicroRNA networks regulated by all- <i>trans</i> retinoic acid and Lapatinib control the growth, survival and motility of breast cancer cells. <i>Oncotarget</i> , 2015, 6, 13176-13200.	0.8	33
29	Retinoids and breast cancer: From basic studies to the clinic and back again. <i>Cancer Treatment Reviews</i> , 2014, 40, 739-749.	3.4	113
30	Structure and evolution of vertebrate aldehyde oxidases: from gene duplication to gene suppression. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1807-1830.	2.4	53
31	New insights into the molecular mechanisms underlying sensitivity/resistance to the atypical retinoid ST1926 in acute myeloid leukaemia cells: The role of histone H2A.Z, cAMP-dependent protein kinase A and the proteasome. <i>European Journal of Cancer</i> , 2013, 49, 1491-1500.	1.3	14
32	Aldehyde oxidase and its importance in novel drug discovery: present and future challenges. <i>Expert Opinion on Drug Discovery</i> , 2013, 8, 641-654.	2.5	60
33	The Impact of Single Nucleotide Polymorphisms on Human Aldehyde Oxidase. <i>Drug Metabolism and Disposition</i> , 2012, 40, 856-864.	1.7	88
34	Human Axonal Survival of Motor Neuron (α -SMN) Protein Stimulates Axon Growth, Cell Motility, C-C Motif Ligand 2 (CCL2), and Insulin-like Growth Factor-1 (IGF1) Production. <i>Journal of Biological Chemistry</i> , 2012, 287, 25782-25794.	1.6	26
35	The First Mammalian Aldehyde Oxidase Crystal Structure. <i>Journal of Biological Chemistry</i> , 2012, 287, 40690-40702.	1.6	83
36	Retinoids and breast cancer: new clues to increase their activity and selectivity. <i>Breast Cancer Research</i> , 2012, 14, 111.	2.2	18

#	ARTICLE	IF	CITATIONS
37	Synergistic antitumor activity of lapatinib and retinoids on a novel subtype of breast cancer with coamplification of ERBB2 and RARA. <i>Oncogene</i> , 2012, 31, 3431-3443.	2.6	51
38	The role of aldehyde oxidase in drug metabolism. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012, 8, 487-503.	1.5	147
39	p38 $\hat{\pm}$ MAPK interacts with and inhibits RAR $\hat{\pm}$: suppression of the kinase enhances the therapeutic activity of retinoids in acute myeloid leukemia cells. <i>Leukemia</i> , 2012, 26, 1850-1861.	3.3	24
40	Spinal muscular atrophy pathogenic mutations impair the axonogenic properties of axonal $\hat{\epsilon}$ survival of motor neuron. <i>Journal of Neurochemistry</i> , 2012, 121, 465-474.	2.1	12
41	Lentiviral vectors carrying enhancer elements of Hb9 promoter drive selective transgene expression in mouse spinal cord motor neurons. <i>Journal of Neuroscience Methods</i> , 2012, 205, 139-147.	1.3	23
42	Increasing recognition of the importance of aldehyde oxidase in drug development and discovery. <i>Drug Metabolism Reviews</i> , 2011, 43, 374-386.	1.5	99
43	Characterization and Crystallization of Mouse Aldehyde Oxidase 3: From Mouse Liver to <i>Escherichia coli</i> /i>Heterologous Protein Expression. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1939-1945.	1.7	29
44	Induction of miR-21 by Retinoic Acid in Estrogen Receptor-positive Breast Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 4027-4042.	1.6	82
45	Antiproliferative and Differentiating Activities of a Novel Series of Histone Deacetylase Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 411-415.	1.3	73
46	Site Directed Mutagenesis of Amino Acid Residues at the Active Site of Mouse Aldehyde Oxidase AOX1. <i>PLoS ONE</i> , 2009, 4, e5348.	1.1	40
47	Inhibition of the Peptidyl-Prolyl-Isomerase Pin1 Enhances the Responses of Acute Myeloid Leukemia Cells to Retinoic Acid via Stabilization of RAR $\hat{\pm}$ and PML-RAR $\hat{\pm}$. <i>Cancer Research</i> , 2009, 69, 1016-1026.	0.4	57
48	Role of the Molybdoflavoenzyme Aldehyde Oxidase Homolog 2 in the Biosynthesis of Retinoic Acid: Generation and Characterization of a Knockout Mouse. <i>Molecular and Cellular Biology</i> , 2009, 29, 357-377.	1.1	55
49	The mammalian aldehyde oxidase gene family. <i>Human Genomics</i> , 2009, 4, 119-30.	1.4	98
50	Mammalian aldehyde oxidases: genetics, evolution and biochemistry. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1019-1048.	2.4	164
51	Atypical retinoids ST1926 and CD437 are S-phase-specific agents causing DNA double-strand breaks: significance for the cytotoxic and antiproliferative activity. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 2941-2954.	1.9	39
52	Axonal-SMN (a-SMN), a protein isoform of the survival motor neuron gene, is specifically involved in axonogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1959-1964.	3.3	70
53	Retinoids as Differentiating Agents in Oncology: A Network of Interactions with Intracellular Pathways as the Basis for Rational Therapeutic Combinations. <i>Current Pharmaceutical Design</i> , 2007, 13, 1375-1400.	0.9	68
54	Cytodifferentiation by Retinoids, a Novel Therapeutic Option in Oncology: Rational Combinations with Other Therapeutic Agents. <i>Vitamins and Hormones</i> , 2007, 75, 301-354.	0.7	24

#	ARTICLE	IF	CITATIONS
55	Granulocytic maturation in cultures of acute myeloid leukemia is not always accompanied by increased apoptosis. <i>Leukemia Research</i> , 2006, 30, 519-520.	0.4	3
56	Antitumor Activity of the Retinoid-Related Molecules (E)-3-(4-Hydroxy-3-adamantylbiphenyl-4-yl)acrylic Acid (ST1926) and 6-[3-(1-Adamantyl)-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) in F9 Teratocarcinoma: Role of Retinoic Acid Receptor β and Retinoid-Independent Pathways. <i>Molecular Pharmacology</i> , 2006, 70, 909-924.	1.0	39
57	Avian and Canine Aldehyde Oxidases. <i>Journal of Biological Chemistry</i> , 2006, 281, 19748-19761.	1.6	56
58	Identification of aldehyde oxidase 1 and aldehyde oxidase homologue 1 as dioxin-inducible genes. <i>Toxicology</i> , 2005, 207, 401-409.	2.0	31
59	Regulation and Biochemistry of Mouse Molybdo-flavoenzymes. <i>Journal of Biological Chemistry</i> , 2004, 279, 8668-8683.	1.6	39
60	The Aldehyde Oxidase Gene Cluster in Mice and Rats. <i>Journal of Biological Chemistry</i> , 2004, 279, 50482-50498.	1.6	56
61	Phosphodiesterase IV Inhibition by Piclamilast Potentiates the Cytodifferentiating Action of Retinoids in Myeloid Leukemia Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 42026-42040.	1.6	35
62	ST1926, a novel and orally active retinoid-related molecule inducing apoptosis in myeloid leukemia cells: modulation of intracellular calcium homeostasis. <i>Blood</i> , 2004, 103, 194-207.	0.6	67
63	Retinoid Related Molecules an Emerging Class of Apoptotic Agents with Promising Therapeutic Potential in Oncology: Pharmacological Activity and Mechanisms of Action. <i>Current Pharmaceutical Design</i> , 2004, 10, 433-448.	0.9	61
64	Mammalian molybdo-flavoenzymes, an expanding family of proteins: structure, genetics, regulation, function and pathophysiology. <i>Biochemical Journal</i> , 2003, 372, 15-32.	1.7	221
65	Bis-indols: a novel class of molecules enhancing the cytodifferentiating properties of retinoids in myeloid leukemia cells. <i>Blood</i> , 2002, 100, 3719-3730.	0.6	30
66	Cytodifferentiation: a novel approach to cancer treatment and prevention. <i>Current Opinion in Pharmacology</i> , 2001, 1, 358-363.	1.7	8
67	Tyrosine kinase inhibitor ST1571 potentiates the pharmacologic activity of retinoic acid in acute promyelocytic leukemia cells: effects on the degradation of RAR β and PML-RAR β . <i>Blood</i> , 2001, 97, 3234-3243.	0.6	61
68	Purification of the Aldehyde Oxidase Homolog 1 (AOH1) Protein and Cloning of the AOH1 and Aldehyde Oxidase Homolog 2 (AOH2) Genes. <i>Journal of Biological Chemistry</i> , 2001, 276, 46347-46363.	1.6	43
69	Retinoid-dependent growth inhibition, differentiation and apoptosis in acute promyelocytic leukemia cells. Expression and activation of caspases. <i>Cell Death and Differentiation</i> , 2000, 7, 447-460.	5.0	84
70	Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000, 95, 2672-2682.	0.6	39
71	Cloning of the cDNAs Coding for Two Novel Molybdo-flavoproteins Showing High Similarity with Aldehyde Oxidase and Xanthine Oxidoreductase. <i>Journal of Biological Chemistry</i> , 2000, 275, 30690-30700.	1.6	60
72	Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000, 95, 2672-2682.	0.6	5

#	ARTICLE	IF	CITATIONS
73	The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999, 93, 1045-1061.	0.6	79
74	The mouse aldehyde oxidase gene: molecular cloning, chromosomal mapping and functional characterization of the 5' flanking region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1489, 207-222.	2.4	15
75	Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999, 341, 71-80.	1.7	56
76	Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999, 341, 71.	1.7	21
77	The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999, 93, 1045-1061.	0.6	11
78	Isolation and characterization of the gene coding for human cytidine deaminase. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1443, 323-333.	2.4	30
79	Cross-talk Between Retinoic Acid and Interferons: Molecular Mechanisms of Interaction in Acute Promyelocytic Leukemia Cells. <i>Leukemia and Lymphoma</i> , 1998, 30, 467-476.	0.6	13
80	Isolation and characterization of the human aldehyde oxidase gene: conservation of intron/exon boundaries with the xanthine oxidoreductase gene indicates a common origin. <i>Biochemical Journal</i> , 1998, 332, 383-393.	1.7	59
81	Selective localization of mouse aldehyde oxidase mRNA in the choroid plexus and motor neurons. <i>NeuroReport</i> , 1997, 8, 2343-2349.	0.6	22
82	The xanthine oxidoreductase gene: structure and regulation. <i>Biochemical Society Transactions</i> , 1997, 25, 791-796.	1.6	29
83	MOUSE XANTHINE DEHYDROGENASE GENE: STRUCTURE AND REGULATION IN THE MAMMARY GLAND MYOEPITHELIAL CELL. <i>Biochemical Society Transactions</i> , 1997, 25, 515S-515S.	1.6	0
84	Stat1 Is Induced and Activated by All-Trans Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Blood</i> , 1997, 89, 1001-1012.	0.6	111
85	Flow cytometry of leucocyte alkaline phosphatase in normal and pathologic leucocytes. <i>British Journal of Haematology</i> , 1997, 96, 815-822.	1.2	15
86	Retinoic acid and methylation cis-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression. <i>Mechanisms of Development</i> , 1996, 57, 21-32.	1.7	26
87	Effects of 1,25-Dihydroxy Vitamin D3 on All-Trans Retinoic Acid Sensitive and Resistant Acute Promyelocytic Leukemia Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 224, 50-56.	1.0	20
88	Expression of xanthine oxidoreductase in mouse mammary epithelium during pregnancy and lactation: regulation of gene expression by glucocorticoids and prolactin. <i>Biochemical Journal</i> , 1996, 319, 801-810.	1.7	44
89	Interferons induce normal and aberrant retinoic-acid receptors type I± in acute promyelocytic leukemia cells: Potentiation of the induction of retinoid-dependent differentiation markers. , 1996, 68, 75-83.		22
90	Purification, cDNA Cloning, and Tissue Distribution of Bovine Liver Aldehyde Oxidase. <i>Journal of Biological Chemistry</i> , 1995, 270, 31037-31045.	1.6	96

#	ARTICLE	IF	CITATIONS
91	Tyrosine Kinases but Not cAMP-Dependent Protein Kinase Mediate the Induction of Leukocyte Alkaline Phosphatase by Granulocyte-Colony-Stimulating Factor and Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Biochemical and Biophysical Research Communications</i> , 1995, 208, 846-854.	1.0	14
92	Assignment of the Human Cytidine Deaminase (CDA) Gene to Chromosome 1 Band p35-p36.2. <i>Genomics</i> , 1994, 22, 661-662.	1.3	12
93	Chromosomal Mapping, Isolation, and Characterization of the Mouse Xanthine Dehydrogenase Gene. <i>Genomics</i> , 1994, 23, 390-402.	1.3	55
94	Molybdenum(VI) salts convert the xanthine oxidoreductase apoprotein into the active enzyme in mouse L929 fibroblastic cells*. <i>Biochemical Journal</i> , 1994, 298, 69-77.	1.7	30
95	Effects of Synthetic Retinoids and Retinoic Acid Isomers on the Expression of Alkaline Phosphatase in F9 Teratocarcinoma Cells. <i>Biochemical and Biophysical Research Communications</i> , 1993, 196, 252-259.	1.0	40
96	Cytokine induction of haem oxygenase mRNA in mouse liver. Interleukin 1 transcriptionally activates the haem oxygenase gene. <i>Biochemical Journal</i> , 1993, 290, 343-347.	1.7	149
97	Retinoic acid and cyclic AMP synergistically induce the expression of liver/bone/kidney-type alkaline phosphatase gene in L929 fibroblastic cells. <i>Biochemical Journal</i> , 1993, 296, 67-77.	1.7	21
98	Molecular cloning of a cDNA coding for mouse liver xanthine dehydrogenase. Regulation of its transcript by interferons in vivo. <i>Biochemical Journal</i> , 1992, 283, 863-870.	1.7	130
99	Interferons induce xanthine dehydrogenase gene expression in L929 cells. <i>Biochemical Journal</i> , 1992, 285, 1001-1008.	1.7	57
100	Inhibition of melanogenesis by BMY-28565, a novel compound depressing tyrosinase activity in B16 melanoma cells. <i>Biochemical Pharmacology</i> , 1992, 43, 183-189.	2.0	19
101	Characterization of a second promoter for the mouse liver/bone/kidney-type alkaline phosphatase gene: Cell and tissue specific expression. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 1352-1360.	1.0	42
102	Retinoic acid induces liver/bone/kidney-type alkaline phosphatase gene expression in F9 teratocarcinoma cells. <i>Biochemical Journal</i> , 1991, 274, 673-678.	1.7	30
103	Isolation and characterization of the mouse liver/bone/kidney-type alkaline phosphatase gene. <i>Biochemical Journal</i> , 1990, 268, 641-648.	1.7	70
104	Purification and characterization of mouse liver xanthine oxidase. <i>Archives of Biochemistry and Biophysics</i> , 1990, 279, 237-241.	1.4	28
105	Isolation and characterization of variant cDNAs encoding mouse tyrosinase. <i>Biochemical and Biophysical Research Communications</i> , 1989, 159, 848-853.	1.0	36
106	Mapping of gene encoding mouse placental alkaline phosphatase to chromosome 4. <i>Somatic Cell and Molecular Genetics</i> , 1988, 14, 211-215.	0.7	17
107	Cloning and characterization of a cDNA coding for mouse placental alkaline phosphatase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 7051-7055.	3.3	83
108	Cellular DNA rearrangements and early developmental arrest caused by DNA insertion in transgenic mouse embryos.. <i>Molecular and Cellular Biology</i> , 1987, 7, 2243-2247.	1.1	47

#	ARTICLE	IF	CITATIONS
109	Expression of functional acetylcholine receptor from cloned cDNAs. <i>Nature</i> , 1984, 307, 604-608.	13.7	394
110	Distribution of some disulfhydryl-containing chelating agents labeled with indium-113m and gallium-67 in mice.. <i>Chemical and Pharmaceutical Bulletin</i> , 1979, 27, 279-286.	0.6	0
111	Involvement of long-chain acyl coenzyme A for lipid synthesis in repression of acetyl-coenzyme A carboxylase in <i>Candida lipolytica</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 4390-4394.	3.3	58
112	Lipid-sensors, enigmatic-orphan and orphan nuclear receptors as therapeutic targets in breast-cancer. <i>Oncotarget</i> , 0, 7, 42661-42682.	0.8	24