Nunziatina Laura Parrinello

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7170699/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CD200 expression may help in differential diagnosis between mantle cell lymphoma and B-cell chronic lymphocytic leukemia. Leukemia Research, 2009, 33, 1212-1216.	0.8	124
2	Immunological Dysregulation in Multiple Myeloma Microenvironment. BioMed Research International, 2014, 2014, 1-10.	1.9	106
3	Overexpression of heme oxygenase-1 increases human osteoblast stem cell differentiation. Journal of Bone and Mineral Metabolism, 2010, 28, 276-288.	2.7	94
4	Nuclear Translocation of Heme Oxygenase-1 Confers Resistance to Imatinib in Chronic Myeloid Leukemia Cells. Current Pharmaceutical Design, 2013, 19, 2765-2770.	1.9	80
5	Circulating myeloidâ€derived suppressor cells correlate with clinical outcome in Hodgkin Lymphoma patients treated upâ€front with a riskâ€adapted strategy. British Journal of Haematology, 2015, 168, 689-700.	2.5	76
6	Myeloid Derived Suppressor Cells (MDSCs) Are Increased and Exert Immunosuppressive Activity Together with Polymorphonuclear Leukocytes (PMNs) in Chronic Myeloid Leukemia Patients. PLoS ONE, 2014, 9, e101848.	2.5	71
7	Disulfiram, an old drug with new potential therapeutic uses for human hematological malignancies. International Journal of Cancer, 2012, 131, 2197-2203.	5.1	70
8	Potential Effect of CD271 on Human Mesenchymal Stromal Cell Proliferation and Differentiation. International Journal of Molecular Sciences, 2015, 16, 15609-15624.	4.1	61
9	PMN-MDSC and arginase are increased in myeloma and may contribute to resistance to therapy. Expert Review of Molecular Diagnostics, 2018, 18, 675-683.	3.1	61
10	High-performance liquid chromatographic separation and chiroptical properties of the enantiomers of naringenin and other flavanones. Journal of Chromatography A, 2005, 1076, 155-162.	3.7	52
11	miR-296-3p, miR-298-5p and their downstream networks are causally involved in the higher resistance of mammalian pancreatic α cells to cytokine-induced apoptosis as compared to β cells. BMC Genomics, 2013, 14, 62.	2.8	48
12	Neutrophil to lymphocyte ratio (NLR) improves the risk assessment of ISS staging in newly diagnosed MM patients treated upfront with novel agents. Annals of Hematology, 2015, 94, 1875-1883.	1.8	47
13	Prognostic meaning of neutrophil to lymphocyte ratio (NLR) and lymphocyte to monocyte ration (LMR) in newly diagnosed Hodgkin lymphoma patients treated upfront with a PET-2 based strategy. Annals of Hematology, 2018, 97, 1009-1018.	1.8	44
14	Total synthesis of (±)-tangutorine and chiral HPLC separation of enantiomers. Tetrahedron, 2003, 59, 8589-8595.	1.9	42
15	Non-empirical assignment of the absolute configuration of (â^')-naringenin, by coupling the exciton analysis of the circular dichroism spectrum and the ab initio calculation of the optical rotatory power. Organic and Biomolecular Chemistry, 2004, 2, 3602-3607.	2.8	41
16	The NLR and LMR ratio in newly diagnosed MM patients treated upfront with novel agents. Blood Cancer Journal, 2017, 7, 649.	6.2	37
17	Synthesis, Chiral Resolution, and Enantiopharmacology of a Potent 2,3-Benzodiazepine Derivative as Noncompetitive AMPA Receptor Antagonist. Journal of Medicinal Chemistry, 2006, 49, 575-581.	6.4	35
18	BRIT1/MCPH1 Expression in Chronic Myeloid Leukemia and Its Regulation of the G2/M Checkpoint. Acta Haematologica, 2011, 126, 205-210.	1.4	34

#	Article	IF	CITATIONS
19	Mesenchymal Stem Cells (MSC) Regulate Activation of Granulocyte-Like Myeloid Derived Suppressor Cells (G-MDSC) in Chronic Myeloid Leukemia Patients. PLoS ONE, 2016, 11, e0158392.	2.5	30
20	Myeloid Derived Suppressor Cells in Chronic Myeloid Leukemia. Frontiers in Oncology, 2015, 5, 107.	2.8	27
21	The prognostic value of the myeloid-mediated immunosuppression marker Arginase-1 in classic Hodgkin lymphoma. Oncotarget, 2016, 7, 67333-67346.	1.8	27
22	Cycloastragenol as an Exogenous Enhancer of Chondrogenic Differentiation of Human Adipose-Derived Mesenchymal Stem Cells. A Morphological Study. Cells, 2020, 9, 347.	4.1	22
23	Plasticity of High-Density Neutrophils in Multiple Myeloma is Associated with Increased Autophagy via STAT3. International Journal of Molecular Sciences, 2019, 20, 3548.	4.1	19
24	Salvage Therapy of Multiple Myeloma: The New Generation Drugs. BioMed Research International, 2014, 2014, 1-14.	1.9	18
25	CD200 expression in patients with Multiple Myeloma: Another piece of the puzzle. Leukemia Research, 2013, 37, 1616-1621.	0.8	17
26	IMMUNOLOGICAL DEREGULATION IN HODGKIN'S DISEASE. Mediterranean Journal of Hematology and Infectious Diseases, 2014, 6, e2014039.	1.3	17
27	Potential Role of Activating Transcription Factor 5 during Osteogenesis. Stem Cells International, 2016, 2016, 1-8.	2.5	17
28	Monocytic Myeloid Derived Suppressor Cells in Hematological Malignancies. International Journal of Molecular Sciences, 2019, 20, 5459.	4.1	17
29	SPARC expression in CML is associated to imatinib treatment and to inhibition of leukemia cell proliferation. BMC Cancer, 2013, 13, 60.	2.6	15
30	Bortezomib modulates CHIT1 and YKL40 in monocyte-derived osteoclast and in myeloma cells. Frontiers in Pharmacology, 2015, 6, 226.	3.5	15
31	CEBPA exerts a specific and biologically important proapoptotic role in pancreatic Î ² cells through its downstream network targets. Molecular Biology of the Cell, 2014, 25, 2333-2341.	2.1	14
32	TLR4 Signaling and Heme Oxygenase-1/Carbon Monoxide Pathway Crosstalk Induces Resiliency of Myeloma Plasma Cells to Bortezomib Treatment. Antioxidants, 2022, 11, 767.	5.1	9
33	Ghrelin peptide improves glial conditioned medium effects on neuronal differentiation of human adipose mesenchymal stem cells. Histochemistry and Cell Biology, 2021, 156, 35-46.	1.7	8
34	Tryptophan Deprivation Promotes an Adaptive Response and Contributes to Bioenergetics in Multiple Myeloma. Blood, 2018, 132, 4511-4511.	1.4	8
35	Aberrant Phenotypic Expression of the T-Cell-Associated Antigen CD8 on B-Cell Chronic Lymphocytic Leukemia Cells. Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology, 2009, 15, 1-3.	1.2	8
36	Clinical Impact of the Immunome in Lymphoid Malignancies: The Role of Myeloid-Derived Suppressor Cells. Frontiers in Oncology, 2015, 5, 104.	2.8	7

#	Article	IF	CITATIONS
37	Single segment of spleen autotransplantation, after splenectomy for trauma, can restore splenic functions. World Journal of Emergency Surgery, 2020, 15, 17.	5.0	7
38	Imatinib increases cytotoxicity of melphalan and their combination allows an efficient killing of chronic myeloid leukemia cells. European Journal of Haematology, 2011, 86, 216-225.	2.2	6
39	Assignment of the absolute configuration of (+)-5,5′,6,6′-tetrahydro-7,7′-spiro[7H-cyclopenta[b]pyridine] a new inherently chiral spiropyridine, by a nonempirical analysis of its circular dichroism spectrum. Tetrahedron: Asymmetry, 2006, 17, 1387-1393.	, 1.8	5
40	Venetoclax penetrates in cerebrospinal fluid of an acute myeloid leukemia patient with leptomeningeal involvement. Cancer Chemotherapy and Pharmacology, 2022, 89, 267-270.	2.3	5
41	Immunological Subsets Characterization in Newly Diagnosed Relapsing–Remitting Multiple Sclerosis. Frontiers in Immunology, 2022, 13, 819136.	4.8	5
42	Chiral HPLC separation and CD spectra of the enantiomers of a molecular â€~hamburger'. Mendeleev Communications, 2004, 14, 237-239.	1.6	2
43	The first description of a singular case of synchronous chronic myelomonocytic leukemia and diffuse large bâ€cell lymphoma. Clinical Case Reports (discontinued), 2021, 9, e03817.	0.5	2
44	Lenalidomide and Pomalidomide Improve Function and Induce FcÎ ³ RI/CD64 in Multiple Myeloma Neutrophils. Biomedicines, 2021, 9, 1455.	3.2	2
45	In-vitro NET-osis induced by COVID-19 sera is associated to severe clinical course in not vaccinated patients and immune-dysregulation in breakthrough infection. Scientific Reports, 2022, 12, 7237.	3.3	2
46	Percutaneous transluminal angioplasty and stent implantation for aortic coarctation in haemophilia A patient with high-titre factor VIII inhibitors. Haemophilia, 2014, 20, e336-e338.	2.1	1
47	Utility of Flow Cytometry as a Screening Tool for Transplant Donors for Chronic Lymphocytic Leukemia. Acta Haematologica, 2010, 123, 235-236.	1.4	0
48	Percutaneous transluminal aortic valve implantation for severe aortic valve stenosis in a patient with severe haemophilia A. Haemophilia, 2015, 21, e500-3.	2.1	0
49	Role of TLR4 in the Activation of a Pro-Tumor Phenotype of Mesenchymal Stromal Cells in Mutiple Myeloma. Blood, 2018, 132, 1892-1892.	1.4	0
50	Long Term Disease Control with Pomalidomide and Dexamethasone in Relapsed/Refractory Multiple Myeloma Patients: A Real Life Experience. Blood, 2018, 132, 5669-5669.	1.4	0
51	Inhibition of TLR4 Signaling Affects Mitochondrial Fitness Overcoming Bortezomib Resistance in Myeloma Plasma Cells. Blood, 2019, 134, 3073-3073.	1.4	0
52	Lactate As Metabolic Link between Cancer Cells and Tumor Microenvironment in Myelofibrosis Patients. Blood, 2020, 136, 26-26.	1.4	0