

# Nunziatina Laura Parrinello

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7170699/publications.pdf>

Version: 2024-02-01

52  
papers

1,455  
citations

377584

21  
h-index

371746

37  
g-index

52  
all docs

52  
docs citations

52  
times ranked

2671  
citing authors

#	ARTICLE	IF	CITATIONS
1	CD200 expression may help in differential diagnosis between mantle cell lymphoma and B-cell chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2009, 33, 1212-1216.	0.4	124
2	Immunological Dysregulation in Multiple Myeloma Microenvironment. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	106
3	Overexpression of heme oxygenase-1 increases human osteoblast stem cell differentiation. <i>Journal of Bone and Mineral Metabolism</i> , 2010, 28, 276-288.	1.3	94
4	Nuclear Translocation of Heme Oxygenase-1 Confers Resistance to Imatinib in Chronic Myeloid Leukemia Cells. <i>Current Pharmaceutical Design</i> , 2013, 19, 2765-2770.	0.9	80
5	Circulating myeloid-derived suppressor cells correlate with clinical outcome in Hodgkin Lymphoma patients treated upfront with a risk-adapted strategy. <i>British Journal of Haematology</i> , 2015, 168, 689-700.	1.2	76
6	Myeloid Derived Suppressor Cells (MDSCs) Are Increased and Exert Immunosuppressive Activity Together with Polymorphonuclear Leukocytes (PMNs) in Chronic Myeloid Leukemia Patients. <i>PLoS ONE</i> , 2014, 9, e101848.	1.1	71
7	Disulfiram, an old drug with new potential therapeutic uses for human hematological malignancies. <i>International Journal of Cancer</i> , 2012, 131, 2197-2203.	2.3	70
8	Potential Effect of CD271 on Human Mesenchymal Stromal Cell Proliferation and Differentiation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 15609-15624.	1.8	61
9	PMN-MDSC and arginase are increased in myeloma and may contribute to resistance to therapy. <i>Expert Review of Molecular Diagnostics</i> , 2018, 18, 675-683.	1.5	61
10	High-performance liquid chromatographic separation and chiroptical properties of the enantiomers of naringenin and other flavanones. <i>Journal of Chromatography A</i> , 2005, 1076, 155-162.	1.8	52
11	miR-296-3p, miR-298-5p and their downstream networks are causally involved in the higher resistance of mammalian pancreatic $\beta$ cells to cytokine-induced apoptosis as compared to $\beta^2$ cells. <i>BMC Genomics</i> , 2013, 14, 62.	1.2	48
12	Neutrophil to lymphocyte ratio (NLR) improves the risk assessment of ISS staging in newly diagnosed MM patients treated upfront with novel agents. <i>Annals of Hematology</i> , 2015, 94, 1875-1883.	0.8	47
13	Prognostic meaning of neutrophil to lymphocyte ratio (NLR) and lymphocyte to monocyte ration (LMR) in newly diagnosed Hodgkin lymphoma patients treated upfront with a PET-2 based strategy. <i>Annals of Hematology</i> , 2018, 97, 1009-1018.	0.8	44
14	Total synthesis of ( $\pm$ )-tangutorine and chiral HPLC separation of enantiomers. <i>Tetrahedron</i> , 2003, 59, 8589-8595.	1.0	42
15	Non-empirical assignment of the absolute configuration of ( $\alpha$ )-naringenin, by coupling the exciton analysis of the circular dichroism spectrum and the ab initio calculation of the optical rotatory power. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 3602-3607.	1.5	41
16	The NLR and LMR ratio in newly diagnosed MM patients treated upfront with novel agents. <i>Blood Cancer Journal</i> , 2017, 7, 649.	2.8	37
17	Synthesis, Chiral Resolution, and Enantiopharmacology of a Potent 2,3-Benzodiazepine Derivative as Noncompetitive AMPA Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 575-581.	2.9	35
18	BRIT1/MCPH1 Expression in Chronic Myeloid Leukemia and Its Regulation of the G2/M Checkpoint. <i>Acta Haematologica</i> , 2011, 126, 205-210.	0.7	34

#	ARTICLE	IF	CITATIONS
19	Mesenchymal Stem Cells (MSC) Regulate Activation of Granulocyte-Like Myeloid Derived Suppressor Cells (G-MDSC) in Chronic Myeloid Leukemia Patients. <i>PLoS ONE</i> , 2016, 11, e0158392.	1.1	30
20	Myeloid Derived Suppressor Cells in Chronic Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2015, 5, 107.	1.3	27
21	The prognostic value of the myeloid-mediated immunosuppression marker Arginase-1 in classic Hodgkin lymphoma. <i>Oncotarget</i> , 2016, 7, 67333-67346.	0.8	27
22	Cycloastragenol as an Exogenous Enhancer of Chondrogenic Differentiation of Human Adipose-Derived Mesenchymal Stem Cells. A Morphological Study. <i>Cells</i> , 2020, 9, 347.	1.8	22
23	Plasticity of High-Density Neutrophils in Multiple Myeloma is Associated with Increased Autophagy via STAT3. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3548.	1.8	19
24	Salvage Therapy of Multiple Myeloma: The New Generation Drugs. <i>BioMed Research International</i> , 2014, 2014, 1-14.	0.9	18
25	CD200 expression in patients with Multiple Myeloma: Another piece of the puzzle. <i>Leukemia Research</i> , 2013, 37, 1616-1621.	0.4	17
26	IMMUNOLOGICAL DEREGULATION IN HODGKIN'S DISEASE. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2014, 6, e2014039.	0.5	17
27	Potential Role of Activating Transcription Factor 5 during Osteogenesis. <i>Stem Cells International</i> , 2016, 2016, 1-8.	1.2	17
28	Monocytic Myeloid Derived Suppressor Cells in Hematological Malignancies. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5459.	1.8	17
29	SPARC expression in CML is associated to imatinib treatment and to inhibition of leukemia cell proliferation. <i>BMC Cancer</i> , 2013, 13, 60.	1.1	15
30	Bortezomib modulates CHIT1 and YKL40 in monocyte-derived osteoclast and in myeloma cells. <i>Frontiers in Pharmacology</i> , 2015, 6, 226.	1.6	15
31	CEBPA exerts a specific and biologically important proapoptotic role in pancreatic $\beta^2$ cells through its downstream network targets. <i>Molecular Biology of the Cell</i> , 2014, 25, 2333-2341.	0.9	14
32	TLR4 Signaling and Heme Oxygenase-1/Carbon Monoxide Pathway Crosstalk Induces Resiliency of Myeloma Plasma Cells to Bortezomib Treatment. <i>Antioxidants</i> , 2022, 11, 767.	2.2	9
33	Ghrelin peptide improves glial conditioned medium effects on neuronal differentiation of human adipose mesenchymal stem cells. <i>Histochemistry and Cell Biology</i> , 2021, 156, 35-46.	0.8	8
34	Tryptophan Deprivation Promotes an Adaptive Response and Contributes to Bioenergetics in Multiple Myeloma. <i>Blood</i> , 2018, 132, 4511-4511.	0.6	8
35	Aberrant Phenotypic Expression of the T-Cell-Associated Antigen CD8 on B-Cell Chronic Lymphocytic Leukemia Cells. <i>Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology</i> , 2009, 15, 1-3.	1.2	8
36	Clinical Impact of the Immunome in Lymphoid Malignancies: The Role of Myeloid-Derived Suppressor Cells. <i>Frontiers in Oncology</i> , 2015, 5, 104.	1.3	7

#	ARTICLE	IF	CITATIONS
37	Single segment of spleen autotransplantation, after splenectomy for trauma, can restore splenic functions. <i>World Journal of Emergency Surgery</i> , 2020, 15, 17.	2.1	7
38	Imatinib increases cytotoxicity of melphalan and their combination allows an efficient killing of chronic myeloid leukemia cells. <i>European Journal of Haematology</i> , 2011, 86, 216-225.	1.1	6
39	Assignment of the absolute configuration of (+)-5,5,6,6-tetrahydro-7,7-spiro[7H-cyclopenta[b]pyridine], a new inherently chiral spiropyridine, by a nonempirical analysis of its circular dichroism spectrum. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1387-1393.	1.8	5
40	Venetoclax penetrates in cerebrospinal fluid of an acute myeloid leukemia patient with leptomeningeal involvement. <i>Cancer Chemotherapy and Pharmacology</i> , 2022, 89, 267-270.	1.1	5
41	Immunological Subsets Characterization in Newly Diagnosed Relapsing/Remitting Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2022, 13, 819136.	2.2	5
42	Chiral HPLC separation and CD spectra of the enantiomers of a molecular "hamburger". <i>Mendeleev Communications</i> , 2004, 14, 237-239.	0.6	2
43	The first description of a singular case of synchronous chronic myelomonocytic leukemia and diffuse large B-cell lymphoma. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e03817.	0.2	2
44	Lenalidomide and Pomalidomide Improve Function and Induce FcγRI/CD64 in Multiple Myeloma Neutrophils. <i>Biomedicines</i> , 2021, 9, 1455.	1.4	2
45	In-vitro NET-osis induced by COVID-19 sera is associated to severe clinical course in not vaccinated patients and immune-dysregulation in breakthrough infection. <i>Scientific Reports</i> , 2022, 12, 7237.	1.6	2
46	Percutaneous transluminal angioplasty and stent implantation for aortic coarctation in haemophilia A patient with high-titre factor VIII inhibitors. <i>Haemophilia</i> , 2014, 20, e336-e338.	1.0	1
47	Utility of Flow Cytometry as a Screening Tool for Transplant Donors for Chronic Lymphocytic Leukemia. <i>Acta Haematologica</i> , 2010, 123, 235-236.	0.7	0
48	Percutaneous transluminal aortic valve implantation for severe aortic valve stenosis in a patient with severe haemophilia A. <i>Haemophilia</i> , 2015, 21, e500-3.	1.0	0
49	Role of TLR4 in the Activation of a Pro-Tumor Phenotype of Mesenchymal Stromal Cells in Multiple Myeloma. <i>Blood</i> , 2018, 132, 1892-1892.	0.6	0
50	Long Term Disease Control with Pomalidomide and Dexamethasone in Relapsed/Refractory Multiple Myeloma Patients: A Real Life Experience. <i>Blood</i> , 2018, 132, 5669-5669.	0.6	0
51	Inhibition of TLR4 Signaling Affects Mitochondrial Fitness Overcoming Bortezomib Resistance in Myeloma Plasma Cells. <i>Blood</i> , 2019, 134, 3073-3073.	0.6	0
52	Lactate As Metabolic Link between Cancer Cells and Tumor Microenvironment in Myelofibrosis Patients. <i>Blood</i> , 2020, 136, 26-26.	0.6	0