

Greg M Swain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/717130/greg-m-swain-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

9,147
citations

56
h-index

89
g-index

216
ext. papers

9,779
ext. citations

5.3
avg, IF

6.2
L-index

#	Paper	IF	Citations
178	Effect of Laser Cleaning and Hyperpassivation on the Electrochemical Behavior of AA2024-T3. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 031501	3.9	
177	Exhaled breath biomarker sensing. <i>Biosensors and Bioelectronics</i> , 2021 , 182, 113193	11.8	13
176	An Electrochemical ATP Biosensor with Enzymes Entrapped within a PEDOT Film. <i>Electroanalysis</i> , 2021 , 33, 495-505	3	4
175	Charge-Induced Birefringence in a Room-Temperature Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 950-955	3.4	4
174	Local and Long-Range Organization in Room Temperature Ionic Liquids. <i>Langmuir</i> , 2021 , 37, 605-615	4	5
173	Effect of Surface Oxygen on the Wettability and Electrochemical Properties of Boron-Doped Nanocrystalline Diamond Electrodes in Room-Temperature Ionic Liquids. <i>Langmuir</i> , 2020 , 36, 5717-5729 ⁴		5
172	Characterizing the Magnitude and Structure-Dependence of Free Charge Density Gradients in Room-Temperature Ionic Liquids. <i>Langmuir</i> , 2020 , 36, 3038-3045	4	11
171	The electrochemical determination of isatin at nanocrystalline boron-doped diamond electrodes: Stress monitoring of animals. <i>Sensors and Actuators B: Chemical</i> , 2020 , 306, 127592	8.5	7
170	Temperature dependence of the heterogeneous electron-transfer rate constant for ferrocene carboxylic acid in room temperature ionic liquids at microstructurally distinct carbon electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 875, 114744	4.1	0
169	Investigation of the Trivalent Chromium Process Conversion Coating as a Sealant for Anodized AA2024-T3. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 111504	3.9	2
168	Strongly Coupled Redox-Linked Conformational Switching at the Active Site of the Non-Heme Iron-Dependent Dioxygenase, TauD. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 7785-7793	3.4	5
167	Conductive diamond: synthesis, properties, and electrochemical applications. <i>Chemical Society Reviews</i> , 2019 , 48, 157-204	58.5	197
166	Detection of H ₂ O ₂ from the Reduction of Dissolved Oxygen on TCP-Coated AA2024-T3 : Impact on the Transient Formation of Cr(VI). <i>Journal of the Electrochemical Society</i> , 2019 , 166, C3284-C3289	3.9	7
165	Inkjet-Printed Carbon Nanotube Electrodes for Measuring Pyocyanin and Uric Acid in a Wound Fluid Simulant and Culture Media. <i>Analytical Chemistry</i> , 2019 , 91, 8835-8844	7.8	27
164	Evaluation of a Trivalent Chromium Process (TCP) Conversion Coating on AA2024-T3 That Requires No Surface Pretreatment. <i>Journal of the Electrochemical Society</i> , 2019 , 166, C589-C599	3.9	2
163	Communication Role of Trivalent Chromium on the Anti-Corrosion Properties of a TCP Conversion Coating on Aluminum Alloy 2024-T3. <i>Journal of the Electrochemical Society</i> , 2018 , 165, C103-C105	3.9	10
162	Isatin Detection Using a Boron-Doped Diamond 3-in-1 Sensing Platform. <i>Analytical Chemistry</i> , 2018 , 90, 1951-1958	7.8	17

161	Cross comparison of TCP conversion coating performance on aluminum alloys during neutral salt-spray and thin-layer mist accelerated degradation testing. <i>Electrochimica Acta</i> , 2018 , 282, 171-184	6.7	11
160	Modulation of an Induced Charge Density Gradient in the Room-Temperature Ionic Liquid BMIM+BF ₄ ⁻ . <i>Journal of Physical Chemistry C</i> , 2018 , 122, 7361-7367	3.8	11
159	Electrochemical Characterization of Different Variants of a Commercial Trivalent Chromium Process (TCP) Coating on Aluminum Alloy 7075-T6. <i>Corrosion</i> , 2018 , 74, 50-65	1.8	6
158	Analysis of Ag(I) Biocide in Water Samples Using Anodic Stripping Voltammetry with a Boron-Doped Diamond Disk Electrode. <i>Analytical Chemistry</i> , 2018 , 90, 6477-6485	7.8	18
157	HPLC-EC Analysis of Estrogenic Compounds: A Comparison of Diamond and Tetrahedral Amorphous Carbon Electrode Performance. <i>Electroanalysis</i> , 2018 , 30, 1575-1582	3	2
156	Structure and chemical composition of different variants of a commercial trivalent chromium process (TCP) coating on aluminum alloy 7075-T6. <i>Surface and Coatings Technology</i> , 2017 , 315, 150-162	4.4	21
155	Isatin Analysis Using Flow Injection Analysis with Amperometric Detection [Comparison of Tetrahedral Amorphous Carbon and Diamond Electrode Performance. <i>Electroanalysis</i> , 2017 , 29, 2147-2154	3.4	5
154	Anti-Corrosion Properties of a TCP Pretreatment Conversion Coating on Aluminum Alloy 2024-T3 during Moist SO ₂ Atmospheric Testing: Effects of Galvanic Coupling. <i>Journal of the Electrochemical Society</i> , 2017 , 164, C135-C147	3.9	11
153	Effect of Galvanic Current on the Physicochemical, Electrochemical and Mechanical Properties of an Aerospace Carbon Fiber Reinforced Epoxy Composite. <i>Journal of the Electrochemical Society</i> , 2017 , 164, C881-C891	3.9	3
152	Charge-Induced Long-Range Order in a Room-Temperature Ionic Liquid. <i>Langmuir</i> , 2016 , 32, 9507-12	4	29
151	Evaluation of a nitrogen-incorporated tetrahedral amorphous carbon thin film for the detection of tryptophan and tyrosine using flow injection analysis with amperometric detection. <i>Analyst, The</i> , 2016 , 141, 6031-6041	5	15
150	Structure, Electronic Properties, and Electrochemical Behavior of a Boron-Doped Diamond/Quartz Optically Transparent Electrode. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 28325-28337	9.5	28
149	Assessment of heterogeneous electron-transfer rate constants for soluble redox analytes at tetrahedral amorphous carbon, boron-doped diamond, and glassy carbon electrodes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 2087-2098	1.6	15
148	Effects of Film Morphology and Surface Chemistry on the Direct Electrochemistry of Cytochrome at Boron-Doped Diamond Electrodes. <i>Electrochimica Acta</i> , 2016 , 197, 129-138	6.7	11
147	Electrochemical detection of peroxynitrite using hemin-PEDOT functionalized boron-doped diamond microelectrode. <i>Analyst, The</i> , 2016 , 141, 1796-806	5	24
146	Sex-related differences in small intestinal transit and serotonin dynamics in high-fat-diet-induced obesity in mice. <i>Experimental Physiology</i> , 2016 , 101, 81-99	2.4	19
145	Structure and Corrosion Performance of a Non-Chromium Process (NCP) Zr/Zn Pretreatment Conversion Coating on Aluminum Alloys. <i>Journal of the Electrochemical Society</i> , 2016 , 163, C718-C728	3.9	10
144	Aliphatic Polyamine Oxidation Reaction Mechanism at Boron-doped Microcrystalline and Ultrananocrystalline Diamond Electrodes. <i>Electroanalysis</i> , 2016 , 28, 151-160	3	4

143	Nanocarbon Electrochemistry and Electroanalysis: Current Status and Future Perspectives. <i>Electroanalysis</i> , 2016 , 28, 27-34	3	68
142	A Pt-free Electrocatalyst Based on Pyrolyzed Vinazene-Carbon Composite for Oxygen Reduction Reaction. <i>Electrochimica Acta</i> , 2015 , 161, 305-311	6.7	10
141	The performance of a nitrogen-containing tetrahedral amorphous carbon electrode in flow injection analysis with amperometric detection. <i>Analytical Methods</i> , 2015 , 7, 4481-4485	3.2	11
140	Rapid Preparation of Room Temperature Ionic Liquids with Low Water Content as Characterized with a ta-C:N Electrode. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H507-H511	3.9	14
139	Synthesis of Nitrogen-Doped Carbon Nanotubes Using Injection-Vertical Chemical Vapor Deposition: Effects of Synthesis Parameters on the Nitrogen Content. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-9	3.2	7
138	Characterization and Performance of a Zr/Ti Pretreatment Conversion Coating on AA2024-T3. <i>Journal of the Electrochemical Society</i> , 2015 , 162, C279-C284	3.9	27
137	Macrophage depletion lowers blood pressure and restores sympathetic nerve α -adrenergic receptor function in mesenteric arteries of DOCA-salt hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H1186-97	5.2	24
136	Sex Differences in Jejunal Mucosal 5-HT (serotonin) Availability in a Diet-Induced Obesity (DIO) Mouse Model. <i>FASEB Journal</i> , 2015 , 29, 848.5	0.9	
135	Comparative electrochemical response of estrone at glassy-carbon, nitrogen-containing tetrahedral amorphous carbon and boron-doped diamond thin-film electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 712, 207-214	4.1	37
134	Electrochemical activation of diamond microelectrodes: implications for the in vitro measurement of serotonin in the bowel. <i>Analyst, The</i> , 2014 , 139, 3160-6	5	27
133	Diamond electrodes: Diversity and maturity. <i>MRS Bulletin</i> , 2014 , 39, 525-532	3.2	87
132	Fe-N-C Electrocatalysts for Oxygen Reduction Reaction Synthesized by Using Aniline Salt and Fe ³⁺ /H ₂ O ₂ Catalytic System. <i>Electrochimica Acta</i> , 2014 , 146, 809-818	6.7	24
131	Voltammetric Studies of Propranolol and Hydrochlorothiazide Oxidation in Standard and Synthetic Biological Fluids Using a Nitrogen-Containing Tetrahedral Amorphous Carbon (ta-C:N) Electrode. <i>Electrochimica Acta</i> , 2014 , 143, 398-406	6.7	28
130	Effect of Deoxidation Pretreatment on the Corrosion Inhibition Provided by a Trivalent Chromium Process (TCP) Conversion Coating on AA2024-T3. <i>Journal of the Electrochemical Society</i> , 2014 , 161, C246-C253	3.9	24
129	The analysis of estrogenic compounds by flow injection analysis with amperometric detection using a boron-doped diamond electrode. <i>Talanta</i> , 2014 , 126, 12-9	6.2	29
128	Formation and Structure of Trivalent Chromium Process Coatings on Aluminum Alloys 6061 and 7075. <i>Corrosion</i> , 2013 , 69, 1205-1216	1.8	25
127	Effects of aging temperature and time on the corrosion protection provided by trivalent chromium process coatings on AA2024-T3. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 7923-30	9.5	40
126	Regional changes in cardiac and stellate ganglion norepinephrine transporter in DOCA-salt hypertension. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2013 , 179, 99-107	2.4	5

125	In situ pH measurement during the formation of conversion coatings on an aluminum alloy (AA2024). <i>Analyst, The</i> , 2013 , 138, 4398-402	5	72
124	Increased catecholamine secretion from single adrenal chromaffin cells in DOCA-salt hypertension is associated with potassium channel dysfunction. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 1404-13	5.7	9
123	Heterogeneous electron-transfer rate constants for ferrocene and ferrocene carboxylic acid at boron-doped diamond electrodes in a room temperature ionic liquid. <i>Electrochimica Acta</i> , 2013 , 94, 49-56	6.7	29
122	Visceral hypersensitivity in female but not in male serotonin transporter knockout rats. <i>Neurogastroenterology and Motility</i> , 2013 , 25, e373-81	4	17
121	Electrochemical Characterization of Trivalent Chromium Process (TCP) Coatings on Aluminum Alloys 6061 and 7075. <i>Journal of the Electrochemical Society</i> , 2013 , 160, C396-C401	3.9	40
120	Detection of local serotonin release and clearance in the human small intestine using amperometry. <i>FASEB Journal</i> , 2013 , 27, 1157.7	0.9	
119	Electroanalytical performance of nitrogen-containing tetrahedral amorphous carbon thin-film electrodes. <i>Analytical Chemistry</i> , 2012 , 84, 6240-8	7.8	58
118	Activation of colonic mucosal 5-HT(4) receptors accelerates propulsive motility and inhibits visceral hypersensitivity. <i>Gastroenterology</i> , 2012 , 142, 844-854.e4	13.3	189
117	Transient Formation of Chromate in Trivalent Chromium Process (TCP) Coatings on AA2024 as Probed by Raman Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2012 , 159, C326-C333	3.9	51
116	Differential serotonin transport is linked to the rh5-HTTLPR in peripheral blood cells. <i>Translational Psychiatry</i> , 2012 , 2, e77	8.6	15
115	Impaired K ⁺ channel function leads to increased catecholamine secretion by adrenal chromaffin cells in DOCA-salt hypertension. <i>FASEB Journal</i> , 2012 , 26, 843.3	0.9	
114	Improvements in the Formation of Boron-Doped Diamond Coatings on Platinum Wires Using the Novel Nucleation Process (NNP). <i>Diamond and Related Materials</i> , 2011 , 20, 75-83	3.5	10
113	Equilibrium and kinetic behavior of Fe(CN) ₆ (3-/4-) and cytochrome c in direct electrochemistry using a film electrode thin-layer transmission cell. <i>Analytical Chemistry</i> , 2011 , 83, 542-8	7.8	16
112	Boron-doped diamond nano/microelectrodes for biosensing and in vitro measurements. <i>Frontiers in Bioscience - Scholar</i> , 2011 , 3, 518-40	2.4	20
111	Postnatal development of the serotonin signaling system in the mucosa of the guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 161-8, e40	4	8
110	Electrolyte and Temperature Effects on the Electron Transfer Kinetics of Fe(CN) ₆ ^{3-/4-} at Boron-Doped Diamond Thin Film Electrodes. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 10026-10032	3.8	33
109	The Formation, Structure, Electrochemical Properties and Stability of Trivalent Chrome Process (TCP) Coatings on AA2024. <i>Journal of the Electrochemical Society</i> , 2011 , 158, C274	3.9	67
108	Microstructural Stability of Electrically Conducting Diamond Powder as Probed Using Electrochemical Methods and In Situ Raman Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2011 , 158, B1446	3.9	2

107	Inhibitory neuromuscular transmission to ileal longitudinal muscle predominates in neonatal guinea pigs. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 909-18, e236-7	4	18
106	Oxidation Resistance of Bare and Pt-Coated Electrically Conducting Diamond Powder as Assessed by Thermogravimetric Analysis. <i>Journal of the Electrochemical Society</i> , 2010 , 157, A19	3.9	19
105	Boron-Doped Diamond Microelectrodes Reveal Reduced Serotonin Uptake Rates in Lymphocytes from Adult Rhesus Monkeys Carrying the Short Allele of the 5-HTTLPR. <i>ACS Chemical Neuroscience</i> , 2010 , 1, 49-64	5.7	45
104	Alterations in sympathetic neuroeffector transmission to mesenteric arteries but not veins in DOCA-salt hypertension. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010 , 152, 11-20	2.4	21
103	Antioxidant treatment restores prejunctional regulation of purinergic transmission in mesenteric arteries of deoxycorticosterone acetate-salt hypertensive rats. <i>Neuroscience</i> , 2010 , 168, 335-45	3.9	14
102	Electrochemical measurements of serotonin (5-HT) release from the guinea pig mucosa using continuous amperometry with a boron-doped diamond microelectrode. <i>Diamond and Related Materials</i> , 2010 , 19, 182-185	3.5	48
101	Investigating the Nucleation and Growth of Electrodeposited Pt on Polycrystalline Diamond Electrodes. <i>Journal of the Electrochemical Society</i> , 2010 , 157, F89	3.9	8
100	Amperometric Determination of Aminobiphenyls Using HPLC-ED with Boron-Doped Diamond Electrode. <i>Electroanalysis</i> , 2009 , 21, 316-324	3	20
99	Drug effects on the electrochemical detection of norepinephrine with carbon fiber and diamond microelectrodes. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 632, 20-29	4.1	33
98	Preparation and Characterization of Glassy Carbon Powder Modified with a Thin Layer of Boron-Doped Ultrananocrystalline Diamond (B-UNCD). <i>Chemistry of Materials</i> , 2009 , 21, 2705-2713	9.6	15
97	The structural and electrochemical properties of boron-doped nanocrystalline diamond thin-film electrodes grown from Ar-rich and H ₂ -rich source gases. <i>Diamond and Related Materials</i> , 2009 , 18, 669-677	3.7	86
96	The effect of the CH ₄ level on the morphology, microstructure, phase purity and electrochemical properties of carbon films deposited by microwave-assisted CVD from Ar-rich source gas mixtures. <i>Diamond and Related Materials</i> , 2009 , 18, 1426-1434	3.5	22
95	Electrochemical monitoring of nitric oxide released by myenteric neurons of the guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 1243-50	4	25
94	The Physicochemical and Electrochemical Properties of 100 and 500 nm Diameter Diamond Powders Coated with Boron-Doped Nanocrystalline Diamond. <i>Journal of the Electrochemical Society</i> , 2008 , 155, B1013	3.9	38
93	New horizons in spectroelectrochemical measurements: optically transparent carbon electrodes. <i>Analytical Chemistry</i> , 2008 , 80, 14-22	7.8	23
92	Diamond-derived ultramicroelectrodes designed for electrochemical analysis and bioanalyte sensing. <i>Diamond and Related Materials</i> , 2008 , 17, 900-905	3.5	27
91	Boron doped diamond deposited by microwave plasma-assisted CVD at low and high pressures. <i>Diamond and Related Materials</i> , 2008 , 17, 481-485	3.5	38
90	Diamond microelectrodes for in vitro electroanalytical measurements: current status and remaining challenges. <i>Analyst, The</i> , 2008 , 133, 17-24	5	56

89	Fabrication and testing of a novel all-diamond neural probe for chemical detection and electrical sensing applications 2008 ,		4
88	Effect of stellate ganglionectomy on basal cardiovascular function and responses to beta1-adrenoceptor blockade in the rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H2447-54	5.2	20
87	Cardiac norepinephrine transporter protein expression is inversely correlated to chamber norepinephrine content. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 295, R857-63	3.2	17
86	TRPV1-mediated protection against endotoxin-induced hypotension and mortality in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R1517-23	3.2	29
85	Whole body norepinephrine kinetics in ANG II-salt hypertension in the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R1262-7	3.2	44
84	Deletion of transient receptor potential vanilloid type 1 receptors exaggerates renal damage in deoxycorticosterone acetate-salt hypertension. <i>Hypertension</i> , 2008 , 52, 264-70	8.5	42
83	CE coupled with amperometric detection using a boron-doped diamond microelectrode: validation of a method for endogenous norepinephrine analysis in tissue. <i>Electrophoresis</i> , 2008 , 29, 441-7	3.6	10
82	Electrochemically modulated liquid chromatography using a boron-doped diamond particle stationary phase. <i>Journal of Chromatography A</i> , 2008 , 1210, 154-9	4.5	19
81	In vitro continuous amperometric monitoring of 5-hydroxytryptamine release from enterochromaffin cells of the guinea pig ileum. <i>Analyst, The</i> , 2007 , 132, 41-7	5	87
80	Spatially Heterogeneous Electrical and Electrochemical Properties of Hydrogen-Terminated Boron-Doped Nanocrystalline Diamond Thin Film Deposited from an Argon-Rich CH ₄ /H ₂ /Ar/B ₂ H ₆ Source Gas Mixture. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 3986-3995	3.8	41
79	Optically transparent diamond electrode for use in ir transmission spectroelectrochemical measurements. <i>Analytical Chemistry</i> , 2007 , 79, 7526-33	7.8	18
78	High mucosal serotonin availability in neonatal guinea pig ileum is associated with low serotonin transporter expression. <i>Gastroenterology</i> , 2007 , 132, 2438-47	13.3	63
77	Total inorganic arsenic detection in real water samples using anodic stripping voltammetry and a gold-coated diamond thin-film electrode. <i>Analytica Chimica Acta</i> , 2007 , 593, 7-12	6.6	85
76	Differences in sympathetic neuroeffector transmission to rat mesenteric arteries and veins as probed by in vitro continuous amperometry and video imaging. <i>Journal of Physiology</i> , 2007 , 584, 819-34	3.9	32
75	Mild electrocatalytic hydrogenation of lactic acid to lactaldehyde and propylene glycol. <i>Journal of Catalysis</i> , 2007 , 246, 15-28	7.3	34
74	Determination of endogenous norepinephrine levels in different chambers of the rat heart by capillary electrophoresis coupled with amperometric detection. <i>Journal of Neuroscience Methods</i> , 2007 , 163, 52-9	3	12
73	Preparation and Electrochemical Characterization of Carbon Paper Modified with a Layer of Boron-Doped Nanocrystalline Diamond. <i>Journal of the Electrochemical Society</i> , 2007 , 154, K61	3.9	15
72	Development of a method for total inorganic arsenic analysis using anodic stripping voltammetry and a Au-coated, diamond thin-film electrode. <i>Analytical Chemistry</i> , 2007 , 79, 2412-20	7.8	103

71	Solid Electrode Materials 2007 , 111-153		35
70	Formation of a Crack-Free and Debonding-Resistant Boron-Doped Diamond Thin Film on Titanium Using a Dual-Coating Strategy. <i>Journal of the Electrochemical Society</i> , 2006 , 153, B506	3.9	8
69	Conductive Diamond Powder: A New Catalyst Support for the Polymer Electrolyte Membrane Fuel Cell. <i>ECS Transactions</i> , 2006 , 3, 27-36	1	9
68	Thermionic emission from surface-terminated nanocrystalline diamond. <i>Diamond and Related Materials</i> , 2006 , 15, 1601-1608	3.5	20
67	Fabrication, characterization, and application of a diamond microelectrode for electrochemical measurement of norepinephrine release from the sympathetic nervous system. <i>Diamond and Related Materials</i> , 2006 , 15, 761-772	3.5	61
66	In vitro continuous amperometry with a diamond microelectrode coupled with video microscopy for simultaneously monitoring endogenous norepinephrine and its effect on the contractile response of a rat mesenteric artery. <i>Analytical Chemistry</i> , 2006 , 78, 6756-64	7.8	58
65	A comparison of boron-doped diamond thin-film and Hg-coated glassy carbon electrodes for anodic stripping voltammetric determination of heavy metal ions in aqueous media. <i>Analytica Chimica Acta</i> , 2006 , 575, 180-9	6.6	142
64	Pulsed Galvanostatic Deposition of Pt Particles on Microcrystalline and Nanocrystalline Diamond Thin-Film Electrodes. <i>Journal of the Electrochemical Society</i> , 2005 , 152, E184	3.9	43
63	Provenance and tectonic development of the late Archaean Gawler Craton, Australia; U/Pb zircon, geochemical and Sm/Nd isotopic implications. <i>Precambrian Research</i> , 2005 , 141, 106-136	3.9	98
62	Preparation and Characterization of Boron-Doped Diamond Powder. <i>Journal of the Electrochemical Society</i> , 2005 , 152, B369	3.9	70
61	Comparison of the Electrical, Optical, and Electrochemical Properties of Diamond and Indium Tin Oxide Thin-Film Electrodes. <i>Chemistry of Materials</i> , 2005 , 17, 4880-4888	9.6	82
60	Diamond microelectrodes for use in biological environments. <i>Journal of Electroanalytical Chemistry</i> , 2005 , 583, 56-68	4.1	78
59	Chlorinated phenol analysis using off-line solid-phase extraction and capillary electrophoresis coupled with amperometric detection and a boron-doped diamond microelectrode. <i>Analytical Chemistry</i> , 2005 , 77, 6542-8	7.8	67
58	The Analysis of Chlorinated Phenol Solutions by Capillary Electrophoresis Coupled with Direct and Indirect Amperometric Detection Using a Boron-Doped Diamond Microelectrode. <i>Electroanalysis</i> , 2005 , 17, 1160-1170	3	28
57	Thermionic Emission Energy Distributions From Nanocrystalline Diamond 2004 , 533		
56	Chapter 4 Electroanalytical applications of diamond electrodes. <i>Semiconductors and Semimetals</i> , 2004 , 77, 121-148	0.6	23
55	Metal ion analysis in contaminated water samples using anodic stripping voltammetry and a nanocrystalline diamond thin-film electrode. <i>Analytica Chimica Acta</i> , 2004 , 522, 35-44	6.6	96
54	Effect of sp ² -Bonded Nondiamond Carbon Impurity on the Response of Boron-Doped Polycrystalline Diamond Thin-Film Electrodes. <i>Journal of the Electrochemical Society</i> , 2004 , 151, E306	3.9	131

53	Scanning Electrochemical Microscopy and Conductive Probe Atomic Force Microscopy Studies of Hydrogen-Terminated Boron-Doped Diamond Electrodes with Different Doping Levels. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 15117-15127	3.4	166
52	Electro-oxidation and amperometric detection of chlorinated phenols at boron-doped diamond electrodes: a comparison of microcrystalline and nanocrystalline thin films. <i>Environmental Science & Technology</i> , 2004 , 38, 3674-82	10.3	91
51	Electrochemical performance of diamond thin-film electrodes from different commercial sources. <i>Analytical Chemistry</i> , 2004 , 76, 2553-60	7.8	161
50	Diamond-derived microelectrodes array for electrochemical analysis. <i>Diamond and Related Materials</i> , 2004 , 13, 2009-2015	3.5	56
49	Electron Transfer Kinetics of Ferrocene at Microcrystalline Boron-Doped Diamond Electrodes: Effect of Solvent and Electrolyte. <i>Electroanalysis</i> , 2003 , 15, 249-253	3	20
48	Spectroelectrochemical responsiveness of a freestanding, boron-doped diamond, optically transparent electrode toward ferrocene. <i>Analytica Chimica Acta</i> , 2003 , 500, 137-144	6.6	29
47	CVD diamond anisotropic film as electrode for electrochemical sensing. <i>Sensors and Actuators B: Chemical</i> , 2003 , 91, 39-45	8.5	26
46	Characterization and Electrochemical Responsiveness of Boron-Doped Nanocrystalline Diamond Thin-Film Electrodes. <i>Chemistry of Materials</i> , 2003 , 15, 879-888	9.6	146
45	Boron-doped diamond microelectrodes for use in capillary electrophoresis with electrochemical detection. <i>Analytical Chemistry</i> , 2003 , 75, 2678-87	7.8	88
44	Conductive diamond thin-films in electrochemistry. <i>Diamond and Related Materials</i> , 2003 , 12, 1940-1949	3.5	270
43	Fabrication and Evaluation of Platinum/Diamond Composite Electrodes for Electrocatalysis. <i>Journal of the Electrochemical Society</i> , 2003 , 150, E24	3.9	87
42	Optically Transparent Diamond Electrodes for UV-Vis and IR Spectroelectrochemistry. <i>Electrochemical Society Interface</i> , 2003 , 12, 33-38	3.6	10
41	Electrically Conducting Diamond Thin Films: Advanced Electrode Materials for Electrochemical Technologies 2003 , 181-277		3
40	Dimensionally Stable Pt/Diamond Composite Electrodes in Concentrated H ₃ PO ₄ at High Temperature. <i>Electrochemical and Solid-State Letters</i> , 2002 , 5, E4		28
39	A Confocal Raman Imaging Study of an Optically Transparent Boron-Doped Diamond Electrode. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 10816-10827	3.4	55
38	Direct electrochemistry of cytochrome C at nanocrystalline boron-doped diamond. <i>Journal of the American Chemical Society</i> , 2002 , 124, 10634-5	16.4	75
37	Optical and electrochemical properties of optically transparent, boron-doped diamond thin films deposited on quartz. <i>Analytical Chemistry</i> , 2002 , 74, 5924-30	7.8	62
36	Summary of Recent Progress with Diamond Electrodes in Electroanalysis, Spectroelectrochemistry and Electrocatalysis. <i>Journal of Wide Bandgap Materials</i> , 2001 , 8, 171-188		8

35	Aliphatic polyamine oxidation response variability and stability at boron-doped diamond thin-film electrodes as studied by flow-injection analysis. <i>Analytica Chimica Acta</i> , 2001 , 440, 119-129	6.6	23
34	The Structure and Electrochemical Behavior of Nitrogen-Containing Nanocrystalline Diamond Films Deposited from CH ₄ /N ₂ /Ar Mixtures. <i>Journal of the Electrochemical Society</i> , 2001 , 148, E44	3.9	96
33	Diamond optically transparent electrodes: demonstration of concept with ferri/ferrocyanide and methyl viologen. <i>Analytical Chemistry</i> , 2001 , 73, 908-14	7.8	49
32	The Electrochemical Properties of Nanocrystalline Diamond Thin-Films Deposited from C ₆₀ /Argon and Methane/Nitrogen Gas Mixtures. <i>Electroanalysis</i> , 2000 , 12, 7-15	3	37
31	Standard electrochemical behavior of high-quality, boron-doped polycrystalline diamond thin-film electrodes. <i>Analytical Chemistry</i> , 2000 , 72, 3793-804	7.8	361
30	Polycrystalline diamond electrodes: basic properties and applications as amperometric detectors in flow injection analysis and liquid chromatography. <i>Analytica Chimica Acta</i> , 1999 , 397, 145-161	6.6	178
29	Electrochemical Modification of Boron-Doped Chemical Vapor Deposited Diamond Surfaces with Covalently Bonded Monolayers. <i>Electrochemical and Solid-State Letters</i> , 1999 , 2, 288		127
28	Voltammetric and Amperometric Investigations of Azide Oxidation at the Basal Plane of Highly Oriented Pyrolytic Graphite. <i>Analytical Chemistry</i> , 1999 , 71, 4603-4608	7.8	13
27	The Influence of Surface Interactions on the Reversibility of Ferri/Ferrocyanide at Boron-Doped Diamond Thin-Film Electrodes. <i>Journal of the Electrochemical Society</i> , 1999 , 146, 4551-4558	3.9	216
26	Electrochemical Oxidation of Polyamines at Diamond Thin-Film Electrodes. <i>Analytical Chemistry</i> , 1999 , 71, 1188-1195	7.8	111
25	Incorporation of Pt Particles in Boron-Doped Diamond Thin Films Applications in Electrocatalysis. <i>Electrochemical and Solid-State Letters</i> , 1999 , 3, 286		47
24	Structural Characterization, Electrochemical Reactivity, and Response Stability of Hydrogenated Glassy Carbon Electrodes. <i>Langmuir</i> , 1998 , 14, 7017-7026	4	61
23	Oxidation of Azide Anion at Boron-Doped Diamond Thin-Film Electrodes. <i>Analytical Chemistry</i> , 1998 , 70, 1502-1510	7.8	105
22	Anthraquinonedisulfonate electrochemistry: a comparison of glassy carbon, hydrogenated glassy carbon, highly oriented pyrolytic graphite, and diamond electrodes. <i>Analytical Chemistry</i> , 1998 , 70, 3146-3154	7.8	210
21	Applications of Diamond Thin Films in Electrochemistry. <i>MRS Bulletin</i> , 1998 , 23, 56-60	3.2	181
20	Morphological and Microstructural Stability of Boron-Doped Diamond Thin Film Electrodes in an Acidic Chloride Medium at High Anodic Current Densities. <i>Journal of the Electrochemical Society</i> , 1997 , 144, 3806-3812	3.9	79
19	The Formation and Electrochemical Activity of Microporous Diamond Thin Film Electrodes in Concentrated KOH. <i>Journal of the Electrochemical Society</i> , 1997 , 144, 856-866	3.9	62
18	Flow Injection Analysis with Diamond Thin-Film Detectors. <i>Analytical Chemistry</i> , 1997 , 69, 4099-4107	7.8	87

17	Peer Reviewed: Boron-Doped Diamond Thin-Film Electrodes. <i>Analytical Chemistry</i> , 1997 , 69, 591A-597A	7.8	212
16	Freestanding Diamond Thin Films Grown on Glassy Carbon Substrates. <i>Journal of the Electrochemical Society</i> , 1996 , 143, L150-L153	3.9	17
15	Electrochemical and Surface Structural Characterization of Hydrogen Plasma Treated Glassy Carbon Electrodes. <i>Langmuir</i> , 1996 , 12, 6578-6586	4	61
14	Enhanced Signal-to-Background Ratios in Voltammetric Measurements Made at Diamond Thin-Film Electrochemical Interfaces. <i>Analytical Chemistry</i> , 1996 , 68, 2031-7	7.8	107
13	Effect of underpotential deposition (UPD) of copper on oxygen reduction at Pt(111) surfaces. <i>Journal of Electroanalytical Chemistry</i> , 1995 , 382, 73-83	4.1	81
12	In-situ scanning tunneling microscopy of well-ordered Rh(111) electrodes. <i>Journal of Electroanalytical Chemistry</i> , 1995 , 381, 105-111	4.1	45
11	Electrodeposition of Metal Adlayers on Boron-Doped Diamond Thin-Film Electrodes. <i>Journal of the Electrochemical Society</i> , 1995 , 142, L42-L45	3.9	59
10	Cyclic Voltammetric Studies of Charge Transfer Reactions at Highly Boron-Doped Polycrystalline Diamond Thin-Film Electrodes. <i>Analytical Chemistry</i> , 1995 , 67, 2812-2821	7.8	154
9	Electrochemistry and the environment. <i>Journal of Applied Electrochemistry</i> , 1994 , 24, 1077	2.6	318
8	The use of CVD diamond thin films in electrochemical systems. <i>Advanced Materials</i> , 1994 , 6, 388-392	24	83
7	High surface area, low-weight composite nickel fiber electrodes. <i>Journal of Power Sources</i> , 1994 , 47, 2518-2519	5.9	6
6	The Susceptibility to Surface Corrosion in Acidic Fluoride Media: A Comparison of Diamond, HOPG, and Glassy Carbon Electrodes. <i>Journal of the Electrochemical Society</i> , 1994 , 141, 3382-3393	3.9	201
5	The electrochemical activity of boron-doped polycrystalline diamond thin film electrodes. <i>Analytical Chemistry</i> , 1993 , 65, 345-351	7.8	348
4	Electrochemical Reduction of Oxygen at Electrocoated Nafion-Modified Metal-Carbon Composite and Platinum Electrodes. <i>Journal of the Electrochemical Society</i> , 1993 , 140, 1026-1033	3.9	7
3	Anodic fracturing and vacuum heat treated annealing of pitch-based carbon fibers. <i>Analytical Chemistry</i> , 1992 , 64, 565-568	7.8	19
2	Electrochemical formation of high surface area carbon fibers. <i>Analytical Chemistry</i> , 1991 , 63, 517-519	7.8	24
1	Bilateral carotid-cavernous fistula. <i>Journal of Neurosurgery</i> , 1954 , 11, 323-6	3.2	14