

David Bruce

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7171361/david-bruce-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	3,080 citations	29 h-index	54 g-index
91 ext. papers	3,527 ext. citations	6.1 avg, IF	5.05 L-index

#	Paper	IF	Citations
90	Recreational physical activity levels in healthy older women: the importance of fear of falling. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 84-9	5.6	253
89	Type 2 diabetes mellitus and biomarkers of neurodegeneration. <i>Neurology</i> , 2015 , 85, 1123-30	6.5	172
88	Peripheral arterial disease and risk of cardiac death in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2006 , 29, 575-80	14.6	156
87	Severe hypoglycaemia and cognitive impairment in older patients with diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2009 , 52, 1808-15	10.3	155
86	Determinants of severe hypoglycemia complicating type 2 diabetes: the Fremantle diabetes study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2240-7	5.6	125
85	Lipid-lowering therapy and peripheral sensory neuropathy in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2008 , 51, 562-6	10.3	125
84	Predictors, consequences and costs of diabetes-related lower extremity amputation complicating type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2006 , 49, 2634-41	10.3	112
83	Cognitive impairment, physical disability and depressive symptoms in older diabetic patients: the Fremantle Cognition in Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2003 , 61, 59-67	7.4	108
82	Predictors of cognitive impairment and dementia in older people with diabetes. <i>Diabetologia</i> , 2008 , 51, 241-8	10.3	103
81	A prospective study of depression and mortality in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2005 , 48, 2532-9	10.3	101
80	Autoantibodies to glutamic acid decarboxylase in diabetic patients from a multi-ethnic Australian community: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2000 , 17, 667-74	3.5	101
79	Longitudinal predictors of reduced mobility and physical disability in patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2005 , 28, 2441-7	14.6	97
78	Diabetes education and knowledge in patients with type 2 diabetes from the community: the Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2003 , 17, 82-9	3.2	91
77	Cohort profile: the Fremantle Diabetes Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 412-21	7.8	88
76	Predictors of cognitive decline in older individuals with diabetes. <i>Diabetes Care</i> , 2008 , 31, 2103-7	14.6	79
75	Severe psychiatric disorders in mid-life and risk of dementia in late- life (age 65-84 years): a population based case-control study. <i>Current Alzheimer Research</i> , 2014 , 11, 681-93	3	76
74	A comprehensive investigation of variants in genes encoding adiponectin (ADIPOQ) and its receptors (ADIPOR1/R2), and their association with serum adiponectin, type 2 diabetes, insulin resistance and the metabolic syndrome. <i>BMC Medical Genetics</i> , 2013 , 14, 15	2.1	56

73	Silent myocardial infarction and its prognosis in a community-based cohort of Type 2 diabetic patients: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2004 , 47, 395-399	10.3	51
72	The relationship between metformin therapy and the fasting plasma lactate in type 2 diabetes: The Fremantle Diabetes Study. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 137-44	3.8	47
71	Barriers to community support for the dementia carer: a qualitative study. <i>International Journal of Geriatric Psychiatry</i> , 2000 , 15, 451-7	3.9	47
70	Earlier age of dementia onset and shorter survival times in dementia patients with diabetes. <i>American Journal of Epidemiology</i> , 2013 , 177, 1246-54	3.8	45
69	Communication problems between dementia carers and general practitioners: effect on access to community support services. <i>Medical Journal of Australia</i> , 2002 , 177, 186-8	4	42
68	Glycemic control in older subjects with type 2 diabetes mellitus in the Fremantle Diabetes Study. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 1449-53	5.6	42
67	Physical disability contributes to caregiver stress in dementia caregivers. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 345-9	6.4	41
66	Insulin resistance is associated with reductions in specific cognitive domains and increases in CSF tau in cognitively normal adults. <i>Scientific Reports</i> , 2017 , 7, 9766	4.9	38
65	Continuing disparities in cardiovascular risk factors and complications between aboriginal and Anglo-Celt Australians with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2012 , 35, 2005-11	14.6	36
64	Dementia and its associations in type 2 diabetes mellitus: the Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2001 , 53, 165-72	7.4	34
63	Lifetime depression and anxiety increase prevalent psychological symptoms and worsen glycemic control in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 190-197	7.4	32
62	Fear of falling is common in patients with type 2 diabetes and is associated with increased risk of falls. <i>Age and Ageing</i> , 2015 , 44, 687-90	3	30
61	Neuroimaging and its Relevance to Understanding Pathways Linking Diabetes and Cognitive Dysfunction. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 405-419	4.3	27
60	Vascular depression in older people with diabetes. <i>Diabetologia</i> , 2006 , 49, 2828-36	10.3	27
59	The diagonal ear lobe crease (Frank's sign) is not associated with coronary artery disease or retinopathy in type 2 diabetes: the Fremantle Diabetes Study. <i>Australian and New Zealand Journal of Medicine</i> , 2000 , 30, 573-7		26
58	Epidemiological Approaches to Understanding the Link Between Type 2 Diabetes and Dementia. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 393-403	4.3	25
57	Dementia onset, incidence and risk in type 2 diabetes: a matched cohort study with the Fremantle Diabetes Study Phase I. <i>Diabetologia</i> , 2017 , 60, 89-97	10.3	25
56	Mid-life predictors of cognitive impairment and dementia in type 2 diabetes mellitus: the Fremantle Diabetes Study. <i>Journal of Alzheimer's Disease</i> , 2014 , 42 Suppl 3, S63-70	4.3	25

55	Quality project to prevent delirium after hip fracture. <i>Australasian Journal on Ageing</i> , 2005 , 24, 174-177	1.5	24
54	Linkage of hospital and death records increased identification of dementia cases and death rate estimates. <i>Neuroepidemiology</i> , 2009 , 32, 61-9	5.4	22
53	Comorbid Anxiety and Depression and Their Impact on Cardiovascular Disease in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Depression and Anxiety</i> , 2016 , 33, 960-966	8.4	21
52	Prevalence of diabetes in Australia: insights from the Fremantle Diabetes Study Phase II. <i>Internal Medicine Journal</i> , 2018 , 48, 803-809	1.6	19
51	Anemia complicating type 2 diabetes: Prevalence, risk factors and prognosis. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1169-1174	3.2	18
50	Clinical impact of the temporal relationship between depression and type 2 diabetes: the Fremantle diabetes study phase II. <i>PLoS ONE</i> , 2013 , 8, e81254	3.7	18
49	Apathy in older patients with type 2 diabetes. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 615-21	6.5	17
48	Clinical epidemiology and in-patient hospital use in the last year of life (1990-2005) of 29,884 Western Australians with dementia. <i>Journal of Alzheimer's Disease</i> , 2009 , 17, 399-407	4.3	17
47	Australian population trends and disparities in cholinesterase inhibitor use, 2003 to 2010. <i>Alzheimer's and Dementia</i> , 2014 , 10, 310-8	1.2	16
46	Maternal family history of diabetes is associated with a reduced risk of cardiovascular disease in women with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes Care</i> , 2010 , 33, 1477-83	14.6	16
45	Hippocampal atrophy, asymmetry, and cognition in type 2 diabetes mellitus. <i>Brain and Behavior</i> , 2018 , 8, e00741	3.4	15
44	Lifetime depression history and depression risk in type 2 diabetes: A case-control study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 38-42	3.2	13
43	Prevalence of depression and its associations with cardio-metabolic control in Aboriginal and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, 384-91	7.4	13
42	Risk and associates of incident hip fracture in type 1 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2017 , 134, 153-160	7.4	12
41	Metabolic memory and all-cause death in community-based patients with type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 598-606	6.7	11
40	Depression symptoms are persistent in Type 2 diabetes: risk factors and outcomes of 5-year depression trajectories using latent class growth analysis. <i>Diabetic Medicine</i> , 2017 , 34, 1108-1115	3.5	10
39	Effectiveness of Rehabilitation in the homeService. <i>Australian Health Review</i> , 2014 , 38, 506-9	1.8	10
38	Angiotensin-converting enzyme insertion/deletion polymorphism and severe hypoglycemia complicating type 2 diabetes: the Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E696-700	5.6	9

37	Plasma Amyloid- β Peptides in Type 2 Diabetes: A Matched Case-Control Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 56, 1127-1133	4.3	8
36	The Structured Interview for Insight and Judgment in Dementia: Development and validation of a new instrument to assess awareness in patients with dementia. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 7, 24-32	5.2	8
35	Risk of suicide in Australian adults with diabetes: the Fremantle Diabetes Study. <i>Internal Medicine Journal</i> , 2015 , 45, 976-80	1.6	8
34	Diagnostic criteria for depression in type 2 diabetes: a data-driven approach. <i>PLoS ONE</i> , 2014 , 9, e112049	3.7	8
33	A Randomized, Placebo-Controlled, Double-Blind Efficacy Study of Nefiracetam to Treat Poststroke Apathy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1119-1127	2.8	8
32	Glycaemic control and mortality in older people with type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2852-2859	6.7	7
31	Type 2 diabetes and cognitive function: many questions, few answers. <i>Lancet Neurology</i> , 2015 , 14, 241-2	24.1	7
30	Greater use of insulin by southern European compared with Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2004 , 151, 579-86	6.5	7
29	Autoantibodies to the islet cell antigen SOX-13 are associated with duration but not type of diabetes. <i>Diabetic Medicine</i> , 2003 , 20, 198-204	3.5	7
28	Dementia complicating type 2 diabetes and the influence of premature mortality: the Fremantle Diabetes Study. <i>Acta Diabetologica</i> , 2019 , 56, 767-776	3.9	6
27	Clinical risk factors for depressive syndrome in Type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetic Medicine</i> , 2018 , 35, 903-910	3.5	6
26	Influence of Premature Mortality on the Link Between Type 2 Diabetes and Hip Fracture: The Fremantle Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 551-559	5.6	6
25	Undernourished Patients With Hip Fracture: Poor Outcome is Not Due to Excess Infections. <i>Australasian Journal on Ageing</i> , 1999 , 18, 119-123	1.5	6
24	A comparison of obesity indices in relation to mortality in type 2 diabetes: the Fremantle Diabetes Study. <i>Diabetologia</i> , 2020 , 63, 528-536	10.3	6
23	Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: The Fremantle Diabetes Study Phase I. <i>Diabetes Care</i> , 2019 , 42, 102-109	14.6	6
22	Retinopathy predicts stroke but not myocardial infarction in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Cardiovascular Diabetology</i> , 2020 , 19, 43	8.7	6
21	The relationship between intensification of blood glucose-lowering therapies, health status and quality of life in type 2 diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 294-302	7.4	5
20	Incidence and Determinants of Intraocular Lens Implantation in Type 2 Diabetes: The Fremantle Diabetes Study Phase II. <i>Diabetes Care</i> , 2019 , 42, 288-296	14.6	5

19	The relationship between circulating adiponectin, ADIPOQ variants and incident cardiovascular disease in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 62-70	7.4	5
18	Low serum HDL-cholesterol concentrations in mid-life predict late-life cognitive impairment in type 2 diabetes: The Fremantle diabetes study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 945-947	3.2	4
17	Apolipoprotein E genotype and mortality in Southern European and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2010 , 163, 559-64	6.5	4
16	Determinants and costs of community nursing in patients with type 2 diabetes from a community-based observational study: the Fremantle Diabetes Study. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1166-71	5.8	3
15	Medication errors: another important surgical problem. <i>ANZ Journal of Surgery</i> , 2009 , 79, 583-4	1	3
14	Oral health of aged inpatients. <i>Australasian Journal on Ageing</i> , 2004 , 23, 172-176	1.5	3
13	Temporal changes in the incidence and predictors of severe hypoglycaemia in type 2 diabetes: The Fremantle Diabetes Study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 648-657	6.7	3
12	Prevalence and patterns of multimorbidity in Australian baby boomers: the Busselton healthy ageing study. <i>BMC Public Health</i> , 2021 , 21, 1539	4.1	3
11	Subjective memory complaints are not increased in type 2 diabetes: A matched cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 424-426	3.2	2
10	Contemporary Cardiovascular Risk Assessment for Type 2 Diabetes Including Heart Failure as an Outcome: The Fremantle Diabetes Study Phase II. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
9	Risk factors and outcomes of anxiety symptom trajectories in type 2 diabetes: the Fremantle Diabetes Study Phase II. <i>Diabetic Medicine</i> , 2020 , 37, 1688-1695	3.5	2
8	Prevalence and incidence of thyroid dysfunction in type 1 diabetes, type 2 diabetes and latent autoimmune diabetes of adults: The Fremantle Diabetes Study Phase II. <i>Clinical Endocrinology</i> , 2020 , 92, 373-382	3.4	2
7	The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. <i>PLoS ONE</i> , 2018 , 13, e0194417	3.7	2
6	The interactive effects of type 2 diabetes mellitus and schizophrenia on all-cause mortality: The Fremantle Diabetes Study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1320-2	3.2	1
5	O5-03-03: SEVERE HYPOGLYCAEMIA DOES NOT EXPLAIN THE RELATIONSHIP BETWEEN LONG DURATION INSULIN THERAPY AND LATE-LIFE COGNITIVE IMPAIRMENT IN TYPE 2 DIABETES: THE FREMANTLE DIABETES STUDY 2014 , 10, P295-P295		1
4	Non-specific terminology for non-specific presentations: the need for a new nomenclature. <i>Australasian Journal on Ageing</i> , 2002 , 21, 115-116	1.5	1
3	Response to Comment on Davis et al. Development and Validation of a Simple Hip Fracture Risk Prediction Tool for Type 2 Diabetes: the Fremantle Diabetes Study Phase I. <i>Diabetes Care</i> 2018 ;42:102-109. <i>Diabetes Care</i> , 2019 , 42, e101	14.6	
2	RESPONSE LETTER TO DRS. KALOOSTIAN AND SHIL. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 771-772	5.6	

1

Relationship between type 2 diabetes and risk of depression is bi-directional. *Evidence-Based Mental Health*, **2011**, 14, 46

11.1