

Hyeong-Gon Moon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7172014/publications.pdf>

Version: 2024-02-01

175
papers

4,237
citations

101496

36
h-index

155592

55
g-index

182
all docs

182
docs citations

182
times ranked

6972
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical application of shear wave elastography (SWE) in the diagnosis of benign and malignant breast diseases. <i>Breast Cancer Research and Treatment</i> , 2011, 129, 89-97.	1.1	300
2	Visceral Obesity May Affect Oncologic Outcome in Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 1918-1922.	0.7	174
3	Galectin-1 expression in cancer-associated stromal cells correlates tumor invasiveness and tumor progression in breast cancer. <i>International Journal of Cancer</i> , 2007, 120, 2331-2338.	2.3	150
4	Tumor Suppressor miRNA-204-5p Regulates Growth, Metastasis, and Immune Microenvironment Remodeling in Breast Cancer. <i>Cancer Research</i> , 2019, 79, 1520-1534.	0.4	126
5	Underweight and Breast Cancer Recurrence and Death: A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2009, 27, 5899-5905.	0.8	91
6	Breast density change as a predictive surrogate for response to adjuvant endocrine therapy in hormone receptor positive breast cancer. <i>Breast Cancer Research</i> , 2012, 14, R102.	2.2	86
7	The prevalence and spectrum of BRCA1 and BRCA2 mutations in Korean population: recent update of the Korean Hereditary Breast Cancer (KOHBRA) study. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 157-168.	1.1	82
8	Breast MR Imaging Screening in Women with a History of Breast Conservation Therapy. <i>Radiology</i> , 2014, 272, 366-373.	3.6	81
9	Integrative analysis of mutational and transcriptional profiles reveals driver mutations of metastatic breast cancers. <i>Cell Discovery</i> , 2016, 2, 16025.	3.1	77
10	Ki-67 Expression Gives Additional Prognostic Information on St. Gallen 2007 and Adjuvant! Online Risk Categories in Early Breast Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 1112-1121.	0.7	76
11	Common Genetic Variants Associated with Breast Cancer in Korean Women and Differential Susceptibility According to Intrinsic Subtype. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 793-798.	1.1	68
12	Factors associated with upstaging from ductal carcinoma in situ following core needle biopsy to invasive cancer in subsequent surgical excision. <i>Breast</i> , 2012, 21, 641-645.	0.9	63
13	Prognostic and functional importance of the engraftment-associated genes in the patient-derived xenograft models of triple-negative breast cancers. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 13-22.	1.1	62
14	Transglutaminase 2 facilitates the distant hematogenous metastasis of breast cancer by modulating interleukin-6 in cancer cells. <i>Breast Cancer Research</i> , 2011, 13, R96.	2.2	60
15	Unilateral Breast Cancer: Screening of Contralateral Breast by Using Preoperative MR Imaging Reduces Incidence of Metachronous Cancer. <i>Radiology</i> , 2013, 267, 57-66.	3.6	56
16	NFIB is a potential target for estrogen receptor-negative breast cancers. <i>Molecular Oncology</i> , 2011, 5, 538-544.	2.1	54
17	Phase II randomized trial of neoadjuvant metformin plus letrozole versus placebo plus letrozole for estrogen receptor positive postmenopausal breast cancer (METEOR). <i>BMC Cancer</i> , 2014, 14, 170.	1.1	54
18	COX2 overexpression is a prognostic marker for Stage III breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 51-59.	1.1	52

#	ARTICLE	IF	CITATIONS
19	Age and HER2 expression status affect MRI accuracy in predicting residual tumor extent after neo-adjuvant systemic treatment. <i>Annals of Oncology</i> , 2009, 20, 636-641.	0.6	51
20	Proteomic Approach Reveals FKBP4 and S100A9 as Potential Prediction Markers of Therapeutic Response to Neoadjuvant Chemotherapy in Patients with Breast Cancer. <i>Journal of Proteome Research</i> , 2012, 11, 1078-1088.	1.8	51
21	Limited Value and Utility of Breast MRI in Patients Undergoing Breast-Conserving Cancer Surgery. <i>Annals of Surgical Oncology</i> , 2012, 19, 2572-2579.	0.7	51
22	Breast-Conserving Surgery After Tumor Downstaging by Neoadjuvant Chemotherapy is Oncologically Safe for Stage III Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , 2013, 20, 2582-2589.	0.7	51
23	Prognostic influence of BCL2 expression in breast cancer. <i>International Journal of Cancer</i> , 2012, 131, E1109-19.	2.3	50
24	Role Of Ultrasonography in Predicting Malignancy in Patients with Thyroid Nodules. <i>World Journal of Surgery</i> , 2007, 31, 1410-1416.	0.8	47
25	Survival Outcomes of Breast Cancer Patients Who Receive Neoadjuvant Chemotherapy: Association with Dynamic Contrast-enhanced MR Imaging with Computer-aided Evaluation. <i>Radiology</i> , 2013, 268, 662-672.	3.6	47
26	Distinctive role of SIRT1 expression on tumor invasion and metastasis in breast cancer by molecular subtype. <i>Human Pathology</i> , 2015, 46, 1027-1035.	1.1	47
27	Transition into inflammatory cancer-associated adipocytes in breast cancer microenvironment requires microRNA regulatory mechanism. <i>PLoS ONE</i> , 2017, 12, e0174126.	1.1	47
28	The value of preoperative staging chest computed tomography to detect asymptomatic lung and liver metastasis in patients with primary breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 637-641.	1.1	46
29	The association between physical activity and health-related quality of life among breast cancer survivors. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 132.	1.0	45
30	SIRT1 induces tumor invasion by targeting epithelial mesenchymal transition-related pathway and is a prognostic marker in triple negative breast cancer. <i>Tumor Biology</i> , 2016, 37, 4743-4753.	0.8	43
31	Nomogram for predicting positive resection margins after breast-conserving surgery. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1115-1123.	1.1	42
32	Early Stage Triple-Negative Breast Cancer: Imaging and Clinical-Pathologic Factors Associated with Recurrence. <i>Radiology</i> , 2016, 278, 356-364.	3.6	42
33	Thyrotropin Level and Thyroid Volume for Prediction of Hypothyroidism Following Hemithyroidectomy in an Asian Patient Cohort. <i>World Journal of Surgery</i> , 2008, 32, 2503-8.	0.8	39
34	Shear-Wave Elastographic Features of Breast Cancers. <i>Investigative Radiology</i> , 2014, 49, 147-155.	3.5	39
35	Recurrent fusion transcripts detected by whole-transcriptome sequencing of 120 primary breast cancer samples. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 681-691.	1.5	38
36	Predictive Significance of p53, Ki-67, and Bcl-2 Expression for Pathologic Complete Response after Neoadjuvant Chemotherapy for Triple-Negative Breast Cancer. <i>Journal of Breast Cancer</i> , 2015, 18, 16.	0.8	38

#	ARTICLE	IF	CITATIONS
37	Overexpression of HIF1 α and CAXI predicts poor outcome in early-stage triple negative breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 183-190.	1.4	38
38	Prediction of axillary lymph node metastasis in primary breast cancer patients using a decision tree-based model. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 54.	1.5	36
39	Oncogenic role of SIRT1 associated with tumor invasion, lymph node metastasis, and poor disease-free survival in triple negative breast cancer. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 179-185.	1.7	36
40	Management of benign papilloma without atypia diagnosed at ultrasound-guided core needle biopsy: Scoring system for predicting malignancy. <i>European Journal of Surgical Oncology</i> , 2018, 44, 53-58.	0.5	36
41	Breast Cancer Molecular Phenotype and the Use of HER2-Targeted Agents Influence the Accuracy of Breast MRI After Neoadjuvant Chemotherapy. <i>Annals of Surgery</i> , 2013, 257, 133-137.	2.1	35
42	Residual Mammographic Microcalcifications and Enhancing Lesions on MRI After Neoadjuvant Systemic Chemotherapy for Locally Advanced Breast Cancer: Correlation with Histopathologic Residual Tumor Size. <i>Annals of Surgical Oncology</i> , 2016, 23, 1135-1142.	0.7	35
43	Identifying the potential long-term survivors among breast cancer patients with distant metastasis. <i>Annals of Oncology</i> , 2016, 27, 828-833.	0.6	34
44	Comparison of the diagnostic performance of digital breast tomosynthesis and magnetic resonance imaging added to digital mammography in women with known breast cancers. <i>European Radiology</i> , 2016, 26, 1556-1564.	2.3	32
45	Long-term effect of aromatase inhibitors on bone microarchitecture and macroarchitecture in non-osteoporotic postmenopausal women with breast cancer. <i>Osteoporosis International</i> , 2017, 28, 1413-1422.	1.3	32
46	MR imaging features associated with distant metastasis-free survival of patients with invasive breast cancer: a case-control study. <i>Breast Cancer Research and Treatment</i> , 2017, 162, 559-569.	1.1	32
47	Adenoid Cystic Carcinoma of the Breast: A Case Series of Six Patients and Literature Review. <i>Cancer Research and Treatment</i> , 2014, 46, 93-97.	1.3	32
48	Young age is associated with ipsilateral breast tumor recurrence after breast conserving surgery and radiation therapy in patients with HER2-positive/ER-negative subtype. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 499-505.	1.1	31
49	Endoscopic Thyroidectomy Using a Gasless Axillary Approach. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2007, 17, 21-25.	0.5	30
50	Delay of Treatment Initiation Does Not Adversely Affect Survival Outcome in Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 962-969.	1.3	30
51	Decreased annexin A3 expression correlates with tumor progression in papillary thyroid cancer. <i>Proteomics - Clinical Applications</i> , 2010, 4, 528-537.	0.8	29
52	Mammographic features of calcifications in DCIS: correlation with oestrogen receptor and human epidermal growth factor receptor 2 status. <i>European Radiology</i> , 2013, 23, 2072-2078.	2.3	28
53	Detection of Germline Mutations in Breast Cancer Patients with Clinical Features of Hereditary Cancer Syndrome Using a Multi-Gene Panel Test. <i>Cancer Research and Treatment</i> , 2020, 52, 697-713.	1.3	28
54	Discordant ER, PR, and HER2 status between primary and metastatic breast cancer as prognostic factor.. <i>Journal of Clinical Oncology</i> , 2013, 31, 1039-1039.	0.8	28

#	ARTICLE	IF	CITATIONS
55	Reliability of Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2013, 16, 378.	0.8	27
56	Is the high proportion of young age at breast cancer onset a unique feature of Asian breast cancer?. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 189-199.	1.1	27
57	Comparable Survival Between pN0 Breast Cancer Patients Undergoing Sentinel Node Biopsy and Extensive Axillary Dissection: A Report From the Korean Breast Cancer Society. <i>Journal of Clinical Oncology</i> , 2010, 28, 1692-1699.	0.8	25
58	Shear-Wave Elastography for the Detection of Residual Breast Cancer After Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2015, 22, 376-384.	0.7	25
59	Dietary pattern and health-related quality of life among breast cancer survivors. <i>BMC Women's Health</i> , 2018, 18, 65.	0.8	25
60	Prognostic effect of preoperative serum estradiol level in postmenopausal breast cancer. <i>BMC Cancer</i> , 2013, 13, 503.	1.1	24
61	Risk Factors Associated with Distant Metastasis and Survival Outcomes in Breast Cancer Patients with Locoregional Recurrence. <i>Journal of Breast Cancer</i> , 2015, 18, 160.	0.8	24
62	Enhanced anti-tumor activity and cytotoxic effect on cancer stem cell population of metformin-butyrate compared with metformin HCl in breast cancer. <i>Oncotarget</i> , 2016, 7, 38500-38512.	0.8	24
63	Can We Skip Intraoperative Evaluation of Sentinel Lymph Nodes? Nomogram Predicting Involvement of Three or More Axillary Lymph Nodes before Breast Cancer Surgery. <i>Cancer Research and Treatment</i> , 2017, 49, 1088-1096.	1.3	24
64	Expression of SIRT1 and apoptosis-related proteins is predictive for lymph node metastasis and disease-free survival in luminal A breast cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 563-570.	1.4	23
65	Reproductive factors as risk modifiers of breast cancer in BRCA mutation carriers and high-risk non-carriers. <i>Oncotarget</i> , 2017, 8, 102110-102118.	0.8	23
66	Preoperative serum tissue polypeptide-specific antigen is a valuable prognostic marker in breast cancer. <i>International Journal of Cancer</i> , 2013, 132, 875-881.	2.3	22
67	Tissue transglutaminase-interleukin-6 axis facilitates peritoneal tumor spreading and metastasis of human ovarian cancer cells. <i>Laboratory Animal Research</i> , 2015, 31, 188.	1.1	22
68	Malignant peripheral nerve sheath tumor arising from the colon in a newborn: report of a case and review of the literatures. <i>Journal of Pediatric Surgery</i> , 2006, 41, e19-e22.	0.8	21
69	Evaluation of tumor extent in breast cancer patients using real-time MR navigated ultrasound: Preliminary study. <i>European Journal of Radiology</i> , 2012, 81, 3208-3215.	1.2	21
70	The Value of Ki67 in Very Young Women with Hormone Receptor-Positive Breast Cancer: Retrospective Analysis of 9,321 Korean Women. <i>Annals of Surgical Oncology</i> , 2015, 22, 3481-3488.	0.7	20
71	New insight on the biological role of p53 protein as a tumor suppressor: re-evaluation of its clinical significance in triple-negative breast cancer. <i>Tumor Biology</i> , 2016, 37, 11017-11024.	0.8	20
72	Different prognosis of young breast cancer patients in their 20s and 30s depending on subtype: a nationwide study from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 833-842.	1.1	20

#	ARTICLE	IF	CITATIONS
73	Adherence to Guidelines for Cancer Survivors and Health-Related Quality of Life among Korean Breast Cancer Survivors. <i>Nutrients</i> , 2015, 7, 10307-10319.	1.7	19
74	In Vivo Tumor Growth Rate Measured by US in Preoperative Period and Long Term Disease Outcome in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0144144.	1.1	19
75	Prognostic Influence of BCL2 on Molecular Subtypes of Breast Cancer. <i>Journal of Breast Cancer</i> , 2017, 20, 54.	0.8	19
76	Breast Sparganosis Presenting as a Breast Mass with Vague Migrating Pain. <i>Journal of the American College of Surgeons</i> , 2008, 207, 292.	0.2	18
77	Up-regulation of RhoGDI2 in Human Breast Cancer and Its Prognostic Implications. <i>Cancer Research and Treatment</i> , 2010, 42, 151.	1.3	18
78	Perspective Insight into Future Potential Fusion Gene Transcript Biomarker Candidates in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 502.	1.8	17
79	JAK2 regulates paclitaxel resistance in triple negative breast cancers. <i>Journal of Molecular Medicine</i> , 2021, 99, 1783-1795.	1.7	17
80	Development and Validation of a Novel Plasma Protein Signature for Breast Cancer Diagnosis by Using Multiple Reaction Monitoring-based Mass Spectrometry. <i>Anticancer Research</i> , 2015, 35, 6271-9.	0.5	17
81	Grade of Ductal Carcinoma In Situ Accompanying Infiltrating Ductal Carcinoma As an Independent Prognostic Factor. <i>Clinical Breast Cancer</i> , 2013, 13, 385-391.	1.1	16
82	Transfer-RNA-mediated enhancement of ribosomal proteins S6 kinases signaling for cell proliferation. <i>RNA Biology</i> , 2018, 15, 635-648.	1.5	16
83	Effect of multiple invasive foci on breast cancer outcomes according to the molecular subtypes: a report from the Korean Breast Cancer Society. <i>Annals of Oncology</i> , 2013, 24, 2298-2304.	0.6	15
84	Low Rates of Additional Cancer Detection by Magnetic Resonance Imaging in Newly Diagnosed Breast Cancer Patients Who Undergo Preoperative Mammography and Ultrasonography. <i>Journal of Breast Cancer</i> , 2014, 17, 167.	0.8	15
85	Factors associated with late recurrence after completion of 5-year adjuvant tamoxifen in estrogen receptor positive breast cancer. <i>BMC Cancer</i> , 2016, 16, 430.	1.1	15
86	Development of a Nomogram to Predict the Recurrence Score of 21-Gene Prediction Assay in Hormone Receptor-Positive Early Breast Cancer. <i>Clinical Breast Cancer</i> , 2020, 20, 98-107.e1.	1.1	15
87	Oncologic outcomes after immediate breast reconstruction following mastectomy: comparison of implant and flap using propensity score matching. <i>BMC Cancer</i> , 2020, 20, 78.	1.1	15
88	S100A8/A9 mediate the reprogramming of normal mammary epithelial cells induced by dynamic cell-cell interactions with adjacent breast cancer cells. <i>Scientific Reports</i> , 2021, 11, 1337.	1.6	15
89	The Clinical Significance and Molecular Features of the Spatial Tumor Shapes in Breast Cancers. <i>PLoS ONE</i> , 2015, 10, e0143811.	1.1	15
90	Cowden Syndrome Presenting as Breast Cancer: Imaging and Clinical Features. <i>Korean Journal of Radiology</i> , 2014, 15, 586.	1.5	14

#	ARTICLE	IF	CITATIONS
91	Immune recurrence score using 7 immunoregulatory protein expressions can predict recurrence in stage I-III breast cancer patients. <i>British Journal of Cancer</i> , 2019, 121, 230-236.	2.9	14
92	Estrogen receptor status confers a distinct pattern of response to neoadjuvant chemotherapy: implications for optimal durations of therapy. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1133-1140.	1.1	13
93	Validation of a Scoring System for Predicting Malignancy in Patients Diagnosed with Atypical Ductal Hyperplasia Using an Ultrasound-Guided Core Needle Biopsy. <i>Journal of Breast Cancer</i> , 2012, 15, 407.	0.8	13
94	Clinical Usefulness of AJCC Response Criteria for Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 2242-2249.	0.7	12
95	Survival Improvement in Korean Breast Cancer Patients Due to Increases in Early-Stage Cancers and Hormone Receptor Positive/HER2 Negative Subtypes: A Nationwide Registry-Based Study. <i>Journal of Breast Cancer</i> , 2015, 18, 8.	0.8	12
96	Prognostic Role of Androgen Receptor Expression in Surgically Resected Early Breast Cancer Patients. <i>Journal of Breast Cancer</i> , 2020, 23, 182.	0.8	12
97	Landscape of Actionable Genetic Alterations Profiled from 1,071 Tumor Samples in Korean Cancer Patients. <i>Cancer Research and Treatment</i> , 2019, 51, 211-222.	1.3	12
98	Comparative characterization of 3D chromatin organization in triple-negative breast cancers. <i>Experimental and Molecular Medicine</i> , 2022, 54, 585-600.	3.2	12
99	Targeting epidermal growth factor receptor in paclitaxel-resistant human breast and lung cancer cells with upregulated glucose-6-phosphate dehydrogenase. <i>British Journal of Cancer</i> , 2022, 127, 661-674.	2.9	12
100	The use of FNA samples for whole-exome sequencing and detection of somatic mutations in breast cancer surgical specimens. <i>Cancer Cytopathology</i> , 2015, 123, 669-677.	1.4	11
101	Prognostic impact of AJCC response criteria for neoadjuvant chemotherapy in stage II/III breast cancer patients: breast cancer subtype analyses. <i>BMC Cancer</i> , 2016, 16, 515.	1.1	11
102	Effects of tamoxifen and aromatase inhibitors on the risk of acute coronary syndrome in elderly breast cancer patients: An analysis of nationwide data. <i>Breast</i> , 2020, 54, 25-30.	0.9	11
103	Ki-67 Expression is a Significant Prognostic Factor Only When Progesterone Receptor Expression is Low in Estrogen Receptor-Positive and HER2-Negative Early Breast Cancer. <i>Journal of Oncology</i> , 2019, 2019, 1-8.	0.6	11
104	A Validation Study of a Multiple Reaction Monitoring-Based Proteomic Assay to Diagnose Breast Cancer. <i>Journal of Breast Cancer</i> , 2019, 22, 579.	0.8	11
105	Phosphorylation of p90RSK is associated with increased response to neoadjuvant chemotherapy in ER-positive breast cancer. <i>BMC Cancer</i> , 2012, 12, 585.	1.1	10
106	Loss of ataxia-telangiectasia-mutated protein expression correlates with poor prognosis but benefits from anthracycline-containing adjuvant chemotherapy in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2016, 158, 233-241.	1.1	10
107	Prognostic Impact of Pregnancy in Korean Patients with Breast Cancer. <i>Oncologist</i> , 2019, 24, e1268-e1276.	1.9	10
108	Association between Number of Retrieved Sentinel Lymph Nodes and Breast Cancer-related Lymphedema. <i>Journal of Breast Cancer</i> , 2021, 24, 63.	0.8	10

#	ARTICLE	IF	CITATIONS
109	Calsequestrin 2 overexpression in breast cancer increases tumorigenesis and metastasis by modulating the tumor microenvironment. <i>Molecular Oncology</i> , 2022, 16, 466-484.	2.1	10
110	Diffusion-weighted Breast MRI in Prediction of Upstaging in Women with Biopsy-proven Ductal Carcinoma in Situ. <i>Radiology</i> , 2022, 305, 307-316.	3.6	10
111	A histomorphologic predictive model for axillary lymph node metastasis in preoperative breast cancer core needle biopsy according to intrinsic subtypes. <i>Human Pathology</i> , 2015, 46, 246-254.	1.1	9
112	ROR1±2 requires LSD1 to enhance tumor progression in breast cancer. <i>Scientific Reports</i> , 2017, 7, 11994.	1.6	9
113	Prognostic role of body mass index is different according to menopausal status and tumor subtype in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 453-460.	1.1	9
114	Nomogram for Predicting Breast Conservation after Neoadjuvant Chemotherapy. <i>Cancer Research and Treatment</i> , 2015, 47, 197-207.	1.3	8
115	A proposal for a new classification of T4 breast cancer as stage IIIC: a report from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 153-160.	1.1	8
116	Prognostic effects of abnormal DNA damage response protein expression in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 117-127.	1.1	8
117	Association of Insulin, Metformin, and Statin with Mortality in Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2021, 53, 65-76.	1.3	8
118	Development of a FFQ for breast cancer survivors in Korea. <i>British Journal of Nutrition</i> , 2016, 116, 1781-1786.	1.2	7
119	Time interval of neoadjuvant chemotherapy to surgery in breast cancer: how long is acceptable?. <i>Gland Surgery</i> , 2017, 6, 1-3.	0.5	7
120	Effect of standard low-dose anthracycline chemotherapy on late congestive heart failure in breast cancer survivors aged between 50 and 59Åat diagnosis: A nationwide study. <i>Breast</i> , 2020, 53, 125-129.	0.9	7
121	Endocrine Treatment-Related Symptoms and Patient Outcomes in Breast Cancer: A Meta-Analysis. <i>Journal of Breast Cancer</i> , 2018, 21, 37.	0.8	6
122	Intensity of metastasis screening and survival outcomes in patients with breast cancer. <i>Scientific Reports</i> , 2021, 11, 2851.	1.6	6
123	Dietary Intake Status among Korean Female Breast Cancer Survivors. <i>Korean Journal of Community Nutrition</i> , 2014, 19, 163.	0.1	6
124	The value of intraoperative imprint cytology in the assessment of lymph node status in gastric cancer surgery. <i>Gastric Cancer</i> , 2005, 8, 245-248.	2.7	5
125	Factors Affecting the Ipsilateral Breast Tumor Recurrence after Breast Conserving Therapy in Patients with T1 and T2 Tumors. <i>Journal of Breast Cancer</i> , 2009, 12, 324.	0.8	5
126	Patients with Concordant Triple-Negative Phenotype between Primary Breast Cancers and Corresponding Metastases Have Poor Prognosis. <i>Journal of Breast Cancer</i> , 2016, 19, 268.	0.8	5

#	ARTICLE	IF	CITATIONS
127	Personalized neoadjuvant strategy in luminal A breast cancer to increase breast conserving surgery (BCS) rate [PLATO study].. Journal of Clinical Oncology, 2020, 38, TPS603-TPS603.	0.8	5
128	Protein Phosphatase 1H, Cyclin-Dependent Kinase Inhibitor p27, and Cyclin-Dependent Kinase 2 in Paclitaxel Resistance for Triple Negative Breast Cancers. Journal of Breast Cancer, 2020, 23, 162.	0.8	5
129	Ki-67 level in hormone receptor positive breast cancer patients: A retrospective review of 9,061 Korean women.. Journal of Clinical Oncology, 2013, 31, 551-551.	0.8	5
130	17p12 deletion in breast cancer predicts resistance to neoadjuvant chemotherapy. Experimental and Therapeutic Medicine, 2011, 2, 799-804.	0.8	4
131	Efficacy of Exemestane in Korean Patients with Metastatic Breast Cancer after Failure of Nonsteroidal Aromatase Inhibitors. Journal of Breast Cancer, 2013, 16, 66.	0.8	4
132	Reduced proliferation in breast cancer cells contacting the neighboring adipocytes in human breast cancer tissues. Breast Cancer Research, 2015, 17, 90.	2.2	4
133	The Association between the Adherence to Dietary Guidelines for Breast Cancer Survivors and Health-related Quality of Life among Korean Breast Cancer Survivors. Korean Journal of Community Nutrition, 2015, 20, 129.	0.1	4
134	The treatment outcomes and the use of adjuvant therapies in breast cancer patients with severe co-morbidities. PLoS ONE, 2017, 12, e0173721.	1.1	4
135	An objective nodal staging system for breast cancer patients undergoing neoadjuvant systemic treatment. BMC Cancer, 2017, 17, 389.	1.1	3
136	Dynamic and subtype-specific interactions between tumour burden and prognosis in breast cancer. Scientific Reports, 2020, 10, 15445.	1.6	3
137	Patient-Derived Xenograft Models in Breast Cancer Research. Advances in Experimental Medicine and Biology, 2021, 1187, 283-301.	0.8	3
138	Nutrient intakes from supplement and factors associated with supplement use among breast cancer survivors: A cross-sectional study. European Journal of Cancer Care, 2021, 30, e13447.	0.7	3
139	Actual Conversion Rate from Total Mastectomy to Breast Conservation after Neoadjuvant Chemotherapy for Stages II-III Breast Cancer Patients. Journal of Breast Disease, 2017, 5, 51-56.	0.2	3
140	Abstract PD15-08: Window of opportunity trial of neoadjuvant olaparib and durvalumab for triple negative or low ER-positive breast cancer. Cancer Research, 2022, 82, PD15-08-PD15-08.	0.4	3
141	Polo-Like Kinase 1 Regulates Chromosomal Instability and Paclitaxel Resistance in Breast Cancer Cells. Journal of Breast Cancer, 2022, 25, 178.	0.8	3
142	Clinicopathological Characteristics and Factors Affecting Recurrence of Ductal Carcinoma In Situ in Korean Women. Journal of Breast Cancer, 2010, 13, 392.	0.8	2
143	The Effect of Reproductive Factors on Breast Cancer Presentation in Women Who Are BRCA Mutation Carrier. Journal of Breast Cancer, 2017, 20, 279.	0.8	2
144	Effect of prolonged cold ischemic time on immunohistochemical testing of estrogen receptor, progesterone receptor, and HER2 expression in breast cancer.. Journal of Clinical Oncology, 2014, 32, e11505-e11505.	0.8	2

#	ARTICLE	IF	CITATIONS
145	The Impact of Primary Tumor Resection on the Survival of Patients with Stage IV Breast Cancer. <i>Journal of Breast Cancer</i> , 2010, 13, 90.	0.8	1
146	Limitations of Conventional Contrast-enhanced MRI in Selecting Sentinel Node Biopsy Candidates among DCIS Patients. <i>Journal of Breast Cancer</i> , 2010, 13, 154.	0.8	1
147	Impact of Chemotherapy-Induced Ovarian Dysfunction on Response to Neoadjuvant Chemotherapy in Breast Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 391-397.	0.7	1
148	FoxM1 as a potential therapeutic target for triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, e22063-e22063.	0.8	1
149	Clinical Implication of Galectin-1 Expression in Human Breast Cancer. <i>Journal of Breast Cancer</i> , 2006, 9, 36.	0.8	1
150	Efficacy of Letrozole as First-Line Treatment of Postmenopausal Women with Hormone Receptor-Positive Metastatic Breast Cancer in Korea. <i>Cancer Research and Treatment</i> , 2017, 49, 454-463.	1.3	1
151	Efficacy of Breast Ultrasonography for Detection of Local, Regional, and Contralateral Recurrence of Breast Cancer. <i>Journal of Breast Cancer</i> , 2010, 13, 403.	0.8	1
152	Breast Cancer: Serum TPS as a Biomarker. <i>Biomarkers in Disease</i> , 2015, , 417-427.	0.0	1
153	The Roles of Modern Breast Imaging Techniques for Evaluation of Lobular Carcinoma <i>&lt;i>in Situ</i> of the Breast. <i>Journal of Breast Disease</i> , 2015, 3, 71-76.	0.2	1
154	Mastocheck: Notable plasma protein biomarker for diagnosis of breast cancer in the real clinical practice by using multiple reaction monitoring-based mass spectrometry.. <i>Journal of Clinical Oncology</i> , 2019, 37, 3044-3044.	0.8	1
155	Reply to M.-H. Tan et al. <i>Journal of Clinical Oncology</i> , 2010, 28, e178-e179.	0.8	0
156	Breast Cancer: Serum TPS as a Biomarker. , 2014, , 1-9.		0
157	Usefulness of staging chest-CT in patients with operable breast cancer. <i>PLoS ONE</i> , 2021, 16, e0246563.	1.1	0
158	Abstract PS10-13: Impact of trastuzumab on Ipsilateral breast tumor recurrence after breast conserving surgery. , 2021, , .		0
159	The Emotional Status, Attitudes in Decision-Making Process, and Their Impact on Surgical Choices in Korean Breast Cancer Patients. <i>Journal of Oncology</i> , 2021, 2021, 1-6.	0.6	0
160	Thyroidectomy in Patients with Hashimoto's Thyroiditis Presenting as a Distinct Thyroid Nodule. <i>The Korean Journal of Endocrine Surgery</i> , 2007, 7, 155.	0.1	0
161	The role and significance of FoxM1 in invasive breast cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, 1056-1056.	0.8	0
162	Identification and validation of plasma protein biomarker panels for breast cancer diagnosis by using multiple reaction monitoring-based mass spectrometry.. <i>Journal of Clinical Oncology</i> , 2012, 30, 10621-10621.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Breast-conserving surgery after neoadjuvant chemotherapy for stage III breast cancer patients.. Journal of Clinical Oncology, 2012, 30, e11532-e11532.	0.8	0
164	Nomogram for predicting breast-conservation surgery after neoadjuvant chemotherapy.. Journal of Clinical Oncology, 2013, 31, 1128-1128.	0.8	0
165	Factors associated with adherence to adjuvant endocrine therapy in patients with hormone receptor positive breast cancer.. Journal of Clinical Oncology, 2014, 32, e11502-e11502.	0.8	0
166	Dietary patterns and health-related quality of life among Korean breast cancer survivors. FASEB Journal, 2015, 29, 736.3.	0.2	0
167	A proposal for a new classification of T4 breast cancer as stage IIIc.. Journal of Clinical Oncology, 2015, 33, e11585-e11585.	0.8	0
168	Correlation between tumor-free axillary lymph node morphology and clinicopathologic features in invasive breast cancer.. Journal of Clinical Oncology, 2015, 33, e12059-e12059.	0.8	0
169	The Effect of Cold Ischemic Time on Immunohistochemical Evaluation of Invasive Ductal Carcinoma. Journal of Breast Disease, 2015, 3, 60-64.	0.2	0
170	Clinical significance of axillary lymph node count in axillary dissection following neoadjuvant chemotherapy for breast cancer.. Journal of Clinical Oncology, 2016, 34, e12508-e12508.	0.8	0
171	Correlation of loss of ataxia-telangiectasia-mutated protein expression with poor prognosis and benefit from anthracycline containing adjuvant chemotherapy in breast cancer.. Journal of Clinical Oncology, 2016, 34, e23268-e23268.	0.8	0
172	A survey investigating the current situation of the international visiting scholar program at the department of surgery in Korea. Annals of Surgical Treatment and Research, 2020, 99, 189.	0.4	0
173	Abstract P2-11-07: Mammographic density is associated with increased risk of contralateral breast cancers but not of ipsilateral breast tumor recurrences. Cancer Research, 2022, 82, P2-11-07-P2-11-07.	0.4	0
174	Abstract P3-18-12: Achieving negative margin after repeated attempts for lumpectomy does not nullify the risk of ipsilateral breast tumor recurrences. Cancer Research, 2022, 82, P3-18-12-P3-18-12.	0.4	0
175	Abstract 6241: Macc1 regulates breast cancer progression and metastasis via remodeling tumor immune microenvironment. Cancer Research, 2022, 82, 6241-6241.	0.4	0