

Olivera S StamenkoviÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7172258/publications.pdf>

Version: 2024-02-01

75
papers

4,890
citations

109321

35
h-index

95266

68
g-index

78
all docs

78
docs citations

78
times ranked

4616
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodiesel production from camelina oil: Present status and future perspectives. <i>Food and Energy Security</i> , 2023, 12, e340.	4.3	9
2	Circular economy in apple processing industry: Biodiesel production from waste apple seeds. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2022, 28, 237-245.	0.7	4
3	Transesterification of used cooking sunflower oil catalyzed by hazelnut shell ash. <i>Renewable Energy</i> , 2022, 183, 103-113.	8.9	8
4	Camelina seed harvesting, storing, pretreating, and processing to recover oil: A review. <i>Industrial Crops and Products</i> , 2022, 178, 114539.	5.2	13
5	A further study of the kinetics and optimization of the essential oil hydrodistillation from lavender flowers. <i>Chinese Journal of Chemical Engineering</i> , 2021, 29, 126-130.	3.5	12
6	Waste Vegetable Oils, Fats, and Cooking Oils in Biodiesel Production. <i>Handbook of Environmental Engineering</i> , 2021, , 147-263.	0.4	3
7	Modeling the biodiesel production using the wheat straw ash as a catalyst. <i>Hemijaska Industrija</i> , 2021, 75, 257-276.	0.7	5
8	Optimization of the used sunflower oil methanolysis catalyzed by hazelnut shell ash. <i>Advanced Technologies</i> , 2021, 10, 32-39.	0.4	1
9	The influence of fatty acid composition on the kinetics of the vegetable oil methanolysis reaction. <i>Advanced Technologies</i> , 2021, 10, 24-31.	0.4	2
10	Valorization of walnut shell ash as a catalyst for biodiesel production. <i>Renewable Energy</i> , 2020, 147, 1033-1043.	8.9	82
11	Kinetic, thermodynamic and optimization study of the corn germ oil extraction process. <i>Food and Bioproducts Processing</i> , 2020, 120, 91-103.	3.6	18
12	Extraction of Oil from Rosehip Seed: Kinetics, Thermodynamics, and Optimization. <i>Chemical Engineering and Technology</i> , 2020, 43, 2373-2381.	1.5	12
13	Production of biofuels from sorghum. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 124, 109769.	16.4	88
14	White Mustard (<i>Sinapis alba</i> L.) Oil in Biodiesel Production: A Review. <i>Frontiers in Plant Science</i> , 2020, 11, 299.	3.6	36
15	Modeling of biodiesel production: Performance comparison of Boxâ€œBehnken, face central composite and full factorial design. <i>Chinese Journal of Chemical Engineering</i> , 2019, 27, 1690-1698.	3.5	34
16	Optimization and kinetic modeling of waste lard methanolysis in a continuous reciprocating plate reactor. <i>Chinese Journal of Chemical Engineering</i> , 2019, 27, 2481-2490.	3.5	8
17	Optimization of CaO-catalyzed sunflower oil methanolysis with crude biodiesel as a cosolvent. <i>Fuel</i> , 2019, 237, 903-910.	6.4	42
18	Triethanolamine as an efficient cosolvent for biodiesel production by CaO-catalyzed sunflower oil ethanolysis: An optimization study. <i>Hemijaska Industrija</i> , 2019, 73, 351-362.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Statistical modeling and optimization of ultrasound-assisted biodiesel production using various experimental designs. <i>Materials Protection</i> , 2019, 60, 70-80.	0.9	7
20	Influence of various cosolvents on the calcium oxide-catalyzed ethanolysis of sunflower oil. <i>Journal of the Serbian Chemical Society</i> , 2019, 84, 253-265.	0.8	4
21	Kinetic modeling and optimization of sunflower oil methanolysis catalyzed by spherically-shaped CaO/ β -Al ₂ O ₃ catalyst. <i>Energy Conversion and Management</i> , 2018, 163, 122-133.	9.2	21
22	Kinetic modeling and optimization of biodiesel production from white mustard (<i>Sinapis alba</i> L.) seed oil by quicklime-catalyzed transesterification. <i>Fuel</i> , 2018, 223, 125-139.	6.4	26
23	Statistical modeling and optimization of classical and ultrasound-assisted extraction of the minerals from <i>Galium mollugo</i> L. by response surface methodology and genetic algorithm. <i>Journal of Food Processing and Preservation</i> , 2018, 42, e13552.	2.0	2
24	Comparison of Box-Behnken, Face Central Composite and Full Factorial Designs in Optimization of Hempseed Oil Extraction by n-Hexane: a Case Study. <i>Periodica Polytechnica: Chemical Engineering</i> , 2018, 62, 359-367.	1.1	26
25	Biodiesel production from corn oil: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 91, 531-548.	16.4	152
26	Optimization and kinetic modeling of oil extraction from white mustard (<i>Sinapis alba</i> L.) seeds. <i>Industrial Crops and Products</i> , 2018, 121, 132-141.	5.2	27
27	Optimization of biodiesel production from corn oil by methanolysis catalyzed by corn cob ash. <i>Reciklaža i Održivi Razvoj</i> , 2018, 11, 53-62.	0.5	4
28	Application of nano CaO-based catalysts in biodiesel synthesis. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 72, 746-760.	16.4	176
29	Synthesis and characterization of spherically-shaped CaO/ β -Al ₂ O ₃ catalyst and its application in biodiesel production. <i>Energy Conversion and Management</i> , 2017, 144, 399-413.	9.2	62
30	Technological, technical, economic, environmental, social, human health risk, toxicological and policy considerations of biodiesel production and use. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 79, 222-247.	16.4	112
31	Waste Lard Methanolysis Catalyzed by KOH at Moderate Temperatures. <i>Chemical Engineering and Technology</i> , 2016, 39, 741-750.	1.5	9
32	Application of ionic liquids and deep eutectic solvents in biodiesel production: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 61, 473-500.	16.4	178
33	Modeling and optimization of sunflower oil methanolysis over quicklime bits in a packed bed tubular reactor using the response surface methodology. <i>Energy Conversion and Management</i> , 2016, 130, 25-33.	9.2	30
34	Biodiesel production by methanolysis of waste lard from piglet roasting over quicklime. <i>Fuel</i> , 2016, 182, 454-466.	6.4	26
35	Calcium oxide as a promising heterogeneous catalyst for biodiesel production: Current state and perspectives. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 56, 1387-1408.	16.4	262
36	Optimization and kinetic modeling of esterification of the oil obtained from waste plum stones as a pretreatment step in biodiesel production. <i>Waste Management</i> , 2016, 48, 619-629.	7.4	66

#	ARTICLE	IF	CITATIONS
37	Optimization and kinetics of sunflower oil methanolysis catalyzed by calcium oxide-based catalyst derived from palm kernel shell biochar. <i>Fuel</i> , 2016, 163, 304-313.	6.4	117
38	Further study on kinetic modeling of sunflower oil methanolysis catalyzed by calcium-based catalysts. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2016, 22, 137-144.	0.7	9
39	Kinetics of the sunflower oil ethanolysis using CaO as catalyst. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2016, 22, 409-418.	0.7	23
40	Continuous sunflower oil methanolysis over quicklime in a packed-bed tubular reactor. <i>Fuel</i> , 2015, 154, 301-307.	6.4	24
41	Kinetic Modeling of Sunflower Oil Methanolysis Catalyzed by Calcium-Based Catalysts. <i>Chemical Engineering and Technology</i> , 2015, 38, 1550-1556.	1.5	18
42	Purification of crude biodiesel obtained by heterogeneously-catalyzed transesterification. <i>Renewable and Sustainable Energy Reviews</i> , 2015, 49, 500-516.	16.4	93
43	A calcium oxide-based catalyst derived from palm kernel shell gasification residues for biodiesel production. <i>Fuel</i> , 2015, 150, 519-525.	6.4	94
44	Optimization of KOH-catalyzed methanolysis of hempseed oil. <i>Energy Conversion and Management</i> , 2015, 103, 235-243.	9.2	19
45	Optimization of sunflower oil ethanolysis catalyzed by calcium oxide: RSM versus ANN-GA. <i>Energy Conversion and Management</i> , 2015, 105, 1149-1156.	9.2	79
46	A Kinetic Study of Sunflower Oil Methanolysis Catalyzed by Barium Hydroxide. <i>Chemical Engineering and Technology</i> , 2014, 37, 2143-2151.	1.5	9
47	Cost analysis of simulated base-catalyzed biodiesel production processes. <i>Energy Conversion and Management</i> , 2014, 84, 405-413.	9.2	43
48	A kinetic study of quicklime-catalyzed sunflower oil methanolysis. <i>Chemical Engineering Research and Design</i> , 2014, 92, 1740-1752.	5.6	42
49	The kinetics and thermodynamics of hempseed oil extraction by n-hexane. <i>Industrial Crops and Products</i> , 2014, 52, 679-686.	5.2	63
50	The wastewater treatment in the biodiesel production with alkali-catalyzed transesterification. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 32, 40-60.	16.4	95
51	Purification technologies for crude biodiesel obtained by alkali-catalyzed transesterification. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 32, 1-15.	16.4	120
52	Waste animal fats as feedstocks for biodiesel production. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 32, 238-254.	16.4	287
53	The kinetic and thermodynamic analysis of ultrasound-extraction of minerals from aerial parts of white lady's bedstraw (<i>Galium mollugo</i> L.). <i>Chemical Engineering Research and Design</i> , 2014, 92, 1399-1409.	5.6	15
54	The biodiesel production from the cotton thistle seed oil (<i>Onopordum acanthium</i> L.). <i>Savremene Tehnologije</i> , 2014, 3, 35-45.	0.0	3

#	ARTICLE	IF	CITATIONS
55	Optimization of base-catalyzed ethanolsis of sunflower oil by regression and artificial neural network models. <i>Fuel Processing Technology</i> , 2013, 114, 101-108.	7.2	46
56	Kinetic modeling and optimization of maceration and ultrasound-extraction of resinoid from the aerial parts of white lady's bedstraw (<i>Galium mollugo</i> L.). <i>Ultrasonics Sonochemistry</i> , 2013, 20, 525-534.	8.2	63
57	The effects of cosolvents on homogeneously and heterogeneously base-catalyzed methanolysis of sunflower oil. <i>Fuel</i> , 2013, 107, 493-502.	6.4	24
58	Optimization of ultrasound-assisted base-catalyzed methanolysis of sunflower oil using response surface and artificial neural network methodologies. <i>Chemical Engineering Journal</i> , 2013, 215-216, 82-89.	12.7	60
59	Optimization of hempseed oil extraction by n-hexane. <i>Industrial Crops and Products</i> , 2013, 48, 133-143.	5.2	95
60	Application of the full factorial design to optimization of base-catalyzed sunflower oil ethanolsis. <i>Fuel</i> , 2013, 104, 433-442.	6.4	43
61	Empirical modeling the ultrasound-assisted base-catalyzed sunflower oil methanolysis kinetics. <i>Chemical Industry and Chemical Engineering Quarterly</i> , 2012, 18, 115-127.	0.7	27
62	Biodiesel production by ultrasound-assisted transesterification: State of the art and the perspectives. <i>Renewable and Sustainable Energy Reviews</i> , 2012, 16, 1193-1209.	16.4	165
63	Biodiesel production from non-edible plant oils. <i>Renewable and Sustainable Energy Reviews</i> , 2012, 16, 3621-3647.	16.4	396
64	The production of biodiesel from vegetable oils by ethanolsis: Current state and perspectives. <i>Fuel</i> , 2011, 90, 3141-3155.	6.4	196
65	Kinetics of the base-catalyzed sunflower oil ethanolsis. <i>Fuel</i> , 2010, 89, 665-671.	6.4	99
66	The optimization of the ultrasound-assisted base-catalyzed sunflower oil methanolysis by a full factorial design. <i>Fuel Processing Technology</i> , 2010, 91, 1551-1557.	7.2	44
67	Modeling the kinetics of calcium hydroxide catalyzed methanolysis of sunflower oil. <i>Bioresource Technology</i> , 2010, 101, 4423-4430.	9.6	38
68	Heterogeneous base-catalyzed methanolysis of vegetable oils: State of art. <i>Hemijaska Industrija</i> , 2010, 64, 63-80.	0.7	9
69	Continuous biodisel productions: A review. <i>Hemijaska Industrija</i> , 2009, 63, 1-10.	0.7	4
70	Kinetics of sunflower oil methanolysis catalyzed by calcium oxide. <i>Fuel</i> , 2009, 88, 1554-1562.	6.4	218
71	Kinetics of sunflower oil methanolysis at low temperatures. <i>Bioresource Technology</i> , 2008, 99, 1131-1140.	9.6	145
72	The effect of agitation intensity on alkali-catalyzed methanolysis of sunflower oil. <i>Bioresource Technology</i> , 2007, 98, 2688-2699.	9.6	133

#	ARTICLE	IF	CITATIONS
73	Biodiesel production from tobacco (<i>Nicotiana tabacum</i> L.) seed oil with a high content of free fatty acids. <i>Fuel</i> , 2006, 85, 2671-2675.	6.4	345
74	Biodiesel production by enzyme-catalyzed transesterification. <i>Hemijska Industrija</i> , 2005, 59, 49-59.	0.7	9
75	The gas holdup in a multiphase reciprocating plate column filled with carboxymethylcellulose solutions. <i>Journal of the Serbian Chemical Society</i> , 2005, 70, 1533-1544.	0.8	3