

# Aleksandra Gilis-Januszezewska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7172803/publications.pdf>

Version: 2024-02-01

62  
papers

508  
citations

840119

11  
h-index

713013

21  
g-index

66  
all docs

66  
docs citations

66  
times ranked

901  
citing authors

#	ARTICLE	IF	CITATIONS
1	Peptide receptor radionuclide therapy as a tool for the treatment of severe hypoglycemia in patients with primary inoperable insulinoma. <i>Bio-Algorithms and Med-Systems</i> , 2022, 17, 221-226.	1.0	3
2	Randomized Trial of Osilodrostat for the Treatment of Cushing Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2882-e2895.	1.8	31
3	Heterogeneity of the Clinical Presentation of the MEN1 LRG_509 c.781C>T (p.Leu261Phe) Variant Within a Three-Generation Family. <i>Genes</i> , 2021, 12, 512.	1.0	2
4	Diversity of Pathological Conditions Affecting Pituitary Stalk. <i>Journal of Clinical Medicine</i> , 2021, 10, 1692.	1.0	6
5	Diverse Manifestation of Acromegaly With Suspicion of Ectopic GHRH Secretion. Report of Two Cases. <i>Journal of the Endocrine Society</i> , 2021, 5, A582-A583.	0.1	0
6	Testing of Adrenal Axis Function in Patients With Combined Pituitary Hormone Deficiency Caused by PROP1 Mutation. <i>Journal of the Endocrine Society</i> , 2021, 5, A635-A635.	0.1	0
7	One Fourth of Adult Patients With Acromegaly Have Tall Stature With Similar Frequency in Males And Females. <i>Journal of the Endocrine Society</i> , 2021, 5, A647-A647.	0.1	0
8	Osilodrostat Is an Effective and Well-Tolerated Treatment for Cushing's Disease (CD): Results From a Phase III Study With an Upfront, Randomized, Double-Blind, Placebo-Controlled Phase (LINC 4). <i>Journal of the Endocrine Society</i> , 2021, 5, A516-A517.	0.1	6
9	Pituitary Stalk Lesions - Single Center Long Term Observation. <i>Journal of the Endocrine Society</i> , 2021, 5, A631-A632.	0.1	0
10	Intrasellar Cavernous Hemangioma, a Rare Condition Causing Both Radiological And Clinical Difficulties- a Case Report. <i>Journal of the Endocrine Society</i> , 2021, 5, A589-A590.	0.1	0
11	Hyperinsulinemic Hypoglycemia in Three Generations of a Family with Glucokinase Activating Mutation, c.295T>C (p.Trp99Arg). <i>Genes</i> , 2021, 12, 1566.	1.0	3
12	Multiple Endocrine Neoplasia Type 1. , 2021, , 491-504.		0
13	Clinical Approach to Neuroendocrine Neoplasm Associated With Ovarian Teratoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 770266.	1.5	5
14	Self-Administration of Long-Acting Somatostatin Analogues in NET Patients—Does It Affect the Clinical Outcome?. <i>Medicina (Lithuania)</i> , 2021, 57, 1287.	0.8	2
15	Pregnancy, thyroid, and the potential use of selenium. <i>Hormones</i> , 2020, 19, 47-53.	0.9	27
16	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. <i>PLoS ONE</i> , 2020, 15, e0231196.	1.1	23
17	Ectopic ACTH syndrome of different origin—Diagnostic approach and clinical outcome. Experience of one Clinical Centre. <i>PLoS ONE</i> , 2020, 15, e0242679.	1.1	14
18	Traumatic brain injuries induced pituitary dysfunction: a call for algorithms. <i>Endocrine Connections</i> , 2020, 9, R112-R123.	0.8	22

#	ARTICLE	IF	CITATIONS
19	Radiological and hormonal improvements in a 22-year-old patient with lymphocytic hypophysitis – the watchful waiting approach. <i>Endokrynologia Polska</i> , 2020, 71, 104-105.	0.3	1
20	Acromegaly and late-onset primary hyperparathyroidism in a female with a rare MEN1 gene variant of yet undetermined clinical significance (p.Val167Ala). <i>Endokrynologia Polska</i> , 2020, 71, 579-580.	0.3	1
21	Difficulties in the diagnosis and treatment of malignant paraganglioma of the urinary bladder. <i>Endokrynologia Polska</i> , 2020, 71, 196-197.	0.3	1
22	The effectiveness of a community-based, type 2 diabetes prevention programme on health-related quality of life. The DE-PLAN study. <i>PLoS ONE</i> , 2019, 14, e0221467.	1.1	11
23	Hypophysitis – new insights into diagnosis and treatment. <i>Endokrynologia Polska</i> , 2019, 70, 260-269.	0.3	8
24	The value of the free androgen index depends on the phenotype of polycystic ovary syndrome – a single-centre experience. <i>Endokrynologia Polska</i> , 2019, 70, 330-335.	0.3	7
25	Pituitary tumours in MEN1 syndrome – the new insight into the diagnosis and treatment. <i>Endokrynologia Polska</i> , 2019, 70, 445-452.	0.3	2
26	Predictors of completing a primary health care diabetes prevention intervention programme in people at high risk of type 2 diabetes. <i>Medicine (United States)</i> , 2018, 97, e9790.	0.4	5
27	Determinants of weight outcomes in type 2 diabetes prevention intervention in primary health care setting (the DE-PLAN project). <i>BMC Public Health</i> , 2018, 18, 97.	1.2	10
28	Predictors of long term weight loss maintenance in patients at high risk of type 2 diabetes participating in a lifestyle intervention program in primary health care: The DE-PLAN study. <i>PLoS ONE</i> , 2018, 13, e0194589.	1.1	12
29	Temozolomide therapy for aggressive pituitary Crouse's cells corticotropinoma causing Cushing's Disease: A case report with literature review. <i>Endokrynologia Polska</i> , 2018, 69, 306-312.	0.3	3
30	Sustained diabetes risk reduction after real life and primary health care setting implementation of the diabetes in Europe prevention using lifestyle, physical activity and nutritional intervention (DE-PLAN) project. <i>BMC Public Health</i> , 2017, 17, 198.	1.2	44
31	Pituitary insufficiency following traumatic thoracic injury in an adolescent male patient. <i>Medicine (United States)</i> , 2017, 96, e8406.	0.4	2
32	A novel in-frame deletion in MEN1 (p.Ala416del) causes familial multiple endocrine neoplasia type 1 with an aggressive phenotype and unexpected inheritance pattern. <i>Molecular Medicine Reports</i> , 2016, 14, 2061-2066.	1.1	2
33	<sup>99m</sup> Tc Labeled Glucagon-Like Peptide-1-Analogue ( <sup>99m</sup> Tc-GLP1) Scintigraphy in the Management of Patients with Occult Insulinoma. <i>PLoS ONE</i> , 2016, 11, e0160714.	1.1	30
34	Metabolic syndrome as a useful tool in the identification of persons with an increased risk of nonfatal cardiovascular events in the Polish urban population – a prospective study. <i>Folia Cardiologica</i> , 2016, 11, 261-267.	0.1	0
35	Nieinsulinowa hipoglikemia trzustkowa u dorosłych – przegląd...d genetyki. <i>Endokrynologia Polska</i> , 2015, 66, 344-354.	0.3	2
36	Glucagon-like peptide-1 receptor imaging with [Lys40(Ahx-HYNIC- <sup>99m</sup> Tc/EDDA)NH <sub>2</sub> ]-exendin-4 for the detection of insulinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 524-531.	3.3	96

#	ARTICLE	IF	CITATIONS
37	Current and Future Medical Therapy, and the Molecular Features of Adrenocortical Cancer. Recent Patents on Anti-Cancer Drug Discovery, 2012, 7, 132-145.	0.8	5
38	Prevention of type 2 diabetes by lifestyle intervention in primary health care setting in Poland: Diabetes in Europe Prevention using Lifestyle, physical Activity and Nutritional intervention (DE-PLAN) project. British Journal of Diabetes and Vascular Disease, 2011, 11, 198-203.	0.6	23
39	Can treatment using radiolabelled somatostatin analogue increase the survival rate in patients with non-functioning neuroendocrine pancreatic tumours?. Nuclear Medicine Review, 2011, 14, 73-78.	0.3	10
40	Dietary habits in three Central and Eastern European countries: the HAPIEE study. BMC Public Health, 2009, 9, 439.	1.2	88
41	Progression to impaired glucose metabolism in normal glucose tolerant urban population. Endocrine Abstracts, 0, , .	0.0	0
42	Six-years experience in the treatment of the neuroendocrine tumors with the use of peptide receptor radionuclide therapy (PRRT). Endocrine Abstracts, 0, , .	0.0	0
43	Factors influencing survival of patients diagnosed with gastro-entero-pancreatic neuroendocrine tumors in Krakow and Krakow district area. Endocrine Abstracts, 0, , .	0.0	0
44	99mTc-GLP-1 scintigraphy, an efficient method for the detection of insulinoma: results of 3 years' experience. Endocrine Abstracts, 0, , .	0.0	0
45	Epidemiology of gastro-entero-pancreatic neuroendocrine tumors in Krakow and Krakow district area. Endocrine Abstracts, 0, , .	0.0	0
46	Gastro-entero-pancreatic neuroendocrine tumors (GEPNETs) - 10 year experience of one center. Endocrine Abstracts, 0, , .	0.0	0
47	Cushing's syndrome caused by ectopic corticotrophin secretion. Endocrine Abstracts, 0, , .	0.0	0
48	Maintenance of risk reduction during 3-year follow up in prevention of type 2 diabetes by lifestyle intervention in primary health care setting: Diabetes in Europe Prevention using Lifestyle, physical Activity and Nutritional intervention (DE-PLAN) project. Endocrine Abstracts, 0, , .	0.0	0
49	Could 99mTc labelled glucagon-like peptide 1 analogue scintigraphy be an answer for patients with persistent hypoglycaemia?. Endocrine Abstracts, 0, , .	0.0	0
50	Temozolomide treatment in pituitary tumor causing Cushing's Disease resistant to conventional therapy - case report. Endocrine Abstracts, 0, , .	0.0	0
51	Pituitary insufficiency following traumatic thoracic injury in adolescent male patient-case study. Endocrine Abstracts, 0, , .	0.0	0
52	Long term results and determinants of outcomes in primary health care diabetes prevention. The DE-PLAN project. Endocrine Abstracts, 0, , .	0.0	0
53	Hyperinsulinaemic hypoglycaemia in the three generations of a family with GCK, c.295T>C (p.Trp99Arg) mutation. Endocrine Abstracts, 0, , .	0.0	0
54	The long time observation, treatment modalities and outcomes in patients with childhood/adult onset of craniopharyngioma. Endocrine Abstracts, 0, , .	0.0	0

#	ARTICLE	IF	CITATIONS
55	Adrenal axis deterioration in the families/sporadic patients with PROP1 mutation, over 30 years of single center longitudinal observation. Endocrine Abstracts, 0, , .	0.0	0
56	Malignant paraganglioma of the urinary bladder-diagnosis and management - a case report. Endocrine Abstracts, 0, , .	0.0	0
57	Long term observation of patients with pituitary stalk lesions - single center experience. Endocrine Abstracts, 0, , .	0.0	0
58	The time, mode and markers of pituitary function deterioration in patients with PROP1 mutation. Single centre, longitudinal observation. Endocrine Abstracts, 0, , .	0.0	0
59	Metabolic status of patients with combined pituitary hormone deficiency due to PROP1 mutation. Endocrine Abstracts, 0, , .	0.0	0
60	Midparental height is an important predictive parameter in a late diagnosis of acromegaly and gigantism in adults. Single centre, pilot study. Endocrine Abstracts, 0, , .	0.0	0
61	The characteristic of patients with pituitary stalk lesions “single center,long term observation. Endocrine Abstracts, 0, , .	0.0	0
62	Metabolic abnormalities in patients with childhood onset of hypopituitarism “single center,long term observation. Endocrine Abstracts, 0, , .	0.0	0