

Jesus Ariel Carrasco-Ochoa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7172871/jesus-ariel-carrasco-ochoa-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

1,484
citations

20
h-index

35
g-index

121
ext. papers

1,851
ext. citations

3.2
avg. IF

5.19
L-index

#	Paper	IF	Citations
112	A review of instance selection methods. <i>Artificial Intelligence Review</i> , 2010 , 34, 133-143	9.7	205
111	A review of unsupervised feature selection methods. <i>Artificial Intelligence Review</i> , 2020 , 53, 907-948	9.7	131
110	Study of the impact of resampling methods for contrast pattern based classifiers in imbalanced databases. <i>Neurocomputing</i> , 2016 , 175, 935-947	5.4	94
109	A new fast prototype selection method based on clustering. <i>Pattern Analysis and Applications</i> , 2010 , 13, 131-141	2.3	93
108	A new hybrid filter-wrapper feature selection method for clustering based on ranking. <i>Neurocomputing</i> , 2016 , 214, 866-880	5.4	61
107	Assessment and prediction of air quality using fuzzy logic and autoregressive models. <i>Atmospheric Environment</i> , 2012 , 60, 37-50	5.3	52
106	PBC4cip: A new contrast pattern-based classifier for class imbalance problems. <i>Knowledge-Based Systems</i> , 2017 , 115, 100-109	7.3	49
105	Water quality assessment in shrimp culture using an analytical hierarchical process. <i>Ecological Indicators</i> , 2013 , 29, 148-158	5.8	42
104	Immediate water quality assessment in shrimp culture using fuzzy inference systems. <i>Expert Systems With Applications</i> , 2012 , 39, 10571-10582	7.8	37
103	A new Unsupervised Spectral Feature Selection Method for mixed data: A filter approach. <i>Pattern Recognition</i> , 2017 , 72, 314-326	7.7	34
102	General framework for class-specific feature selection. <i>Expert Systems With Applications</i> , 2011 , 38, 10018-10024	7.8	33
101	LCMine: An efficient algorithm for mining discriminative regularities and its application in supervised classification. <i>Pattern Recognition</i> , 2010 , 43, 3025-3034	7.7	29
100	A survey of emerging patterns for supervised classification. <i>Artificial Intelligence Review</i> , 2014 , 42, 705-727	7.7	26
99	Fuzzy emerging patterns for classifying hard domains. <i>Knowledge and Information Systems</i> , 2011 , 28, 473-489	2.4	26
98	Mining patterns for clustering on numerical datasets using unsupervised decision trees. <i>Knowledge-Based Systems</i> , 2015 , 82, 70-79	7.3	25
97	Mining frequent patterns and association rules using similarities. <i>Expert Systems With Applications</i> , 2013 , 40, 6823-6836	7.8	23
96	OClustR: A new graph-based algorithm for overlapping clustering. <i>Neurocomputing</i> , 2013 , 121, 234-247	5.4	23

95	An Empirical Study of Oversampling and Undersampling for Instance Selection Methods on Imbalance Datasets. <i>Lecture Notes in Computer Science</i> , 2013 , 262-269	0.9	23
94	Finding the best diversity generation procedures for mining contrast patterns. <i>Expert Systems With Applications</i> , 2015 , 42, 4859-4866	7.8	22
93	On the relation between rough set reducts and typical testors. <i>Information Sciences</i> , 2015 , 294, 152-163	7.7	20
92	InstanceRank based on borders for instance selection. <i>Pattern Recognition</i> , 2013 , 46, 365-375	7.7	20
91	An Explainable Artificial Intelligence Model for Clustering Numerical Databases. <i>IEEE Access</i> , 2020 , 8, 52370-52384	3.5	18
90	An algorithm based on density and compactness for dynamic overlapping clustering. <i>Pattern Recognition</i> , 2013 , 46, 3040-3055	7.7	18
89	Effect of class imbalance on quality measures for contrast patterns: An experimental study. <i>Information Sciences</i> , 2016 , 374, 179-192	7.7	17
88	Evaluation of quality measures for contrast patterns by using unseen objects. <i>Expert Systems With Applications</i> , 2017 , 83, 104-113	7.8	16
87	Mining maximal frequent patterns in a single graph using inexact matching. <i>Knowledge-Based Systems</i> , 2014 , 66, 166-177	7.3	15
86	CAR-NF: A classifier based on specific rules with high netconf. <i>Intelligent Data Analysis</i> , 2012 , 16, 49-68	1.1	15
85	A review of conceptual clustering algorithms. <i>Artificial Intelligence Review</i> , 2019 , 52, 1267-1296	9.7	14
84	Cost-Sensitive Pattern-Based classification for Class Imbalance problems. <i>IEEE Access</i> , 2019 , 7, 60411-60427	3.7	12
83	Full duplicate candidate pruning for frequent connected subgraph mining. <i>Integrated Computer-Aided Engineering</i> , 2010 , 17, 211-225	5.2	12
82	Building fast decision trees from large training sets. <i>Intelligent Data Analysis</i> , 2012 , 16, 649-664	1.1	11
81	An Empirical Study of Oversampling and Undersampling Methods for LCMine an Emerging Pattern Based Classifier. <i>Lecture Notes in Computer Science</i> , 2013 , 264-273	0.9	11
80	A Pattern-Based Approach for Detecting Pneumatic Failures on Temporary Immersion Bioreactors. <i>Sensors</i> , 2019 , 19,	3.8	10
79	AGraP: an algorithm for mining frequent patterns in a single graph using inexact matching. <i>Knowledge and Information Systems</i> , 2015 , 44, 385-406	2.4	10
78	Hardware/software platform for computing irreducible testors. <i>Expert Systems With Applications</i> , 2012 , 39, 2203-2210	7.8	9

77	RP-Miner: a relaxed prune algorithm for frequent similar pattern mining. <i>Knowledge and Information Systems</i> , 2011 , 27, 451-471	2.4	9
76	Closed frequent similar pattern mining: Reducing the number of frequent similar patterns without information loss. <i>Expert Systems With Applications</i> , 2018 , 96, 271-283	7.8	9
75	A fast hardware software platform for computing irreducible testors. <i>Expert Systems With Applications</i> , 2015 , 42, 9612-9619	7.8	8
74	An empirical comparison among quality measures for pattern based classifiers. <i>Intelligent Data Analysis</i> , 2014 , 18, S5-S17	1.1	8
73	SMOTE-D a Deterministic Version of SMOTE. <i>Lecture Notes in Computer Science</i> , 2016 , 177-188	0.9	8
72	Gate Detection for Micro Aerial Vehicles using a Single Shot Detector. <i>IEEE Latin America Transactions</i> , 2019 , 17, 2045-2052	0.7	8
71	Using Maximum Similarity Graphs to Edit Nearest Neighbor Classifiers. <i>Lecture Notes in Computer Science</i> , 2009 , 489-496	0.9	7
70	A New Emerging Pattern Mining Algorithm and Its Application in Supervised Classification. <i>Lecture Notes in Computer Science</i> , 2010 , 150-157	0.9	7
69	A new algorithm for reduct computation based on gap elimination and attribute contribution. <i>Information Sciences</i> , 2018 , 435, 111-123	7.7	6
68	A new algorithm for approximate pattern mining in multi-graph collections. <i>Knowledge-Based Systems</i> , 2016 , 109, 198-207	7.3	6
67	Improving graph-based image classification by using emerging patterns as attributes. <i>Engineering Applications of Artificial Intelligence</i> , 2016 , 50, 215-225	7.2	6
66	Decision tree induction using a fast splitting attribute selection for large datasets. <i>Expert Systems With Applications</i> , 2011 , 38, 14290-14290	7.8	6
65	Prototype selection based on sequential search. <i>Intelligent Data Analysis</i> , 2009 , 13, 599-631	1.1	6
64	Fast k most similar neighbor classifier for mixed data (tree k-MSN). <i>Pattern Recognition</i> , 2010 , 43, 873-886	7.7	6
63	Mining Frequent Connected Subgraphs Reducing the Number of Candidates. <i>Lecture Notes in Computer Science</i> , 2008 , 365-376	0.9	6
62	A new algorithm for computing reducts based on the binary discernibility matrix. <i>Intelligent Data Analysis</i> , 2016 , 20, 317-337	1.1	6
61	Deterministic oversampling methods based on SMOTE. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 36, 4945-4955	1.6	5
60	Mining Frequent Similar Patterns on Mixed Data. <i>Lecture Notes in Computer Science</i> , 2008 , 136-144	0.9	5

59	An improved algorithm for partial clustering. <i>Expert Systems With Applications</i> , 2019 , 121, 282-291	7.8	5
58	Classification based on specific rules and inexact coverage. <i>Expert Systems With Applications</i> , 2012 , 39, 11203-11211	7.8	4
57	Mining patterns for clustering using unsupervised decision trees. <i>Intelligent Data Analysis</i> , 2015 , 19, 1297-1310	7.1	4
56	A new algorithm for mining frequent connected subgraphs based on adjacency matrices. <i>Intelligent Data Analysis</i> , 2010 , 14, 385-403	1.1	4
55	Algorithms for mining frequent itemsets in static and dynamic datasets. <i>Intelligent Data Analysis</i> , 2010 , 14, 419-435	1.1	4
54	A dynamic clustering algorithm for building overlapping clusters. <i>Intelligent Data Analysis</i> , 2012 , 16, 211-232	2.3	4
53	Mining Generalized Closed Patterns from Multi-graph Collections. <i>Lecture Notes in Computer Science</i> , 2018 , 10-18	0.9	4
52	Class-Specific Reducts vs. Classic Reducts in a Rule-Based Classifier: A Case Study. <i>Lecture Notes in Computer Science</i> , 2018 , 23-30	0.9	4
51	Cascading an Emerging Pattern Based Classifier. <i>Lecture Notes in Computer Science</i> , 2010 , 240-249	0.9	4
50	Nested Dichotomies Based on Clustering. <i>Lecture Notes in Computer Science</i> , 2012 , 162-169	0.9	4
49	New Penalty Scheme for Optimal Subsequence Bijection. <i>Lecture Notes in Computer Science</i> , 2013 , 206-213	0.9	4
48	Finding Small Consistent Subset for the Nearest Neighbor Classifier Based on Support Graphs. <i>Lecture Notes in Computer Science</i> , 2009 , 465-472	0.9	4
47	Extension of Canonical Adjacency Matrices for Frequent Approximate Subgraph Mining on Multi-Graph Collections. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , 2017 , 31, 1750025	1.1	3
46	Accurate and fast prototype selection based on the notion of relevant and border prototypes. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 34, 2923-2934	1.6	3
45	Combining hybrid rule ordering strategies based on netconf and a novel satisfaction mechanism for CAR-based classifiers. <i>Intelligent Data Analysis</i> , 2014 , 18, S89-S100	1.1	3
44	A New Method Based on Graph Transformation for FAS Mining in Multi-graph Collections. <i>Lecture Notes in Computer Science</i> , 2015 , 13-22	0.9	3
43	New Dissimilarity Measures for Ultraviolet Spectra Identification. <i>Lecture Notes in Computer Science</i> , 2010 , 220-229	0.9	3
42	Comparing Quality Measures for Contrast Pattern Classifiers. <i>Lecture Notes in Computer Science</i> , 2013 , 311-318	0.9	3

41	Improved Hieroglyph Representation for Image Retrieval. <i>Journal on Computing and Cultural Heritage</i> , 2019 , 12, 1-15	1.8	2
40	Detecting Pneumatic Failures on Temporary Immersion Bioreactors. <i>Lecture Notes in Computer Science</i> , 2016 , 293-302	0.9	2
39	Hybrid feature selection method for biomedical datasets 2012 ,		2
38	Combining Techniques to Find the Number of Bins for Discretization 2013 ,		2
37	Graph Clustering via Inexact Patterns. <i>Lecture Notes in Computer Science</i> , 2014 , 391-398	0.9	2
36	Taking Advantage of Class-Specific Feature Selection. <i>Lecture Notes in Computer Science</i> , 2009 , 1-8	0.9	2
35	A New Document Author Representation for Authorship Attribution. <i>Lecture Notes in Computer Science</i> , 2012 , 283-292	0.9	2
34	A New Overlapping Clustering Algorithm Based on Graph Theory. <i>Lecture Notes in Computer Science</i> , 2013 , 61-72	0.9	2
33	Computing Constructs by Using Typical Testor Algorithms. <i>Lecture Notes in Computer Science</i> , 2015 , 44-53.9		2
32	Extensions to AGraP Algorithm for Finding a Reduced Set of Inexact Graph Patterns. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , 2018 , 32, 1860012	1.1	2
31	Image Clustering Based on Frequent Approximate Subgraph Mining. <i>Lecture Notes in Computer Science</i> , 2018 , 189-198	0.9	2
30	Bag of k-nearest visual words for hieroglyph retrieval. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 36, 4981-4990	1.6	1
29	A Different Approach for Pruning Micro-clusters in Data Stream Clustering. <i>Lecture Notes in Computer Science</i> , 2015 , 33-43	0.9	1
28	A Glance to the Goldman Testors from the Point of View of Rough Set Theory. <i>Lecture Notes in Computer Science</i> , 2016 , 189-197	0.9	1
27	Sensitivity analysis of fuzzy Goldman typical testors. <i>Fuzzy Sets and Systems</i> , 2004 , 141, 241-257	3.7	1
26	The Impact of Basic Matrix Dimension on the Performance of Algorithms for Computing Typical Testors. <i>Lecture Notes in Computer Science</i> , 2018 , 41-50	0.9	1
25	On the Use of Constructs for Rule-Based Classification: A Case Study. <i>Lecture Notes in Computer Science</i> , 2019 , 327-335	0.9	1
24	Towards Selecting Reducts for Building Decision Rules for Rule-Based Classifiers. <i>Lecture Notes in Computer Science</i> , 2020 , 67-75	0.9	1

23	Are Reducts and Typical Testors the Same?. <i>Lecture Notes in Computer Science</i> , 2014 , 294-301	0.9	1
22	A Novel Contrast Pattern Selection Method for Class Imbalance Problems. <i>Lecture Notes in Computer Science</i> , 2017 , 42-52	0.9	1
21	Using Non Boolean Similarity Functions for Frequent Similar Pattern Mining. <i>Lecture Notes in Computer Science</i> , 2010 , 374-378	0.9	1
20	Feature Space Reduction for Graph-Based Image Classification. <i>Lecture Notes in Computer Science</i> , 2013 , 246-253	0.9	1
19	Easy Categorization of Attributes in Decision Tables Based on Basic Binary Discernibility Matrix. <i>Lecture Notes in Computer Science</i> , 2013 , 302-310	0.9	1
18	A node linkage approach for sequential pattern mining. <i>PLoS ONE</i> , 2014 , 9, e95418	3.7	1
17	Duplicate Candidate Elimination and Fast Support Calculation for Frequent Subgraph Mining. <i>Lecture Notes in Computer Science</i> , 2009 , 292-299	0.9	1
16	Mining clique frequent approximate subgraphs from multi-graph collections. <i>Applied Intelligence</i> , 2020 , 50, 878-892	4.9	1
15	Linear model optimizer vs Neural Networks: A comparison for improving the quality and saving of LED-Lighting control systems 2016 ,		1
14	An Oversampling Method for Class Imbalance Problems on Large Datasets. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3424	2.6	1
13	Frequent similar pattern mining using non Boolean similarity functions. <i>Journal of Intelligent and Fuzzy Systems</i> , 2019 , 36, 4931-4944	1.6	0
12	Revisiting two-stage feature selection based on coverage policies for text classification. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 34, 2949-2957	1.6	0
11	Genetic Algorithm for Multidimensional Scaling over Mixed and Incomplete Data. <i>Lecture Notes in Computer Science</i> , 2012 , 226-235	0.9	0
10	Correlation of Resampling Methods for Contrast Pattern Based Classifiers. <i>Lecture Notes in Computer Science</i> , 2015 , 93-102	0.9	
9	Algorithm for computing all the shortest reducts based on a new pruning strategy. <i>Information Sciences</i> , 2022 , 585, 113-126	7.7	
8	Including Foreground and Background Information in Maya Hieroglyph Representation. <i>Lecture Notes in Computer Science</i> , 2018 , 238-247	0.9	
7	Multi-graph Frequent Approximate Subgraph Mining for Image Clustering. <i>Lecture Notes in Computer Science</i> , 2018 , 133-140	0.9	
6	Prototype Selection for Graph Embedding Using Instance Selection. <i>Lecture Notes in Computer Science</i> , 2015 , 84-92	0.9	

- 5 Designing RBFNNs Using Prototype Selection. *Lecture Notes in Computer Science*, **2010**, 189-198 0.9
- 4 A Modification of the Lernmatrix for Real Valued Data Processing. *Lecture Notes in Computer Science*, **2012**, 487-494 0.9
- 3 CAR-NF + : An Improved Version of CAR-NF Classifier. *Lecture Notes in Computer Science*, **2012**, 455-462 0.9
- 2 Experimental Comparison of Oversampling Methods for Mixed Datasets. *Lecture Notes in Computer Science*, **2021**, 78-88 0.9
- 1 Encoding hieroglyph segments to represent hieroglyphs following the bag of visual word model for retrieval. *Expert Systems With Applications*, **2022**, 116983 7.8