

Sunggyu Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7173324/sunggyu-lee-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,389
citations

22
h-index

36
g-index

50
ext. papers

1,727
ext. citations

8.8
avg, IF

4.91
L-index

#	Paper	IF	Citations
48	Emission of bisphenol analogues including bisphenol A and bisphenol F from wastewater treatment plants in Korea. <i>Chemosphere</i> , 2015 , 119, 1000-1006	8.4	138
47	Occurrence and exposure assessment of organophosphate flame retardants (OPFRs) through the consumption of drinking water in Korea. <i>Water Research</i> , 2016 , 103, 182-188	12.5	95
46	Parabens in sediment and sewage sludge from the United States, Japan, and Korea: spatial distribution and temporal trends. <i>Environmental Science & Technology</i> , 2013 , 47, 10895-902	10.3	90
45	Emission of artificial sweeteners, select pharmaceuticals, and personal care products through sewage sludge from wastewater treatment plants in Korea. <i>Environment International</i> , 2014 , 68, 33-40	12.9	82
44	Organophosphate flame retardants (OPFRs) in water and sediment: Occurrence, distribution, and hotspots of contamination of Lake Shihwa, Korea. <i>Marine Pollution Bulletin</i> , 2018 , 130, 105-112	6.7	74
43	Occurrence of PBDEs and other alternative brominated flame retardants in sludge from wastewater treatment plants in Korea. <i>Science of the Total Environment</i> , 2014 , 470-471, 1422-9	10.2	57
42	Perfluoroalkyl substances (PFASs) in breast milk from Korea: Time-course trends, influencing factors, and infant exposure. <i>Science of the Total Environment</i> , 2018 , 612, 286-292	10.2	55
41	Assessment of exposure to polybrominated diphenyl ethers (PBDEs) via seafood consumption and dust ingestion in Korea. <i>Science of the Total Environment</i> , 2013 , 443, 24-30	10.2	54
40	A nationwide survey and emission estimates of cyclic and linear siloxanes through sludge from wastewater treatment plants in Korea. <i>Science of the Total Environment</i> , 2014 , 497-498, 106-112	10.2	49
39	Psychoactive pharmaceuticals in sludge and their emission from wastewater treatment facilities in Korea. <i>Environmental Science & Technology</i> , 2013 , 47, 13321-9	10.3	46
38	Placental transfer of persistent organic pollutants and feasibility using the placenta as a non-invasive biomonitoring matrix. <i>Science of the Total Environment</i> , 2018 , 612, 1498-1505	10.2	40
37	Occurrences of major polybrominated diphenyl ethers (PBDEs) in maternal and fetal cord blood sera in Korea. <i>Science of the Total Environment</i> , 2014 , 491-492, 219-26	10.2	37
36	Polybrominated diphenyl ethers (PBDEs) in breast milk of Korea in 2011: current contamination, time course variation, influencing factors and health risks. <i>Environmental Research</i> , 2013 , 126, 76-83	7.9	37
35	Species-specific accumulation of polybrominated diphenyl ethers (PBDEs) and other emerging flame retardants in several species of birds from Korea. <i>Environmental Pollution</i> , 2016 , 219, 191-200	9.3	32
34	Synthetic musk compounds and benzotriazole ultraviolet stabilizers in breast milk: Occurrence, time-course variation and infant health risk. <i>Environmental Research</i> , 2015 , 140, 466-73	7.9	30
33	An optimized method for the analysis of cyclic and linear siloxanes and their distribution in surface and core sediments from industrialized bays in Korea. <i>Environmental Pollution</i> , 2018 , 236, 111-118	9.3	29
32	Contamination of polychlorinated biphenyls and organochlorine pesticides in breast milk in Korea: time-course variation, influencing factors, and exposure assessment. <i>Chemosphere</i> , 2013 , 93, 1578-85	8.4	29

31	Human exposure to legacy and emerging flame retardants in indoor dust: A multiple-exposure assessment of PBDEs. <i>Science of the Total Environment</i> , 2020 , 719, 137386	10.2	28
30	Newly Identified AhR-Active Compounds in the Sediments of an Industrial Area Using Effect-Directed Analysis. <i>Environmental Science & Technology</i> , 2019 , 53, 10043-10052	10.3	24
29	Occurrence and emission of phthalates and non-phthalate plasticizers in sludge from wastewater treatment plants in Korea. <i>Science of the Total Environment</i> , 2019 , 692, 354-360	10.2	24
28	Historical trends of perfluoroalkyl substances (PFASs) in dated sediments from semi-enclosed bays of Korea. <i>Marine Pollution Bulletin</i> , 2018 , 128, 287-294	6.7	22
27	Accumulation and exposure assessment of persistent chlorinated and fluorinated contaminants in Korean birds. <i>Science of the Total Environment</i> , 2018 , 645, 220-228	10.2	22
26	Polybrominated Diphenyl Ethers in Maternal Serum, Breast Milk, Umbilical Cord Serum, and House Dust in a South Korean Birth Panel of Mother-Neonate Pairs. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	21
25	Organophosphate flame retardants and plasticizers in sediment and bivalves along the Korean coast: Occurrence, geographical distribution, and a potential for bioaccumulation. <i>Marine Pollution Bulletin</i> , 2020 , 156, 111275	6.7	20
24	Occurrence and prenatal exposure to persistent organic pollutants using meconium in Korea: Feasibility of meconium as a non-invasive human matrix. <i>Environmental Research</i> , 2016 , 147, 8-15	7.9	20
23	Spatial and temporal trends of melamine and its derivatives in sediment from Lake Shihwa, South Korea. <i>Journal of Hazardous Materials</i> , 2019 , 373, 671-677	12.8	19
22	Multiple Bioassays and Targeted and Nontargeted Analyses to Characterize Potential Toxicological Effects Associated with Sediments of Masan Bay: Focusing on AhR-Mediated Potency. <i>Environmental Science & Technology</i> , 2020 , 54, 4443-4454	10.3	18
21	Organophosphorus flame retardants (PFRs) and phthalates in floor and road dust from a manual e-waste dismantling facility and adjacent communities in Thailand. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018 , 53, 79-90	2.3	18
20	Phthalates and non-phthalate plasticizers in sediment from Korean coastal waters: Occurrence, spatial distribution, and ecological risks. <i>Marine Pollution Bulletin</i> , 2020 , 154, 111119	6.7	17
19	Major AhR-active chemicals in sediments of Lake Sihwa, South Korea: Application of effect-directed analysis combined with full-scan screening analysis. <i>Environment International</i> , 2019 , 133, 105199	12.9	16
18	Occurrence and exposure assessment of polychlorinated biphenyls and organochlorine pesticides from homemade baby food in Korea. <i>Science of the Total Environment</i> , 2014 , 470-471, 1370-5	10.2	16
17	Persistent organochlorines in 13 shark species from offshore and coastal waters of Korea: Species-specific accumulation and contributing factors. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 115, 195-202	7	16
16	Decline in sediment contamination by persistent toxic substances from the outfall of wastewater treatment plant: Effectiveness of legislative actions in Korea. <i>Chemosphere</i> , 2016 , 153, 426-35	8.4	16
15	Optimization of suspect and non-target analytical methods using GC/TOF for prioritization of emerging contaminants in the Arctic environment. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 181, 11-17	7	13
14	Infant exposure to polybrominated diphenyl ethers (PBDEs) via consumption of homemade baby food in Korea. <i>Environmental Research</i> , 2014 , 134, 396-401	7.9	13

13	Exposure to organophosphate esters, phthalates, and alternative plasticizers in association with uterine fibroids. <i>Environmental Research</i> , 2020 , 189, 109874	7.9	13
12	Legacy and novel flame retardants in water and sediment from highly industrialized bays of Korea: Occurrence, source tracking, decadal time trend, and ecological risks. <i>Marine Pollution Bulletin</i> , 2020 , 160, 111639	6.7	13
11	Polybrominated diphenyl ethers (PBDEs) in floor and road dust from a manual e-waste dismantling facility and adjacent communities in Thailand. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017 , 52, 1284-1294	2.3	11
10	Placental and lactational transfer of decabromodiphenyl ether and 2,2,4,4-tetrabromodiphenyl ether in dam-offspring pairs of Sprague-Dawley rats. <i>Food and Chemical Toxicology</i> , 2017 , 102, 198-203	4.7	9
9	Identification of potential toxicants in sediments from an industrialized area in Pohang, South Korea: Application of a cell viability assay of microalgae using flow cytometry. <i>Journal of Hazardous Materials</i> , 2021 , 405, 124230	12.8	7
8	Prenatal contribution of 2, 2,4, 4-tetrabromodiphenyl ether (BDE-47) to total body burden in young children. <i>Science of the Total Environment</i> , 2018 , 616-617, 510-516	10.2	7
7	Polybrominated diphenyl ethers in thirteen shark species from offshore and coastal waters of Korea. <i>Marine Pollution Bulletin</i> , 2015 , 95, 374-9	6.7	5
6	Severe contamination and time trends of legacy and novel halogenated flame retardants in multiple environmental media from Lake Shihwa, Korea: Effectiveness of regulatory action. <i>Chemosphere</i> , 2021 , 279, 130620	8.4	3
5	Effect-directed identification of novel aryl hydrocarbon receptor-active aromatic compounds in coastal sediments collected from a highly industrialized area. <i>Science of the Total Environment</i> , 2022 , 803, 149969	10.2	3
4	Historical record of legacy and alternative halogenated flame retardants in dated sediment from a highly industrialized saltwater lake in Korea.. <i>Chemosphere</i> , 2022 , 134264	8.4	1
3	Environmental fate and trophic transfer of synthetic musk compounds and siloxanes in Geum River, Korea: Compound-specific nitrogen isotope analysis of amino acids for accurate trophic position estimation.. <i>Environment International</i> , 2022 , 161, 107123	12.9	0
2	Multi-matrix distribution and contamination profiles of HBCDD isomers in a man-made saltwater lake near industrial complexes with high flame retardant consumption in Korea. <i>Marine Pollution Bulletin</i> , 2021 , 172, 112812	6.7	0
1	Identification of AhR agonists in sediments of the Bohai and Yellow Seas using advanced effect-directed analysis and in silico prediction.. <i>Journal of Hazardous Materials</i> , 2022 , 435, 128908	12.8	0