

# Takahiro Sawada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7174865/publications.pdf>

Version: 2024-02-01

25  
papers

1,281  
citations

471371

17  
h-index

677027

22  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1327  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neointimal coverage of sirolimus-eluting stents at 6-month follow-up: evaluated by optical coherence tomography. <i>European Heart Journal</i> , 2007, 28, 961-967.	1.0	320
2	Feasibility of combined use of intravascular ultrasound radiofrequency data analysis and optical coherence tomography for detecting thin-cap fibroatheroma. <i>European Heart Journal</i> , 2008, 29, 1136-1146.	1.0	235
3	Local Determinants of Thrombus Formation Following Sirolimus-Eluting Stent Implantation Assessed by Optical Coherence Tomography. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 459-466.	1.1	128
4	Effects of 6-month eicosapentaenoic acid treatment on postprandial hyperglycemia, hyperlipidemia, insulin secretion ability, and concomitant endothelial dysfunction among newly-diagnosed impaired glucose metabolism patients with coronary artery disease. An open label, single blinded, prospective randomized controlled trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 121.	2.7	76
5	Delayed Neointimalization on Sirolimus-Eluting Stents. <i>Circulation Journal</i> , 2009, 73, 1033-1037.	0.7	74
6	Relation Between Plasma Adiponectin, High-Sensitivity C-Reactive Protein, and Coronary Plaque Components in Patients With Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2008, 101, 1-7.	0.7	69
7	Optical coherence evaluation of everolimus-eluting stents 8 months after implantation. <i>Heart</i> , 2011, 97, 1379-1384.	1.2	59
8	Factors That Influence Measurements and Accurate Evaluation of Stent Apposition by Optical Coherence Tomography Assessment Using a Phantom Model. <i>Circulation Journal</i> , 2009, 73, 1841-1847.	0.7	46
9	Effect of Cytochrome P450 2C19 Polymorphism on Target Lesion Outcome After Drug-Eluting Stent Implantation in Japanese Patients Receiving Clopidogrel. <i>Circulation Journal</i> , 2012, 76, 2348-2355.	0.7	43
10	Very late thrombosis of sirolimus-eluting stent due to late malapposition: Serial observations with optical coherence tomography. <i>Journal of Cardiology</i> , 2008, 52, 290-295.	0.8	37
11	Effect of 3-Month Repeated Administration of Miglitol on Vascular Endothelial Function in Patients With Diabetes Mellitus and Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2012, 109, 42-46.	0.7	28
12	Empagliflozin's Ameliorating Effect on Plasma Triglycerides: Association with Endothelial Function Recovery in Diabetic Patients with Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 644-656.	0.9	28
13	Persistent Malapposition After Implantation of Sirolimus-Eluting Stent Into Intramural Coronary Hematoma Optical Coherence Tomography Observations. <i>Circulation Journal</i> , 2006, 70, 1515-1519.	0.7	27
14	Comparisons of detailed arterial healing response at seven months following implantation of an everolimus- or sirolimus-eluting stent in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 168, 960-966.	0.8	26
15	Possible mechanism of late lumen enlargement after treatment for de novo coronary lesions with drug-coated balloon. <i>International Journal of Cardiology</i> , 2020, 321, 30-37.	0.8	24
16	Comparison of Effects of $\alpha$ -Glucosidase Inhibitors and Glinide Drugs on Endothelial Dysfunction in Diabetic Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2014, 78, 248-255.	0.7	20
17	Possible association between non-invasive parameter of flow-mediated dilatation in brachial artery and whole coronary plaque vulnerability in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2013, 166, 613-620.	0.8	19
18	Detailed comparison of intra-stent conditions 12months after implantation of everolimus-eluting stents in patients with ST-segment elevation myocardial infarction or stable angina pectoris. <i>International Journal of Cardiology</i> , 2014, 171, 224-230.	0.8	15

#	ARTICLE	IF	CITATIONS
19	Comparison of the 9-month intra-stent conditions and 2-year clinical outcomes after Resolute zotarolimus-eluting stent implantation between 3-month and standard dual antiplatelet therapy. <i>Journal of Cardiology</i> , 2018, 72, 66-73.	0.8	3
20	Utility of coronary orbital atherectomy with guideâ€extension system for distally located undilatable inâ€stent restenosis: A case report. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05798.	0.2	2
21	Novel strategy for ostial left anterior descending artery acute myocardial infarction: Combined treatment with directional coronary atherectomy followed by drugâ€coated balloon angioplasty. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 1095-1100.	0.2	1
22	Comparison of the 9-Month Intrastent Condition and 30-Month Clinical Outcomes After Resolute Zotarolimus-Eluting Stent Implantation Between Standard-Duration and 1-Month Dual Antiplatelet Therapy Followed by Prasugrel Monotherapy. <i>Circulation Reports</i> , 2021, 3, 55-65.	0.4	1
23	Additional ablation effect of lowâ€speed rotational atherectomy following highâ€speed rotational atherectomy on early calcified inâ€stent restenosis: A case report. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04550.	0.2	0
24	Dark crescent sign: high-risk calcified coronary plaque detected by electrocardiogram-gated non-contrast computed tomography. <i>European Heart Journal - Case Reports</i> , 2022, 6, ytab519.	0.3	0
25	Trans-radial buddy balloon technique with a lower profile valvuloplasty balloon in transcatheter aortic valve implantation. <i>Cardiovascular Intervention and Therapeutics</i> , 0, , .	1.2	0