

# Shih-Jen Tsai, è”jä, -ä»•

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7174878/publications.pdf>

Version: 2024-02-01

594  
papers

16,317  
citations

25423

59  
h-index

54771

88  
g-index

608  
all docs

608  
docs citations

608  
times ranked

19261  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of attention deficit hyperactivity and autism spectrum disorders among the children of parents with autoimmune diseases: a nationwide birth cohort study. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 283-291.	2.8	11
2	Inflammatory cytokines in and cognitive function of adolescents with first-episode schizophrenia, bipolar disorder, or major depressive disorder. <i>CNS Spectrums</i> , 2023, 28, 70-77.	0.7	8
3	Associations of parental mental disorders and age with childhood mental disorders: a population-based cohort study with four million offspring. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 825-833.	2.8	11
4	Diagnostic progression to schizophrenia in 35,255 patients with obsessive-compulsive disorder: a longitudinal follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 541-551.	1.8	6
5	Dementia risk in middle-aged patients with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of 84,824 subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 219-227.	1.8	2
6	Risk of teenage pregnancy among adolescents with bipolar disorder: a cohort study of 35,398 adolescent girls. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 2001-2008.	2.8	2
7	Risk of parental major psychiatric disorders in patients with comorbid autism spectrum disorder and attention deficit hyperactivity disorder: A population-based family-link study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 583-593.	1.3	1
8	Familial coaggregation of major psychiatric disorders in first-degree relatives of individuals with autism spectrum disorder: a nationwide population-based study. <i>Psychological Medicine</i> , 2022, 52, 1437-1447.	2.7	12
9	Developmental and mental health risks among siblings of patients with autism spectrum disorder: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1361-1366.	2.8	5
10	Effect of relative age on diagnosis of autism spectrum disorder in children: a nationwide study in Taiwan. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1565-1571.	2.8	1
11	The Risk of Alzheimer's Disease After Acute Appendicitis With or Without Appendectomy. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 601-607.e2.	1.2	2
12	Inflammation, cognitive dysfunction, and suicidal ideation among patients with major depression. <i>CNS Spectrums</i> , 2022, 27, 724-730.	0.7	2
13	Baseline Working Memory Predicted Response to Low-Dose Ketamine Infusion in Patients with Treatment-Resistant Depression. <i>Pharmacopsychiatry</i> , 2022, 55, 109-114.	1.7	8
14	Neurofilament Light Chain Is a Novel Biomarker for Major Depression and Related Executive Dysfunction. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 99-105.	1.0	26
15	Global cognitive dysfunction and $\tau$ -amyloid neuropathology in late-life and treatment-resistant major depression. <i>Psychological Medicine</i> , 2022, 52, 4116-4126.	2.7	1
16	Low-dose ketamine infusion in treatment-resistant double depression: Revisiting the adjunctive ketamine study of Taiwanese patients with treatment-resistant depression. <i>Human Psychopharmacology</i> , 2022, 37, e2820.	0.7	2
17	Predictive roles of brain-derived neurotrophic factor Val66Met polymorphism on antidepressant efficacy of different forms of prefrontal brain stimulation monotherapy: A randomized, double-blind, sham-controlled study. <i>Journal of Affective Disorders</i> , 2022, 297, 353-359.	2.0	6
18	Pro-inflammatory cytokines and suicidal behavior among patients with bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2022, 150, 346-352.	1.5	8

#	ARTICLE	IF	CITATIONS
19	Dengue Virus Infection and Risk of Parkinsonâ€™s Disease: A Nationwide Longitudinal Study. <i>Journal of Parkinson's Disease</i> , 2022, 12, 679-687.	1.5	2
20	Cancer risk in patients with bipolar disorder and unaffected siblings of such patients: A nationwide <scp>populationâ€based</scp> study. <i>International Journal of Cancer</i> , 2022, 150, 1579-1586.	2.3	12
21	Type 1 diabetes mellitus and risks of major psychiatric disorders: A nationwide population-based cohort study. <i>Diabetes and Metabolism</i> , 2022, 48, 101319.	1.4	5
22	Bidirectional Association Between Obsessive-Compulsive Disorder and Systemic Autoimmune Diseases Among Proband and Unaffected Siblings: A Nationwide Population-Based Study. <i>Psychosomatic Medicine</i> , 2022, 84, 597-602.	1.3	0
23	Risk of retinal disease in patients with bipolar disorder: A nationwide cohort study. <i>Psychiatry and Clinical Neurosciences</i> , 2022, , .	1.0	1
24	Transcranial Ultrasound Stimulation Reverses Behavior Changes and the Expression of Calcium-Binding Protein in a Rodent Model of Schizophrenia. <i>Neurotherapeutics</i> , 2022, 19, 649-659.	2.1	3
25	Familial aggregation and shared genetic loading for major psychiatric disorders and type 2 diabetes. <i>Diabetologia</i> , 2022, 65, 800-810.	2.9	9
26	Early Antidepressant Resistance in Late-Onset Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	1.1	1
27	Schizophrenia and risk of newâ€onset inflammatory bowel disease: a nationwide longitudinal study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1192-1201.	1.9	14
28	Effectiveness of Digital Cognitive Behavioral Therapy for Insomnia in Young People: Preliminary Findings from Systematic Review and Meta-Analysis. <i>Journal of Personalized Medicine</i> , 2022, 12, 481.	1.1	10
29	Risk of Pain Disorders in Offspring of Parents with Substance Use Disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2022, , .	1.0	1
30	Association of cognitive impairment and reduced cortical thickness in prefrontal cortex and anterior cingulate cortex with treatment-resistant depression. <i>Brain Imaging and Behavior</i> , 2022, 16, 1854-1862.	1.1	4
31	Bacterial pneumonia and subsequent dementia risk: A nationwide cohort study. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 12-18.	2.0	10
32	A nationwide study of the risks of major mental disorders among the offspring of parents with rheumatoid arthritis. <i>Scientific Reports</i> , 2022, 12, 4962.	1.6	13
33	Brain white matter hyperintensities-predicted age reflects neurovascular health in middle-to-old aged subjects. <i>Age and Ageing</i> , 2022, 51, .	0.7	4
34	Associations of Reduced Sympathetic Neural Activity and Elevated Baroreflex Sensitivity With Nonâ€Rapid Eye Movement Sleep: Evidence From Electroencephalogram- and Electrocardiogram-Based Sleep Staging. <i>Psychosomatic Medicine</i> , 2022, 84, 621-631.	1.3	3
35	Bidirectional association between inflammatory bowel disease and depression among patients and their unaffected siblings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1307-1315.	1.4	8
36	Comparison of executive dysfunction, proinflammatory cytokines, and appetite hormones between first-episode and multiple-episode bipolar disorders. <i>CNS Spectrums</i> , 2022, , 1-6.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Frontal asymmetry as a core feature of major depression: a functional near-infrared spectroscopy study. <i>Journal of Psychiatry and Neuroscience</i> , 2022, 47, E186-E193.	1.4	5
38	Attention deficit hyperactivity disorder and risk of migraine: A nationwide longitudinal study. <i>Headache</i> , 2022, 62, 634-641.	1.8	5
39	Rechallenge with Amisulpride in a Patient with Schizophrenia following a Manic Episode during Previous Therapy. <i>Case Reports in Psychiatry</i> , 2022, 2022, 1-3.	0.2	1
40	Cortical excitatory and inhibitory correlates of the fronto-limbic circuit in major depression and differential effects of left frontal brain stimulation in a randomized sham-controlled trial. <i>Journal of Affective Disorders</i> , 2022, 311, 364-370.	2.0	9
41	Associations between brain-derived neurotrophic factor val66met polymorphism, melancholic feature, and treatment refractoriness in patients with treatment-resistant depression. <i>Taiwanese Journal of Psychiatry</i> , 2022, 36, 68.	0.1	0
42	Dose-Dependent Proton Pump Inhibitor Exposure and Risk of Type 2 Diabetes: A Nationwide Nested Caseâ€“Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8739.	1.2	4
43	Role of obesity in systemic low-grade inflammation and cognitive function in patients with bipolar I disorder or major depressive disorder. <i>CNS Spectrums</i> , 2021, 26, 521-527.	0.7	13
44	Role of appetite hormone dysregulation in the cognitive function among patients with bipolar disorder and major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 428-434.	1.3	8
45	High-Frequency External Muscle Stimulation Reduces Depressive Symptoms in Older Male Veterans: A Pilot Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 37-45.	1.2	0
46	Early Pregnancy Risk Among Adolescents With ADHD: A Nationwide Longitudinal Study. <i>Journal of Attention Disorders</i> , 2021, 25, 1199-1206.	1.5	20
47	Inflammatory bowel disease is associated with higher dementia risk: a nationwide longitudinal study. <i>Gut</i> , 2021, 70, 85-91.	6.1	171
48	Timing of the Diagnoses of Attention Deficit Hyperactivity Disorder and Autism Spectrum Disorder in Taiwan. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 790-797.	1.7	11
49	Using classification and regression tree modelling to investigate treatment response to a single low-dose ketamine infusion: Post hoc pooled analyses of randomized placebo-controlled and open-label trials. <i>Journal of Affective Disorders</i> , 2021, 281, 865-871.	2.0	8
50	Difficulty in initiating sleep is associated with poor morning cardiovascular function. <i>Psychiatry Research</i> , 2021, 295, 113518.	1.7	8
51	Role of interleukin 8 in depression and other psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110173.	2.5	44
52	Efficacy and tolerability of theta-burst stimulation for major depression: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110168.	2.5	39
53	Remission of depression is associated with asymmetric hemispheric variation in EEG complexity before antidepressant treatment. <i>Journal of Affective Disorders</i> , 2021, 281, 872-879.	2.0	2
54	Bidirectional association between migraine and depression among probands and unaffected siblings: A nationwide population-based study. <i>Journal of Affective Disorders</i> , 2021, 279, 687-691.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Cardiometabolic disease risk among siblings of patients with major depressive disorder. <i>Journal of Developmental Origins of Health and Disease</i> , 2021, 12, 530-535.	0.7	2
56	Familial coaggregation of major psychiatric disorders among first-degree relatives of patients with obsessive-compulsive disorder: a nationwide study. <i>Psychological Medicine</i> , 2021, 51, 680-687.	2.7	20
57	Association Study of Alcohol Dehydrogenase and Aldehyde Dehydrogenase Polymorphism With Alzheimer Disease in the Taiwanese Population. <i>Frontiers in Neuroscience</i> , 2021, 15, 625885.	1.4	6
58	Task-Modulated Brain Activity Predicts Antidepressant Responses of Prefrontal Repetitive Transcranial Magnetic Stimulation: A Randomized Sham-Control Study. <i>Chronic Stress</i> , 2021, 5, 247054702110068.	1.7	4
59	Current Updates on Newer Forms of Transcranial Magnetic Stimulation in Major Depression. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1305, 333-349.	0.8	16
60	Interest-activity symptom severity predicts response to ketamine infusion in treatment-resistant depression. <i>Psychopharmacology</i> , 2021, 238, 857-865.	1.5	3
61	The Human Brain Is Best Described as Being on a Female/Male Continuum: Evidence from a Neuroimaging Connectivity Study. <i>Cerebral Cortex</i> , 2021, 31, 3021-3033.	1.6	18
62	Proinflammatory Cytokine Dysregulation and Cognitive Dysfunction Among Patients with Remitted Bipolar I and II Disorders. <i>Journal of Affective Disorders</i> , 2021, 281, 738-743.	2.0	8
63	Proton Pump Inhibitor Exposure and Acute Myocardial Infarction Risk: A Nested Cohort Study. <i>Cardiovascular Toxicology</i> , 2021, 21, 444-450.	1.1	6
64	Group Music Intervention Using Percussion Instruments to Reduce Anxiety Among Elderly Male Veterans with Alzheimer Disease. <i>Medical Science Monitor</i> , 2021, 27, e928714.	0.5	5
65	Differential Patterns of Gyral and Sulcal Morphological Changes During Normal Aging Process. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 625931.	1.7	13
66	Using classification and regression tree modeling to investigate appetite hormones and proinflammatory cytokines as biomarkers to differentiate bipolar I depression from major depressive disorder. <i>CNS Spectrums</i> , 2021, , 1-7.	0.7	10
67	Risk of Substance Use Disorder and Its Associations With Comorbidities and Psychotropic Agents in Patients With Autism. <i>JAMA Pediatrics</i> , 2021, 175, e205371.	3.3	46
68	Prenatal exposure to acetaminophen increases the risk of atopic dermatitis in children: A nationwide nested caseâ€control study in Taiwan. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1080-1088.	1.1	1
69	Association between gastrointestinal symptoms and depression among older adults in Taiwan: A cross-sectional study. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 331-335.	0.6	11
70	Treatment response to low-dose ketamine infusion for treatment-resistant depression: A gene-based genome-wide association study. <i>Genomics</i> , 2021, 113, 507-514.	1.3	22
71	Factors Affecting Delayed Initiation and Continuation of Medication Use for Attention-Deficit/Hyperactivity Disorder: A Nationwide Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2021, 31, 197-204.	0.7	0
72	The Risk of Epilepsy after Long-term Proton Pump Inhibitor Therapy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 87, 88-93.	0.9	6

#	ARTICLE	IF	CITATIONS
73	Risks of Major Mental Disorders and Irritable Bowel Syndrome among the Offspring of Parents with Irritable Bowel Syndrome: A Nationwide Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4679.	1.2	9
74	Effects of treatment refractoriness and brain-derived neurotrophic factor Val66Met polymorphism on antidepressant response to low-dose ketamine infusion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1267-1274.	1.8	11
75	Obsessive-Compulsive Disorder and Dementia Risk. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	6
76	Differential Age Trajectories of White Matter Changes Between Sexes Correlate with Cognitive Performances. <i>Brain Connectivity</i> , 2021, 11, 759-771.	0.8	2
77	Prediction of Probable Major Depressive Disorder in the Taiwan Biobank: An Integrated Machine Learning and Genome-Wide Analysis Approach. <i>Journal of Personalized Medicine</i> , 2021, 11, 597.	1.1	6
78	Effect of relative age on childhood mental health: A cohort of 9,548,393 children and adolescents. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 168-177.	2.2	3
79	Genome-wide association study in the Taiwan Biobank identifies four novel genes for human height: <i>NABP2</i> , <i>SA2</i> , <i>RNF41</i> and <i>SLC39A5</i> . <i>Human Molecular Genetics</i> , 2021, 30, 2362-2369.	1.4	3
80	Postpartum Depression and Psychosis and Subsequent Severe Mental Illnesses in Mothers and Neurodevelopmental Disorders in Children. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	9
81	An association study in the Taiwan Biobank elicits three novel candidates for cognitive aging in old adults: <i>NCAM1</i> , <i>TTC12</i> and <i>ZBTB20</i> . <i>Aging</i> , 2021, 13, 18769-18788.	1.4	3
82	Increased Risk of Stroke in Patients With Obsessive-Compulsive Disorder: A Nationwide Longitudinal Study. <i>Stroke</i> , 2021, 52, 2601-2608.	1.0	7
83	Dengue and dementia risk: A nationwide longitudinal study. <i>Journal of Infection</i> , 2021, 83, 601-606.	1.7	6
84	Atopic dermatitis and dementia risk. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 127, 200-205.	0.5	17
85	Core prescription pattern of Chinese herbal medicine for depressive disorders in Taiwan: A nationwide population-based study. <i>Integrative Medicine Research</i> , 2021, 10, 100707.	0.7	3
86	Proton Pump Inhibitors Are Associated with Increased Risk of Psoriasis: A Nationwide Nested Case-Control Study. <i>Dermatology</i> , 2021, 237, 1-7.	0.9	1
87	Bipolar women's antepartum psychotropic exposure and offspring risk of attention-deficit/hyperactivity disorder and autism spectrum disorder. <i>Journal of Affective Disorders</i> , 2021, 295, 1407-1414.	2.0	5
88	An association study in the Taiwan Biobank elicits the GABAA receptor genes <i>GABRB3</i> , <i>GABRA5</i> , and <i>GABRG3</i> as candidate loci for sleep duration in the Taiwanese population. <i>BMC Medical Genomics</i> , 2021, 14, 223.	0.7	1
89	Risks of Coaggregation of Major Psychiatric Disorders Among First-Degree Relatives of Patients With Bipolar I and Bipolar II Disorder. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	3
90	Alteration of power law scaling of spontaneous brain activity in schizophrenia. <i>Schizophrenia Research</i> , 2021, 238, 10-19.	1.1	5

#	ARTICLE	IF	CITATIONS
91	Diagnostic progression to bipolar disorder in 17,285 adolescents and young adults with attention deficit hyperactivity disorder: A longitudinal follow-up study. <i>Journal of Affective Disorders</i> , 2021, 295, 1072-1078.	2.0	4
92	Low-dose ketamine infusion for treating subjective cognitive, somatic, and affective depression symptoms of treatment-resistant depression. <i>Asian Journal of Psychiatry</i> , 2021, 66, 102869.	0.9	6
93	Efficacy of low-dose ketamine infusion in anxious vs nonanxious depression: revisiting the Adjunctive Ketamine Study of Taiwanese Patients with Treatment-Resistant Depression. <i>CNS Spectrums</i> , 2021, 26, 362-367.	0.7	9
94	Association of Alopecia Areata and the Risk of Dementia. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	4
95	Connectivity-Based Topographical Changes of the Corpus Callosum During Aging. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 753236.	1.7	4
96	Risk of migraine development among children and adolescents with autism spectrum disorder: A nationwide longitudinal study. <i>Research in Autism Spectrum Disorders</i> , 2021, 89, 101880.	0.8	1
97	Is one or two infusions better in the first week of low-dose ketamine treatment for medication-resistant depression? A post hoc pooled analysis of randomized placebo-controlled and open-label trials. <i>Journal of Psychiatric Research</i> , 2021, 144, 448-454.	1.5	3
98	Network-Specific Corticothalamic Dysconnection in Attention-Deficit Hyperactivity Disorder. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2021, 42, 122-127.	0.6	3
99	Structural Covariance Network as an Endophenotype in Alzheimerâ€™s Disease-Susceptible Single-Nucleotide Polymorphisms and the Correlations With Cognitive Outcomes. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 721217.	1.7	5
100	Functional, Anatomical, and Morphological Networks Highlight the Role of Basal Gangliaâ€™Thalamusâ€™Cortex Circuits in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 422-431.	2.3	26
101	Antidepressant-resistant depression is characterized by reduced short- and long-interval cortical inhibition. <i>Psychological Medicine</i> , 2020, 50, 1285-1291.	2.7	13
102	Cortico-thalamic dysconnection in early-stage schizophrenia: a functional connectivity magnetic resonance imaging study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 351-358.	1.8	10
103	Preventive potential of low intensity pulsed ultrasound for chronic traumatic encephalopathy after repetitive head collisions in contact sports. <i>Medical Hypotheses</i> , 2020, 134, 109422.	0.8	5
104	Antidepressant Efficacy of Prolonged Intermittent Theta Burst Stimulation Monotherapy for Recurrent Depression and Comparison of Methods for Coil Positioning: A Randomized, Double-Blind, Sham-Controlled Study. <i>Biological Psychiatry</i> , 2020, 87, 443-450.	0.7	68
105	A Population-Based, Nationwide Longitudinal Study of Bipolar Disorder With Incident Dementia in Taiwan. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 530-541.	0.6	9
106	Topographic diversity of structural connectivity in schizophrenia. <i>Schizophrenia Research</i> , 2020, 215, 181-189.	1.1	3
107	Risk of Parkinsonâ€™s disease among patients with herpes zoster: a nationwide longitudinal study. <i>CNS Spectrums</i> , 2020, 25, 797-802.	0.7	9
108	A child with moyamoya disease: Mimicking the presentation of panic attack. <i>Psychiatry Research</i> , 2020, 285, 112720.	1.7	2

#	ARTICLE	IF	CITATIONS
109	Active Cigarette Smoking Is Associated With an Exacerbation of Genetic Susceptibility to Diabetes. <i>Diabetes</i> , 2020, 69, 2819-2829.	0.3	11
110	Prediction of Antidepressant Treatment Response and Remission Using an Ensemble Machine Learning Framework. <i>Pharmaceuticals</i> , 2020, 13, 305.	1.7	20
111	Risk of Parkinsonâ€™s disease following gout: a population-based retrospective cohort study in Taiwan. <i>BMC Neurology</i> , 2020, 20, 338.	0.8	14
112	Sleep state instabilities in patients with periodic limb movements in sleep - Detection and quantification with heart rate variability. <i>Psychiatry Research</i> , 2020, 293, 113454.	1.7	2
113	Development of an AI-Based Web Diagnostic System for Phenotyping Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 542394.	1.3	10
114	An association study in the Taiwan Biobank reveals RORA as a novel locus for sleep duration in the Taiwanese Population. <i>Sleep Medicine</i> , 2020, 73, 70-75.	0.8	13
115	Tinnitus and risk of Alzheimerâ€™s and Parkinsonâ€™s disease: a retrospective nationwide population-based cohort study. <i>Scientific Reports</i> , 2020, 10, 12134.	1.6	13
116	Sexually transmitted infections among adolescents with conduct disorder: a nationwide longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2020, 30, 1187-1193.	2.8	0
117	CUX2, BRAP and ALDH2 are associated with metabolic traits in people with excessive alcohol consumption. <i>Scientific Reports</i> , 2020, 10, 18118.	1.6	6
118	Functional Dysconnectivity of Frontal Cortex to Striatum Predicts Ketamine Infusion Response in Treatment-Resistant Depression. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 791-798.	1.0	14
119	The importance of measuring problematic smartphone use in children with attention deficit hyperactivity disorder. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 803-804.	0.6	1
120	Using Genetic Risk Score Approaches to Infer Whether an Environmental Factor Attenuates or Exacerbates the Adverse Influence of a Candidate Gene. <i>Frontiers in Genetics</i> , 2020, 11, 331.	1.1	2
121	Large-Scale Structural Covariance Networks Predict Age in Middle-to-Late Adulthood: A Novel Brain Aging Biomarker. <i>Cerebral Cortex</i> , 2020, 30, 5844-5862.	1.6	26
122	Treatment-Resistant depression enhances risks of dementia and alzheimer's disease: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2020, 274, 806-812.	2.0	31
123	Increased Proinflammatory Cytokines, Executive Dysfunction, and Reduced Gray Matter Volumes In First-Episode Bipolar Disorder and Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 825-831.	2.0	45
124	Tinnitus Among Patients With Anxiety Disorder: A Nationwide Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 606.	1.3	6
125	Age-related changes in the association of resting-state fMRI signal variability and global functional connectivity in non-demented healthy people. <i>Psychiatry Research</i> , 2020, 291, 113257.	1.7	6
126	The Risk of Sexually Transmitted Infections Following First-Episode Schizophrenia Among Adolescents and Young Adults: A Cohort Study of 220 545 Subjects. <i>Schizophrenia Bulletin</i> , 2020, 46, 795-803.	2.3	45



#	ARTICLE	IF	CITATIONS
127	Transdiagnostic and Illness-Specific Functional Dysconnectivity Across Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 542-553.	1.1	16
128	Association between polygenic liability for schizophrenia and substance involvement: A nationwide population-based study in Taiwan. <i>Genes, Brain and Behavior</i> , 2020, 19, e12639.	1.1	9
129	Salivary gland low-intensity pulsed ultrasound (LIPUS) stimulation as a potential treatment for various BDNF-implicated neuropsychiatric disorders. <i>Medical Hypotheses</i> , 2020, 137, 109560.	0.8	1
130	Functional connectivity of specific brain networks related to social and communication dysfunction in adolescents with attention-deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2020, 284, 112785.	1.7	8
131	Proton pump inhibitors are associated with increased risk of alopecia areata: A nationwide nested case-control study. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1460-1462.	0.6	3
132	Beyond the disconnectivity hypothesis of schizophrenia. <i>Cerebral Cortex</i> , 2020, 30, 1213-1233.	1.6	27
133	Sex-specific autosomal genetic effects across 26 human complex traits. <i>Human Molecular Genetics</i> , 2020, 29, 1218-1228.	1.4	7
134	Role of Interleukin-6 in Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2194.	1.8	181
135	Gene-Environment Interactions and Role of Epigenetics in Anxiety Disorders. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1191, 93-102.	0.8	12
136	MCP-2/CCL8 Level Associated With Suicidal Ideation in Elderly Men With Major Depression. <i>Archives of Suicide Research</i> , 2020, 24, 467-476.	1.2	6
137	A comparison study of metabolic profiles, immunity, and brain gray matter volumes between patients with bipolar disorder and depressive disorder. <i>Journal of Neuroinflammation</i> , 2020, 17, 42.	3.1	49
138	Gene-Based Association Analysis Suggests Association of HTR2A With Antidepressant Treatment Response in Depressed Patients. <i>Frontiers in Pharmacology</i> , 2020, 11, 559601.	1.6	9
139	Altered Functional Complexity Associated with Structural Features in Schizophrenic Brain: A Resting-state fMRI Study. , 2020, , .		0
140	Dr Cheng and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	0
141	Maternal hyperthyroidism during pregnancy and offspring risks of attention-deficit/hyperactivity disorder and autism spectrum disorder: A nationwide study. <i>Taiwanese Journal of Psychiatry</i> , 2020, 34, 115.	0.1	3
142	Happiness During Low-Dose Ketamine Infusion Predicts Treatment Response. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	8
143	Performing different kinds of physical exercise differentially attenuates the genetic effects on obesity measures: Evidence from 18,424 Taiwan Biobank participants. <i>PLoS Genetics</i> , 2019, 15, e1008277.	1.5	54
144	Risk of Depressive Disorders Following Myasthenia Gravis: A Nationwide Population-Based Retrospective Cohort Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 481.	1.3	16

#	ARTICLE	IF	CITATIONS
145	LRRTM4 and PCSK5 Genetic Polymorphisms as Markers for Cognitive Impairment in A Hypotensive Aging Population: A Genome-Wide Association Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2019, 8, 1124.	1.0	13
146	DISTINCT GENETIC PROFILES OF PEPTIC ULCER IN INDIVIDUALS WITH DEPRESSION. <i>European Neuropsychopharmacology</i> , 2019, 29, S905-S906.	0.3	0
147	Association and Interaction Effects of Interleukin-12 Related Genes and Physical Activity on Cognitive Aging in Old Adults in the Taiwanese Population. <i>Frontiers in Neurology</i> , 2019, 10, 1065.	1.1	22
148	T9. EXPLAINABLE DEEP LEARNING OF NEUROIMAGING REVEALS KEY STRUCTURAL DEFICITS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S206.	2.3	1
149	T58. DEVELOPMENT OF AN AI-BASED WEB DIAGNOSTIC SYSTEM FOR PHENOTYPING PSYCHIATRIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S226-S226.	2.3	0
150	S75. POWER LAW SCALING IN SCHIZOPHRENIA: A RESTING-STATE FMRI INVESTIGATION. <i>Schizophrenia Bulletin</i> , 2019, 45, S335-S336.	2.3	0
151	Antidepressant and antisuicidal effects of ketamine on the functional connectivity of prefrontal cortex-related circuits in treatment-resistant depression: A double-blind, placebo-controlled, randomized, longitudinal resting fMRI study. <i>Journal of Affective Disorders</i> , 2019, 259, 15-20.	2.0	54
152	Maintenance of antidepressant and antisuicidal effects by D-cycloserine among patients with treatment-resistant depression who responded to low-dose ketamine infusion: a double-blind randomized placebo control study. <i>Neuropsychopharmacology</i> , 2019, 44, 2112-2118.	2.8	57
153	Bipolar disorder and risk of Parkinson disease. <i>Neurology</i> , 2019, 92, e2735-e2742.	1.5	22
154	Risk of cardiometabolic diseases among siblings of patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 253, 171-175.	2.0	10
155	Antisuicidal effect, BDNF Val66Met polymorphism, and low-dose ketamine infusion: Reanalysis of adjunctive ketamine study of Taiwanese patients with treatment-resistant depression (AKSTP-TRD). <i>Journal of Affective Disorders</i> , 2019, 251, 162-169.	2.0	47
156	Post-traumatic stress disorder and asthma risk: A nationwide longitudinal study. <i>Psychiatry Research</i> , 2019, 276, 25-30.	1.7	19
157	Polymorphisms of the DNA repair gene EXO1 modulate cognitive aging in old adults in a Taiwanese population. <i>DNA Repair</i> , 2019, 78, 1-6.	1.3	12
158	IDENTIFYING VARIANTS IN NF1A GENE TO BE ASSOCIATED WITH SEASONAL PATTERN AND SUSCEPTIBILITY FOR DEPRESSION THROUGH A CANDIDATE GENE APPROACH. <i>European Neuropsychopharmacology</i> , 2019, 29, S857-S858.	0.3	0
159	Risk of benign paroxysmal positional vertigo in patients with depressive disorders: a nationwide population-based cohort study. <i>BMJ Open</i> , 2019, 9, e026936.	0.8	8
160	Aged garlic extract supplement helps relieve acute stress. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 677-678.	0.6	0
161	Huperzine-A, a versatile herb, for the treatment of Alzheimer’s disease. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 750-751.	0.6	10
162	A powerful and efficient multivariate approach for voxel-level connectome-wide association studies. <i>NeuroImage</i> , 2019, 188, 628-641.	2.1	8

#	ARTICLE	IF	CITATIONS
163	Critical role of glutamatergic and GABAergic neurotransmission in the central mechanisms of thetaâ€burst stimulation. <i>Human Brain Mapping</i> , 2019, 40, 2001-2009.	1.9	53
164	Increased risk of type 2 diabetes among the siblings of patients with schizophrenia. <i>CNS Spectrums</i> , 2019, 24, 453-459.	0.7	8
165	Risks of bipolar disorder, depressive disorder, and traumatic brain injury among siblings of patients with attention-deficit hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 335-339.	2.0	9
166	Risk and coaggregation of major psychiatric disorders among first-degree relatives of patients with bipolar disorder: a nationwide population-based study. <i>Psychological Medicine</i> , 2019, 49, 2397-2404.	2.7	49
167	The association of obesity and coronary artery disease genes with response to SSRIs treatment in major depression. <i>Journal of Neural Transmission</i> , 2019, 126, 35-45.	1.4	27
168	Polygenic approaches to detect geneâ€environment interactions when external information is unavailable. <i>Briefings in Bioinformatics</i> , 2019, 20, 2236-2252.	3.2	14
169	MAOA-VNTR Genotype Effects on Ventral Striatum-Hippocampus Network in Alzheimerâ€™s Disease: Analysis Using Structural Covariance Network and Correlation with Neurobehavior Performance. <i>Molecular Neurobiology</i> , 2019, 56, 4518-4529.	1.9	7
170	Treatment-Resistant Panic Disorder. , 2019, , 189-206.		2
171	Machine Learning in Neural Networks. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1192, 127-137.	0.8	7
172	Epigenetics and Depression: An Update. <i>Psychiatry Investigation</i> , 2019, 16, 654-661.	0.7	46
173	Sexually Transmitted Infection Among Adolescents and Young Adults With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	7
174	Exposure to Second-Generation Antipsychotics and Risk of Type 2 Diabetes Mellitus in Adolescents and Young Adults. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	11
175	Coaggregation of Major Psychiatric Disorders in First-Degree Relatives of Individuals With Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	15
176	Prenatal Exposure to Acetaminophen and the Risk of Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	24
177	Risk Score for Predicting Mortality in People With Dementia. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	4
178	Risk of developing migraine among patients with posttraumatic stress disorder: A nationwide longitudinal study. <i>Taiwanese Journal of Psychiatry</i> , 2019, 33, 192.	0.1	0
179	Diagnostic Prediction Based on Gene Expression Profiles and Artificial Neural Networks. , 2018, , 13-22.		2
180	Risk of suicide attempts in adolescents and young adults with attention-deficit hyperactivity disorder: a nationwide longitudinal study. <i>British Journal of Psychiatry</i> , 2018, 212, 234-238.	1.7	43

#	ARTICLE	IF	CITATIONS
181	Increased functional connectivity of the posterior cingulate cortex with the lateral orbitofrontal cortex in depression. <i>Translational Psychiatry</i> , 2018, 8, 90.	2.4	79
182	Post-traumatic stress disorder and risk of osteoporosis: A nationwide longitudinal study. <i>Stress and Health</i> , 2018, 34, 440-445.	1.4	19
183	Use of Proton Pump Inhibitors and Risk of Major Depressive Disorder: A Nationwide Population-Based Study. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 62-64.	4.0	21
184	Gene-Environment Interactions and Role of Epigenetics in Depression. , 2018, , 41-50.		0
185	Associations of Bcl-2 rs956572 genotype groups in the structural covariance network in early-stage Alzheimer’s disease. <i>Alzheimer’s Research and Therapy</i> , 2018, 10, 17.	3.0	12
186	Nonlinear pattern of the emergence of white matter hyperintensity in healthy Han Chinese: an adult lifespan study. <i>Neurobiology of Aging</i> , 2018, 67, 99-107.	1.5	18
187	Risk stratification for the early diagnosis of borderline personality disorder using psychiatric co-morbidities. <i>Microbial Biotechnology</i> , 2018, 12, 605-612.	0.9	10
188	Catechol-O-Methyltransferase Val158Met Polymorphism on Striatum Structural Covariance Networks in Alzheimer’s Disease. <i>Molecular Neurobiology</i> , 2018, 55, 4637-4649.	1.9	4
189	Effective Connectivity in Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 187-197.	1.1	42
190	Co-aggregation of major psychiatric disorders in individuals with first-degree relatives with schizophrenia: a nationwide population-based study. <i>Molecular Psychiatry</i> , 2018, 23, 1756-1763.	4.1	93
191	Sexually Transmitted Infection Among Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder: A Nationwide Longitudinal Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 48-53.	0.3	74
192	Atopic diseases/diathesis and subsequent ischemic stroke among patients with bipolar disorder: A nationwide longitudinal study. <i>PLoS ONE</i> , 2018, 13, e0200682.	1.1	1
193	Callosal and subcortical white matter alterations in schizophrenia: A diffusion tensor imaging study at multiple levels. <i>NeuroImage: Clinical</i> , 2018, 20, 594-602.	1.4	12
194	Association of Polypharmacy With Mild Cognitive Impairment and Cognitive Ability. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	23
195	Functional connectivity of the human amygdala in health and in depression. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 557-568.	1.5	51
196	Functional brain lateralization in schizophrenia based on the variability of resting-state fMRI signal. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 114-121.	2.5	24
197	Risk of Traumatic Brain Injury Among Children, Adolescents, and Young Adults With Attention-Deficit Hyperactivity Disorder in Taiwan. <i>Journal of Adolescent Health</i> , 2018, 63, 233-238.	1.2	34
198	Critical Issues in BDNF Val66Met Genetic Studies of Neuropsychiatric Disorders. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 156.	1.4	99

#	ARTICLE	IF	CITATIONS
199	A Deep Learning Approach for Predicting Antidepressant Response in Major Depression Using Clinical and Genetic Biomarkers. <i>Frontiers in Psychiatry</i> , 2018, 9, 290.	1.3	122
200	Association of the Polygenic Scores for Personality Traits and Response to Selective Serotonin Reuptake Inhibitors in Patients with Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 65.	1.3	38
201	A Strategy to Reduce Bias of Entropy Estimates in Resting-State fMRI Signals. <i>Frontiers in Neuroscience</i> , 2018, 12, 398.	1.4	26
202	Gene-based analysis of genes related to neurotrophic pathway suggests association of BDNF and VEGFA with antidepressant treatment-response in depressed patients. <i>Scientific Reports</i> , 2018, 8, 6983.	1.6	26
203	Frequency and amplitude modulation of resting-state fMRI signals and their functional relevance in normal aging. <i>Neurobiology of Aging</i> , 2018, 70, 59-69.	1.5	25
204	Genome-Wide Gene-Environment Interaction Analysis Using Set-Based Association Tests. <i>Frontiers in Genetics</i> , 2018, 9, 715.	1.1	18
205	Combining multi-modality data for searching biomarkers in schizophrenia. <i>PLoS ONE</i> , 2018, 13, e0191202.	1.1	22
206	Multi-Omics and Machine Learning Applications in Precision Medicine. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2018, 15, 97-104.	0.2	4
207	Repeated Low-Grade Infections Predict Antidepressant-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 17m11540.	1.1	11
208	Risk of Type 2 Diabetes in Adolescents and Young Adults With Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	33
209	Risk of sexual transmitted infection following bipolar disorder: a nationwide population-based cohort study. <i>Oncotarget</i> , 2018, 9, 17533-17542.	0.8	4
210	Depression and the risk of vascular dementia: a populationâ€based retrospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 556-563.	1.3	20
211	The rs1277306 Variant of the REST Gene Confers Susceptibility to Cognitive Aging in an Elderly Taiwanese Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 43, 119-127.	0.7	18
212	Genetic effect of interleukin-1 beta (C-511T) polymorphism on the structural covariance network and white matter integrity in Alzheimerâ€™s disease. <i>Journal of Neuroinflammation</i> , 2017, 14, 12.	3.1	14
213	Additive effect of congenital heart disease and early developmental disorders on attention-deficit/hyperactivity disorder and autism spectrum disorder: a nationwide population-based longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1351-1359.	2.8	53
214	Symptomatic menopausal transition and subsequent bipolar disorder among midlife women with major depression: a nationwide longitudinal study. <i>Archives of Women's Mental Health</i> , 2017, 20, 463-468.	1.2	6
215	Risk of stroke among patients with borderline personality disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2017, 219, 80-85.	2.0	9
216	Risk of Epilepsy in Individuals With Posttraumatic Stress Disorder: A Nationwide Longitudinal Study. <i>Psychosomatic Medicine</i> , 2017, 79, 664-669.	1.3	18

#	ARTICLE	IF	CITATIONS
217	Effects of interleukin-1beta polymorphisms on brain function and behavior in healthy and psychiatric disease conditions. <i>Cytokine and Growth Factor Reviews</i> , 2017, 37, 89-97.	3.2	67
218	Bidirectional association between Bell's palsy and anxiety disorders: A nationwide population-based retrospective cohort study. <i>Journal of Affective Disorders</i> , 2017, 215, 269-273.	2.0	24
219	Increased Risk of Myofascial Pain Syndrome Among Patients with Insomnia. <i>Pain Medicine</i> , 2017, 18, 1557-1565.	0.9	15
220	Post-traumatic Stress Disorder and Risk of Parkinson Disease: A Nationwide Longitudinal Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 917-923.	0.6	41
221	Genetic effect of MTHFR C677T polymorphism on the structural covariance network and whiteâ€matter integrity in Alzheimer's disease. <i>Human Brain Mapping</i> , 2017, 38, 3039-3051.	1.9	11
222	Role of neurotrophic factors in attention deficit hyperactivity disorder. <i>Cytokine and Growth Factor Reviews</i> , 2017, 34, 35-41.	3.2	41
223	Transforming growth factor-Î² signaling pathway-associated genes SMAD2 and TGFBR2 are implicated in metabolic syndrome in a Taiwanese population. <i>Scientific Reports</i> , 2017, 7, 13589.	1.6	33
224	Association and interaction effects of Alzheimerâ€™s disease-associated genes and lifestyle on cognitive aging in older adults in a Taiwanese population. <i>Oncotarget</i> , 2017, 8, 24077-24087.	0.8	39
225	New Targets for Schizophrenia Treatment beyond the Dopamine Hypothesis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1689.	1.8	190
226	The ADAMTS9 gene is associated with cognitive aging in the elderly in a Taiwanese population. <i>PLoS ONE</i> , 2017, 12, e0172440.	1.1	22
227	Effects of circadian clock genes and health-related behavior on metabolic syndrome in a Taiwanese population: Evidence from association and interaction analysis. <i>PLoS ONE</i> , 2017, 12, e0173861.	1.1	27
228	Effects of circadian clock genes and environmental factors on cognitive aging in old adults in a Taiwanese population. <i>Oncotarget</i> , 2017, 8, 24088-24098.	0.8	20
229	Role of tissue-type plasminogen activator and plasminogen activator inhibitor-1 in psychological stress and depression. <i>Oncotarget</i> , 2017, 8, 113258-113268.	0.8	36
230	Detection of susceptibility loci on <i>APOA5</i> and <i>COLEC12</i> associated with metabolic syndrome using a genome-wide association study in a Taiwanese population. <i>Oncotarget</i> , 2017, 8, 93349-93359.	0.8	27
231	Dose-dependent genotype effects of BDNF Val66Met polymorphism on default mode network in early stage Alzheimer's disease. <i>Oncotarget</i> , 2016, 7, 54200-54214.	0.8	16
232	The Association of Aging with White Matter Integrity and Functional Connectivity Hubs. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 143.	1.7	41
233	Risk of uterine, ovarian and breast cancer following pelvic inflammatory disease: a nationwide population-based retrospective cohort study. <i>BMC Cancer</i> , 2016, 16, 839.	1.1	17
234	Risk of depressive disorders following sudden sensorineural hearing loss: A nationwide population-based retrospective cohort study. <i>Journal of Affective Disorders</i> , 2016, 197, 94-99.	2.0	43

#	ARTICLE	IF	CITATIONS
235	Attention-deficit hyperactivity disorder comorbidity and antidepressant resistance among patients with major depression: A nationwide longitudinal study. <i>European Neuropsychopharmacology</i> , 2016, 26, 1760-1767.	0.3	32
236	Cyclic Cushing's syndrome mimicking bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 71-71.	1.0	5
237	Risk for developing dementia among patients with posttraumatic stress disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2016, 205, 306-310.	2.0	37
238	Geriatric Suicide Attempt and Risk of Subsequent Dementia: A Nationwide Longitudinal Follow-up Study in Taiwan. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 1211-1218.	0.6	21
239	Medial reward and lateral non-reward orbitofrontal cortex circuits change in opposite directions in depression. <i>Brain</i> , 2016, 139, 3296-3309.	3.7	224
240	Association and interaction of APOA5, BUD13, CETP, LIPA and health-related behavior with metabolic syndrome in a Taiwanese population. <i>Scientific Reports</i> , 2016, 6, 36830.	1.6	44
241	Effect of Alzheimer's Disease Risk Variant rs3824968 at SORL1 on Regional Gray Matter Volume and Age-Related Interaction in Adult Lifespan. <i>Scientific Reports</i> , 2016, 6, 23362.	1.6	9
242	Metabolic syndrome and adverse clinical outcomes in patients with bipolar disorder. <i>BMC Psychiatry</i> , 2016, 16, 448.	1.1	41
243	Longitudinal association between early atopic dermatitis and subsequent attention-deficit or autistic disorder. <i>Medicine (United States)</i> , 2016, 95, e5005.	0.4	46
244	Genome-wide microarray analysis of gene expression profiling in major depression and antidepressant therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 334-340.	2.5	53
245	Genetics and Suicide. , 2016, , 85-95.		3
246	Risk of Developing Type 2 Diabetes in Adolescents and Young Adults With Autism Spectrum Disorder: A Nationwide Longitudinal Study. <i>Diabetes Care</i> , 2016, 39, 788-793.	4.3	122
247	Risk of psychiatric disorders following pelvic inflammatory disease: a nationwide population-based retrospective cohort study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2016, 37, 6-11.	1.1	12
248	Treatment-resistant panic disorder: clinical significance, concept and management. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 70, 219-226.	2.5	44
249	Risk of Psychiatric Disorders following Ankylosing Spondylitis: A Nationwide Population-based Retrospective Cohort Study. <i>Journal of Rheumatology</i> , 2016, 43, 625-631.	1.0	63
250	Influence of Relative Age on Diagnosis and Treatment of Attention-Deficit Hyperactivity Disorder in Taiwanese Children. <i>Journal of Pediatrics</i> , 2016, 172, 162-167.e1.	0.9	38
251	Risk of developing major depression and anxiety disorders among women with endometriosis: A longitudinal follow-up study. <i>Journal of Affective Disorders</i> , 2016, 190, 282-285.	2.0	133
252	Therapeutic Potential of Transcranial Focused Ultrasound for Rett Syndrome. <i>Medical Science Monitor</i> , 2016, 22, 4026-4029.	0.5	3

#	ARTICLE	IF	CITATIONS
253	Persistent hiccups associated with switching from paliperidone to amisulpride. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 383-383.	1.0	3
254	Risk of developing Parkinson's disease among patients with asthma: a nationwide longitudinal study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 1605-1612.	2.7	35
255	Risk of psychiatric disorders following gastroesophageal reflux disease: A nationwide population-based cohort study. <i>European Journal of Internal Medicine</i> , 2015, 26, 534-539.	1.0	39
256	Risk of Psychiatric Disorders Following Primary Sjögren Syndrome: A Nationwide Population-based Retrospective Cohort Study. <i>Journal of Rheumatology</i> , 2015, 42, 1203-1208.	1.0	32
257	Decreased resting-state brain activity complexity in schizophrenia characterized by both increased regularity and randomness. <i>Human Brain Mapping</i> , 2015, 36, 2174-2186.	1.9	65
258	Transcranial focused ultrasound as a possible treatment for major depression. <i>Medical Hypotheses</i> , 2015, 84, 381-383.	0.8	49
259	Risk of stroke among patients with post-traumatic stress disorder: nationwide longitudinal study. <i>British Journal of Psychiatry</i> , 2015, 206, 302-307.	1.7	100
260	A Nationwide Population-Based Retrospective Cohort Study of the Risk of Uterine, Ovarian and Breast Cancer in Women With Polycystic Ovary Syndrome. <i>Oncologist</i> , 2015, 20, 45-49.	1.9	54
261	The International SSRI Pharmacogenomics Consortium (ISPC): a genome-wide association study of antidepressant treatment response. <i>Translational Psychiatry</i> , 2015, 5, e553-e553.	2.4	107
262	Risk of developing major depressive disorder and anxiety disorders among adolescents and adults with atopic dermatitis: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 178, 60-65.	2.0	95
263	Is riluzole a potential therapy for Rett syndrome?. <i>Medical Hypotheses</i> , 2015, 85, 76-78.	0.8	1
264	ENU mutagenesis identifies mice modeling Warburg Micro Syndrome with sensory axon degeneration caused by a deletion in Rab18. <i>Experimental Neurology</i> , 2015, 267, 143-151.	2.0	12
265	Comorbidity of ADHD and suicide attempts among adolescents and young adults with bipolar disorder: A nationwide longitudinal study. <i>Journal of Affective Disorders</i> , 2015, 176, 171-175.	2.0	46
266	Capgras Syndrome as an Initial Manifestation in a Patient With Neurosyphilis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e73-e73.	0.9	4
267	Bidirectional Association Between Depression and Fibromyalgia Syndrome: A Nationwide Longitudinal Study. <i>Journal of Pain</i> , 2015, 16, 895-902.	0.7	93
268	Comparison of pro-inflammatory cytokines among patients with bipolar disorder and unipolar depression and normal controls. <i>Bipolar Disorders</i> , 2015, 17, 269-277.	1.1	105
269	Functional Connectivity Density Mapping of Depressive Symptoms and Loneliness in Non-Demented Elderly Male. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 251.	1.7	27
270	Association of Depression and Loneliness with Specific Cognitive Performance in Non-Demented Elderly Males. <i>Medical Science Monitor</i> , 2015, 21, 100-104.	0.5	14



#	ARTICLE	IF	CITATIONS
271	Risk of Psychiatric Disorders following Irritable Bowel Syndrome: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0133283.	1.1	62
272	Increased Risk of Benign Prostate Hyperplasia in Sleep Apnea Patients: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e93081.	1.1	21
273	Osteoporosis and the Risk of Symptomatic Nephrolithiasis: A Population-Based 5-Year Follow-Up Study in Taiwan. Calcified Tissue International, 2014, 95, 317-322.	1.5	9
274	Myalgia Induced by Antidepressants. Journal of Neuropsychiatry and Clinical Neurosciences, 2014, 26, E12-E12.	0.9	2
275	The APOE É4 allele affects complexity and functional connectivity of resting brain activity in healthy adults. Human Brain Mapping, 2014, 35, 3238-3248.	1.9	48
276	Family-based association study of ciliary neurotrophic factor receptor and norepinephrine transporter genes in attention-deficit hyperactivity disorder. Psychiatric Genetics, 2014, 24, 118-119.	0.6	3
277	Risperidone and Quetiapine-Related Arthralgia. Journal of Clinical Psychopharmacology, 2014, 34, 271-272.	0.7	2
278	Effect of BDNF Val66Met polymorphism on regional white matter hyperintensities and cognitive function in elderly males without dementia. Psychoneuroendocrinology, 2014, 39, 94-103.	1.3	37
279	Interleukin-1 beta C-511T polymorphism modulates functional connectivity of anterior midcingulate cortex in non-demented elderly Han males. Brain Structure and Function, 2014, 219, 61-69.	1.2	7
280	Sleep apnea and the subsequent risk of breast cancer in women: a nationwide population-based cohort study. Sleep Medicine, 2014, 15, 1016-1020.	0.8	75
281	The Association of RAB18 Gene Polymorphism (rs3765133) with Cerebellar Volume in Healthy Adults. Cerebellum, 2014, 13, 616-622.	1.4	5
282	Effect of the BDNF Val66Met Polymorphism on Regional Gray Matter Volumes and Cognitive Function in the Chinese Population. NeuroMolecular Medicine, 2014, 16, 127-136.	1.8	23
283	Comparison of inflammatory cytokine levels among type I/type II and manic/hypomanic/euthymic/depressive states of bipolar disorder. Journal of Affective Disorders, 2014, 166, 187-192.	2.0	98
284	APOE É4 polymorphism and cognitive deficit among the very old Chinese veteran men without dementia. Neuroscience Letters, 2014, 576, 17-21.	1.0	8
285	Catechol-O-Methyltransferase Val158Met Polymorphism on the Relationship between White Matter Hyperintensity and Cognition in Healthy People. PLoS ONE, 2014, 9, e88749.	1.1	9
286	Risk of Psychiatric Disorders following Polycystic Ovary Syndrome: A Nationwide Population-Based Cohort Study. PLoS ONE, 2014, 9, e97041.	1.1	103
287	Risk of Developing Depressive Disorders following Rheumatoid Arthritis: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e107791.	1.1	32
288	Brain-derived Neurotrophic Factor Genetic Variants are Associated with Major Depression Susceptibility and Serotonin Reuptake Inhibitor Antidepressant Treatment Response in Taiwanese. Current Pharmacogenomics and Personalized Medicine, 2014, 11, 316-323.	0.2	2

#	ARTICLE	IF	CITATIONS
289	Suicide and media reporting: a longitudinal and spatial analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 427-435.	1.6	43
290	Physiologic and laboratory correlates of depression, anxiety, and poor sleep in liver cirrhosis. <i>BMC Gastroenterology</i> , 2013, 13, 18.	0.8	21
291	Effect of Bcl-2 rs956572 SNP on regional gray matter volumes and cognitive function in elderly males without dementia. <i>Age</i> , 2013, 35, 343-352.	3.0	12
292	Paliperidone in the treatment of <scp>T</scp>ourette's syndrome with comorbid schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 128-128.	1.0	5
293	Interleukin-1 alpha (rs1800587) genetic polymorphism is associated with specific cognitive functions but not depression or loneliness in elderly males without dementia. <i>Neuroscience Letters</i> , 2013, 556, 69-72.	1.0	7
294	Complexity of spontaneous BOLD activity in default mode network is correlated with cognitive function in normal male elderly: a multiscale entropy analysis. <i>Neurobiology of Aging</i> , 2013, 34, 428-438.	1.5	166
295	The importance of measuring impulsiveness in patients with addiction problems. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 241-242.	0.6	0
296	Is mental illness complex? From behavior to brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 253-257.	2.5	95
297	Complexity of mental illness: A new research dimension. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 45, 251-252.	2.5	6
298	Associated Factors for Falls, Recurrent Falls, and Injurious Falls in Aged Men Living in Taiwan Veterans Homes. <i>International Journal of Gerontology</i> , 2013, 7, 80-84.	0.7	31
299	Association of CD8 T Cells with Depression and Anxiety in Patients with Liver Cirrhosis. <i>International Journal of Psychiatry in Medicine</i> , 2013, 45, 15-29.	0.8	18
300	Risk of Parkinson disease after depression. <i>Neurology</i> , 2013, 81, 1538-1544.	1.5	120
301	Genetic Variants of Microsomal Triglyceride Transfer Protein (MTTP) Are Associated With Metabolic Syndrome in Schizophrenic Patients Treated With Atypical Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 313-318.	0.7	8
302	Family-based association of the brain-derived neurotrophic factor gene in attention-deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 2013, 23, 177-178.	0.6	7
303	Family-based association study of tryptophan hydroxylase 2 and serotonin 1A receptor genes in attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 2013, 23, 38.	0.6	11
304	Effects of Age, Sex, Index Admission, and Predominant Polarity on the Seasonality of Acute Admissions For Bipolar Disorder: A Population-Based Study. <i>Chronobiology International</i> , 2013, 30, 478-485.	0.9	29
305	Association of Brain Serotonin Transporter Availability and Brain-Derived Neurotrophic Factor in Models of Serotonin Transporter Genotypes in Healthy Subjects. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 432-435.	0.7	5
306	The Influence of the Amplitude of Low-Frequency Fluctuations on Resting-State Functional Connectivity. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 118.	1.0	96

#	ARTICLE	IF	CITATIONS
307	Effect of Bcl-2 rs956572 Polymorphism on Age-Related Gray Matter Volume Changes. PLoS ONE, 2013, 8, e56663.	1.1	9
308	Sleep Apnea and the Risk of Dementia: A Population-Based 5-Year Follow-Up Study in Taiwan. PLoS ONE, 2013, 8, e78655.	1.1	107
309	Population-Based 5-Year Follow-Up Study in Taiwan of Dementia and Risk of Stroke. PLoS ONE, 2013, 8, e61771.	1.1	18
310	Gene-gene interactions of the INSIG1 and INSIG2 in metabolic syndrome in schizophrenic patients treated with atypical antipsychotics. Pharmacogenomics Journal, 2012, 12, 54-61.	0.9	50
311	Association of BACE1 Gene Polymorphism with Cerebellar Volume but Not Cognitive Function in Normal Individuals. Dementia and Geriatric Cognitive Disorders Extra, 2012, 2, 632-637.	0.6	3
312	Novel Diagnostics R&D for Public Health and Personalized Medicine in Taiwan: Current State, Challenges and Opportunities. Current Pharmacogenomics and Personalized Medicine, 2012, 10, 239-246.	0.2	8
313	Family-based association study of cocaine- and amphetamine-regulated transcript (CARTPT) and protein interaction with C-kinase-1 (PICK1) genes in attention-deficit hyperactivity disorder. Psychiatry Research, 2012, 198, 334-335.	1.7	1
314	The Influence of Apolipoprotein E Epsilon4 Polymorphism on qEEG Profiles in Healthy Young Females: A Resting EEG Study. Brain Topography, 2012, 25, 431-442.	0.8	14
315	Impact of apolipoprotein A5 (APOA5) polymorphisms on serum triglyceride levels in schizophrenic patients under long-term atypical antipsychotic treatment. World Journal of Biological Psychiatry, 2012, 13, 22-29.	1.3	10
316	Association of MTHFR C677T polymorphism with loneliness but not depression in cognitively normal elderly males. Neuroscience Letters, 2012, 521, 88-91.	1.0	10
317	Reprint of: Effects of BDNF polymorphisms on brain function and behavior in health and disease. Brain Research Bulletin, 2012, 88, 406-417.	1.4	4
318	Genome-Wide Association Study of Treatment Refractory Schizophrenia in Han Chinese. PLoS ONE, 2012, 7, e33598.	1.1	55
319	Association of CHRNA4 polymorphism with depression and loneliness in elderly males. Genes, Brain and Behavior, 2012, 11, 230-234.	1.1	24
320	Association of lower hemoglobin levels with depression, though not with cognitive performance, in healthy elderly men. Psychiatry and Clinical Neurosciences, 2012, 66, 367-369.	1.0	19
321	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: A possible approach for the treatment of Rett syndrome. Medical Science Monitor, 2012, 18, HY33-HY36.	0.5	10
322	Convergent Evidence from Mouse and Human Studies Suggests the Involvement of Zinc Finger Protein 326 Gene in Antidepressant Treatment Response. PLoS ONE, 2012, 7, e32984.	1.1	14
323	The Influence of Dopamine Receptor D4 Polymorphism on Resting EEG in Healthy Young Females. Open Neuroimaging Journal, 2012, 6, 19-25.	0.2	7
324	Evidence of involvement of the human Par-4 (PAWR) gene in major depressive disorder. World Journal of Biological Psychiatry, 2011, 12, 288-295.	1.3	3

#	ARTICLE	IF	CITATIONS
325	Association between HTR2C polymorphisms and metabolic syndrome in patients with schizophrenia treated with atypical antipsychotics. <i>Schizophrenia Research</i> , 2011, 125, 179-186.	1.1	31
326	Effects of BDNF polymorphisms on brain function and behavior in health and disease. <i>Brain Research Bulletin</i> , 2011, 86, 287-297.	1.4	102
327	Polymorphisms in LMNA and near a SERPINA13 gene are not associated with cognitive performance in Chinese elderly males without dementia. <i>Neuroscience Letters</i> , 2011, 504, 32-34.	1.0	3
328	TNF-Î± 308 G>A polymorphism and weight gain in patients with schizophrenia under long-term clozapine, risperidone or olanzapine treatment. <i>Neuroscience Letters</i> , 2011, 504, 277-280.	1.0	12
329	Recent molecular genetic studies and methodological issues in suicide research. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 809-817.	2.5	39
330	Varenicline prevents affective and cognitive exacerbation during smoking abstinence in male patients with schizophrenia. <i>Psychiatry Research</i> , 2011, 190, 79-84.	1.7	23
331	Editorial (Asia-Pacific Health 2020 and Genomics without Borders: Co-Production of Knowledge by) Tj ETQq1 1 0.784314 rgBT /Overlock Personalized Medicine, 2011, 9, 1-5.	0.2	23
332	Trazodone-induced severe headache. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 681-682.	1.0	6
333	Sleep state instabilities in major depressive disorder: Detection and quantification with electrocardiogram-based cardiopulmonary coupling analysis. <i>Psychophysiology</i> , 2011, 48, 285-291.	1.2	53
334	Reduced physiologic complexity is associated with poor sleep in patients with major depression and primary insomnia. <i>Journal of Affective Disorders</i> , 2011, 131, 179-185.	2.0	90
335	The effects of catechol-O-methyl-transferase polymorphism Val158Met on functional connectivity in healthy young females: A resting EEG study. <i>Brain Research</i> , 2011, 1377, 21-31.	1.1	23
336	No Association of Angiotensin I Converting Enzyme I/D Polymorphism with Domain-Specific Cognitive Function in Aged Men without Dementia. <i>NeuroMolecular Medicine</i> , 2011, 13, 212-216.	1.8	5
337	Association Study of Brain-Derived Neurotrophic Factor Gene Polymorphisms and Body Weight Change in Schizophrenic Patients Under Long-Term Atypical Antipsychotic Treatment. <i>NeuroMolecular Medicine</i> , 2011, 13, 328-333.	1.8	27
338	The influence of serotonin transporter polymorphisms on cortical activity: A resting EEG study. <i>BMC Neuroscience</i> , 2011, 12, 33.	0.8	20
339	Heterozygote Advantage of the MTHFR C677T Polymorphism on Specific Cognitive Performance in Elderly Chinese Males without Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 32, 159-163.	0.7	20
340	Brain-Derived Neurotrophic Factor Gene Val66Met Polymorphism Modulates Reversible Cerebral Vasoconstriction Syndromes. <i>PLoS ONE</i> , 2011, 6, e18024.	1.1	55
341	Clustering Heart Rate Dynamics Is Associated with Î²-Adrenergic Receptor Polymorphisms: Analysis by Information-Based Similarity Index. <i>PLoS ONE</i> , 2011, 6, e19232.	1.1	18
342	Gene-Gene Interactions in a Context of Individual Variability in Antipsychotic Drug Pharmacogenomics. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2011, 9, 323-331.	0.2	8

#	ARTICLE	IF	CITATIONS
343	Risk factors for poor sleep quality among patients with interstitial cystitis in Taiwan. <i>Neurourology and Urodynamics</i> , 2010, 29, 568-572.	0.8	9
344	Dopamine receptor D2 gene is associated with weight gain in schizophrenic patients under long-term atypical antipsychotic treatment. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 359-366.	0.7	34
345	The Tissue Plasminogen Activator/Plasmin System May Act Through Cleavage of Pro-BDNF to Increase Risk of Substance Abuse. <i>CNS Spectrums</i> , 2010, 15, 350-350.	0.7	2
346	BDNF Val66Met polymorphism alters sympathovagal balance in healthy subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1024-1030.	1.1	33
347	ASSOCIATION BETWEEN RENAL FUNCTION AND COGNITIVE PERFORMANCE IN ELDERLY COMMUNITY-RESIDING MEN WITHOUT DEMENTIA. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2046-2048.	1.3	12
348	Serotonin syndrome caused by ziprasidone alone. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 338-339.	1.0	9
349	Do Seasons Have an Influence on the Incidence of Depression? The Use of an Internet Search Engine Query Data as a Proxy of Human Affect. <i>PLoS ONE</i> , 2010, 5, e13728.	1.1	116
350	The mirror neuron system may play a role in the pathogenesis of mass hysteria. <i>Medical Hypotheses</i> , 2010, 74, 244-245.	0.8	14
351	The effects of glycine transporter I inhibitor, N-methylglycine (sarcosine), on ketamine-induced alterations in sensorimotor gating and regional brain c-Fos expression in rats. <i>Neuroscience Letters</i> , 2010, 469, 127-130.	1.0	28
352	Differential regulation of neurotrophin S100B and BDNF in two rat models of depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1433-1439.	2.5	57
353	Interleukin-1 beta (C-511T) genetic polymorphism is associated with cognitive performance in elderly males without dementia. <i>Neurobiology of Aging</i> , 2010, 31, 1950-1955.	1.5	29
354	Choking Incidents Among Psychiatric Inpatients: A Retrospective Study in Chutung Veterans General Hospital. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 419-424.	0.6	9
355	ENU Mutagenesis Identifies Mice with Morbid Obesity and Severe Hyperinsulinemia Caused by a Novel Mutation in Leptin. <i>PLoS ONE</i> , 2010, 5, e15333.	1.1	15
356	Effects of BDNF Polymorphisms on Antidepressant Action. <i>Psychiatry Investigation</i> , 2010, 7, 236.	0.7	47
357	Statins May Act Through Increasing Tissue Plasminogen Activator/Plasmin Activity to Lower Risk of Alzheimer's Disease. <i>CNS Spectrums</i> , 2009, 14, 234-235.	0.7	6
358	Reduced Physiological Complexity in Robust Elderly Adults with the APOE $\epsilon$ 4 Allele. <i>PLoS ONE</i> , 2009, 4, e7733.	1.1	25
359	Varenicline-induced Mixed Mood and Psychotic Episode in a Patient with Schizoaffective Disorder. <i>CNS Spectrums</i> , 2009, 14, 346-346.	0.7	16
360	Gene-Gene Interactions of the Brain-Derived Neurotrophic-Factor and Neurotrophic Tyrosine Kinase Receptor 2 Genes in Geriatric Depression. <i>Rejuvenation Research</i> , 2009, 12, 387-393.	0.9	55

#	ARTICLE	IF	CITATIONS
361	Sexually dimorphic effect of catechol-O-methyltransferase val158met polymorphism on clinical response to fluoxetine in major depressive patients. <i>Journal of Affective Disorders</i> , 2009, 113, 183-187.	2.0	67
362	Interleukin-1 Beta $\hat{=}$ 511C/T Genetic Polymorphism is Associated with Age of Onset of Geriatric Depression. <i>NeuroMolecular Medicine</i> , 2009, 11, 322-327.	1.8	42
363	Relapse and Long-Acting Injectable Risperidone: A 1-Year Mirror Image Study with a National Claims Database in Taiwan. <i>Value in Health</i> , 2009, 12, S118-S121.	0.1	17
364	Haplotype analysis of single nucleotide polymorphisms in the vascular endothelial growth factor (VEGFA) gene and antidepressant treatment response in major depressive disorder. <i>Psychiatry Research</i> , 2009, 169, 113-117.	1.7	24
365	Tryptophan hydroxylase 2 gene is associated with major depression and antidepressant treatment response. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 637-641.	2.5	80
366	Is dysfunction of the tissue plasminogen activator (tPA)-plasmin pathway a link between major depression and cardiovascular disease?. <i>Medical Hypotheses</i> , 2009, 72, 166-168.	0.8	17
367	Support for the involvement of the KCNK2 gene in major depressive disorder and response to antidepressant treatment. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 735-741.	0.7	42
368	Long-Acting Injectable Risperidone and Hospital Readmission. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 141.	1.1	11
369	Evidence for association between genetic variants of <i>p75 neurotrophin receptor</i> ( <i>p75<sup>NTR</sup></i> ) gene and antidepressant treatment response in chinese major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 594-599.	1.1	23
370	ASSOCIATION BETWEEN HEART RATE VARIABILITY AND COGNITIVE FUNCTION IN ELDERLY COMMUNITY-DWELLING MEN WITHOUT DEMENTIA: A PRELIMINARY REPORT. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 958-960.	1.3	10
371	Pramipexole-induced psychosis in Parkinson's disease. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 245-245.	1.0	6
372	Delayed thrombocytopenia after valproic acid overdose. <i>General Hospital Psychiatry</i> , 2008, 30, 489-490.	1.2	3
373	Neuregulin 3 Genetic Variations and Susceptibility to Schizophrenia in a Chinese Population. <i>Biological Psychiatry</i> , 2008, 64, 1093-1096.	0.7	39
374	Sipatrigine could have therapeutic potential for major depression and bipolar depression through antagonism of the two-pore-domain K <sup>+</sup> channel TREK-1. <i>Medical Hypotheses</i> , 2008, 70, 548-550.	0.8	24
375	Lithium may be useful in the prevention of Alzheimer's disease in individuals at risk of presenile familial Alzheimer's disease. <i>Medical Hypotheses</i> , 2008, 71, 948-951.	0.8	28
376	Association study of brain-derived neurotrophic factor and apolipoprotein E polymorphisms and cognitive function in aged males without dementia. <i>Neuroscience Letters</i> , 2008, 433, 158-162.	1.0	28
377	Association study of a functional catechol-O-methyltransferase polymorphism and executive function in elderly males without dementia. <i>Neuroscience Letters</i> , 2008, 436, 193-195.	1.0	20
378	Association study of p11 gene with major depressive disorder, suicidal behaviors and treatment response. <i>Neuroscience Letters</i> , 2008, 447, 92-95.	1.0	15

#	ARTICLE	IF	CITATIONS
379	Potential antidepressant properties of cysteamine on hippocampal BDNF levels and behavioral despair in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1590-1594.	2.5	21
380	Glycogen synthase kinase-3Î² gene is associated with antidepressant treatment response in Chinese major depressive disorder. <i>Pharmacogenomics Journal</i> , 2008, 8, 384-390.	0.9	61
381	Brain-derived neurotrophic factor and antidepressant action: another piece of evidence from pharmacogenetics. <i>Pharmacogenomics</i> , 2008, 9, 1353-1358.	0.6	23
382	Plasminogen activator inhibitor-1 gene is associated with major depression and antidepressant treatment response. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 869-875.	0.7	51
383	Can Antidepressants Act as Potential Pro-neoplastic Agents in Patients with Neurotrophic Factor-Related Cancers?. <i>CNS Spectrums</i> , 2008, 13, 849-850.	0.7	0
384	A Clinical View of BDNF-TrkB Signaling in the Treatment of Major Depression. <i>Current Signal Transduction Therapy</i> , 2007, 2, 186-189.	0.3	1
385	Association study of GOT2 genetic polymorphisms and schizophrenia. <i>Psychiatric Genetics</i> , 2007, 17, 314.	0.6	3
386	No association of GRIP1 gene polymorphisms with schizophrenia in Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 752-755.	2.5	0
387	Association study of polymorphisms in the mitochondrial aspartate/glutamate carrier SLC25A12 (aralar) gene with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1510-1513.	2.5	7
388	Increased central brain-derived neurotrophic factor activity could be a risk factor for substance abuse: Implications for treatment. <i>Medical Hypotheses</i> , 2007, 68, 410-414.	0.8	32
389	The P11, tPA/plasminogen system and brain-derived neurotrophic factor: Implications for the pathogenesis of major depression and the therapeutic mechanism of antidepressants. <i>Medical Hypotheses</i> , 2007, 68, 180-183.	0.8	25
390	TrkB partial agonists: Potential treatment strategy for major depression. <i>Medical Hypotheses</i> , 2007, 68, 674-676.	0.8	17
391	Attention-deficit hyperactivity disorder may be associated with decreased central brain-derived neurotrophic factor activity: Clinical and therapeutic implications. <i>Medical Hypotheses</i> , 2007, 68, 896-899.	0.8	59
392	Zinc sulfate could be potential agent for the treatment of Rett syndrome through increasing central BDNF levels. <i>Medical Hypotheses</i> , 2007, 68, 230-231.	0.8	2
393	Semax, an analogue of adrenocorticotropin (4â€“10), is a potential agent for the treatment of attention-deficit hyperactivity disorder and Rett syndrome. <i>Medical Hypotheses</i> , 2007, 68, 1144-1146.	0.8	8
394	Statins may enhance the proteolytic cleavage of proBDNF: Implications for the treatment of depression. <i>Medical Hypotheses</i> , 2007, 68, 1296-1299.	0.8	45
395	Glatiramer acetate could be a potential antidepressant through its neuroprotective and anti-inflammatory effects. <i>Medical Hypotheses</i> , 2007, 69, 145-148.	0.8	26
396	Glatiramer acetate could be a potential therapeutic agent for Parkinsonâ€™s disease through its neuroprotective and anti-inflammatory effects. <i>Medical Hypotheses</i> , 2007, 69, 1219-1221.	0.8	11

#	ARTICLE	IF	CITATIONS
397	Lack of supporting evidence for a genetic association of the <i>FKBP5</i> polymorphism and response to antidepressant treatment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1097-1098.	1.1	48
398	Chinese demented inpatients admitted following a suicide attempt: a case series. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1106-1109.	1.3	19
399	Web-based tools can be used reliably to detect patients with major depressive disorder and subsyndromal depressive symptoms. <i>BMC Psychiatry</i> , 2007, 7, 12.	1.1	37
400	Association study of polymorphisms in post-synaptic density protein 95 (PSD-95) with schizophrenia. <i>Journal of Neural Transmission</i> , 2007, 114, 423-426.	1.4	16
401	Association study of two serotonin 1A receptor gene polymorphisms and fluoxetine treatment response in Chinese major depressive disorders. <i>European Neuropsychopharmacology</i> , 2006, 16, 498-503.	0.3	103
402	TrkB partial agonists: Potential treatment strategy for epilepsy, mania, and autism. <i>Medical Hypotheses</i> , 2006, 66, 173-175.	0.8	22
403	The possible role of tissue-type plasminogen activator and the plasminogen system in the pathogenesis of major depression. <i>Medical Hypotheses</i> , 2006, 66, 319-322.	0.8	30
404	Deltamethrin, a pyrethroid insecticide, could be a potential antidepressant agent. <i>Medical Hypotheses</i> , 2006, 66, 605-608.	0.8	9
405	Lithium and antidepressants: Potential agents for the treatment of Rett syndrome. <i>Medical Hypotheses</i> , 2006, 67, 626-629.	0.8	17
406	Cysteamine-related agents could be potential antidepressants through increasing central BDNF levels. <i>Medical Hypotheses</i> , 2006, 67, 1185-1188.	0.8	13
407	Signal transducer and activator of transcription 6 (STAT6) and attention-deficit hyperactivity disorder: A speculative hypothesis. <i>Medical Hypotheses</i> , 2006, 67, 1342-1344.	0.8	11
408	The Val66Met polymorphism of the brain-derived neurotrophic-factor gene is associated with geriatric depression. <i>Neurobiology of Aging</i> , 2006, 27, 1834-1837.	1.5	227
409	Family-based association study between G72/G30 genetic polymorphism and schizophrenia. <i>NeuroReport</i> , 2006, 17, 1067-1069.	0.6	25
410	Association study of adenosine A2a receptor (1976C>T) genetic polymorphism and mood disorders and age of onset. <i>Psychiatric Genetics</i> , 2006, 16, 185.	0.6	13
411	Lack of association of catechol-O-methyltransferase gene Val108/158Met polymorphism with schizophrenia: a family-based association study in a Chinese population. <i>Molecular Psychiatry</i> , 2006, 11, 2-3.	4.1	12
412	Response to fluoxetine and serotonin 1A receptor (C-1019G) polymorphism in Taiwan Chinese major depressive disorder. <i>Pharmacogenomics Journal</i> , 2006, 6, 27-33.	0.9	165
413	Association study of polymorphisms in glycine transporter with schizophrenia. <i>Journal of Neural Transmission</i> , 2006, 113, 1545-1549.	1.4	15
414	Distribution of androgen receptor CAG repeat polymorphism in Chinese schizophrenia and its correlation with age at onset. <i>Psychoneuroendocrinology</i> , 2006, 31, 270-274.	1.3	10



#	ARTICLE	IF	CITATIONS
415	Association study of androgen receptor CAG repeat polymorphism and male violent criminal activity. <i>Psychoneuroendocrinology</i> , 2006, 31, 548-552.	1.3	31
416	Effect of Brain Derived Neurotrophic Factor (BDNF) Gene Variants on Therapeutic Response and the Risk for Schizophrenia. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2006, 4, 169-175.	0.3	1
417	The Brain-Derived Neurotrophic Factor Gene as a Possible Susceptibility Candidate for Alzheimerâ€™s Disease in a Chinese Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 139-143.	0.7	36
418	Association of APOE Genetic Polymorphism with Cognitive Function and Suicide History in Geriatric Depression. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 334-338.	0.7	36
419	Polymorphisms in glycine transporter with schizophrenia. <i>Neuropsychopharmacologia Hungarica</i> , 2006, 8, 17-21.	0.1	6
420	Ziprasidone-induced hypersensitivity syndrome in an aged schizophrenia patient. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 797-799.	1.3	10
421	Association studies of the adenosine A2a receptor (1976T > C) genetic polymorphism in Parkinsonâ€™s disease and schizophrenia. <i>Journal of Neural Transmission</i> , 2005, 112, 1503-1510.	1.4	47
422	Association Study of a Monoamine Oxidase A Gene Promoter Polymorphism with Major Depressive Disorder and Antidepressant Response. <i>Neuropsychopharmacology</i> , 2005, 30, 1719-1723.	2.8	162
423	The efficacy and safety of quetiapine for treatment of geriatric psychosis. <i>Journal of Psychopharmacology</i> , 2005, 19, 661-666.	2.0	18
424	Interleukin-6 Genetic Polymorphism and Chinese Major Depression. <i>Neuropsychobiology</i> , 2005, 52, 202-205.	0.9	22
425	Effect of Age and Global Function Score on Schizophrenic P300 Characteristics. <i>Neuropsychobiology</i> , 2005, 51, 45-52.	0.9	10
426	Association Analysis for the Muscarinic M <sub>1</sub> Receptor Genetic Polymorphisms and Alzheimerâ€™s Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 19, 42-45.	0.7	7
427	Association Analysis of Adenosine A2a Receptor 1976T>C Polymorphisms and Alzheimerâ€™s Disease. <i>European Neurology</i> , 2005, 53, 99-100.	0.6	3
428	Serotonin Dysfunction and Suicide Attempts in Major Depressives: An Auditory Event-Related Potential Study. <i>Neuropsychobiology</i> , 2005, 52, 28-36.	0.9	61
429	Association Study of a Functional MAOA-uVNTR Gene Polymorphism and Cognitive Function in Healthy Females. <i>Neuropsychobiology</i> , 2005, 52, 77-82.	0.9	16
430	Pharmacogenetic Studies of Psychotropic Drug-Induced Adverse Effects. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2005, 3, 157-164.	0.3	4
431	Association Study of a Functional MAOA-uVNTR Gene Polymorphism and Personality Traits in Chinese Young Females. <i>Neuropsychobiology</i> , 2005, 52, 118-121.	0.9	30
432	Brain-derived neurotrophic factor (Val66Met) genetic polymorphism is associated with substance abuse in males. <i>Molecular Brain Research</i> , 2005, 140, 86-90.	2.5	110

#	ARTICLE	IF	CITATIONS
433	Association study of A2a adenosine receptor genetic polymorphism in panic disorder. <i>Neuroscience Letters</i> , 2005, 378, 98-101.	1.0	58
434	A study of the association of (Val66Met) polymorphism in the Brain-derived Neurotrophic Factor gene with alcohol dependence and extreme violence in Chinese males. <i>Neuroscience Letters</i> , 2005, 381, 340-343.	1.0	43
435	Effects of subchronic clozapine administration on serum glucose, cholesterol and triglyceride levels, and body weight in male BALB/c mice. <i>Life Sciences</i> , 2005, 76, 2269-2273.	2.0	13
436	Adenosine A2a receptor/dopamine D2 receptor hetero-oligomerization: a hypothesis that may explain behavioral sensitization to psychostimulants and schizophrenia. <i>Medical Hypotheses</i> , 2005, 64, 197-200.	0.8	13
437	Could repetitive transcranial magnetic stimulation be effective in autism?. <i>Medical Hypotheses</i> , 2005, 64, 1070-1071.	0.8	6
438	Is autism caused by early hyperactivity of brain-derived neurotrophic factor?. <i>Medical Hypotheses</i> , 2005, 65, 79-82.	0.8	82
439	Asthma, major depression and brain-derived neurotrophic factor. <i>Medical Hypotheses</i> , 2005, 65, 417-418.	0.8	1
440	Possible involvement of brain-derived neurotrophic factor in the antinociceptive effect of antidepressants in neuropathic pain. <i>Medical Hypotheses</i> , 2005, 65, 530-533.	0.8	9
441	The novel atypical antipsychotic aripiprazole as treatment for and prophylaxis against progressive multifocal leukoencephalopathy. <i>Medical Hypotheses</i> , 2005, 65, 633-634.	0.8	0
442	Possible involvement of the BDNF-dependent pathway in treatment-emergent suicidality or decreased response to antidepressants. <i>Medical Hypotheses</i> , 2005, 65, 942-946.	0.8	19
443	Repetitive transcranial magnetic stimulation: A possible novel therapeutic approach to eating disorders. <i>Medical Hypotheses</i> , 2005, 65, 1176-1178.	0.8	8
444	Strategies to increase central N-acetyl aspartylglutamate: A potential treatment for schizophrenia and bipolar disorders. <i>Schizophrenia Research</i> , 2005, 76, 359-360.	1.1	0
445	Loudness dependence of the auditory evoked potential and response to antidepressants in Chinese patients with major depression. <i>Journal of Psychiatry and Neuroscience</i> , 2005, 30, 202-5.	1.4	48
446	Central N-acetyl aspartylglutamate deficit: a possible pathogenesis of schizophrenia. <i>Medical Science Monitor</i> , 2005, 11, HY39-45.	0.5	23
447	Association Study of a Functional Catechol-O-Methyltransferase Genetic Polymorphism with Age of Onset, Cognitive Function, Symptomatology and Prognosis in Chronic Schizophrenia. <i>Neuropsychobiology</i> , 2004, 49, 196-200.	0.9	29
448	Association Study of Onset Age, Attempted Suicide, Aggressive Behavior, and Schizophrenia with a Serotonin 1B Receptor (A-161T) Genetic Polymorphism. <i>Neuropsychobiology</i> , 2004, 49, 1-4.	0.9	25
449	Association Analysis of Brain-Derived Neurotrophic Factor Val66Met Polymorphisms with Alzheimer's Disease and Age of Onset. <i>Neuropsychobiology</i> , 2004, 49, 10-12.	0.9	71
450	Association Study of Adrenergic $\beta$ 3 Receptor (Trp64Arg) and G-Protein $\beta$ 3 Subunit Gene (C825T) Polymorphisms and Weight Change during Clozapine Treatment. <i>Neuropsychobiology</i> , 2004, 50, 37-40.	0.9	43

#	ARTICLE	IF	CITATIONS
451	Association Study of Serotonin 1B Receptor (A-161T) Genetic Polymorphism and Suicidal Behaviors and Response to Fluoxetine in Major Depressive Disorder. <i>Neuropsychobiology</i> , 2004, 50, 235-238.	0.9	26
452	Association Analysis for the C-1019G Promoter Variant of the 5-HT1A Receptor Gene with Auditory Evoked Potentials in Major Depression. <i>Neuropsychobiology</i> , 2004, 50, 292-295.	0.9	11
453	Association Analysis for MAOA Gene Polymorphism with Long-Latency Auditory Evoked Potentials in Healthy Females. <i>Neuropsychobiology</i> , 2004, 50, 288-291.	0.9	3
454	Association Study of a Brain-Derived Neurotrophic Factor (BDNF) Val66Met Polymorphism and Personality Trait and Intelligence in Healthy Young Females. <i>Neuropsychobiology</i> , 2004, 49, 13-16.	0.9	97
455	Association Study of <i>Catechol- O-Methyltransferase</i> Gene and <i>Dopamine D<sub>4</sub> Receptor</i> Gene Polymorphisms and Personality Traits in Healthy Young Chinese Females. <i>Neuropsychobiology</i> , 2004, 50, 153-156.	0.9	91
456	Personality traits in young female apolipoprotein E (apoE) $\epsilon$ 4 and non- $\epsilon$ 4 carriers. <i>American Journal of Medical Genetics Part A</i> , 2004, 124B, 58-60.	2.4	10
457	Comparison study of venlafaxine and paroxetine for the treatment of depression in elderly Chinese inpatients. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 189-190.	1.3	15
458	Association Study of a Brain-Derived Neurotrophic Factor (Val66Met) Genetic Polymorphism and Panic Disorder. <i>Neuropsychobiology</i> , 2004, 49, 178-181.	0.9	41
459	Possible Association between Serotonin Transporter Promoter Region Polymorphism and Extremely Violent Crime in Chinese Males. <i>Neuropsychobiology</i> , 2004, 50, 284-287.	0.9	75
460	Association study of the human partially duplicated $\hat{1}\pm 7$ nicotinic acetylcholine receptor genetic variant with bipolar disorder. <i>Neuroscience Letters</i> , 2004, 355, 69-72.	1.0	50
461	Expression of c-Fos-like immunoreactivity in the brain of mice with learned helplessness. <i>Neuroscience Letters</i> , 2004, 363, 280-283.	1.0	25
462	Case-control and family-based association studies between the neuregulin 1 (Arg38Gln) polymorphism and schizophrenia. <i>Neuroscience Letters</i> , 2004, 366, 158-161.	1.0	51
463	X-box binding protein 1 (XBP1) C $\hat{1}\sim 116$ G polymorphisms in bipolar disorders and age of onset. <i>Neuroscience Letters</i> , 2004, 367, 232-234.	1.0	31
464	Dopamine receptor downregulation: an alternative strategy for schizophrenia treatment. <i>Medical Hypotheses</i> , 2004, 63, 1047-1050.	0.8	11
465	Is mania caused by overactivity of central brain-derived neurotrophic factor?. <i>Medical Hypotheses</i> , 2004, 62, 19-22.	0.8	41
466	Down-regulation of the Trk-B signal pathway: the possible pathogenesis of major depression. <i>Medical Hypotheses</i> , 2004, 62, 215-218.	0.8	32
467	Fluoxetine-Induced Memory Impairment in Four Family Members. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 197-200.	0.8	11
468	Association study of PICK1 rs3952 polymorphism and schizophrenia. <i>NeuroReport</i> , 2004, 15, 1965-1967.	0.6	41

#	ARTICLE	IF	CITATIONS
469	A Case of Parenteral Zolpidem Dependence With Opioid-Like Withdrawal Symptoms. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1287.	1.1	11
470	Association study of the dopamine and serotonin transporter genetic polymorphisms and methamphetamine abuse in Chinese males. <i>Journal of Neural Transmission</i> , 2003, 110, 345-351.	1.4	39
471	Phantom boarder symptom in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 417-420.	1.3	27
472	Clinical and phenomenological comparisons of delusional and non-delusional major depression in the Chinese elderly. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 486-490.	1.3	13
473	Association study of a brain-derived neurotrophic-factor genetic polymorphism and major depressive disorders, symptomatology, and antidepressant response. <i>American Journal of Medical Genetics Part A</i> , 2003, 123B, 19-22.	2.4	195
474	Association Study of Serotonin Transporter Gene VNTR Polymorphism and Mood Disorders, Onset Age and Suicide Attempts in a Chinese Sample. <i>Neuropsychobiology</i> , 2003, 48, 5-9.	0.9	26
475	Dopamine receptor hetero-oligomerization in the pathogenesis of schizophrenia: qualitative as opposed to quantitative notions of dopaminergic receptors. <i>Schizophrenia Research</i> , 2003, 63, 197-198.	1.1	3
476	No association of tumor necrosis factor alpha gene polymorphisms with schizophrenia or response to clozapine. <i>Schizophrenia Research</i> , 2003, 65, 27-32.	1.1	41
477	Association analysis for the CA repeat polymorphism of the neuronal nitric oxide synthase (NOS1) gene and schizophrenia. <i>Schizophrenia Research</i> , 2003, 65, 57-59.	1.1	14
478	Brain-derived neurotrophic factor (BDNF) Val66Met polymorphisms in Parkinson's disease and age of onset. <i>Neuroscience Letters</i> , 2003, 353, 75-77.	1.0	51
479	Association study of a functional catechol-O-methyltransferase-gene polymorphism and cognitive function in healthy females. <i>Neuroscience Letters</i> , 2003, 338, 123-126.	1.0	129
480	Lack of association between the interleukin-1alpha gene C(âˆ”889)T polymorphism and Alzheimer's disease in a Chinese population. <i>Neuroscience Letters</i> , 2003, 343, 93-96.	1.0	26
481	An association study of a brain-derived neurotrophic factor Val66Met polymorphism and clozapine response of schizophrenic patients. <i>Neuroscience Letters</i> , 2003, 349, 206-208.	1.0	132
482	Dopamine receptor hetero-oligomerization: a hypothesis for behavioral sensitization to psychostimulants. <i>Medical Hypotheses</i> , 2003, 61, 18-20.	0.8	2
483	Attention-deficit hyperactivity disorder and brain-derived neurotrophic factor: a speculative hypothesis. <i>Medical Hypotheses</i> , 2003, 60, 849-851.	0.8	35
484	Brain-derived neurotrophic factor: a bridge between major depression and Alzheimer's disease?. <i>Medical Hypotheses</i> , 2003, 61, 110-113.	0.8	60
485	Association Study of a Brain-Derived Neurotrophic-Factor Genetic Polymorphism and Mood Disorders, Age of Onset and Suicidal Behavior. <i>Neuropsychobiology</i> , 2003, 48, 186-189.	0.9	197
486	Association Analysis for Neuronal Nitric Oxide Synthase Gene Polymorphism with Major Depression and Fluoxetine Response. <i>Neuropsychobiology</i> , 2003, 47, 137-140.	0.9	50

#	ARTICLE	IF	CITATIONS
487	Expression of cAMP Response Element-Binding Protein in Major Depression before and after Antidepressant Treatment. <i>Neuropsychobiology</i> , 2003, 48, 182-185.	0.9	27
488	Allelic Variants of the Tryptophan Hydroxylase (A218C) and Serotonin 1B Receptor (A-161T) and Personality Traits. <i>Neuropsychobiology</i> , 2003, 48, 68-71.	0.9	14
489	Association of Muscarinic M1 Receptor Genetic Polymorphisms with Psychiatric Symptoms and Cognitive Function in Schizophrenic Patients. <i>Neuropsychobiology</i> , 2003, 48, 72-76.	0.9	54
490	Association Study of the Interleukin-1beta (C-511T) Genetic Polymorphism with Major Depressive Disorder, Associated Symptomatology, and Antidepressant Response. <i>Neuropsychopharmacology</i> , 2003, 28, 1182-1185.	2.8	133
491	Long-Term Glue Sniffing: Report of Six Cases. <i>International Journal of Psychiatry in Medicine</i> , 2003, 33, 163-168.	0.8	6
492	Association study of oestrogen receptor 1± gene polymorphism and suicidal behaviours in major depressive disorder. <i>Psychiatric Genetics</i> , 2003, 13, 19-22.	0.6	48
493	Association analysis for dopamine D3 receptor, dopamine D4 receptor and dopamine transporter genetic polymorphisms and P300 event-related potentials for normal young females. <i>Psychiatric Genetics</i> , 2003, 13, 51-53.	0.6	16
494	St. John's Wort ( <i>Hypericum Perforatum</i> ) as a Treatment for Premenstrual Dysphoric Disorder: Case Report. <i>International Journal of Psychiatry in Medicine</i> , 2003, 33, 295-297.	0.8	12
495	The Efficacy and Safety of Olanzapine for the Treatment of Geriatric Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 113-118.	0.7	25
496	Pharmacogenetics of Selective Serotonin Reuptake Inhibitor Response in Major Depression. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2003, 1, 1-7.	0.3	7
497	The Genomic Approaches to Major Depression. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2003, 1, 67-74.	0.3	8
498	A Double-Blind, Randomized, Group-Comparative Study of the Tolerability and Efficacy of 6 Weeksâ€™ Treatment With Mirtazapine or Fluoxetine in Depressed Chinese Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 921-926.	1.1	40
499	Amisulpride versus risperidone in the treatment of schizophrenic patients: a double-blind pilot study in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2003, 102, 30-6.	0.8	19
500	Smoking in Chronic Schizophrenic Inpatients in Taiwan. <i>Neuropsychobiology</i> , 2002, 45, 172-175.	0.9	41
501	Study of the Association between Alzheimerâ€™s Disease and Angiotensin-Converting Enzyme Gene Polymorphism Using DNA from Lymphocytes. <i>European Neurology</i> , 2002, 47, 26-29.	0.6	52
502	Dopamine D2 Receptor and N-Methyl-D-Aspartate Receptor 2B Subunit Genetic Variants and Intelligence. <i>Neuropsychobiology</i> , 2002, 45, 128-130.	0.9	29
503	Association for Serotonin Transporter Gene Variable Number Tandem Repeat Polymorphism and Schizophrenic Disorders. <i>Neuropsychobiology</i> , 2002, 45, 131-133.	0.9	16
504	Association Analysis for Serotonin Transporter Promoter Polymorphism and Auditory Evoked Potentials for Major Depression. <i>Neuropsychobiology</i> , 2002, 46, 57-60.	0.9	14

#	ARTICLE	IF	CITATIONS
505	Association Study for Parkinsonâ€™s Disease and a Dopamine Transporter Gene Polymorphism (1215A/G). <i>European Neurology</i> , 2002, 48, 207-209.	0.6	23
506	Association Analysis of Two Dopamine D2 Receptor Gene Polymorphisms and P300 Event-Related Potential in Depressive Patients. <i>Neuropsychobiology</i> , 2002, 46, 141-144.	0.9	10
507	No association for D2 and D4 dopamine receptor polymorphisms and methamphetamine abuse in Chinese males. <i>Psychiatric Genetics</i> , 2002, 12, 29-33.	0.6	33
508	Genetic variant of the histamine-1 receptor (glu349asp) and body weight change during clozapine treatment. <i>Psychiatric Genetics</i> , 2002, 12, 169-171.	0.6	52
509	Serotonin transporter genetic polymorphisms and harm avoidance in the Chinese. <i>Psychiatric Genetics</i> , 2002, 12, 165-168.	0.6	46
510	Association Analysis for the Genetic Variants of the NMDA Receptor Subunit 2b and Alzheimerâ€™s Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002, 13, 91-94.	0.7	13
511	âˆ¼759C/T genetic variation of 5HT2C receptor and clozapine-induced weight gain. <i>Lancet, The</i> , 2002, 360, 1790.	6.3	105
512	Estrogen supplementation for female schizophrenics treated with atypical antipsychotics. <i>General Hospital Psychiatry</i> , 2002, 24, 357-359.	1.2	8
513	Norepinephrine transporter and ðc adrenoceptor allelic variants and personality factors. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 649-651.	2.4	17
514	No association between the neuronal nitric oxide synthase gene polymorphism and Alzheimer Disease. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 687-688.	2.4	11
515	Association study of Angiotensin I-converting enzyme polymorphism and symptomatology and antidepressant response in major depressive disorders. <i>Journal of Neural Transmission</i> , 2002, 109, 1209-1214.	1.4	68
516	Association analysis for genetic variants of the NMDA receptor 2b subunit (GRIN2B) and Parkinson's disease. <i>Journal of Neural Transmission</i> , 2002, 109, 483-488.	1.4	11
517	Association study of the serotonin transporter promoter polymorphism and symptomatology and antidepressant response in major depressive disorders. <i>Molecular Psychiatry</i> , 2002, 7, 1115-1119.	4.1	237
518	Transcranial Magnetic Stimulation in Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 494-a-495.	4.0	13
519	A Case Report of Quetiapine-Related Tic-Like Symptoms. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 1184-1185.	1.1	10
520	Association between tryptophan hydroxylase gene polymorphism (A218C) and schizophrenic disorders. <i>Schizophrenia Research</i> , 2001, 49, 59-63.	1.1	42
521	Association analysis of polymorphism in the promoter region of the Î±2a-adrenoceptor gene with schizophrenia and clozapine response. <i>Schizophrenia Research</i> , 2001, 49, 53-58.	1.1	59
522	Association Study of Angiotensin-Converting Enzyme Gene Polymorphism with Schizophrenia and Polydipsia. <i>Neuropsychobiology</i> , 2001, 44, 31-35.	0.9	23

#	ARTICLE	IF	CITATIONS
523	Association study of the p53-gene Pro72Arg polymorphism in schizophrenia. <i>Psychiatry Research</i> , 2001, 105, 279-283.	1.7	20
524	Association Analysis of the Partially Duplicated $\hat{1}\pm 7$ Nicotinic Acetylcholine Receptor Genetic Variant and Alzheimerâ€™s Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001, 12, 301-304.	0.7	16
525	Association analysis for dopamine D2 receptor Taq 1 polymorphism with P300 event-related potential for normal young females. <i>Psychiatric Genetics</i> , 2001, 11, 165-168.	0.6	23
526	Association analysis for NMDA receptor subunit 2B (GRIN2B) genetic variants and psychopathology and clozapine response in schizophrenia. <i>Psychiatric Genetics</i> , 2001, 11, 219-222.	0.6	54
527	Estrogen receptor $\hat{1}\pm$ gene polymorphism in schizophrenia: frequency, age at onset, symptomatology and prognosis. <i>Psychiatric Genetics</i> , 2001, 11, 95-98.	0.6	13
528	The Efficacy and Safety of Risperidone for the Treatment of Geriatric Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 583-587.	0.7	21
529	Genetic variants of the serotonin system and weight change during clozapine treatment. <i>Pharmacogenetics and Genomics</i> , 2001, 11, 265-268.	5.7	67
530	A study of alpha-adrenoceptor gene polymorphisms and Alzheimer disease. <i>Journal of Neural Transmission</i> , 2001, 108, 445-450.	1.4	20
531	Study of anticipation in Chinese families with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2001, 55, 137-140.	1.0	4
532	Association analysis of the 5-HT6 receptor polymorphism C267T with depression in patients with Alzheimer's disease. <i>Psychiatry and Clinical Neurosciences</i> , 2001, 55, 427-429.	1.0	25
533	Allelic variants of the $\beta 1$ a adrenoceptor and the promoter region of the $\beta 2$ a adrenoceptor and temperament factors. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 96-98.	2.4	22
534	Characteristics of Chinese suicide attempters admitted to a geropsychiatric unit. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 1033-1036.	1.3	22
535	Association study between cannabinoid receptor gene (CNR1) and pathogenesis and psychotic symptoms of mood disorders. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 219-221.	2.4	34
536	Association study of nicotinic-receptor variants and major depressive disorder. <i>Journal of Affective Disorders</i> , 2001, 66, 79-82.	2.0	32
537	Association Analysis of a Functional G Protein $\hat{1}\pm 3$ Subunit Gene Polymorphism (C825T) in Mood Disorders. <i>Neuropsychobiology</i> , 2001, 44, 118-121.	0.9	36
538	Association Analysis of a Functional Catechol-O-Methyltransferase Gene Polymorphism in Schizophrenic Patients in Taiwan. <i>Neuropsychobiology</i> , 2001, 43, 11-14.	0.9	70
539	Association Study of a Nicotinic Receptor Variant with Schizophrenic Disorders. <i>Neuropsychobiology</i> , 2001, 43, 15-18.	0.9	19
540	Evidence for an Association between Polymorphism in the Serotonin-2A Receptor Variant (102T/C) and Increment of N100Amplitude in Schizophrenics Treated with Clozapine. <i>Neuropsychobiology</i> , 2001, 43, 79-82.	0.9	44

#	ARTICLE	IF	CITATIONS
541	Reduced Regional [ <sup>14</sup> C]2-Deoxyglucose Uptake in Response to Long-Term Clozapine Administration in Rats. <i>Neuropsychobiology</i> , 2001, 44, 36-40.	0.9	5
542	Association between the Ser9Gly Polymorphism of the Dopamine D3 Receptor Gene and Tardive Dyskinesia in Chinese Schizophrenic Patients. <i>Neuropsychobiology</i> , 2001, 44, 95-98.	0.9	73
543	Genetic Association Analysis of Alpha-1-Antichymotrypsin Polymorphism in Parkinsonâ€™s Disease. <i>European Neurology</i> , 2001, 45, 254-256.	0.6	15
544	No Association between Tryptophan Hydroxylase Gene Polymorphism and Alzheimerâ€™s Disease. <i>Neuropsychobiology</i> , 2001, 43, 1-4.	0.9	2
545	Association Study for a Functional Serotonin Transporter Gene Polymorphism and Late-Onset Alzheimerâ€™s Disease for Chinese Patients. <i>Neuropsychobiology</i> , 2001, 44, 27-30.	0.9	15
546	Association Study of the 5-HT <sub>6</sub> Receptor Polymorphism (C267T) and Symptomatology and Antidepressant Response in Major Depressive Disorders. <i>Neuropsychobiology</i> , 2001, 44, 172-175.	0.9	57
547	Allelic variants of the $\hat{1}\pm 1a$ adrenoceptor and the promoter region of the $\hat{1}\pm 2a$ adrenoceptor and temperament factors. , 2001, 105, 96.		3
548	Repetitive Phenomena in Dementia. <i>International Journal of Psychiatry in Medicine</i> , 2000, 30, 165-171.	0.8	16
549	The Clinical Applications of Mini-Mental State Examination in Geropsychiatric Inpatients. <i>International Journal of Psychiatry in Medicine</i> , 2000, 30, 277-285.	0.8	6
550	Association study of a cannabinoid receptor gene (CNR1) polymorphism and schizophrenia. <i>Psychiatric Genetics</i> , 2000, 10, 149-151.	0.6	69
551	Letter to the editor. <i>General Hospital Psychiatry</i> , 2000, 22, 391-392.	1.2	11
552	The correlations between the difficult temperament and subjective psychiatric symptoms in Chinese early adolescents. <i>Child Psychiatry and Human Development</i> , 2000, 31, 129-137.	1.1	3
553	No Evidence for Association of Alpha 1a Adrenoceptor Gene Polymorphism and Clozapine-Induced Urinary Incontinence. <i>Neuropsychobiology</i> , 2000, 42, 62-65.	0.9	25
554	Association Study of Apolipoprotein E $\hat{1}\mu 4$ with Clinical Phenotype and Clozapine Response in Schizophrenia. <i>Neuropsychobiology</i> , 2000, 42, 172-174.	0.9	20
555	Intelligence and event-related potentials for young female human volunteer apolipoprotein E $\hat{1}\mu 4$ and non- $\hat{1}\mu 4$ carriers. <i>Neuroscience Letters</i> , 2000, 294, 179-181.	1.0	85
556	Association study of a functional serotonin transporter gene polymorphism with schizophrenia, psychopathology and clozapine response <sup>11</sup> The experiments in this study were performed at the Molecular Biology Laboratory, Department of Psychiatry, Veterans General Hospital Taipei, Taipei, Taiwan.. <i>Schizophrenia Research</i> , 2000, 44, 177-181.	1.1	72
557	No Association between Alpha-1-Antichymotrypsin Polymorphism and Alzheimerâ€™s Disease in Chinese. <i>Neuropsychobiology</i> , 1999, 40, 67-70.	0.9	9
558	Alpha-1-Antichymotrypsin Polymorphism in Schizophrenia: Frequency, Age at Onset and Cognitive Function. <i>Neuropsychobiology</i> , 1999, 40, 71-74.	0.9	5



#	ARTICLE	IF	CITATIONS
559	Apolipoprotein E Genotype and Schizophrenia. <i>Neuropsychobiology</i> , 1999, 39, 141-143.	0.9	24
560	Secondary personality change in psychiatric in-patients. <i>Psychiatry and Clinical Neurosciences</i> , 1999, 53, 433-435.	1.0	2
561	The effect of acute administration of risperidone on local cerebral glucose utilization in the rat. <i>European Journal of Pharmacology</i> , 1999, 370, 257-261.	1.7	13
562	Effects of Repeated High-Dose Methamphetamine on Local Cerebral Glucose Utilization in Rats. <i>Neuropsychopharmacology</i> , 1999, 21, 427-434.	2.8	23
563	Association analysis of the 5-HT6 receptor polymorphism (C267T) in mood disorders. , 1999, 88, 601-602.		23
564	Association study of serotonin-6 receptor variant (C267T) with schizophrenia and aggressive behavior. <i>Neuroscience Letters</i> , 1999, 271, 135-137.	1.0	52
565	Association analysis of the 5-HT6 receptor polymorphism C267T in Alzheimer's disease. <i>Neuroscience Letters</i> , 1999, 276, 138-139.	1.0	55
566	Serotonin-2A receptor polymorphism (102T/C) in mood disorders. <i>Psychiatry Research</i> , 1999, 87, 233-237.	1.7	53
567	No association between an intronic presenilin-1 gene polymorphism and schizophrenia in a Chinese population. <i>Psychiatry Research</i> , 1999, 87, 245-248.	1.7	2
568	Methanol/acetone treatment helps the amplification of FMR1 CGG repeat fragment in dried blood spots from Guthrie cards. <i>Lancet, The</i> , 1999, 353, 1153-1154.	6.3	9
569	No evidence for association of serotonin-2A receptor variant (102T/C) with schizophrenia or clozapine response in a Chinese population. <i>NeuroReport</i> , 1999, 10, 57-60.	0.6	103
570	Serotonin-6 receptor variant (C267T) and clinical response to clozapine. <i>NeuroReport</i> , 1999, 10, 1231-1233.	0.6	127
571	Inappropriate Sexual Behaviors in Dementia: A Preliminary Report. <i>Alzheimer Disease and Associated Disorders</i> , 1999, 13, 60-62.	0.6	46
572	Tryptophan hydroxylase gene polymorphism (A218C) and suicidal behaviors. <i>NeuroReport</i> , 1999, 10, 3773-3775.	0.6	65
573	Association analysis of the 5-HT6 receptor polymorphism (C267T) in mood disorders. , 1999, 88, 601.		3
574	Wandering and Associated Factors in Psychiatric Inpatients with Dementia of Alzheimer's Type in Taiwan: Clinical Implications for Management. <i>Journal of Nervous and Mental Disease</i> , 1999, 187, 695-697.	0.5	11
575	Persecutory Delusions in Dementia. <i>Journal of Clinical Psychiatry</i> , 1999, 60, 550-553.	1.1	10
576	Characteristics and outcome of delirium in psychiatric inpatients. <i>Psychiatry and Clinical Neurosciences</i> , 1998, 52, 47-50.	1.0	9

#	ARTICLE	IF	CITATIONS
577	Hoarding Behavior in Dementia: A Preliminary Report. American Journal of Geriatric Psychiatry, 1998, 6, 285-289.	0.6	1
578	Mortality in Geriatric Psychiatric Inpatients. International Journal of Psychiatry in Medicine, 1998, 28, 327-331.	0.8	6
579	Repetitive hair pulling associated with schizophrenia. British Journal of Dermatology, 1998, 138, 1095-1096.	1.4	5
580	Valproic Acid-Induced Stevens-Johnson Syndrome. Journal of Clinical Psychopharmacology, 1998, 18, 420.	0.7	8
581	Delusions of Theft in Dementia of the Alzheimer Type. Alzheimer Disease and Associated Disorders, 1997, 11, 110-112.	0.6	12
582	Effects of amphetamine challenge on local cerebral glucose utilization after chronic dopamine D1 and D2 receptor agonist administration to rats. European Journal of Pharmacology, 1997, 338, 117-121.	1.7	4
583	Differential Development of the Enhanced Metabolic Response during Amphetamine Sensitization. Neuropsychobiology, 1997, 36, 177-181.	0.9	6
584	Organic delusional disorder in psychiatric in-patients: comparison with delusional disorder. Acta Psychiatrica Scandinavica, 1997, 95, 161-163.	2.2	14
585	Behavioural disturbances in psychiatric inpatients with dementia of the Alzheimer's type in Taiwan. , 1997, 12, 902-906.		46
586	Geriatric psychiatry in Taiwan. International Journal of Geriatric Psychiatry, 1997, 12, 960-963.	1.3	1
587	Delusional Jealousy in Dementia. Journal of Clinical Psychiatry, 1997, 58, 492-494.	1.1	30
588	Physical Aggression and Associated Factors in Probable Alzheimer Disease. Alzheimer Disease and Associated Disorders, 1996, 10, 82-85.	0.6	25
589	Psychiatric Consultations in Obstetric Inpatients. Journal of Obstetrics and Gynaecology Research, 1996, 22, 603-607.	0.6	14
590	TYPES AND PHENOMENOLOGIC SUBTYPES OF DEMENTIA IN TAIWAN: A PSYCHIATRIC INPATIENT STUDY. International Journal of Geriatric Psychiatry, 1996, 11, 705-709.	1.3	4
591	Hyponatremia and Stevens-Johnson syndrome in a patient receiving carbamazepine. General Hospital Psychiatry, 1995, 17, 458-460.	1.2	4
592	Dose-Dependent Effects of Chronic Amphetamine Administration in Local Cerebral Glucose Utilization in Rat. Neuropsychobiology, 1995, 32, 149-155.	0.9	6
593	Alterations in local cerebral glucose utilization in rats after chronic amphetamine administration without subsequent challenge. Psychiatry Research, 1995, 57, 65-73.	1.7	7
594	Associations of a family history of lupus with the risks of lupus and major psychiatric disorders in first-degree relatives. QJM - Monthly Journal of the Association of Physicians, 0, , .	0.2	0