

Daniel Grande

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7175351/daniel-grande-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

2,245
citations

27
h-index

43
g-index

112
ext. papers

2,537
ext. citations

4.8
avg, IF

5.12
L-index

#	Paper	IF	Citations
108	Optimization of the Synthesis of Natural Polymeric Nanoparticles of Inulin Loaded with Quercetin: Characterization and Cytotoxicity Effect. <i>Pharmaceutics</i> , 2022 , 14, 888	6.4	2
107	Versatile approach to nanoporous polymers with bicontinuous morphology using metal templated synthesis. <i>European Polymer Journal</i> , 2021 , 153, 110509	5.2	0
106	Thermally stable nanoporous cyanate ester resin/linear polyurethane hybrid networks created by nuclear technologies. <i>Polymer</i> , 2021 , 228, 123831	3.9	1
105	Investigation of morphology associated with biporous polymeric materials obtained by the double porogen templating approach. <i>Colloid and Polymer Science</i> , 2021 , 299, 537-550	2.4	0
104	Synthesis of triazole-functionalized diblock copolymers as templates for porous materials. <i>Reactive and Functional Polymers</i> , 2021 , 164, 104919	4.6	1
103	Non-covalent functionalization of single walled carbon nanotubes with Fe-/Co-porphyrin and Co-phthalocyanine for field-effect transistor applications. <i>Organic Electronics</i> , 2021 , 96, 106212	3.5	5
102	Gold nanoparticles supported onto amine-functionalized in-capillary monoliths meant for flow-through catalysis: A comparative study. <i>Polymer</i> , 2021 , 230, 124014	3.9	0
101	Raw and processed data used in non-covalent functionalization of single walled carbon nanotubes with Co-porphyrin and Co-phthalocyanine and its effect on field-effect transistor characteristics. <i>Data in Brief</i> , 2021 , 38, 107366	1.2	1
100	Electrospun Fibers and Sorbents as a Possible Basis for Effective Composite Wound Dressings. <i>Micromachines</i> , 2020 , 11,	3.3	10
99	Study of functionality of polymer films by dense electron beams. <i>Polymer Journal</i> , 2020 , 42, 254-261	0.3	0
98	Computation of macroscopic permeability of doubly porous media with FFT based numerical homogenization method. <i>European Journal of Mechanics, B/Fluids</i> , 2020 , 83, 141-155	2.4	5
97	Evaluation of halogen chain-end functionality in 2-bromo-2-methylpropanoate esters of poly(oxyalkylene) polymers by MALDI-TOF spectroscopy. <i>Polymer Bulletin</i> , 2020 , 78, 5641	2.4	0
96	Photoinduced synthesis of antibacterial hydrogel from aqueous photoinitiating system. <i>European Polymer Journal</i> , 2020 , 138, 109936	5.2	3
95	Drying of a Compressible Biporous Material. <i>Physical Review Applied</i> , 2020 , 13,	4.3	8
94	Controlled allylation of polyelectrolytes: a deep insight into chemical aspects and their applicability as building blocks for robust multilayer coatings. <i>Pure and Applied Chemistry</i> , 2019 , 91, 983-995	2.1	1
93	Porous polymers and metallic nanoparticles: A hybrid wedding as a robust method toward efficient supported catalytic systems. <i>Progress in Polymer Science</i> , 2019 , 96, 21-42	29.6	24
92	Effect of ionic liquids on kinetic parameters of dicyanate ester polycyclotrimerization and on thermal and viscoelastic properties of resulting cyanate ester resins. <i>EXPRESS Polymer Letters</i> , 2019 , 13, 469-483	3.4	4

91	Comprehensive review on electrospinning techniques as versatile approaches toward antimicrobial biopolymeric composite fibers. <i>Materials Science and Engineering C</i> , 2019 , 101, 306-322	8.3	87
90	Oligoester-Derivatized (Semi-)Interpenetrating Polymer Networks as Nanostructured Precursors to Porous Materials with Tunable Porosity. <i>Chemistry Africa</i> , 2019 , 2, 253-265	2.2	3
89	Macroscopic permeability of doubly porous materials with cylindrical and spherical macropores. <i>Meccanica</i> , 2019 , 54, 1583-1596	2.1	6
88	Drugs Loaded into Electrospun Polymeric Nanofibers for Delivery. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2019 , 22, 313-331	3.4	14
87	Photo-degradation of electrospun composite mats based on poly(D,L-lactide) submicron fibers and zinc oxide nanoparticles. <i>Polymer Degradation and Stability</i> , 2018 , 152, 95-104	4.7	10
86	Mitigation of membrane scaling in electrodialysis by electroconvection enhancement, pH adjustment and pulsed electric field application. <i>Journal of Membrane Science</i> , 2018 , 549, 129-140	9.6	37
85	Structure-Property relationships in nanocomposites based on cyanate ester resins and 1-heptyl pyridinium tetrafluoroborate ionic liquid. <i>Polymer</i> , 2018 , 148, 14-26	3.9	7
84	Synergistic actions of mixed small and large pores for capillary absorption through biporous polymeric materials. <i>Soft Matter</i> , 2018 , 14, 8137-8146	3.6	7
83	Application of ionic liquids in thermosetting polymers: Epoxy and cyanate ester resins. <i>EXPRESS Polymer Letters</i> , 2018 , 12, 898-917	3.4	15
82	Novel hypercrosslinking approach toward high surface area functional 2-hydroxyethyl methacrylate-based polyHIPEs. <i>Reactive and Functional Polymers</i> , 2018 , 132, 51-59	4.6	15
81	Design of functionalized biodegradable PHA-based electrospun scaffolds meant for tissue engineering applications. <i>New Biotechnology</i> , 2017 , 37, 129-137	6.4	38
80	Simultaneous Au Extraction and In Situ Formation of Polymeric Membrane-Supported Au Nanoparticles: A Sustainable Process with Application in Catalysis. <i>ChemSusChem</i> , 2017 , 10, 1482-1493	8.3	9
79	Porous Gold Nanoparticle-Decorated Nanoreactors Prepared from Smartly Designed Functional Polystyrene-block-Poly(d,l-Lactide) Diblock Copolymers: Toward Efficient Systems for Catalytic Cascade Reaction Processes. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 31279-31290	9.5	15
78	Nanoporous Polymer Films of Cyanate Ester Resins Designed by Using Ionic Liquids as Porogens. <i>Nanoscale Research Letters</i> , 2017 , 12, 126	5	9
77	Gold nanoparticles immobilized on porous monoliths obtained from disulfide-based dimethacrylate: Application to supported catalysis. <i>Polymer</i> , 2017 , 126, 455-462	3.9	11
76	Porous structure of ion exchange membranes investigated by various techniques. <i>Advances in Colloid and Interface Science</i> , 2017 , 246, 196-216	14.3	73
75	Influence of the water state on the ionic conductivity of ion-exchange membranes based on polyethylene and sulfonated grafted polystyrene. <i>Materials Chemistry and Physics</i> , 2017 , 197, 192-199	4.4	20
74	Nanoporous Cyanate Ester Resins: Structure-Gas Transport Property Relationships. <i>Nanoscale Research Letters</i> , 2017 , 12, 305	5	1

73	Performance of Zinc Oxide Nanoparticles as Polymerization Initiating Systems in the Microwave-Assisted Synthesis of Poly(d,l-Lactide)/ZnO Nanocomposites. <i>Macromolecular Symposia</i> , 2017 , 374, 1600102	0.8	4
72	From the functionalization of polyelectrolytes to the development of a versatile approach to the synthesis of polyelectrolyte multilayer films with enhanced stability. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24472-24483	13	11
71	Effect of homogenization and hydrophobization of a cation-exchange membrane surface on its scaling in the presence of calcium and magnesium chlorides during electro dialysis. <i>Journal of Membrane Science</i> , 2017 , 540, 183-191	9.6	28
70	Versatile functionalization platform of biporous poly(2-hydroxyethyl methacrylate)-based materials: Application in heterogeneous supported catalysis. <i>Reactive and Functional Polymers</i> , 2017 , 121, 91-100	4.6	5
69	Fractional factorial design of water desalination by neutralization dialysis process: concentration, flow rate, and volume effects. <i>Desalination and Water Treatment</i> , 2016 , 57, 14403-14413		5
68	Improvement of mechanical properties and antibacterial activity of electrospun poly(d , l -lactide)-based mats by incorporation of ZnO- graft -poly(d , l -lactide) nanoparticles. <i>Materials Chemistry and Physics</i> , 2016 , 182, 324-331	4.4	34
67	Electrospinning and electro spraying techniques for designing novel antibacterial poly(3-hydroxybutyrate)/zinc oxide nanofibrous composites. <i>Journal of Materials Science</i> , 2016 , 51, 8593-8609	4.3	44
66	Electrospinning as a powerful technique for biomedical applications: a critically selected survey. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2016 , 27, 157-76	3.5	91
65	Effects of acid-base cleaning procedure on structure and properties of anion-exchange membranes used in electro dialysis. <i>Journal of Membrane Science</i> , 2016 , 507, 12-23	9.6	55
64	Tailoring doubly porous poly(2-hydroxyethyl methacrylate)-based materials via thermally induced phase separation. <i>Polymer</i> , 2016 , 86, 138-146	3.9	8
63	Two-step synergetic formation of highly porous morphology during copolymerization of hydroxyethyl methacrylate and ethylene glycol dimethylacrylate. <i>Materials Today Communications</i> , 2016 , 7, 16-21	2.5	4
62	Acceleration effect of ionic liquids on polycyclotrimerization of dicyanate esters. <i>EXPRESS Polymer Letters</i> , 2016 , 10, 722-729	3.4	9
61	Electrospinning and Electro spraying Techniques for Designing Antimicrobial Polymeric Biocomposite Mats 2016 ,		2
60	In situ investigation of electrical inhomogeneity of ion exchange membrane surface using scanning electrochemical microscopy. <i>Petroleum Chemistry</i> , 2016 , 56, 1006-1013	1.1	6
59	New cation-exchange membranes based on cross-linked sulfonated polystyrene and polyethylene for power generation systems. <i>Journal of Membrane Science</i> , 2016 , 515, 196-203	9.6	57
58	A new route toward imidazoline-functionalized porous polymeric materials from corresponding polystyrene-poly lactide diblock copolymers. <i>Reactive and Functional Polymers</i> , 2016 , 104, 62-70	4.6	5
57	Computation of permeability with Fast Fourier Transform from 3-D digital images of porous microstructures. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2016 , 26, 1328-1345	4.5	11
56	UV-cured thiol-ene eugenol/ZnO composite materials with antibacterial properties. <i>RSC Advances</i> , 2016 , 6, 88135-88142	3.7	15

55 Macro-, Meso-, and Nanoporous Systems Designed from IPNs **2016**, 127-143

54 Biporous Crosslinked Polymers With Controlled Pore Size and Connectivity. *Macromolecular Symposia*, **2016**, 365, 49-58 0.8 1

53 Functionalized Doubly Porous Networks: From Synthesis to Application in Heterogeneous Catalysis. *Macromolecular Symposia*, **2016**, 365, 40-48 0.8 1

52 Experimental investigation of neutralization dialysis in three-compartment membrane stack. *Desalination and Water Treatment*, **2015**, 56, 2567-2575 8

51 Designing and modeling doubly porous polymeric materials. *European Physical Journal: Special Topics*, **2015**, 224, 1689-1706 2.3 19

50 Annealing behavior and thermal stability of nanoporous polymer films based on high-performance Cyanate Ester Resins. *Polymer Degradation and Stability*, **2015**, 120, 402-409 4.7 13

49 Facile fabrication of doubly porous polymeric materials with controlled nano- and macro-porosity. *Polymer*, **2015**, 78, 13-21 3.9 25

48 Clickable Thiol-functionalized nanoporous polymers: from their synthesis to further adsorption of gold nanoparticles and subsequent use as efficient catalytic supports. *Polymer Chemistry*, **2015**, 6, 8105-8111 4.9 20

47 Synthesis, morphology, and thermal stability of nanoporous cyanate ester resins obtained upon controlled monomer conversion. *European Polymer Journal*, **2015**, 73, 94-104 5.2 14

46 Use of Micro- and Nano-ZnO particles as Catalysts for the Microwave-Assisted Polymerization of D,L-lactide. *Materials Research Society Symposia Proceedings*, **2015**, 1767, 3-9

45 One-Pot Formation of ZnO-graft-Poly(d,l-Lactide) Hybrid Systems via Microwave-Assisted Polymerization of d,l-Lactide in the Presence of ZnO Nanoparticles. *Macromolecular Chemistry and Physics*, **2015**, 216, 1629-1637 2.6 13

44 Ageing of ion-exchange membranes used in an electrodialysis for food industry: SEM, EDX, and limiting current investigations. *Desalination and Water Treatment*, **2015**, 56, 2561-2566 6

43 Water desalination by neutralization dialysis with ion-exchange membranes: Flow rate and acid/alkali concentration effects. *Desalination*, **2015**, 361, 13-24 10.3 26

42 Les matériaux poreux : un domaine scientifique et technologique pluridisciplinaire au futur radieux. *Matériaux Et Techniques*, **2015**, 103, 701 0.6

41 Structural and physicochemical investigation of ageing of ion-exchange membranes in electrodialysis for food industry. *Separation and Purification Technology*, **2014**, 123, 229-234 8.3 24

40 From design of bio-based biocomposite electrospun scaffolds to osteogenic differentiation of human mesenchymal stromal cells. *Journal of Materials Science: Materials in Medicine*, **2014**, 25, 1563-75 4.5 41

39 Structure and properties of heterogeneous and homogeneous ion-exchange membranes subjected to ageing in sodium hypochlorite. *Journal of Membrane Science*, **2014**, 452, 104-116 9.6 66

38 Biocomposite scaffolds based on electrospun poly(3-hydroxybutyrate) nanofibers and electrospayed hydroxyapatite nanoparticles for bone tissue engineering applications. *Materials Science and Engineering C*, **2014**, 38, 161-9 8.3 95

37	Engineering functional doubly porous PHEMA-based materials. <i>Polymer</i> , 2014 , 55, 373-379	3.9	20
36	Novel antibacterial electrospun mats based on poly(d,l-lactide) nanofibers and zinc oxide nanoparticles. <i>Journal of Materials Science</i> , 2014 , 49, 8373-8385	4.3	58
35	Nanoporous Polycyanurates Created by Chemically-Induced Phase Separation: Structure-Property Relationships. <i>Macromolecular Symposia</i> , 2014 , 341, 57-66	0.8	3
34	Novel Polymeric Materials with Double Porosity: Synthesis and Characterization. <i>Macromolecular Symposia</i> , 2014 , 340, 18-27	0.8	6
33	Novel routes to epoxy functionalization of PHA-based electrospun scaffolds as ways to improve cell adhesion. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 816-824	2.5	17
32	Réseaux dégradables à base de polylactide renforcés par la cellulose. <i>Materiaux Et Techniques</i> , 2014 , 102, 202	0.6	
31	Novel mesoporous high-performance films derived from polycyanurate networks containing high-boiling temperature liquids. <i>European Polymer Journal</i> , 2013 , 49, 2162-2171	5.2	10
30	Ageing of ion-exchange membranes in electrodialysis: A structural and physicochemical investigation. <i>Journal of Membrane Science</i> , 2013 , 436, 68-78	9.6	61
29	Evolution of anion-exchange membrane properties in a full scale electrodialysis stack. <i>Journal of Membrane Science</i> , 2013 , 446, 255-265	9.6	56
28	Versatile photochemical surface modification of biopolyester microfibrillar scaffolds with photogenerated silver nanoparticles for antibacterial activity. <i>Advanced Healthcare Materials</i> , 2013 , 2, 1008-18	10.1	31
27	Matériaux poreux fonctionnalisés issus de réseaux (semi)-interpénétrés de polymères : synthèse et caractérisation. <i>Materiaux Et Techniques</i> , 2013 , 101, 405	0.6	2
26	Toward the controlled production of oligoesters by microwave-assisted degradation of poly(3-hydroxyalkanoate)s. <i>Polymer Degradation and Stability</i> , 2012 , 97, 322-328	4.7	13
25	Porous Poly(styrene-co-divinylbenzene) Neutral Monolith: From Design and Characterization to Reversed-Phase Capillary Electrochromatography Applications. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 64-71	2.6	13
24	Original route to polylactide-polystyrene diblock copolymers containing a sulfonyl group at the junction between both blocks as precursors to functional nanoporous materials. <i>Reactive and Functional Polymers</i> , 2012 , 72, 495-502	4.6	16
23	Harnessing Biopolyesters in the Design of Functional and Nanostructured Architectures. <i>ACS Symposium Series</i> , 2012 , 187-199	0.4	
22	Microwave-assisted synthesis and characterization of biodegradable block copolyesters based on poly(3-hydroxyalkanoate)s and poly(D,L-lactide). <i>Journal of Polymer Science Part A</i> , 2012 , 50, 1445-1455	2.5	10
21	Microwave-Assisted Ring-Opening Polymerization of D,L-Lactide: A Probe for the Nonexistence of Nonthermal Microwave Effects. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 784-788	2.6	20
20	Nanopore generation in hybrid polycyanurate/poly(ϵ -caprolactone) thermostable networks. <i>European Polymer Journal</i> , 2011 , 47, 1736-1745	5.2	11

19	Swelling and permeability of Nafion [®] 117 in water/methanol solutions: An experimental and modelling investigation. <i>Journal of Membrane Science</i> , 2011 , 377, 54-64	9.6	23
18	Functionalized ordered nanoporous polymeric materials: From the synthesis of diblock copolymers to their nanostructuration and their selective degradation. <i>Microporous and Mesoporous Materials</i> , 2011 , 140, 34-39	5.3	28
17	Ageing of ion-exchange membranes used in electro dialysis: Investigation of static parameters, electrolyte permeability and tensile strength. <i>Separation and Purification Technology</i> , 2011 , 80, 270-275	8.3	37
16	Novel Routes to Functional (Meso)Porous Cross-Linked Polymers Using (Semi-)Interpenetrating Polymer Networks as Nanostructured Precursors. <i>Macromolecular Symposia</i> , 2010 , 291-292, 168-176	0.8	5
15	Novel Functional Mesoporous Materials Obtained from Nanostructured Diblock Copolymers. <i>Macromolecular Symposia</i> , 2010 , 287, 127-134	0.8	17
14	Porous polystyrene-based monolithic materials templated by semi-interpenetrating polymer networks for capillary electrochromatography. <i>Polymer</i> , 2010 , 51, 5890-5894	3.9	19
13	Ageing of ion-exchange membranes in oxidant solutions. <i>Separation and Purification Technology</i> , 2009 , 69, 43-47	8.3	30
12	Mesoporous Polymeric Materials Tailored from Oligoester-Derivatized Interpenetrating Polymer Networks. <i>Macromolecular Symposia</i> , 2008 , 267, 21-26	0.8	3
11	Nanoporous networks derived from functional semi-Interpenetrating Polymer Networks: Preparation and use as ion-exchange chromatographic supports. <i>Polymer Bulletin</i> , 2008 , 61, 129-135	2.4	7
10	Poly(d,l-lactide)/poly(methyl methacrylate) interpenetrating polymer networks: Synthesis, characterization, and use as precursors to porous polymeric materials. <i>Polymer</i> , 2007 , 48, 7017-7028	3.9	52
9	Design of Porous Polymeric Materials from Interpenetrating Polymer Networks (IPNs): Poly(dl-lactide)/Poly(methyl methacrylate)-Based Semi-IPN Systems. <i>Macromolecules</i> , 2005 , 38, 7274-7285	5.5	41
8	Cyanoxyl-mediated free-radical polymerization of acrylic acid: Its scope and limitations. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 519-533	2.5	13
7	Feature Article: Design of Porous Polymeric Materials from Miscellaneous Macromolecular Architectures: An Overview. <i>Polymer News</i> , 2004 , 29, 205-212		15
6	Glycosaminoglycan mimetic biomaterials. 4. Synthesis of sulfated lactose-based glycopolymers that exhibit anticoagulant activity. <i>Biomacromolecules</i> , 2002 , 3, 1065-70	6.9	94
5	Glycosaminoglycan-mimetic biomaterials. 3. Glycopolymers prepared from alkene-derivatized mono- and disaccharide-based glycomonomers. <i>Bioconjugate Chemistry</i> , 2002 , 13, 1309-13	6.3	43
4	Design and synthesis of biotin chain-terminated glycopolymers for surface glycoengineering. <i>Journal of the American Chemical Society</i> , 2002 , 124, 7258-9	16.4	94
3	Glycosaminoglycan Mimetic Biomaterials. 2. Alkene- and Acrylate-Derivatized Glycopolymers via Cyanoxyl-Mediated Free-Radical Polymerization. <i>Macromolecules</i> , 2001 , 34, 1640-1646	5.5	58
2	Phenolic resins: 2. Influence of catalyst type on reaction mechanisms and kinetics. <i>Polymer</i> , 1996 , 37, 1363-1369	3.9	111

1 Porous Polymers by Block Copolymer Templating 1-26