

# Scott M Stevens

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7175424/scott-m-stevens-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64

papers

5,436

citations

22

h-index

67

g-index

67

ext. papers

6,433

ext. citations

6.6

avg, IF

5.16

L-index

#	Paper	IF	Citations
64	Antithrombotic Therapy for VTE Disease: CHEST Guideline and Expert Panel Report. <i>Chest</i> , <b>2016</b> , 149, 315-352	5.3	3090
63	A pharmacogenetic versus a clinical algorithm for warfarin dosing. <i>New England Journal of Medicine</i> , <b>2013</b> , 369, 2283-93	59.2	547
62	Diagnosis of DVT: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. <i>Chest</i> , <b>2012</b> , 141, e351S-e418S	5.3	449
61	Guidance for the evaluation and treatment of hereditary and acquired thrombophilia. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2016</b> , 41, 154-64	5.1	158
60	Time outside of therapeutic range in atrial fibrillation patients is associated with long-term risk of dementia. <i>Heart Rhythm</i> , <b>2014</b> , 11, 2206-13	6.7	101
59	Withholding anticoagulation after a negative result on duplex ultrasonography for suspected symptomatic deep venous thrombosis. <i>Annals of Internal Medicine</i> , <b>2004</b> , 140, 985-91	8	93
58	Long-Term Population-Based Cerebral Ischemic Event and Cognitive Outcomes of Direct Oral Anticoagulants Compared With Warfarin Among Long-term Anticoagulated Patients for Atrial Fibrillation. <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 210-4	3	92
57	Radiation and chest CT scan examinations: what do we know?. <i>Chest</i> , <b>2012</b> , 142, 750-760	5.3	80
56	Reduction of peripherally inserted central catheter-associated DVT. <i>Chest</i> , <b>2013</b> , 143, 627-633	5.3	77
55	Physician alerts to prevent symptomatic venous thromboembolism in hospitalized patients. <i>Circulation</i> , <b>2009</b> , 119, 2196-201	16.7	75
54	Apixaban for the Secondary Prevention of Thrombosis Among Patients With Antiphospholipid Syndrome: Study Rationale and Design (ASTRO-APS). <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2016</b> , 22, 239-47	3.3	66
53	Follow-up of incidental pulmonary nodules and the radiology report. <i>Journal of the American College of Radiology</i> , <b>2014</b> , 11, 378-83	3.5	55
52	Adherence to PIOPED II investigators recommendations for computed tomography pulmonary angiography. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 36-42	2.4	55
51	Antiphospholipid antibodies and recurrent thrombosis after a first unprovoked venous thromboembolism. <i>Blood</i> , <b>2018</b> , 131, 2151-2160	2.2	38
50	Management of Low-Risk Pulmonary Embolism Patients Without Hospitalization: The Low-Risk Pulmonary Embolism Prospective Management Study. <i>Chest</i> , <b>2018</b> , 154, 249-256	5.3	38
49	Atrial fibrillation incrementally increases dementia risk across all CHADS and CHADSVASc strata in patients receiving long-term warfarin. <i>American Heart Journal</i> , <b>2017</b> , 188, 93-98	4.9	37
48	Atrial Fibrillation Patients Treated With Long-Term Warfarin Anticoagulation Have Higher Rates of All Dementia Types Compared With Patients Receiving Long-Term Warfarin for Other Indications. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	33

47	Protocol Modification of Apixaban for the Secondary Prevention of Thrombosis Among Patients With Antiphospholipid Syndrome Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2018</b> , 24, 192	3.3	30
46	Percent Time With a Supratherapeutic INR in Atrial Fibrillation Patients Also Using an Antiplatelet Agent Is Associated With Long-Term Risk of Dementia. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2015</b> , 26, 1180-1186	2.7	29
45	The Michigan Appropriateness Guide for Intravenous Catheters (MAGIC) initiative: A summary and review of peripherally inserted central catheter and venous catheter appropriate use. <i>Journal of Hospital Medicine</i> , <b>2016</b> , 11, 306-10	2.7	28
44	Major bleeding with dabigatran and rivaroxaban in patients with atrial fibrillation: a real-world setting. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2014</b> , 20, 665-72	3.3	27
43	Assessment of the safety and efficiency of using an age-adjusted D-dimer threshold to exclude suspected pulmonary embolism. <i>Chest</i> , <b>2014</b> , 146, 1444-1451	5.3	26
42	Long-term risk of recurrence in patients with a first unprovoked venous thromboembolism managed according to d-dimer results; A cohort study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2019</b> , 17, 1144-1152	15.4	21
41	Follow-up of Incidental Pulmonary Nodules and the Radiology Report. <i>Journal of the American College of Radiology</i> , <b>2016</b> , 13, R18-24	3.5	20
40	Computer surveillance of patients at high risk for and with venous thromboembolism <b>2010</b> , 2010, 217-217	6.7	15
39	Deep vein thrombosis prophylaxis in hospitalized medical patients: current recommendations, general rates of implementation, and initiatives for improvement. <i>Clinics in Chest Medicine</i> , <b>2010</b> , 31, 675-89	5.3	14
38	Venous Thromboembolism in Critically Ill Medical Patients Receiving Chemoprophylaxis: A Focus on Obesity and Other Risk Factors. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2016</b> , 22, 265-73	3.3	12
37	Computerized clinical decision support improves warfarin management and decreases recurrent venous thromboembolism. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2015</b> , 21, 197-203	3.3	12
36	Electronic Alerts, Comparative Practitioner Metrics, and Education Improves Thromboprophylaxis and Reduces Thrombosis. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 1124.e17-26	2.4	12
35	Rationale and design of the impact of anticoagulation therapy on the Cognitive Decline and Dementia in Patients with Nonvalvular Atrial Fibrillation (CAF) Trial: A Vanguard study. <i>Clinical Cardiology</i> , <b>2019</b> , 42, 506-512	3.3	10
34	Age-adjusted versus clinical probability-adjusted D-dimer to exclude pulmonary embolism. <i>Thrombosis Research</i> , <b>2018</b> , 167, 15-19	8.2	10
33	Comparative thrombosis risk of vascular access devices among critically ill medical patients. <i>Thrombosis Research</i> , <b>2018</b> , 172, 54-60	8.2	10
32	Electronic alerts, comparative practitioner metrics, and education improve thromboprophylaxis and reduce venous thrombosis in community hospitals. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2018</b> , 2, 481-489	5.1	9
31	Weight-based enoxaparin dosing and deep vein thrombosis in hospitalized trauma patients: A double-blind, randomized, pilot study. <i>Surgery</i> , <b>2018</b> ,	3.6	8
30	Thrombophilic Evaluation in Patients with Acute Pulmonary Embolism. <i>Seminars in Respiratory and Critical Care Medicine</i> , <b>2017</b> , 38, 107-120	3.9	7

29	Withholding anticoagulation following a single negative whole-leg ultrasound in patients at high pretest probability for deep vein thrombosis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2013</b> , 19, 79-83	3.3	6
28	Effect of Low-Intensity vs Standard-Intensity Warfarin Prophylaxis on Venous Thromboembolism or Death Among Patients Undergoing Hip or Knee Arthroplasty: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 834-842	27.4	5
27	The use of a fixed high sensitivity to evaluate five D-dimer assays: Ability to rule out deep venous thrombosis: a novel approach. <i>British Journal of Haematology</i> , <b>2005</b> , 131, 341-7	4.5	5
26	The Population-Based Long-Term Impact of Anticoagulant and Antiplatelet Therapies in Low-Risk Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 75-82	3	4
25	Diagnosing deep vein thrombosis in cancer patients with suspected symptoms: An individual participant data meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 2245-2252	15.4	4
24	Intermittent pneumatic compression in patients with stroke. <i>Lancet, The</i> , <b>2013</b> , 382, 484-6	4.0	4
23	Apixaban compared with warfarin to prevent thrombosis in thrombotic antiphospholipid syndrome: a randomized trial. <i>Blood Advances</i> , <b>2021</b> ,	7.8	4
22	Natural Language Processing Performance for the Identification of Venous Thromboembolism in an Integrated Healthcare System. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2021</b> , 27, 10760296211013108	3.3	3
21	Review: the Wells rule is more useful than individual clinical features for predicting risk of deep venous thrombosis. <i>Evidence-Based Medicine</i> , <b>2006</b> , 11, 56		2
20	Preemptive Anticoagulation in Patients With a High Pretest Probability of Pulmonary Embolism: Are Guidelines Followed?. <i>Chest</i> , <b>2018</b> , 153, 1153-1159	5.3	2
19	Depression as a Driving Force for Low Time in Therapeutic Range and Dementia in Patients With and Without Atrial Fibrillation. <i>American Journal of Cardiology</i> , <b>2021</b> , 153, 58-64	3	2
18	Role of thrombophilia testing: con. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2015</b> , 39, 379-91	5.1	1
17	Review: Gestalt or clinical decision rules have limited sensitivity and specificity for detecting acute PE. <i>Annals of Internal Medicine</i> , <b>2012</b> , 156, JC1-11	8	1
16	The Wells rule was not useful in ruling out deep venous thrombosis in a primary care setting. <i>Evidence-Based Medicine</i> , <b>2006</b> , 11, 57		1
15	Safety of Excluding Suspected Deep Vein Thrombosis with a Single Whole-Leg Compression Ultrasound: Systematic Review and Meta-Analysis.. <i>Blood</i> , <b>2009</b> , 114, 243-243	2.2	1
14	Single Complete Compression Ultrasonography for Suspected Deep Venous Thrombosis: Ideal in Routine Clinical Practice?. <i>Annals of Internal Medicine</i> , <b>2004</b> , 141, 889	8	1
13	Predicting postdischarge hospital-associated venous thromboembolism among medical patients using a validated mortality risk score derived from common biomarkers. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2020</b> , 4, 872-878	5.1	1
12	Something old, something new. <i>Blood</i> , <b>2020</b> , 135, 1307-1308	2.2	1

11	Post-discharge thrombosis and bleeding in medical patients: A novel risk score derived from ubiquitous biomarkers. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2021</b> , 5, e12560	5.1	1
10	The Wells rule was not useful in ruling out deep venous thrombosis in a primary care setting. <i>ACP Journal Club</i> , <b>2006</b> , 144, 46-7		1
9	Ultrasound of the Whole Arm to Manage Suspected Upper-Extremity Deep Venous Thrombosis. <i>JAMA Internal Medicine</i> , <b>2015</b> , 175, 1227-9	11.5	
8	Uitsluiten van DVT met een klinische beslisregel. <i>Huisarts En Wetenschap</i> , <b>2014</b> , 57, 626-628	0.1	
7	Review: The Wells rule is more useful than individual clinical features for predicting risk for deep venous thrombosis. <i>ACP Journal Club</i> , <b>2006</b> , 144, 46		
6	The Wells rule was not useful in ruling out deep venous thrombosis in a primary care setting. <i>ACP Journal Club</i> , <b>2006</b> , 144, 47		
5	Concomitant VTE increased risks for mortality and hemorrhage in older patients with cancer, with risk varying by cancer type. <i>ACP Journal Club</i> , <b>2007</b> , 147, 51		
4	Upper Extremity Thrombosis 192-204		
3	Timing of parenteral anticoagulation after thrombolysis for the treatment of pulmonary embolism. <i>Thrombosis Research</i> , <b>2020</b> , 195, 58-61	8.2	
2	Review: the Wells rule is more useful than individual clinical features for predicting risk for deep venous thrombosis. <i>ACP Journal Club</i> , <b>2006</b> , 144, 46-7		
1	Concomitant VTE increased risks for mortality and hemorrhage in older patients with cancer, with risk varying by cancer type. <i>ACP Journal Club</i> , <b>2007</b> , 147, 51		