

Nikesh Parekh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7175547/publications.pdf>

Version: 2024-02-01

15
papers

344
citations

1040056

9
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

422
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence and cost of medication harm in older adults following hospital discharge: a multicentre prospective study in the UK. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1789-1797.	2.4	80
2	Can supporting health literacy reduce medication-related harm in older adults?. <i>Therapeutic Advances in Drug Safety</i> , 2018, 9, 167-170.	2.4	62
3	Incidence of Medication-Related Harm in Older Adults After Hospital Discharge: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1812-1822.	2.6	60
4	Medication-related harm in older adults following hospital discharge: development and validation of a prediction tool. <i>BMJ Quality and Safety</i> , 2020, 29, 142-153.	3.7	34
5	A practical approach to the pharmacological management of hypertension in older people. <i>Therapeutic Advances in Drug Safety</i> , 2017, 8, 117-132.	2.4	19
6	Do the 2015 Beers Criteria predict medication-related harm in older adults? Analysis from a multicentre prospective study in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1464-1469.	1.9	17
7	Protocol for a Prospective (P) study to develop a model to stratify the risk (RI) of medication (M) related harm in hospitalized elderly (E) patients in the UK (The PRIME study). <i>BMC Geriatrics</i> , 2016, 16, 22.	2.7	16
8	They must help if the doctor gives them to you: a qualitative study of the older person's lived experience of medication-related problems. <i>Age and Ageing</i> , 2019, 48, 147-151.	1.6	13
9	Can doctors identify older patients at risk of medication harm following hospital discharge? A multicentre prospective study in the UK. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2344-2351.	2.4	11
10	Aortic stiffness and central systolic pressure are associated with ambulatory orthostatic BP fall in chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 317-324.	2.0	10
11	Exploring the enablers and barriers to implementing the Medication Appropriateness Tool for Comorbid Health conditions during Dementia (MATCH-D) criteria in Australia: a qualitative study. <i>BMJ Open</i> , 2017, 7, e017906.	1.9	9
12	The Association of a Single-Nucleotide Polymorphism in the Nuclear Factor (Erythroid-Derived 2)-Like 2 Gene With Adverse Drug Reactions, Multimorbidity, and Frailty in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1050-1057.	3.6	5
13	A multi-centre cohort study on healthcare use due to medication-related harm: the role of frailty and polypharmacy. <i>Age and Ageing</i> , 2022, 51, .	1.6	4
14	Characterising older adults' risk of harm from blood-pressure lowering medications: a sub-analysis from the PRIME study. <i>Age and Ageing</i> , 2022, 51, .	1.6	4
15	The most vulnerable refugees are not in Europe. <i>BMJ</i> , The, 2016, 353, i3432.	6.0	0