


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7176013/publications.pdf Version: 2024-02-01



OIN HU

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Gadolinium-doped carbon dots as a ratiometric fluorometry and colorimetry dual-mode nano-sensor based on specific chelation for morin detection. Sensors and Actuators B: Chemical, 2022, 352, 130991. | 7.8 | 28 |
| 2 | Comparision of biological and genomic characteristics of five virulent bacteriophages against Enterobacter hormaechei. Microbial Pathogenesis, 2022, 162, 105375. | 2.9 | 6 |
| 3 | Intelligently design primary aromatic amines derived carbon dots for optical dual-mode and smartphone imaging detection of nitrite based on specific diazo coupling. Journal of Hazardous Materials, 2022, 430, 128393. | 12.4 | 38 |
| 4 | Isolation and Characterization of a Lytic Vibriophage OY1 and Its Biocontrol Effects Against Vibrio spp Frontiers in Microbiology, 2022, 13, 830692. | 3.5 | 5 |
| 5 | Physiological properties, survivability and genomic characteristics of <i>Pediococcus pentosaceus</i> for application as a starter culture. International Journal of Dairy Technology, 2022, 75, 588-602. | 2.8 | 2 |
| 6 | Nitrogen-doped carbon dots coupled with morin-Al3+: Cleverly design an integrated sensing platform for ratiometric optical dual-mode and smartphone-assisted visual detection of fluoride ion. Journal of Hazardous Materials, 2022, 439, 129596. | 12.4 | 25 |
| 7 | Development of a highly sensitive fluorescence method for tartrazine determination in food matrices based on carbon dots. Analytical and Bioanalytical Chemistry, 2021, 413, 1485-1492. | 3.7 | 13 |
| 8 | Nitrogen, sulfur, phosphorus, and chlorine co-doped carbon nanodots as an "off-on―fluorescent probe for sequential detection of curcumin and europium ion and luxuriant applications. Mikrochimica Acta, 2021, 188, 16. | 5.0 | 16 |
| 9 | Isolation and genomic characterization of P.A-5, a novel virulent bacteriophage against Enterobacter hormaechei. Microbial Pathogenesis, 2021, 152, 104767. | 2.9 | 12 |
| 10 | Development of an ultrasensitive spectrophotometric method for carmine determination based on fluorescent carbon dots. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2021, 38, 731-740. | 2.3 | 9 |
| 11 | Isolation and Characterization of a Virulent Bacteriophage for Controlling Salmonella Enteritidis Growth in Ready-to-Eat Mixed-Ingredient Salads. Journal of Food Protection, 2021, 84, 1629-1639. | 1.7 | 8 |
| 12 | Nitrogen-doped carbon dots for wash-free imaging of nucleolus orientation. Mikrochimica Acta, 2021, 188, 183. | 5.0 | 20 |
| 13 | Azithromycin detection in cells and tablets by N,S co-doped carbon quantum dots. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 252, 119506. | 3.9 | 29 |
| 14 | A sensitive spectrofluorimetry method based on S and N dual-doped carbon nanoparticles for ultra-trace detection of ferrocyanide ion in food salt samples. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2021, 38, 195-207. | 2.3 | 1 |
| 15 | A sensitivity enhanced fluorescence method for the detection of ferrocyanide ions in foodstuffs using carbon nanoparticles as sensing agents. Food Chemistry, 2020, 308, 125590. | 8.2 | 20 |
| 16 | An ultra-sensitive analytical platform based on bluish green emitting carbon quantum dots for the detection of curcumin in dietary foods. Journal of Food Composition and Analysis, 2020, 94, 103639. | 3.9 | 15 |
| 17 | Bright-yellow-emissive nitrogen-doped carbon nanodots as a fluorescent nanoprobe for the straightforward detection of glutathione in food samples. Food Chemistry, 2020, 325, 126946. | 8.2 | 55 |
| 18 | Physicochemical and antibacterial properties of fabricated ovalbumin–carvacrol gel nanoparticles. Food and Function, 2020, 11, 5133-5141. | 4.6 | 15 |

Qin Hu

| # | Article | IF | CITATIONS |
|----|--|------------|----------------------|
| 19 | Controllable Fabrication, Photoluminescence Mechanism, and Novel Application of Green–Yellow–Orange Fluorescent Carbon-Based Nanodots. ACS Biomaterials Science and Engineering, 2019, 5, 5060-5071. | 5.2 | 8 |
| 20 | Carbon quantum dots doped with phosphorus and nitrogen are a viable fluorescent nanoprobe for determination and cellular imaging of vitamin B12 and cobalt(II). Mikrochimica Acta, 2019, 186, 506. | 5.0 | 23 |
| 21 | Highly selective and sensitive detection of amaranth by using carbon dots-based nanosensor. RSC Advances, 2019, 9, 26315-26320. | 3.6 | 25 |
| 22 | A di-functional and label-free carbon-based chem-nanosensor for real-time monitoring of pH fluctuation and quantitative determining of Curcumin. Analytica Chimica Acta, 2019, 1057, 132-144. | 5.4 | 22 |
| 23 | Green synthesis of fluorescent carbon dots as an effective fluorescence probe for morin detection. Analytical Methods, 2019, 11, 353-358. | 2.7 | 40 |
| 24 | Electrochemical Magnetic Bead-Based Immunosensor for Rapid and Quantitative Detection of Probiotic Lactobacillus rhamnosus in Dairy Products. Food Analytical Methods, 2019, 12, 1197-1207. | 2.6 | 8 |
| 25 | Nitrogen and chlorine dual-doped carbon nanodots for determination of curcumin in food matrix via inner filter effect. Food Chemistry, 2019, 280, 195-202. | 8.2 | 64 |
| 26 | Isolation and characterization of virulent phages infecting Shewanella baltica and Shewanella putrefaciens, and their application for biopreservation of chilled channel catfish (Ictalurus) Tj ETQq0 0 0 rgBT /Ov | verłazk 10 | Tf 390 457 Td |
| 27 | One-step microwave synthesis of carbon dots for highly sensitive and selective detection of copper ions in aqueous solution. New Journal of Chemistry, 2018, 42, 3097-3101. | 2.8 | 79 |
| 28 | Ultrafast and Energy-saving Synthesis of Nitrogen and Chlorine Co-doped Carbon Nanodots via Neutralization Heat for Selective Detection of Cr(VI) in Aqueous Phase. Sensors, 2018, 18, 3416. | 3.8 | 15 |
| 29 | N,S,P Co-Doped Carbon Nanodot Fabricated from Waste Microorganism and Its Application for Label-Free Recognition of Manganese(VII) and <scp>l</scp> -Ascorbic Acid and AND Logic Gate Operation. ACS Applied Materials & Interfaces, 2017, 9, 38761-38772. | 8.0 | 93 |
| 30 | Chromatographic separation and mass spectrometric analysis of N-acetyl- <scp>I</scp> -cysteine-protected palladium nanoparticles. Analytical Methods, 2017, 9, 4539-4546. | 2.7 | 7 |
| 31 | Characterization and Analytical Separation of Fluorescent Carbon Nanodots. Journal of Nanomaterials, 2017, 2017, 1-23. | 2.7 | 40 |
| 32 | Editorial - Sensitivity of Analytical and Bioanalytical Techniques. Journal of Analytical & Bioanalytical Techniques, 2017, 08, . | 0.6 | 0 |
| 33 | Characterization of Nanoparticles by Mass Spectrometry. Chemical Sciences Journal, 2017, 08, . | 0.1 | 1 |
| 34 | Uptake and Accumulation of Nephrotoxic and Carcinogenic Aristolochic Acids in Food Crops Grown in <i>Aristolochia clematitis</i> -Contaminated Soil and Water. Journal of Agricultural and Food Chemistry, 2016, 64, 107-112. | 5.2 | 37 |
| 35 | An investigation on the chemical structure of nitrogen and sulfurÂcodoped carbon nanoparticles by ultra-performance liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2016, 408, 5347-5357. | 3.7 | 31 |
| 36 | Elucidating the structure of carbon nanoparticles by ultra-performance liquid chromatography coupled with electrospray ionisation quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2016, 911, 100-107. | 5.4 | 14 |

Qin Hu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | UHPLC combined with mass spectrometric study of as-synthesized carbon dots samples. Talanta, 2016, 146, 340-350. | 5.5 | 18 |
| 38 | Mass Spectrometric and Spectrofluorometric Studies of the Interaction of Aristolochic Acids with Proteins. Scientific Reports, 2015, 5, 15192. | 3.3 | 4 |
| 39 | Capillary electrophoretic study of green fluorescent hollow carbon nanoparticles. Electrophoresis, 2015, 36, 2110-2119. | 2.4 | 16 |
| 40 | High-performance liquid chromatography coupled with mass spectrometry for analysis of ultrasmall palladium nanoparticles. Talanta, 2015, 131, 632-639. | 5.5 | 10 |
| 41 | Carbon dots isolated from chromatographic fractions for sensing applications. RSC Advances, 2015, 5, 106838-106847. | 3.6 | 11 |
| 42 | Role of UHPLC in evaluating as-synthesised ligand-protected gold nanoparticles products. Analytical Methods, 2015, 7, 2452-2457. | 2.7 | 4 |
| 43 | Facile synthesis of nitrogen-doped carbon dots for Fe3+ sensing and cellular imaging. Analytica Chimica Acta, 2015, 861, 74-84. | 5.4 | 283 |
| 44 | High-quality water-soluble luminescent carbon dots for multicolor patterning, sensors, and bioimaging. RSC Advances, 2015, 5, 16972-16979. | 3.6 | 68 |
| 45 | Sensitive determination of kaempferol using carbon dots as a fluorescence probe. Talanta, 2015, 144, 390-397. | 5.5 | 22 |
| 46 | High-performance liquid chromatographic and mass spectrometric analysis of fluorescent carbon nanodots. Talanta, 2014, 129, 529-538. | 5.5 | 33 |
| 47 | Red-green-blue fluorescent hollow carbon nanoparticles isolated from chromatographic fractions for cellular imaging. Nanoscale, 2014, 6, 8162. | 5.6 | 89 |
| 48 | Better understanding of carbon nanoparticles via highâ€performance liquid chromatographyâ€fluorescence detection and mass spectrometry. Electrophoresis, 2014, 35, 2454-2462. | 2.4 | 36 |
| 49 | Green synthesis of fluorescent nitrogen/sulfur-doped carbon dots and investigation of their properties by HPLC coupled with mass spectrometry. RSC Advances, 2014, 4, 18065-18073. | 3.6 | 88 |
| 50 | Capillary electrophoretic study of amine/carboxylic acid-functionalized carbon nanodots. Journal of Chromatography A, 2013, 1304, 234-240. | 3.7 | 66 |
| 51 | Probing Histidine-Stabilized Gold Nanoclusters Product by High-Performance Liquid Chromatography and Mass Spectrometry. Journal of Physical Chemistry C, 2013, 117, 18697-18708. | 3.1 | 35 |